

Handoff 002 - Whole-book imports, learning home, and UI completion

Date: 2026-10-04

Repository: Patchagray/LifelsLearned

Reviewed baseline: 5af5b94da378494cd6b5707555852964e9a36cf3

Baseline branch: bootstrap/xcode-verification

Status: Implementation brief for Mac Codex. This document does not implement the changes below.

1. Outcome and priority

Deliver a complete personal learning experience centered on a library of imported book collections. The app should open to a useful Continue learning area and an inviting library. Each book contains its entire prepared, ordered collection of ideas. Import is a secondary action with a clear review step.

Implement this work, build it, test it, and provide reviewable source and visual evidence. Finish the relevant UI across home, book detail, import, reading, practice, completion, and settings; do not stop at a home-screen mockup.

Priorities:

1. Safe whole-collection import and revision handling.
2. Useful home/library and reliable resume.
3. Consistent, finished presentation across the learning journey.
4. Preserve the working narration and practice behavior.

2. Updated device evidence from Mario

On October 4, Mario reported testing the app on a physical device:

- The lesson ran through completion.
- Quizzes and explanatory feedback worked.
- Playback, progression, and pauses worked as expected.
- Existing pacing was acceptable and easy to follow.
- He would prefer roughly another half-second between screens for illustration reflection.

Record these as user-reported physical-device results. Device model, OS, and installed build SHA were not supplied; do not invent them or label the report an independently observed test. Update VALIDATION.md to reflect this evidence alongside the existing Mac build/test report.

The earlier static review raised a pause-during-the-between-screen-delay edge case. Mario did not report that defect in use. Keep this as a targeted regression check, not justification to rewrite the working speech system.

3. Home and navigation

Use one primary learning home with two sections rather than adding redundant Home and Library tabs.

Continue learning

At the top, show one prominent card for the most recently engaged idea:

- Book title, idea title, and current phase.
- Reading position such as Screen 3 of 8, or Question 2 of 2.
- A clear Resume button.
- Use existing artwork when available, with a designed typographic fallback.

Track actual engagement, not mere library browsing. Persist a last-engaged timestamp and enough state to resume honestly. Current reading progress is only a page index, and practice state is session-local; extend persistence where necessary.

For interrupted practice, restore question position, selected answer, feedback state, attempted flag, and first-attempt score. Reopening must not count a retry as a first success. Resume paused; do not start audio without an explicit tap. Reading resumes at the saved screen, not an invented word-level timestamp.

When the latest idea is complete, offer the next idea in that book with an explicit Start next idea action. Do not auto-play a different lesson. When the collection is complete, show a completed state and a revisit action. On first use, show Start learning from an available book. Never display fabricated activity or progress.

Your library

Below Continue learning:

- Display imported collections as book cards with title, author, available idea count, and practiced progress.
- Keep the full title readable; use a cover if supplied and a polished fallback if absent.
- Open a book to its complete ordered idea list.
- Keep a modest Import book control in the toolbar or library header; it should not dominate the home.
- Add title/author search when useful without introducing a new navigation hierarchy.
- Show an intentional no-results state.

For a truly empty library, explain how to add a prepared collection and provide the import action. The existing starter can remain, visibly labeled Demo / introductory collection. It must not appear to cover the whole book.

Book detail

Show cover/fallback, title, author, concise synopsis, explicit coverage, practiced progress, and source notes. Display every imported idea in package order with a stable identity, clear number, title, estimated duration, and state:

- Not started
- In progress
- Ready to practice
- Practiced
- Updated - review again, where appropriate

Distinguish an updated idea from a never-started idea. Preserve quick access to practice for already-read ideas. Do not force sequential unlocking.

4. Import contract: entire collections only

Mario's explicit requirement: a book is imported as its entire prepared collection, never as individual idea patches. Updates also arrive as a complete collection. All idea IDs arrive together.

Entire prepared collection means all content we have prepared and reviewed for that release. It does not claim the full source book was reviewed when only an excerpt was available. Coverage disclosure remains mandatory.

Keep stable book IDs and idea IDs. Introduce a versioned package contract with a positive collection revision, an ordered manifest of idea IDs/revisions, and an explicit full-collection declaration. Match the actual lesson set and order to the manifest; reject duplicates, missing entries, missing assets, and invalid references.

A manifest establishes internal consistency, not proof that an author included every idea from a source. Authoring review must establish intended coverage. Do not imply that structural validation verifies factual accuracy or book completeness.

Import flow

1. Choose one complete collection from Files.
2. Validate and stage it without changing installed content or progress.
3. Present a compact preview: book, author, coverage, idea count, collection revision, and new import versus update.
4. For an update, show counts and expandable titles of unchanged, added, revised, and removed ideas. Explain the effect on progress.
5. Confirm once to import the whole collection.
6. Persist atomically, then show success with Open book.

Cancel, invalid content, missing assets, or a failed write must leave the prior collection and its progress usable. Avoid per-idea import buttons and partial success.

When an update omits existing ideas, reject it unless the package explicitly declares those removals and the review screen clearly identifies them. Intentional removals need a distinct acknowledgement in the import review. Retain archived progress so reinstatement/recovery is possible; do not silently delete history.

Revision and progress rules

- Same collection ID/revision and identical content: no-op, Already imported.
- Same revision with different content: reject with an actionable authoring error.
- Lower collection revision: reject as an older version in this flow.
- Higher collection revision: compare stable idea IDs and lesson revisions.
- Unchanged idea and content: preserve reading/practice state.
- Changed lesson content with unchanged lesson revision: reject.
- Lower revision of an existing lesson: reject.
- Revised lesson: retain old history; expose a new active state labeled Updated - review again. Do not apply an old quiz answer to new material.
- Added idea: new state.
- Reordering unchanged ideas: retain their progress.
- Changes to book-level display metadata require a new collection revision but must not reset unchanged lesson progress.

Define deterministic content comparison. Ignore irrelevant JSON whitespace/object-key ordering; preserve semantically meaningful ordered arrays. Compare asset content when an illustration changes, not just its ID. Document which changes require a lesson revision.

Persistence and migration

Current LibraryStore replaces a book after validating only the incoming package. It does not compare installed revisions or detect unintentional omissions. Extend this carefully.

Load progress independently from content loading. A corrupt content file must not prevent recovery of valid saved progress or cause a later write to replace that history with an empty dictionary. Preserve unreadable files for recovery.

Maintain existing installations and progress keys through migration. Existing formatVersion 1 packages lack the new collection contract: keep installed legacy content readable, but do not silently accept a legacy file as a new full-collection update. Provide an authoring conversion path that produces the new complete format. Convert the bundled demo explicitly, preserving stable IDs and existing progress.

Stage content/assets/progress migration as one recoverable operation. A multi-file implementation must not claim atomicity merely because each individual file uses an atomic write. Document recovery after interruption.

Artwork and package size

The current format embeds base64 images per page and caps the entire file at 25 MB. Repeated illustrations across many ideas can exhaust that budget.

Use a shared asset table keyed by asset ID in the new package so repeated illustrations are stored once and pages reference them. Support optional book-cover artwork with accessible descriptions. Optimize image dimensions/encoding for the actual reader; enforce decoded-size and pixel-dimension bounds before expensive display work.

Keep a self-contained Files import, native where practical, with no new backend. Validate a realistic multi-idea illustrated fixture against the chosen limits and document supported package sizes. Do not solve size limits by splitting one book into separate idea imports. If a different container is necessary, document the decision and follow AGENTS.md for major architectural/dependency changes.

Perform substantial parsing, validation, image work, and disk work away from the main actor. Keep the UI responsive and show clear loading/error states; publish the committed model on the main actor.

5. Visual direction

Keep the calm learning character but make it feel intentional and complete:

- Warm ivory surfaces, dark ink text, deep teal primary actions, restrained amber accents.
- Editorial serif for lesson/story text; native sans-serif for controls, metadata, and navigation.
- A small shared set of spacing, corner-radius, typography, color, and button tokens.
- Clear hierarchy, generous readable spacing, consistent component behavior, and useful empty/loading/error states.
- Respect Dynamic Type, contrast, Reduce Motion, VoiceOver, and 44-point minimum touch targets.
- Use adaptive layouts: comfortable reading width on iPad, library grid when space allows, no stretched phone cards.
- Keep artwork and the text it supports visually close. Avoid illustrations becoming tiny or routinely hidden beneath long prose.

- Style practice answers and feedback clearly with text/icons as well as color.
- Give completion a clear next action and show achieved progress without confetti or reward systems.
- Make source notes and coverage easy to find.

Polish the existing reader and settings as part of this pass while retaining their behaviors and voice choices. Use supplied artwork and designed cover placeholders; do not invent publisher covers or claim a placeholder is official artwork.

Final design brief: a crafted editorial learning app

Aim for the coherence and finish of an award-caliber native app. This is a quality target, not a claim of an award. Treat visual design as a deliverable with concrete review criteria.

Design concept: a personal illustrated reading room. The book and its ideas are the identity of the product. Use striking typography, thoughtful artwork crops, and purposeful spacing to make learning feel inviting and focused. Avoid a generic dashboard assembled from identical rounded cards, oversized empty panels, stock gradients, and repeated decorative icons.

Before implementation, establish a small design system in the repository: semantic colors, type scale, spacing scale, surface hierarchy, artwork ratios, control states, and motion rules. Make one coherent design decision and carry it across all screens. Use native controls where their familiarity helps; customize their composition and styling deliberately.

Screen composition:

- Home: a restrained app heading, one editorial Continue learning feature with artwork and a specific resume action, then a clearly separated book collection. Use asymmetry and type hierarchy where useful, with a stable reading order. The primary action should be recognizable within a glance.
- Library books: use a consistent portrait cover treatment with distinctive typographic placeholders. Keep titles, authors, and progress aligned. Let cover artwork supply variety rather than assigning arbitrary gradients to cards.
- Book detail: give the cover and title a deliberate opening composition, then use a compact numbered list of ideas with subtle separators. Avoid nesting cards inside cards. Progress should describe learning achieved, not merely screen visits.
- Reader: make illustration, title, and story feel like one composition. Preserve artwork aspect ratios and key subjects. Keep controls anchored and visually quiet so the story remains the focus. On small screens or large text sizes, scroll naturally rather than shrinking text to force a fixed layout.
- Takeaway: present a collectible-looking editorial idea card with clear source/book attribution and a satisfying, accessible reveal. Use restrained animation and retain an immediate Reduce Motion alternative.
- Practice: retain a calm reading rhythm, generous answer targets, clear selected/correct/retry states, and helpful feedback. Do not make errors look punitive. Completion should feel finished and offer a useful next step.
- Import review: use a clean sheet or dedicated view with a recognizable book identity, readable coverage, an understandable summary of changes, and one clear confirmation action. Make errors explain the next corrective step.

Use system serif and sans-serif fonts initially; avoid a new font dependency unless it produces a justified improvement. Support the selected palette in both light and dark appearance using semantic colors rather than relying on white opacity over every background. Ensure feedback, dividers, disabled states, and system sheets remain legible in both.

Interaction details: consistent pressed states, smooth restrained transitions, optional light haptics for meaningful actions, and clear loading states. Honor accessibility preferences. Avoid decorative motion that delays reading,

import confirmation, or navigation.

Design acceptance gate: inspect rendered screens on an actual simulator/device, identify the weakest hierarchy, spacing, typography, and artwork issues, and refine them before handoff. Include before/after screenshots for home, book detail, and reader, plus final import and practice screens. Verify long book titles, missing artwork, one-book and multi-book libraries, large text, and narrow layouts. A successful build alone does not satisfy the UI deliverable.

6. Narration and reflection timing

Retain current speech-finish-driven transitions, voice roles, manual navigation, retries, and boundaries. Keep playback foreground-only for this scope.

Set the fresh-install pause default to 2.0 seconds, up from 1.5. Preserve existing saved user preferences. Keep the existing adjustable setting and explain it as time to reflect between screens. Do not silently migrate Mario's saved setting; he can adjust it in settings.

Verify pause/resume during active speech and during the between-screen delay. Resuming the delay should continue toward the next screen without replaying the completed narration or leaving a stuck state. Change only the relevant state handling if needed.

7. Code organization and implementation order

Read AGENTS.md and inspect current local work before changes. Keep changes in a dedicated implementation branch and preserve unrelated work. This brief may predate subsequent source commits; inspect the current implementation rather than replacing it with this baseline.

Suggested focused components:

- Package models/validator and collection comparison.
- Import staging/persistence service.
- Import preview view/model.
- Resume/progress persistence.
- Learning home, book cards, and book detail.
- Shared presentation tokens/components.

Do not place the entire feature in LibraryView.swift or a single giant SwiftUI file.

Implement in order:

1. Versioned contract, migrations, import comparison, safe persistence, and fixtures.
2. Import preview and full-collection success/error flows.
3. Resume state and home/library/book detail.
4. Reader/practice/settings visual consistency and reflection default.
5. Build, tests, device/simulator visual checks, documentation, and pushed evidence.

Update AGENTS.md with the whole-collection import requirement. Update CONTENT_AUTHORING.md, the example package, starter generation tooling, portable validator, README.md, and VALIDATION.md so they agree with the implemented format and workflow. Existing tooling must not regenerate obsolete packages.

8. Acceptance checks

Import and persistence:

- Import a multi-idea collection with shared illustrations; every idea appears under its book in the correct order.
- Re-import the identical release; no duplicates or progress changes.
- Import a newer full release with additions, revisions, and reorderings; preserve unchanged progress and visibly flag revised content.
- Reject same-revision content changes, downgrades, undeclared omissions, incomplete manifests, duplicate IDs, missing assets, oversized images, and malformed files.
- Cancel preview and simulate a write failure; installed content and progress remain intact after relaunch.
- Explicit declared removals are reviewed and acknowledged; old history is retained.
- Corrupt content independently of valid progress; progress is still recovered and not overwritten.
- Verify migration of existing demo progress and handling of legacy imports.
- Exercise the largest representative supported illustrated collection without a frozen interface.

Home and learning:

- First use, empty library, no search results, in-progress reading, interrupted practice, revised current idea, and completed collection all have correct actions.
- Resume returns to the correct book/idea/phase without unsolicited audio.
- Interrupted quiz retries cannot become first-attempt successes.
- Reader completes through takeaway, questions, feedback, and completion.
- Voices, manual navigation, interruptions, and both pause cases still work.

Presentation:

- Inspect actual rendered home, book detail, import preview, reader, practice/feedback, and completion.
- Check iPhone and iPad, portrait/landscape, large accessibility text, and light/dark appearance where supported. Ensure explicit palette choices remain legible with system controls.
- Save a concise set of labeled simulator screenshots for review. Record remaining physical-device checks honestly.

9. Deliverable and evidence

Push implementation and updated docs on the dedicated branch; open a reviewable PR without merging the default branch.

Provide exact source commit, changed behavior, migration behavior, test commands/results, screenshots, and remaining limitations. Store concise sanitized build/test evidence tied to the tested source SHA in the repository or accessible workflow artifacts; raw /tmp paths alone are not remotely reviewable evidence.

Do not claim that this handoff itself was built or tested. Do not repeat physical-device work as pending when Mario already reported it; distinguish his existing successful test from regression verification of the new build.