




SYMBOL	CONCENTRICITY	FLATNESS	PERPENDICULARITY	STRAIGHTNESS	CIRCULAR RUN OUT	PROFILE OF ANY LINE	ROUNDNESS OF PRELIMINARY	LEAKAGE MATERIAL CONDITION	PERMANENT PLATE	200Z	100Z	50Z	25Z	12.5Z	6.3Z	3.2Z	1.6Z	0.8Z	0.4Z	0.2Z	0.1Z
○	⊙	∥	⊥	≡	⊥	⊥	⊙	⊙	⊙	200Z	100Z	50Z	25Z	12.5Z	6.3Z	3.2Z	1.6Z	0.8Z	0.4Z	0.2Z	0.1Z

SYMBOL	REVISION RECORD	ISSUE NO.	DATE NAME
▽			
▽			
▽			



50Z / (6.3Z / 0.8Z /)

GENERAL TOLERANCE GRADE (YES 052502-05-GRADE 1)

GENERAL AREA	20.1	20.15	20.2	20.3	20.4
GENERAL DISTANCE	20.12	20.15	20.2	20.3	20.4
GENERAL ANGLE	E1°30'				



OBOM GAUGE TECHNOLOGY

Head Office Tel : 02593-1389 Fax : 02593-1390 Mobile : 099-8974-096 / 062-594-7849

OCURA	PART NAME	PART NO.	JOB NO.	DWG. NO.
CUSTOMER			CHECK	Patchara P.
MATERIAL	SURFACE FINISH	SURFACE TREATMENT	THIRD ANGLE	SHEET NO.
58-63 HRC.	SS	BLACKENING	3	4

