


	GENERAL ANGLE	GENERAL DISTANCE		GENERAL AREA		GENERAL TOLERANCE GRADE (YES 052502-05-GRADE 1)	<	50Z/ (
		± 0.12	X~100	±0.1	Næ50	LERANCI	<	5.3Z
	±1 [*] 30'	± 0.15	100%X%200	±0.15	50×X×100	E GRADE	, 	$G_{0.8Z}$
		± 0.2	100×X×200 200×X×500	±0.2	50×X×100 100×X×200 200×X×400 400×X×800	(YES 0525	,	
	SHALL BE CU.5	OTHERWIS		±0.3	200×X×400	02-05-GR/		
	C0.5	OTHERWISE SPECIFED		±0.4	400×X×800	(DE 1)		
	GE	Q LINE OPE				S		
		RATION T			A. Commercial Commerci	SCALE	1:1	
76)	OPERATION TO MACHINE MATERIAL	Head Office Tel: 0-	OBOM		CUSTOMER	OGURA	
2440	$\overline{}$		2593-1389	GAU	2		PLUG G	
<	58-63 HRC. 🔕	SURFACE FINISH	1/Z Moo.3 L.Krachaeng A.Samkhok Pathumthani 12160 : 0-2593-1389 Fax : 0-2593-1390 Mobile : 089-8974-0	GE IECE		PART NAME	PLUG GAUGE GO 28.62 NOGO 28.68	
	BLACKENING	SURFACE FINISH SURFACE TREATMENT	1/2 Moo.3 1.Krachaeng A.Samkhok Fathumtham 12160 Head Office Tel : 0-2593-1389 Fax : 0-2593-1390 Mobile : 089-8974-096 / 062-594-7849	OBOM GAUGE LECHNOLOGY	THE COURT	PART NO.	,	
			APPROVED	CHECK	DESIGN	JOB NO.		
FM-DS-01	2	SHEET NO.			Patchara P. 14/05/25	D'		البي
FM-DS-01 Rev. 00	24				14/05/25	DWG. NO.	1	



		0.3
f	0.005	
R0.5	Ø28.62 -0.003	/
	0.82	
		25
ļ		<u> </u>
C0.5		22
	Ø16_	
	do	

				1.6Z/	162
\geq	\geq	\geq	MYS	0.82/	700
			REV	° «	0.42
			REVISON RECORD	°2Z/	0.22
			ECORD	°IZ	0.12 ZI.0
			ISSUE NO.	P.0052	V IP
-	-	_	JE DA		

	4 ₹	162
M. W. S.	0 M	
REV	0 42/ 20 0 42/ 20 0 42/	
REVISON RECORD	0.2Z 3 0.2Z	
ECORD	o.15 Axxa	
NO.	°°°° 7	
99		_

O CIRCULARITY

A CYLINDRICITY O CONCENTRICITY

// PARALLELISM D FLATNESS

POSITION

── SYMMETRY

CIRCULAR RUN OUT

PROFILE OF
ANY
PROFILE OF
ANY LINE

S REGARDLESS OF FEATURE SIZE

S D MATERIAL CONDITION

Project Tangent Plane

5 4002

2002 2002

100Z

4 500 €

257


12 52 **3**252

63Z/ *

F FREE STATE M MAXIMUM MATERIAL CONDITION

(E) висом

	GENERAL ANGLE	GENERAL DISTANCE		GENERAL AREA		GENERAL TOLERANCE GRADE (YES 052502-05-GRADE 1)	<	502/ (
		± 0.12	N~100	±0.1	N.~50	LERANC	<	3.3Z/
	±1*30'	± 0.15	100×X×200	±0.15	50*X*100	E GRADE	, <	G 0.8Z
		±0.2	200×X×500	± 0.2	100×X×200	(YES 0525	,	
	SHALL BE CU.5	OTHERWISE SPECIFEI		±0.3	100×X×200 200×X×400 400×X×800	02-05-GRA		
	0.5	OTHERWISE SPECIFED	NO TIME BOO	± 0.4	400×X×800	DE 1)		
	OBOM GAUGE			可以是	(100 july 1)			
						SCALE	1:1	
245			Head Office Tel : 0-2593-	OBOM GA		SCALE CUSTOMER	OGURA	
2470			Head Office Tel: 0-2593-1389 Fax: 0-2593-1390 Mobile: (OBOM GAUGE IECL				
		OPERATION TO MA	Head Office Tel : 0-2593-1389 Fax : 0-2593-1390 Mobile : 0.89-8974-096 / 062-594-7849	OBOM GAUGE IECHNOLOGY		CUSTOMER	OGURA	
	58-63 HRC. (S) BLACKENING (C)	OPERATION TO MACHINE MATERIAL SURFACE FINISH SURFACE TREATMENT THEO ANGLE	Head Office Tel. p. 2393-1389 Ext. p. 2393-1390 Mohile: p. 98974-1996 062-594-7849 APPROVED	OBOM GAUGE IECHNOLOGY CHECK	DESIGN	CUSTOMER PART NAME	OGURA	
	58-63 HRC. (S) BLACKENING (C)	OPERATION TO MACHINE MATERIAL SURFACE FINISH SURFACE TREATMENT			[CUSTOMER PART NAME PART NO.	OGURA	



O CIRCULARITY

// PARALLELISM

POSITION

≕ SYMMETRY

1 CIBCULAR
RUN OUT

TOTAL
RUN OUT

D PROFILE OF ANY SURFACE PROFILE OF ANY LINE

REGARDLESS OF FEATURE SIZE

E CONDITION

MATERIAL

CONDITION

MATERIAL

CONDITION

PTOLERANCE ZO

E ENCOMPASSI

PLANE TANGENT

5

∑000Z

4 ₹

12.52 **12.5**2

4 ₹

osz | ₹

o.s. 200 st.

01Z 01Z


₩ 1500 P

0 ZZ

REVISON RECORD

ISSUE DATE NAME

© CONCENTRICITY



NO5'0

2

DWG.NO.
chara P. 140525
EEET NO.

