WEEK9 & CW5

File :

1. templates / add.html
2. server.py

Install Package :

1. pip install flask
2. pip install flask-mysql

เริ่มต้น

1. เปิด XAMPP และ Start



2. สร้างฐานข้อมูล ชื่อ emp



3. ใช้คำสั่ง SQL เพื่อสร้างตารางข้อมูล ชื่อ emp

```
**********************************
CREATE TABLE emp (
id int(11) NOT NULL AUTO_INCREMENT PRIMARY KEY,
name varchar(255) NOT NULL,
email varchar(255) NOT NULL,
phone varchar(16) DEFAULT NULL,
address text DEFAULT NULL
)
**********************************
```

4. Run : python server.py

pubspec.yaml

- เพิ่ม : http: ^0.13.4

pubspec.yaml

```yaml
name: week9
description: "A new Flutter project."
publish_to: 'none'
version: 1.0.0+1

environment:
  sdk: ^3.6.1
dependencies:
  flutter:
    sdk: flutter
  cupertino_icons: ^1.0.8
  http: ^0.13.4

dev_dependencies:
  flutter_test:
    sdk: flutter
  flutter_lints: ^5.0.0
flutter:
  uses-material-design: true
```



model.dart

model.dart ×

lib > model.dart > Model

Codeium: Refactor | Explain

```dart
class Model {
  final String id;
  final String name;
  final String address;
  final String email;
  Model._(
    {required this.id,
    required this.name,
    required this.address,
    required this.email});
    factory Model.fromJson(Map<String, dynamic> json) {
      return Model._(
        id: json['id'],
        name: json['name'],
        address: json['address'],
        email: json['email'],
      );
    }
}
```

main.dart

```dart
import 'package:flutter/material.dart';
import 'mymain.dart';
void main() {
  runApp(const MyApp());
}
class MyApp extends StatelessWidget {
  const MyApp({super.key});
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: 'Flutter Demo',
      theme: ThemeData(
        colorScheme: ColorScheme.fromSeed(seedColor: Colors.deepPurple),
        useMaterial3: true,
      ),
      home: ShowInf(),
    );
  }
}
class MyHomePage extends StatefulWidget {
  const MyHomePage({super.key, required this.title});
  final String title;

  @override
  State<MyHomePage> createState() => _MyHomePageState();
}
class _MyHomePageState extends State<MyHomePage> {
  int _counter = 0;

  void _incrementCounter() {
    setState(() {
      _counter++;
    });
  }
  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        backgroundColor: Theme.of(context).colorScheme.inversePrimary,
        title: Text(widget.title),
      ),
      body: Center(
        child: Column(
          mainAxisAlignment: MainAxisAlignment.center,
          children: <Widget>[
            const Text(
              'You have pushed the button this many times:',
            ),
            Text(
              '$_counter',
              style: Theme.of(context).textTheme.headlineMedium,
            ),
          ],
        ),
      ),
      floatingActionButton: FloatingActionButton(
        onPressed: _incrementCounter,
        tooltip: 'Increment',
        child: const Icon(Icons.add),
      ),
    );
  }
}
```

mymain.dart

```
1  import 'package:flutter/material.dart';
2  import 'dart:async';
3  import 'dart:convert';
4  import 'package:http/http.dart' as http;
5  main() {
6    runApp(const ShowInf());
7  }
8  class ShowInf extends StatefulWidget {
9    const ShowInf({super.key});
10
11   @override
12   State<ShowInf> createState() => _ShowInfState();
13 }
14 class _ShowInfState extends State<ShowInf> {
15   List list = [];
16   final TextEditingController _nameController = TextEditingController();
17   final TextEditingController _addressController = TextEditingController();
18   final TextEditingController _emailController = TextEditingController();
19   final TextEditingController _phoneController = TextEditingController();
20   Future<String> listData() async {
21     var response = await http.get(Uri.http('10.0.2.2:8080', 'emp'),
22         headers: {"Accept": "application/json"});
23     print("Response status: ${response.statusCode}");
24     print("Response body: ${response.body}");
25     setState(() {
26       list = jsonDecode(response.body);
27     });
28     return 'Success';
29   }
30   @override
31   void initState() {
32     super.initState();
33     listData();
34   }
35   @override
36   Widget build(BuildContext context) {
37     return Scaffold(
38       appBar: AppBar(
39         title: Text('DB Test'),
40       ),
41       body: Center(
42         child: ListView.builder(
43           itemCount: list.length,
44           itemBuilder: (BuildContext context, int index) {
45             return Card(
46               child: ListTile(
47                 title: Row(
48                   children: [
49                     Expanded(child: Text(list[index]['name'])),
50                     Expanded(child: Text(list[index]['email'])),
51                   ],
52                 ),
53                 leading: Text(list[index]['id'].toString()),
54                 trailing: Wrap(
55                   spacing: 5,
56                   children: [
57                     IconButton(
58                       onPressed: () {
```

กำหนดหมายเลข port ให้ตรงกับ Server ของ Web API

```
58                      onPressed: () {
59                        Map data = {
60                          'id': list[index]['id'],
61                          'name': list[index]['name'],
62                          'address': list[index]['address'],
63                          'email': list[index]['email'],
64                          'phone': list[index]['phone']
65                        };
66                        _showedit(data);
67                      },
68                      icon: Icon(Icons.edit),
69                      color: Colors.green,
70                    ),
71                    IconButton(
72                        onPressed: () => _showDel(list[index]["id"]),
73                        icon: const Icon(
74                          Icons.delete_outline,
75                          color: Colors.red,
76                        )),
77                  ],
78                ),
79              ),
80            );
81          },
82        ),
83      ),
84      floatingActionButton: FloatingActionButton(
85        onPressed: () {
86          _addNewDialog();
87        },
88        child: const Icon(Icons.add),
89      ),
90    );
91  }
92  Future<void> _addNewDialog() async {
93    return showDialog(
94        barrierDismissible: false,
95        context: context,
96        builder: (BuildContext context) {
97          return AlertDialog(
98            title: const Text('Add emp'),
99            content: SingleChildScrollView(
100                child: ListBody(
101              children: <Widget>[
102                TextField(
103                  controller: _nameController,
104                  decoration: const InputDecoration(
105                      labelText: 'Name', hintText: "Enter emp Name"),
106                ),
107                TextField(
108                  controller: _emailController,
109                  decoration: const InputDecoration(
110                      labelText: 'Email', hintText: "Enter emp Email"),
111                ),
112                TextField(
113                  controller: _phoneController,
114                  decoration: const InputDecoration(
115                      labelText: 'Phone', hintText: "Enter emp Phone"),
116                ),
117                TextField(
118                  controller: _addressController,
119                  decoration: const InputDecoration(
```

```
120                     labelText: 'Address', hintText: "Enter emp Address"),
121                ),
122                const Text('กรอกข้อมูลให้เรียบร้อยแล้วกด ยืนยัน'),
123              ],
124            )),
125            actions: <Widget>[
126              TextButton(
127                  onPressed: () {
128                    add_data();
129                    Navigator.of(context).pop();
130                  },
131                  child: Text('ยืนยัน')),
132            ],
133          );
134        });
135  }
136  Future<void> _showDel(int id) async {
137    return showDialog<void>(
138        barrierDismissible: false,
139        context: context,
140        builder: (BuildContext context) {
141          return AlertDialog(
142            title: Text('ลบข้อมูล ${id}'),
143            content: SingleChildScrollView(
144                child: ListBody(
145              children: <Widget>[
146                Text('ยืนยันการลบข้อมูล กด ยืนยัน'),
147              ],
148            )),
149            actions: <Widget>[
150              TextButton(
151                  onPressed: () {
152                    del_data(id);
153                    Navigator.of(context).pop();
154                  },
155                  child: Text('ยืนยัน')),
156            ],
157          );
158        });
159  }
160  void add_data() async {
161    Map data = {
162      'name': _nameController.text,
163      'email': _emailController.text,
164      'phone': _phoneController.text,
165      'address': _addressController.text
166    };
167    var body = jsonEncode(data);
168    var response = await http.post(Uri.http('10.0.2.2:8080', 'create'),
169        headers: {
170          "Content-Type": "application/json",
171          "Accept": "application/json"
172        },
173        body: body);
174    print("Response status: ${response.statusCode}");
175    print("Response body: ${response.body}");
176    listData();
177  }
178  void del_data(int id) async {
179    var response = await http.delete(Uri.http('10.0.2.2:8080', 'delete/$id'),
180        headers: {
181          "Content-Type": "application/json; charset=UTF-8",
```

กำหนดหมายเลข port ให้ตรงกับ Server ของ Web API

```
182           "Accept": "application/json"
183         });
184     print("Response status: ${response.statusCode}");
185     print("Response body: ${response.body}");
186     listData();
187   }
188   Future<void> _showedit(Map data) async {
189     _nameController.text = data['name'];
190     _emailController.text = data['email'];
191     _phoneController.text = data['phone'];
192     _addressController.text = data['address'];
193     return showDialog<void>(
194         barrierDismissible: false,
195         context: context,
196         builder: (BuildContext context) {
197           return AlertDialog(
198             title: const Text('ทดสอบการ Edit'),
199             content: SingleChildScrollView(
200                 child: ListBody(
201               children: <Widget>[
202                 TextField(
203                   controller: _nameController,
204                   decoration: const InputDecoration(
205                       labelText: 'Name', hintText: "Enter emp Name"),
206                 ),
207                 TextField(
208                   controller: _emailController,
209                   decoration: const InputDecoration(
210                       labelText: 'Email', hintText: "Enter emp Email"),
211                 ),
212                 TextField(
213                   controller: _phoneController,
214                   decoration: const InputDecoration(
215                       labelText: 'Phone', hintText: "Enter emp Phone"),
216                 ),
217                 TextField(
218                   controller: _addressController,
219                   decoration: const InputDecoration(
220                       labelText: 'Address', hintText: "Enter emp Address"),
221                 ),
222                 const Text('ปรับปรุงข้อมูลให้เรียบร้อยแล้วกด ยืนยัน'),
223               ],
224             )),
225             actions: <Widget>[
226               TextButton(
227                   onPressed: () {
228                     edit_data(data['id']);
229                     Navigator.of(context).pop();
230                   },
231                   child: Text('ยืนยัน')),
232             ],
233           );
234         });
235   }
236   void edit_data(id) async {
237     Map data = {
238       'id': id,
239       'name': _nameController.text,
240       'email': _emailController.text,
241       'phone': _phoneController.text,
242       'address': _addressController.text
243     };
```

```
244     var body = jsonEncode(data);
245     var response = await http.put(Uri.http('10.0.2.2:8080', 'update/$id'),
246         headers: {
247           "Content-Type": "application/json; charset=UTF-8",
248         },
249         body: body);
250     print("Response status: ${response.statusCode}");
251     print("Response body: ${response.body}");
252     listData();
253   }
254 }
255
```

แก้ปัญหา

gradle-wrapper.properties × | settings.gradle

android > gradle > wrapper > gradle-wrapper.properties

```
1 distributionBase=GRADLE_USER_HOME
2 distributionPath=wrapper/dists
3 zipStoreBase=GRADLE_USER_HOME
4 zipStorePath=wrapper/dists
5 distributionUrl=https\://services.gradle.org/distributions/gradle-8.2.1-all.zip
6
```

gradle-wrapper.properties | settings.gradle ×

android > settings.gradle

```
18
19 plugins {
20     id "dev.flutter.flutter-plugin-loader" version "1.0.0"
21     id "com.android.application" version "8.2.1" apply false
22     id "org.jetbrains.kotlin.android" version "1.8.22" apply false
23 }
24
25 include ":app"
26
```