Flutter UI Design

CheckBox





Modify form.dart



File Edit Selection View Go Run Terminal Help form.dart - flutter_additem_2 - Visual Studio Code

EXPLORER

form.dart | main.dart | Shopping.dart

lib > form.dart > _MyFormState > build

OPEN EDITORS
- form.dart lib
- main.dart lib
- Shopping.dart lib

FLUTTER_ADDITEM_2
- .dart_tool
- .idea
- android
- build
- ios
- lib
  - Screen
  - form.dart
  - main.dart
  - Shopping.dart
- test
- web
- .gitignore
- .metadata
- .packages
- analysis_options.yaml
- flutter_additem.iml
- pubspec.lock

OUTLINE
TIMELINE
DEPENDENCIES
JAVA PROJECTS

```
40
41  @override
42  Widget build(BuildContext context) {
43    return Scaffold(
44      appBar: AppBar(
45        title: Text("PRODUCT"),
46      ), // AppBar
47      body: Container(
48        padding: EdgeInsets.all(20.0),
49        child: ListView(
50          children: [
51            const Text(
52              "PRODUCT App",
53              style: TextStyle(fontSize: 30),
54            ), // Text
55            const Text("Add Product detail in the form "),
56            SizedBox(height: 10.0),
57            MyTextField(
58                fieldName: "Product Name",
59                myController: _productController,
60                myIcon: Icons.pin_drop_sharp,
61                prefixIconColor: Colors.deepPurple.shade300), // MyTextField
62            SizedBox(height: 20.0),
63            MyTextField(
64                fieldName: "Product Description",
65                myController: _productController,
66                myIcon: Icons.pin_drop_sharp,
67                prefixIconColor: Colors.deepPurple.shade300), // MyTextField
68            SizedBox(height: 20.0),
69
70            // Two Types of Check Box
71
72            //1. check box
73            Checkbox(
74              checkColor: Colors.white,
75              activeColor: Colors.deepPurple,
76              tristate: true,
77              value: _checkBox,
78              onChanged: (val) {
79                setState(() {
80                  _checkBox = val;
81                });
82              },
83            ), // Checkbox
84
85            //2. check box list tile
86            CheckboxListTile(
87              value: _listTileCheckBox,
88              title: Text("Top Product"),
89              onChanged: (val) {
90                setState(() {
91                  _listTileCheckBox = val;
92                });
93              },
94              controlAffinity: ListTileControlAffinity.leading,
95            ), // CheckboxListTile
96
97            SizedBox(height: 20.0),
98            myBtn(context),
99            SizedBox(height: 40.0),
100         ],
101       ), // ListView
102     ), // Container
103   ); // Scaffold
104 }
105
106 Center myBtn(BuildContext context) {…
144 }
```

Create Class MyTextFiled with StateLess

```dart
class MyTextField extends StatelessWidget {
  const MyTextField({
    Key? key,
    required this.fieldName,
    required this.myController,
    this.myIcon = Icons.verified_user_outlined,
    this.prefixIconColor = Colors.blueAccent,
  }) : super(key: key);

  final TextEditingController myController;
  final String fieldName;
  final IconData myIcon;
  final Color prefixIconColor;

  @override
  Widget build(BuildContext context) {
    return TextFormField(
      controller: myController,
      decoration: InputDecoration(
        labelText: fieldName,
        prefixIcon: Icon(
          myIcon,
          color: prefixIconColor,
        ), // Icon
        border: const OutlineInputBorder(),
        focusedBorder: OutlineInputBorder(
          borderSide: BorderSide(color: Colors.deepPurple.shade300),
        ), // OutlineInputBorder
        labelStyle: const TextStyle(color: Colors.deepPurple),
      ), // InputDecoration
    ); // TextFormField
  }
}
```

Modify Variable Name : Shopping.dart

```dart
import 'package:flutter/material.dart';

class formShopping extends StatelessWidget {
  formShopping({Key? key, required this.productName, required this.productDes})
      : super(key: key);
  String productName, productDes;

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: Text('Shopping Screen'),
        leading: IconButton(
          onPressed: () {
            Navigator.pop(context);
          },
          icon: const Icon(Icons.arrow_back),
        )), // IconButton // AppBar
      body: Container(
        padding: EdgeInsets.all(20.0),
        child: ListView(children: [
          ListTile(
            leading: Icon(Icons.account_balance_wallet_outlined),
            title: Text(productName),
            subtitle: Text(productDes),
          ) // ListTile
        ])), // ListView // Container
    ); // Scaffold
  }
}
```

Radio Buttons
Radio ListTile
Flutter
11:47
Radio Widget Demo
USERS
Aaron
Jackson
Ben
John
Carrie
Brown
Deep
Sen
Emily
Jane
Radio 1
Radio 1 Subtitle
Say Hi
Radio 2
Radio 2 Subtitle
Say Hi

Form.dart


Go Run Terminal Help
form.dart - flutter_additem_2 - Visual Studio Code
form.dart lib
main.dart
form.dart ...\radio
Shopping.dart
lib > radio > form.dart > _MyFormState > build
// Two Types of Check Box
//1. check box
/*...
//2. check box list tile
CheckboxListTile(// CheckboxListTile ...
// Two Types of Radio Button
/*
1.Create radio button
2.setState() to update
3. Custom Widget Stateless=>setState() in this.class
*/
Radio(value: null, groupValue: null, onChanged: null),
RadioListTile(value: null, groupValue: null, onChanged: null),
SizedBox(height: 20.0),
myBtn(context),
SizedBox(height: 40.0),
],), // ListView
), // Container
); // Scaffold
}
Center myBtn(BuildContext context) {
return Center(
child: ElevatedButton(
child: Row(
mainAxisAlignment: MainAxisAlignment.center,
code + packages
Ln 106, Col 75
Spaces: 2
UTF-8
CRLF
Dart
Go Live
Pixel 2 TEST (android-x86 emulator)
Prettier
9:29
Radio
PRODUCT App
Add Product detail in the form
Product Name
Product Description
Top Product
Go to Shopping

form.dart lib | main.dart | form.dart ...\radio | Shopping.dart

lib > radio > form.dart > _MyFormState

```dart
import 'dart:ui';

import 'package:flutter/material.dart';
import 'Shopping.dart';

class MyForm extends StatefulWidget {
  const MyForm({Key? key}) : super(key: key);

  @override
  State<MyForm> createState() => _MyFormState();
}

class _MyFormState extends State<MyForm> {
  var _productName;
  var _productDes;

  final _productController = TextEditingController();
  final _productDesController = TextEditingController();

  var _selectedChoice;

  bool? _checkBox, _listTileCheckBox = false;

```

Create variable for Radio Button choice.

Go Run Terminal Help • form.dart - flutter_additem_2 - Visual Studio Code

form.dart lib | main.dart | form.dart ...\radio • | Shopping.dart

lib > radio > form.dart > _MyFormState > build

```dart
      //1.Create radio button
      ListTile(
        title: Text('1'),
        leading: Radio(
            value: 1,groupValue: _selectedChoice,
            onChanged: (value) {
              setState(() {
                _selectedChoice = 1;
              });
            }), // Radio
      ), // ListTile
      ListTile(
        title: Text('2'),
        leading: Radio(
            value: 2,groupValue: _selectedChoice,
            onChanged: (value) {
              setState(() {
                _selectedChoice = 2;
              });
            }), // Radio
      ), // ListTile
      ListTile(
        title: Text('3'),
        leading: Radio(
            value: 3,groupValue: _selectedChoice,
            onChanged: (value) {
              setState(() {
                _selectedChoice = 3;
              });
            }), // Radio
      ), // ListTile
```



e + packages | Ln 129, Col 30 | Spaces: 2 | UTF-8 | CRLF | {} Dart | Go Live | Pixel 2 TEST (android-x86 emulator) | Prettie

Change radio value as Object

main.dart | form.dart | Shopping.dart

radio > form.dart > _MyFormState > build

```dart
import 'dart:ui';
import 'package:flutter/material.dart';
import 'package:flutter_additem/radio/Shopping.dart';

enum ProductTypeEnum { Downloadable, Deliverable }

class MyForm extends StatefulWidget {
  const MyForm({Key? key}) : super(key: key);

  @override
  State<MyForm> createState() => _MyFormState();
}

class _MyFormState extends State<MyForm> {
  var _productName;
  var _productDes;

  final _productController = TextEditingController();
  final _productDesController = TextEditingController();

  //var _selectedChoice;

  bool? _checkBox, _listTileCheckBox = false;

  ProductTypeEnum? _productTypeEnum;

  @override
  void dispose() {
    _productController.dispose();
    super.dispose();
  }
```



Create RadioListTile Button

main.dart | form.dart | Shopping.dart

lib > radio > form.dart > _MyFormState > build

```dart
        //1.Create radioListTile button
        RadioListTile<ProductTypeEnum>(
            title: Text(ProductTypeEnum.Deliverable.name),
            value: ProductTypeEnum.Downloadable,
            groupValue: _productTypeEnum,
            onChanged: (val) {
              setState(() {
                _productTypeEnum = val;
              });
            }), // RadioListTile
        RadioListTile<ProductTypeEnum>(
            title: Text(ProductTypeEnum.Downloadable.name),
            value: ProductTypeEnum.Deliverable,
            groupValue: _productTypeEnum,
            onChanged: (val) {
              setState(() {
                _productTypeEnum = val;
              });
            }), // RadioListTile

        SizedBox(height: 20.0),
        myBtn(context),
        SizedBox(height: 40.0),
      ],
    ), // ListView
```



0 ⓘ 124 Debug my code + packages Ln 155, Col 62 Spaces: 2 UTF-8 CRLF {} Dart Go Live Pixel 2 TEST (android-x86 emulator) Prettier

Create *my_radio_button.dart* for create a Template

```dart
import 'package:flutter/material.dart';
import 'form.dart';

enum ProductTypeEnum { Downloadable, Deliverable }

class MyRadioButton extends StatelessWidget {
  MyRadioButton({
    Key? key,
    required this.title,required this.value,
    required this.selectedProductType,required this.onChanged,
  }) : super(key: key);

  String title;
  ProductTypeEnum value;
  ProductTypeEnum? selectedProductType;
  Function(ProductTypeEnum?)? onChanged;

  @override
  Widget build(BuildContext context) {
    return Expanded(
      child: RadioListTile<ProductTypeEnum>(
        title: Text(title),
        value: value,
        groupValue: selectedProductType,
        dense: true, // set Text Title
        contentPadding: EdgeInsets.all(0.0),
        onChanged: onChanged,
      ), // RadioListTile
    ); // Expanded
  }
}
```



Use Radio Button Template : form.dart

```dart
import 'dart:ui';
import 'package:flutter/material.dart';
import 'package:flutter_additem/radio/Shopping.dart';
import 'package:flutter_additem/radio/my_radio_button.dart';

//enum ProductTypeEnum { Downloadable, Deliverable }

class MyForm extends StatefulWidget {
  const MyForm({Key? key}) : super(key: key);
```

Use MyRadioButton in form.dart



Increasing a RadioButton