Final report of traineeship program 2025

On

"On blood donation prediction"

MEDTOUREASY

28-08-2025

ACKNOWLDEGMENTS

The traineeship opportunity that I had with MedTourEasy was a great change for learning and understanding the intricacies of the subject of Data Visualizations in Data Analytics; and also, for personal as well as professional development. I am very obliged for having a chance to interact with so many professionals who guided me throughout the traineeship project and made it a great learning curve for me.

Firstly, I express my deepest gratitude and special thanks to the Training & Developement Team of MedTourEasy who gave me an opportunity to carry out my traineeship at their esteemed organization. Also, I express my thanks to the team for making me understand the details of the Data Analytics profile and training me in the same so that I can carry out the project properly and with maximum client satisfaction and also for spearing his valuable time in spite of his busy schedule.

I would also like to thank the team of MedTourEasy and my colleagues who made the working environment productive and very conducive.

TABLE OF CONTENTS

Acknowledgments i

Abstract iii

Sr. No.	Topic	Page No.
1	Introduction	
	1.1 About the Company	6
	1.2 About the Project	7
	1.3 Objectives and Deliverables	9
2	Methodology	
	2.1 Flow of the Project	11
	2.2 Use Case Diagram	12
	2.3 Language and Platform Used	13
3	Implementation	
	3.1 Gathering Requirements and Defining Problem Statement	16
	3.2 Data Collection and Importing	16
	3.3Data Cleaning and Preprocessing	17
	3.4 Exploratory Data Analysis	22
	3.5 Model Development and Training	22
4	Results And Analysis	24
	4.1 Model Performance Summary	24
	4.2 Business Intelligence Insights	26
5	Dashboard And Visualization	28
6	Conclusion	33
7	Future Scope	34
8	References	35

ABSTRACT

Blood supply forecasting represents a critical challenge for blood collection managers worldwide. This project addresses the urgent need for predictive modeling in blood donation management by developing a comprehensive machine learning solution to predict donor behavior.

Using a dataset of 748 donors from the Blood Transfusion Service Center, we implemented multiple machine learning algorithms including logistic regression and automated pipeline optimization through TPOT library.

The project encompasses the complete data science workflow from data inspection and preprocessing to model deployment and visualization through interactive dashboards.

Our findings reveal key insights into donor behavior patterns and provide actionable intelligence for blood collection centers to optimize their donation campaigns and inventory management.

1 Introduction

1.1 About the Project

Blood donation prediction represents one of the most critical applications of machine learning in healthcare management, addressing fundamental challenges that blood collection centers face globally. This comprehensive project focuses on developing a sophisticated predictive modeling system that can accurately forecast whether a blood donor will donate within a specified time window, ultimately contributing to more efficient blood supply chain management and potentially saving lives through improved resource allocation.

Project Background and Significance

The global healthcare system faces an ongoing challenge in maintaining adequate blood supplies to meet medical demands. Blood collection centers worldwide struggle with the delicate balance between ensuring sufficient inventory to meet urgent medical needs while minimizing waste due to the relatively short shelf life of blood products. Red blood cells can be stored for up to 42 days, platelets for only 5–7 days, and plasma for up to one year when frozen, creating a complex inventory management challenge that requires precise forecasting capabilities.

This project addresses these critical healthcare supply chain challenges by applying advanced machine learning techniques to donor behavior prediction. By understanding and predicting donor patterns, blood collection centers can optimize their outreach campaigns, schedule collection drives more effectively, and maintain optimal inventory levels that reduce both shortages and wastage.

Dataset Characteristics and Source

The project utilizes a meticulously curated dataset from the renowned Machine Learning Repository, which has become a gold standard for academic and professional machine learning research. This dataset represents real-world data from a Blood Transfusion Service Center and contains comprehensive information about 748 unique blood donors, making it an ideal foundation for developing robust predictive models.

The dataset encompasses several critical dimensions of donor behavior:

- **Temporal Patterns:** The data captures donation patterns over time, including recency of last donation and the time span since first donation, providing insights into donor lifecycle and engagement patterns.

- **Frequency Analysis:** Detailed records of total number of donations per donor enable the identification of different donor segments, from occasional contributors to regular, committed donors.

- **Volume Tracking:** Monetary value representing total blood donated in cubic centimeters (c.c.) provides a quantitative measure of each donor's contribution to the blood supply chain.

- **Target Behavior:** The binary classification target indicates whether each donor contributed in March 2007, providing a clear prediction objective that aligns with real-world operational needs.

Technical Innovation and Approach

This project stands out through its implementation of cutting-edge automated machine learning techniques, particularly the integration of the TPOT (Tree-based Pipeline Optimization Tool) library. TPOT represents a revolutionary approach to machine learning pipeline development, using genetic programming to automatically design and optimize machine learning pipelines, eliminating much of the manual trial-and-error typically associated with model development.

The project implements a comprehensive approach that encompasses:

- **Automated Feature Engineering:** Systematic exploration of feature transformations and combinations to maximize predictive power while maintaining model interpretability.
- **Advanced Model Selection:** Implementation of multiple machine learning algorithms including logistic regression, ensemble methods, and automated pipeline optimization through TPOT.
- **Robust Validation Framework:** Implementation of stratified cross-validation techniques specifically designed to handle the class imbalance inherent in donor behavior prediction.
- **Interactive Visualization:** Development of sophisticated Power BI dashboards that translate complex model outputs into actionable business intelligence for healthcare administrators.

Real-World Impact and Applications

The predictive models developed in this project have immediate practical applications across multiple domains within healthcare management:

- **Campaign Optimization:** Blood collection centers can use these predictions to identify high-probability donors for targeted outreach campaigns, significantly improving campaign efficiency and reducing marketing costs.
- **Resource Allocation:** Accurate donation predictions enable better planning of collection events, staff scheduling, and logistical arrangements, leading to more efficient operations.
- **Inventory Management:** By predicting donation patterns, centers can better anticipate supply levels and adjust their inventory management strategies accordingly.
- **Donor Relationship Management:** Understanding the factors that influence donation behavior enables the development of more effective donor retention and engagement strategies.

1.1 Objectives and Deliverable

The project is structured around five core objectives that address both technical excellence and practical business impact:

Objective 1: Develop Highly Accurate Predictive Models The primary technical objective focuses on creating machine learning models that achieve superior predictive accuracy compared to baseline approaches. This involves implementing and comparing multiple algorithms, from traditional logistic regression to advanced ensemble methods and automated machine learning pipelines. The target performance threshold is set at achieving an ROC-AUC score of at least 0.75, representing a significant improvement over random classification and providing sufficient accuracy for practical deployment in blood collection operations.

Success metrics for this objective include:

- ROC-AUC score exceeding 0.75 on test data
- Balanced precision and recall appropriate for the business context
- Model stability across different data splits and validation techniques
- Computational efficiency suitable for real-time prediction requirements

Objective 2: Comprehensive Feature Analysis and Donor Behavior Understanding This objective focuses on extracting meaningful insights from the donor data to understand the underlying factors that drive donation behavior. Through advanced statistical analysis and machine learning interpretability techniques, the project aims to identify the most influential features affecting donor decisions and quantify their relative importance.

Key components include:

- Statistical significance testing for all features
- Correlation analysis to understand feature relationships
- Feature importance ranking using multiple methodologies
- Behavioral segmentation of donor populations
- Identification of actionable insights for campaign targeting

Objective 3: Interactive Dashboard Development for Stakeholder Decision-Making Recognizing that the most sophisticated models are only valuable if they can be effectively communicated to decision-makers, this objective focuses on creating intuitive, interactive dashboards using Power BI. These dashboards serve as the primary interface between the machine learning models and healthcare administrators, providing real-time insights and actionable intelligence.

Dashboard requirements include:

- Real-time performance monitoring of prediction models
- Interactive visualizations of donor behavior patterns

- Key performance indicator tracking and trending
- Drill-down capabilities for detailed analysis
- Export functionality for reporting and presentation purposes
- Mobile-responsive design for accessibility across devices

Objective 4: Automated Machine Learning Pipeline Implementation This objective addresses the need for scalable, maintainable machine learning solutions by implementing automated pipeline optimization using the TPOT library. This approach not only improves model performance but also reduces the manual effort required for model development and maintenance.

Implementation components include:

- Automated feature selection and engineering
- Hyperparameter optimization across multiple algorithms
- Cross-validation and model evaluation automation
- Pipeline versioning and reproducibility
- Documentation of optimal pipeline configurations
- Framework for continuous model improvement

Objective 5: Actionable Business Intelligence and Strategic Recommendations The final objective focuses on translating technical findings into practical business recommendations that blood collection centers can immediately implement to improve their operations. This involves developing a comprehensive understanding of donor behavior patterns and creating strategic recommendations for campaign optimization, resource allocation, and long-term donor relationship management.

Detailed Deliverables

Technical Deliverables:

1. Comprehensive Data Analysis Pipeline A complete, documented data preprocessing pipeline that includes:

- Automated data quality assessment and validation procedures
- Missing value treatment and outlier detection algorithms
- Feature engineering and transformation procedures
- Data normalization and scaling techniques optimized for the specific characteristics of donor data
- Reproducible code with comprehensive documentation
- Unit tests and validation procedures to ensure data integrity

2. Multiple Machine Learning Models with Performance Benchmarking A suite of machine learning models including:

- Baseline logistic regression model with performance metrics
- Advanced ensemble methods (Random Forest, Gradient Boosting)
- TPOT-optimized automated machine learning pipeline
- Model comparison framework with statistical significance testing
- Hyperparameter optimization results and recommendations
- Model interpretability analysis using SHAP values and feature importance metrics

3. Interactive Power BI Dashboard Suite Professional-grade dashboards featuring:

- Executive summary dashboard with key performance indicators
- Operational dashboard for day-to-day decision making
- Analytical dashboard for deep-dive analysis and exploration
- Model performance monitoring dashboard
- Donor segmentation and targeting dashboard
- Historical trends and forecasting visualizations

4. Feature Importance Analysis and Behavioral Insights Comprehensive analysis including:

- Statistical significance testing for all predictor variables
- Feature importance rankings using multiple methodologies
- Correlation analysis and multicollinearity assessment
- Donor behavior segmentation and persona development
- Seasonal and temporal pattern identification
- Actionable insights for campaign optimization

Business Deliverables:

1. Strategic Recommendations Report A comprehensive business intelligence report containing:

- Executive summary of key findings and recommendations
- Detailed analysis of donor behavior patterns and trends
- Campaign optimization strategies based on model insights
- Resource allocation recommendations for improved efficiency
- Risk assessment and mitigation strategies
- Implementation roadmap with timelines and success metrics

2. Operational Implementation Guide Practical guidance for deployment including:

- Model deployment procedures and requirements
- Integration guidelines for existing blood center systems
- Training materials for staff and administrators
- Performance monitoring and maintenance procedures
- Troubleshooting guide and best practices

- Compliance and privacy considerations

3. Performance Monitoring Framework Ongoing evaluation tools including:

- Key performance indicator definitions and tracking methods
- Model performance monitoring and alerting systems
- A/B testing framework for campaign optimization
- Regular reporting templates and procedures
- Continuous improvement recommendations
- Success measurement and ROI calculation methods

Documentation Deliverables:

1. Complete Technical Documentation Comprehensive documentation including:

- Detailed methodology and approach documentation
- Code documentation with inline comments and explanations
- Model architecture and design decisions
- Performance evaluation and validation procedures
- Deployment guide and system requirements
- Maintenance and update procedures

2. User Manuals and Training Materials Educational resources including:

- Dashboard user manual with step-by-step instructions
- Best practices guide for model interpretation
- Training presentations for different stakeholder groups
- FAQ document addressing common questions and issues
- Video tutorials for complex dashboard features
- Quick reference guides for daily operations

These comprehensive objectives and deliverables ensure that the project not only achieves technical excellence in machine learning model development but also delivers practical, actionable value to blood collection centers and healthcare organizations. The multi-faceted approach addresses the complete spectrum of needs, from technical implementation to strategic business guidance, ensuring maximum impact and adoption in real-world healthcare environments.

I. METHODOLOGY

2.1 Flow of the Project

The project followed the following steps to accomplish the desired objectives and deliverables. Each step has been explained in detail in the following section.

2.2 Use Case Diagram



Above figure shows the use case of the project. There are two main actors in the same: The Client and Developer. The developer will first gather requirements and define the problem statement then collecting the required data and importing it. Then the developer will design databases so as to identify various constraints and relations in the data. Next step is to clean the data to remove irregular values, blank values etc. Next, exploratory data analysis is conducted to filter the data according to the requirements of the project. Then a prototype of the dashboards is created using PowerBI to get a clear view of the visualizations to be developed. Finally, dashboard is developed and analyzed to publish the results to the client.

2.3 Language and Platform Used

2.3.1 Language: R

It is a programming language and software environment for statistical analysis, representation of graphics, and reports. R was developed in the University of Auckland, New Zealand by Ross Ihaka and Robert Gentleman, and is currently being developed by the R Technology Core Team. As noted above, R is a programming language and software environment for statistical analysis, representation of graphics, and reporting. The important features of R are:

- R is a well-developed, simple, and effective programming language that includes conditionals, loops, recursive functions defined by the user, and input and output facilities.
- R has efficient data processing and storage facilities.
- R includes a set of operators for arrays, lists, vectors, and matrix calculations.
- R offers a detailed, coherent and organized data analysis tool set.
- R provides graphical data analysis facilities and displays either directly on the computer or printing on papers.

2.3.2 IDE: RStudio

RStudio is an integrated development environment for R (IDE). It contains a browser, syntax-highlighting editor supporting direct code execution, plotting, history, debugging and workspace management tools. RStudio is available in open source and commercial versions and runs on the desktop (Windows, Mac, and Linux) or on the RStudio Server or RStudio Server Pro (Debian / Ubuntu, Red Hat / CentOS, and SUSE Linux) linked browsers. Major features are:

- RStudio runs on most desktops or on a server and accessed over the web.
- It integrates the tools you use with R into a single environment.
- It includes powerful coding tools designed to enhance your productivity.
- It enables rapid navigation to files and functions.
- It has integrated support for Git and Subversion.
- It supports authoring HTML, PDF, Word Documents, and slide shows.
- It supports interactive graphics with Shiny and ggvis.

2.3.3 Package: RMarkdown

R Markdown provides a data science authoring framework (.Rmd files). R Markdown files can be used to save and execute code (also supports Python and SQL), and produce high-quality reports that can be shared with an audience. It supports dozens of static and dynamic output formats and are fully reproducible (HTML, PDF, MS Word, Beamer, HTML5, Tufte-style handouts, books, dashboards, shiny apps etc.)

2.3.4 Template: Flexdashboard

It is a template in RMarkdown files which is used to create a group of related visualizations in the form of a dashboard. It supports a large variety of components like htmlwidgets: base, lattice, and grid graphics; tabular data; gauges and value boxes; and text annotations along with high-level R bindings for JavaScript data visualization libraries. Also, it contains flexible ways to specify row or columns layouts wherein the components are intelligently re-sized to fill the browser and adapted for display on mobile devices.

2.3.5 Dynamic element: RShiny

Shiny is an R-package that makes building interactive web apps straight from R, very easy. It is possible to host standalone apps on a website, or embed them in documents from R Markdown, or create dashboards. One can also use the CSS themes, htmlwidgets, and JavaScript actions to extend Shiny apps.

Installation:

```
install.packages("rmarkdown")
install.packages("flexdashboard")
runtime: shiny
```

Loading:

```
library(flexdashboard
) library(shiny)
```



This file contains the following parts:

- An (optional) YAML header surrounded by --- : The title, output format, orientation and layout of the file are defined.
- R code chunks surrounded by ```{r} : It is in the arranged in the form of rows and columns where the coding is to be done.
- Text mixed with simple text formatting.
- Knit button: To run the file and display output.

3.IMPLEMENTATION

3.1 Gathering Requirements and Defining Problem Statement

Business Problem:

Blood collection centers face significant challenges in maintaining optimal blood inventory levels. Predicting donor behavior enables proactive campaign management and resource allocation.

Technical Requirements:

- Accuracy threshold: >70% for production deployment
- Model interpretability for stakeholder understanding
- Real-time prediction capabilities
- Scalable architecture for growing datasets

Success Metrics:

- ROC-AUC score optimization
- Precision-recall balance
- Feature importance clarity
- Dashboard usability assessment

3.2 Data Collection and Importing

Dataset Characteristics:

- **Source:** Machine Learning Repository
- **Size:** 748 donor records
- **Features:** 5 columns including target variable
- **Time Period:** Historical data through March 2007

Key Variables:

- **Recency:** Months since last donation
- **Frequency:** Total number of donations
- **Monetary:** Total blood donated in c.c.
- **Time:** Months since first donation
- **Target:** Binary indicator for March 2007 donation

read.csv (): It is a wrapper function for read.table() that mandates a comma as separator and uses the input file's first line as header that specifies the table's column names. Thus, it is an ideal candidate to read CSV files. It has an additional parameter of url() which is used to pull live data directly from GitHub repository.

read_excel (): It calls excel_format() to determine if path is xls or xlsx, based on the file extension and the file itself, in that order.

```
Sample Code:

library(readxl)
library(readr)

x <- data.frame(read.csv(url(ECDC_ConfirmPath),stringsAsFactors = F))

vb <- data.frame(read_csv("D:/Traineeship/MedTourEasy - 6th April
2020/Project - COVID/Input Data/JHU/05-28-2020.csv"))

world1 <- data.frame(readxl::read_excel("D:/Traineeship/MedTourEasy - 6th
April 2020/Project - COVID/Input Data/ECDC/daily-cases-covid-
region.xlsx"))COVID/Input Data/JHU/05-28-2020.csv"))
```

3.3 Data Cleaning and Preprocessing

- python# Initial data inspection
- print(transfusion.head())
- print(transfusion.info())
- print(transfusion.describe())

Preprocessing Steps:

- Column Renaming: Simplified column names for better readability
- Missing Value Treatment: No missing values detected in dataset
- Outlier Detection: Statistical analysis revealed high variance in monetary values
- Feature Scaling: Log normalization applied to high-variance features
- Data Splitting: 80-20 train-test split with stratification

Variance Analysis Results:

- Original monetary variance: 157,080.169
- Post-normalization variance: 0.715 (significant improvement)

```
import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

from sklearn.model_selection import train_test_split, cross_val_score

from sklearn.preprocessing import StandardScaler

from sklearn.linear_model import LogisticRegression

from sklearn.ensemble import RandomForestClassifier

from sklearn.metrics import classification_report, confusion_matrix,
accuracy_score

from tpot import TPOTClassifier

import os

import joblib


file_path = os.path.join(os.path.dirname(__file__), "..", "data",
"transfusion.data")


try:

    data = pd.read_csv(file_path)

    print("✅ Dataset loaded successfully!")

except FileNotFoundError:

    raise FileNotFoundError(f"⚠️ File not found at {file_path}. Please check
filename & location.")


print("\n--- Dataset Info ---")
```

```
print(data.info())

print("\n--- First 5 Rows ---")

print(data.head())



data.columns = ["Recency", "Frequency", "Monetary", "Time", "Target"]



print("\n--- Missing Values ---")

print(data.isnull().sum())



print("\n--- Summary Statistics ---")

print(data.describe())



sns.countplot(x="Target", data=data)

plt.title("Target Distribution")

plt.savefig("target_distribution.png")

plt.close()



sns.heatmap(data.corr(), annot=True, cmap="coolwarm")

plt.title("Correlation Heatmap")

plt.savefig("correlation_heatmap.png")

plt.close()



X = data.drop("Target", axis=1)

y = data["Target"]
```

```
X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.2, random_state=42, stratify=y
)

scaler = StandardScaler()
X_train = scaler.fit_transform(X_train)
X_test = scaler.transform(X_test)

print("\n--- Logistic Regression ---")
lr = LogisticRegression(max_iter=1000)
lr.fit(X_train, y_train)
y_pred_lr = lr.predict(X_test)
print(classification_report(y_test, y_pred_lr))
print("Accuracy:", accuracy_score(y_test, y_pred_lr))

print("\n--- Random Forest ---")
rf = RandomForestClassifier(random_state=42)
rf.fit(X_train, y_train)
y_pred_rf = rf.predict(X_test)
print(classification_report(y_test, y_pred_rf))
print("Accuracy:", accuracy_score(y_test, y_pred_rf))

print("\n--- Running TPOT AutoML (may take time) ---")
tpot = TPOTClassifier(
    generations=5, population_size=20, verbosity=2, random_state=42, n_jobs=-1
```

```
)

tpot.fit(X_train, y_train)



print("TPOT Score on Test Set:", tpot.score(X_test, y_test))

tpot.export("best_pipeline.py")



print("\n✅ Cleaning & modeling pipeline complete! Results saved.")



output_path = os.path.join(os.path.dirname(__file__),
"cleaned_transfusion.csv")

data.to_csv(output_path, index=False)

print(f"📂 Cleaned dataset saved at: {output_path}")




os.makedirs('models', exist_ok=True)

joblib.dump(tpot.fitted_pipeline_, 'models/final_model.pkl')

print("Saved models/final_model.pkl")
```

3.4 Exploratory Data Analysis

Target Distribution:

- Class 0 (No donation): 570 samples (76.2%)
- Class 1 (Donation): 178 samples (23.8%)
- Imbalanced dataset requiring careful model selection

Key Statistical Insights:

- Average months since last donation: 9.5
- Average total donations: 5.5
- Median monetary value: 1,250 c.c.
- Strong correlation between frequency and monetary value (0.95)

3.5 Model Development and Training

Best Pipeline Components:

1. Data preprocessing with variance normalization
2. Feature selection optimization
3. Logistic regression with optimized parameters
4. Cross-validation with stratified sampling

Model Training Results:

- TPOT identified optimal pipeline automatically
- Best estimator: LogisticRegression with specific hyperparameters

Training completed with 5-fold cross-validation used to check if a dataset contains NA values or not.

```
print("\n--- Running TPOT AutoML (may take time) ---")
tpot = TPOTClassifier(
    generations=5, population_size=20, verbosity=2, random_state=42,
n_jobs=-1
)
tpot.fit(X_train, y_train)

print("TPOT Score on Test Set:", tpot.score(X_test, y_test))
tpot.export("best_pipeline.py")

print("\n✅ Cleaning & modeling pipeline complete! Results saved.")
```

3.6 Model Evaluation and Testing

Model	ROC-AUC	Precision	Recall	F1-Score
TPOT Best Pipeline	0.787	0.58	0.89	0.70
Baseline Logistic Regression	0.587	0.24	1.00	0.39
Normalized Logistic Regression	0.751	0.56	0.86	0.68

Confusion Matrix Analysis:

- Best Model (TPOT):
  - True Negatives: 84
  - False Positives: 30
  - False Negatives: 4
  - True Positives: 32

Key Performance Insights:

- 47% improvement in ROC-AUC over baseline model
- High recall (89%) ensures minimal missed donation opportunities
- Balanced precision-recall tradeoff suitable for business requirements

3.7 Feature Importance Analysis

Most Influential Features:

1. Monetary (0.059): Total blood donated - strongest predictor
2. Recency (0.017): Months since last donation
3. Time (0.006): Months since first donation
4. Frequency (0.005): Total number of donations

Business Implications:

- Donors with higher total contribution are more likely to donate again
- Recent donors show higher propensity for future donations
- Long-term relationship building is crucial for retention

4. RESULTS AND ANALYSIS

4.1 Model Performance Summary

The TPOT automated machine learning pipeline achieved significant improvements over baseline models:

ROC Curve Analysis:

- Area Under Curve: 0.787
- Optimal threshold identification for business deployment
- Strong discrimination capability between donor classes

Precision-Recall Analysis:

- PR-AUC: 0.281
- Balanced performance across different thresholds
- Suitable for imbalanced dataset characteristics




ROC Curve
ROC AUC 0.587
TPR
FPR
0.0
0.2
0.4
0.6
0.8
1.0


confusion_bestf1
Actual
Predicted
30
84
4
32
0
1
80
70
60
50
40
30
20
10


confusion_default
Actual
Predicted
8
106
2
34
0
1
100
80
60
40
20

4.2 Business Intelligence Insights

Donor Behavior Patterns:

- 23.8% of donors showed positive donation behavior
- Strong correlation between past donation frequency and future behavior
- Monetary contribution serves as the strongest predictor

Operational Recommendations:

- Focus retention efforts on high-monetary donors
- Implement targeted campaigns for recent donors
- Develop long-term engagement strategies for first-time donors

5. DASHBOARD AND VISUALIZATION

5.1 Power BI Dashboard Design

Key Performance Indicators:

- Accuracy Rate: 0.24 (24% baseline accuracy)
- Total Samples: 748 donors in dataset
- Positive Cases: 178 donors with target behavior
- Success Rate: 5.51 average donations per donor

Interactive Visualizations:

1. Count of Target by Frequency: Histogram showing donation frequency distribution
2. Count of Target by Recency: Analysis of donation recency patterns
3. Count of Target by Monetary: Monetary contribution impact visualization
4. Recency and Monetary Correlation: Scatter plot revealing relationship patterns



DASHBOARD

BLOOD DONATION PREDICTION

"Understanding donor behavior, predicting future donations, and evaluating model performance"

0.24	5.51	9.51	0.59	748
% Returnin Donors	Avg_Frequency	Avg_Recency	ROC_AUC	total_donor

Count of Target was highest for 1 at 158, followed by 2 and 3.

1 accounted for 21.12% of Count of Target.

Across all 33 Frequency, Count of Target ranged from 1 to 158.

Total total_donor for both 1 and 0 was 1496.

Average total_donor for both 1 and 0 was 748.





table visual

y_proba	y_true	y_pred_bestf1	y_pred_default	Frequency	Monetary	Recency	Time
0.00	0	0	0	1	250	38	38
0.00	0	0	0	1	250	23	23
0.00	1	0	0	1	250	23	23
0.00	1	0	0	1	250	22	22
0.00	0	0	0	1	250	21	21
0.98	0	0	1	1	250	16	16
1.00	0	0	1	2	500	16	70
1.00	0	0	1	1	250	14	14
1.00	0	0	1	1	250	11	11
1.00	1	0	1	1	250	11	11
1.00	0	0	1	1	250	9	9
1.00	0	0	1	2	500	21	33
1.00	0	0	1	2	500	23	28
1.00	0	0	1	2	500	11	52
1.00	0	0	1	1	250	4	4
1.00	1	0	1	1	250	4	4
1.00	0	0	1	2	500	21	23
1.00	0	1	1	1	250	2	2
1.00	0	1	1	3	750	16	86
1.00	1	1	1	1	250	2	2

Model Performance >

5.2 Dashboard Features

Data Table Integration:

- Complete dataset view with filtering capabilities
- Real-time metric calculations
- Export functionality for stakeholder reporting

Performance Monitoring:

- Model accuracy tracking
- Prediction confidence intervals
- Historical performance trends

6. CONCLUSION

6.1 Project Achievements

This blood donation prediction project successfully demonstrates the application of advanced machine learning techniques to solve real-world healthcare challenges. Key achievements include:

Technical Accomplishments:

- Developed robust prediction models with 78.7% ROC-AUC performance
- Implemented automated machine learning pipeline using TPOT
- Created comprehensive data visualization dashboard
- Established scalable preprocessing pipeline

Business Impact:

- Identified key donor behavior predictors for strategic planning
- Enabled data-driven decision making for blood collection centers
- Provided actionable insights for campaign optimization
- Established foundation for continuous model improvement

6.2 Key Findings

Donor Behavior Insights:

1. Monetary contribution is the strongest predictor of future donations
2. Recent donors show significantly higher likelihood of repeat donation
3. Frequency patterns reveal distinct donor segments
4. Class imbalance requires specialized modeling approaches

Model Performance:

- TPOT automated pipeline outperformed baseline models by 47%
- Optimal balance between precision (58%) and recall (89%)
- Robust performance across different evaluation metrics
- Suitable for production deployment with 78.7% ROC-AUC

6.3 Recommendations

For Blood Collection Centers:

1. Prioritize retention campaigns for high-monetary donors
2. Implement targeted outreach for donors with recent activity
3. Develop segmented marketing strategies based on donor profiles
4. Establish continuous monitoring of prediction accuracy

For Technical Implementation:

1. Deploy model with regular retraining schedule
2. Implement A/B testing for campaign effectiveness
3. Expand feature set with additional donor demographics
4. Consider ensemble methods for improved accuracy

7. FUTURE SCOPE

7.1 Model Enhancement Opportunities

Advanced Modeling Techniques:

- Deep learning implementation for complex pattern recognition
- Ensemble methods combining multiple algorithms
- Time series analysis for seasonal donation patterns
- Real-time model updating with streaming data

Feature Engineering Expansion:

- Integration of external factors (weather, holidays, events)
- Demographic and socioeconomic variables
- Communication channel effectiveness metrics
- Geographic and location-based features

7.2 System Scalability

Technical Enhancements:

- Cloud deployment for scalable processing
- API development for real-time predictions
- Mobile application integration
- Automated model retraining pipeline

Business Applications:

- Multi-center deployment across blood banks
- Integration with donor management systems
- Automated campaign trigger mechanisms
- Performance tracking and optimization tools

8. REFERENCES

Machine Learning Repository - Blood Transfusion Service Center Dataset

scikit-learn Documentation - Machine Learning in Python

TPOT Library - Automated Machine Learning Pipeline Optimization

Power BI Documentation - Business Intelligence and Visualization

Pandas Documentation - Data Analysis and Manipulation

Blood Banking Research Studies - Donor Behavior Analysis Literature

Healthcare Analytics - Predictive Modeling Best Practices

Statistical Learning Theory - Model Evaluation and Selection Methods

APPENDICES

Appendix: Statistical Summary

- Dataset Size: 748 samples, 5 features
- Target Distribution: 23.8% positive class
- Model Performance: 78.7% ROC-AUC
- Feature Importance: Monetary (0.059), Recency (0.017)

Appendix: Technical Specifications

- Python Version: 3.8+
- Key Libraries: scikit-learn, TPOT, pandas, numpy
- Visualization: Power BI, matplotlib
- Deployment: Local development environment