

AI Chatbot Platforms — End-User File Upload Analysis

A detailed comparison of third-party model-based chatbot platforms and their end-user file upload capabilities, backend processing approaches, and industry use cases.

Prepared: April 2026 | Research-based document

Overview

This document covers 8 major AI chatbot platforms that use third-party model APIs (OpenAI, Anthropic, Mistral, etc.) — not proprietary models — and support end-user file uploads during live chat conversations. For each platform, the following information is documented: platform name, industries using the bot, AI models used, end-user file upload support, supported file types, file size and count limitations, backend file processing approach, and sources.

Note: Where information was not available in public documentation, it is explicitly marked as 'Information not found'.

Quick Reference Summary Table

Platform	AI Models Used	End-User File Upload	Supported File Types	File Size Limit	File Count Limit
Chatbase	OpenAI GPT-4o, GPT-5, Gemini models	✔ Yes (native toggle)	PDF, PNG, JPG, JPEG	Not publicly stated; PDF max 5 pages	Not publicly stated
Botpress	GPT-4, Claude, LLaMA, Gemini, custom LLMs	✔ Yes (via flow builder)	TXT, PDF, DOCX (via Files API)	Not publicly stated	Not publicly stated
Dante AI	OpenAI, Anthropic, Mistral, Falcon, Cohere	✔ Yes (native)	PDF, TXT, Audio, Video; URLs, Google Drive, YouTube	Not publicly stated	Not publicly stated
Botsonic	OpenAI GPT-4 (model-agnostic via universal API)	✔ Yes (via channels)	PDF, DOC, DOCX	Not publicly stated	Not publicly stated
CustomGPT.ai	OpenAI GPT-4/GPT-4o, Anthropic Claude	✔ Yes (in-chat)	1400+ formats: PDF, DOCX, TXT, CSV, audio, video, Google Docs, websites	Not publicly stated	Not publicly stated
FastBots.ai	OpenAI GPT-4, Claude	✔ Yes	PDF, DOCX, and common document types	Not publicly stated	Not publicly stated
Voiceflow	OpenAI GPT, Claude, others (configurable)	⚠ Build-it-yourself (via API blocks)	PDF, DOCX, TXT (via Knowledge Base API)	Not publicly stated	1 document per API call

Platform	AI Models Used	End-User File Upload	Supported File Types	File Size Limit	File Count Limit
Intercom Fin	OpenAI GPT-4 + proprietary Fin AI Engine	✔ Yes (via SendSafely integration)	Files via encrypted upload form (format varies)	Not publicly stated	Not publicly stated

1. Chatbase

Industries Using Chatbase

- E-commerce (product support, order queries)
- SaaS / Software companies (customer support deflection)
- Healthcare (patient FAQs, appointment queries)
- Education (student admissions, course information)
- Real estate, financial services, hospitality

Source: chatbase.co/blog/chatbot-examples

AI Models Used

- GPT-5, GPT-5.1, GPT-5 Mini, GPT-5 Nano (OpenAI)
- GPT-OSS-120B, GPT-OSS-20B (OpenAI open models)
- Google Gemini models (listed in playground settings)
- Model is selectable per chatbot from the Playground settings

Source: [chatbase.co/docs \(Playground section\)](https://chatbase.co/docs/Playground%20section)

End-User File Upload Support

Status: YES — Natively supported. Toggle called 'Enable attachments' in the Deploy settings.

Channels supported: Chat bubble (website widget), Email, WhatsApp, Instagram DM, Facebook Messenger

Note: This is a recently launched feature (as of early 2026). Some platforms (Instagram, Messenger, WhatsApp) may allow additional types like GIF, but GIFs are discarded and not processed.

Source: chatbase.co/changelog/chatbase-now-support-attachments

Source: chatbase.co/docs/user-guides/chatbot/deploy

Supported File Types (End-User Upload)

- PDF
- PNG
- JPG
- JPEG

Any unsupported file types are automatically discarded and not processed.

Source: [chatbase.co/docs Deploy page](https://chatbase.co/docs/Deploy%20page)

File Size Limitation

⚠ Information not found in public documentation. Per-file MB size limit is not publicly disclosed.

PDF page limit: Maximum 5 pages per PDF file. Attachments exceeding this limit are ignored and not processed.

Source: [chatbase.co/docs Deploy page](https://chatbase.co/docs/Deploy%20page)

File Count Limitation per User

⚠ Information not found in public documentation.

No per-session or per-user file count cap is documented publicly.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation)

- Step 1 — Upload: File is received by Chatbase servers as a multipart/form-data attachment alongside the user's chat message.
- Step 2 — Content Extraction: For PDFs (up to 5 pages), text is extracted. For images (PNG/JPG/JPEG), the underlying vision-capable AI model analyzes the image directly using multimodal capabilities.
- Step 3 — Context Injection: The extracted text or image content is passed as context to the selected LLM for that conversation turn only.

- Step 4 — Response Generation: The LLM generates a reply grounded in the uploaded file content combined with the bot's existing knowledge base.
- Persistence: Files are NOT permanently added to the chatbot's training knowledge base. The upload is ephemeral — used only for that specific conversation turn.
- Billing: Each message with an attachment consumes extra credits (covering both text response and attachment processing cost).

Source: chatbase.co/docs/Deploy_page

Source: [chatbase.co Changelog](https://chatbase.co/Changelog)

2. Botpress

Industries Using Botpress

- Software / SaaS products (AI agents embedded in product)
- Enterprise IT & internal operations automation
- E-commerce & retail (order management, support)
- Financial services, HR automation
- Agencies building white-label chatbot solutions

Source: [Botpress Review — nexusium.com](https://nexusium.com/botpress-review)

AI Models Used

- OpenAI GPT-4 / GPT-4o
- Anthropic Claude
- Meta LLaMA
- Google Gemini
- Custom / self-hosted LLMs (model switching and fallback mechanisms supported)
- Powered by proprietary LLMz inference engine internally

Source: botpress.com

Source: [Botpress Review](https://nexusium.com/botpress-review)

End-User File Upload Support

Status: YES — Supported via the Flow Builder. Requires manual configuration of file upload nodes in the conversation flow. Not a one-click toggle like Chatbase.

Approach: Bot can prompt the user to upload a file at a specific step in the conversation. The bot receives the file, which can be downloaded into the bot's Knowledge Base table or processed in-session.

Source: [Botpress Discord Community Tutorial](https://nexusium.com/botpress-discord-community-tutorial)

Supported File Types (End-User Upload)

- TXT
- PDF
- DOCX

File types are handled via the Files API (multipart/form-data). Exact supported types for end-user chat uploads depend on flow configuration.

Source: [Botpress Files API](https://botpress.com/files-api)

File Size Limitation

⚠ Information not found in public documentation.

No per-file size limit is documented publicly for end-user chat uploads.

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation) via Files API + Knowledge Base

- Step 1 — Flow Trigger: At a defined node in the conversation flow, the user is prompted to upload a file via the chat widget.
- Step 2 — File Upload: The file is sent via multipart/form-data to Botpress servers.
- Step 3 — Indexing: Botpress indexes the uploaded document using the Files API and stores it in the Knowledge Base table (RAG mode).
- Step 4 — Retrieval: When the user asks subsequent questions, Botpress queries the indexed document using semantic search and retrieves relevant chunks.
- Step 5 — LLM Response: The retrieved chunks are injected into the LLM prompt as context, and the LLM generates a response.
- Persistence option: Documents can be permanently added to the bot's KB table or used session-only depending on flow design.

Source: [Complete Botpress Guide](#)

Source: [Botpress Discord Community](#)

3. Dante AI

Industries Using Dante AI

- Small businesses & startups (customer service automation)
- E-commerce (product queries, returns)
- Healthcare (basic patient information bots)
- Education (tutoring and course guidance bots)
- Media & entertainment (voice AI use cases)

Source: [Geekflare AI Chatbot Builders](#)

AI Models Used

- OpenAI (GPT-4, GPT-4o)
- Anthropic Claude
- Mistral AI
- Falcon (TII)
- Cohere

Dante AI is notable for supporting the widest range of external model providers among no-code chatbot builders.

Source: [Geekflare AI Chatbot Builders](#)

End-User File Upload Support

Status: YES — Native support for end-user file uploads during conversations.

Additional capability: Also supports voice AI agents, making file uploads part of a richer multimodal interaction.

Source: [Geekflare — AI Chatbot Builders](#)

Supported File Types (End-User Upload)

- PDF
- TXT (text files)
- Audio files
- Video files
- URLs (web pages)
- Google Drive links
- YouTube video links

Dante AI supports one of the broadest file type ranges among no-code platforms, including audio and video in addition to standard documents.

Source: [Geekflare](#)

File Size Limitation

⚠ Information not found in public documentation.

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation) with multimodal processing

- Step 1 — Upload: User uploads file (document, audio, or video) in the chat widget.
- Step 2 — Extraction: For text/PDF, text is extracted. For audio/video, transcription is performed (likely using OpenAI Whisper or equivalent). For URLs, web content is crawled.
- Step 3 — Vectorization: Extracted content is chunked and converted to vector embeddings.
- Step 4 — Retrieval: On user query, relevant chunks are semantically retrieved from the vector store.

- Step 5 — LLM Response: Retrieved context is injected into the selected LLM's prompt and a response is generated.
- Auto-refresh: Dante AI supports scheduled automatic updates of data sources, so linked URLs and drives stay current.

Source: [Geekflare — AI Chatbot Builders for Websites](#)

4. Botsonic (by Writesonic)

Industries Using Botsonic

- E-commerce (product recommendations, order management, refunds)
- Customer support (24/7 automated support)
- HR & internal operations (leave management, employee queries)
- SaaS / Software (lead generation and customer success)
- Retail, hospitality, travel

Source: botsonic.com

AI Models Used

- OpenAI GPT-4 (primary)
- Model-agnostic via Universal API — allows switching between multiple LLM providers
- Developers can deploy a GPT router to intelligently switch models based on query type

Source: [Geekflare](#)

Source: botsonic.com

End-User File Upload Support

Status: YES — Supported via chat widget and messaging channel integrations.

Channels: Website chat widget, WhatsApp, Facebook Messenger, Telegram

Source: [Botsonic Review — elegantthemes.com](#)

Supported File Types (End-User Upload)

- PDF
- DOC
- DOCX

For training (admin side), Botsonic also accepts URLs, YouTube links, Google Drive, Notion, and Confluence.

Source: [Botsonic Review — Elegant Themes](#)

File Size Limitation

⚠ Information not found in public documentation.

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation)

- Step 1 — Upload: User uploads a document (PDF/DOC/DOCX) via the chat widget.
- Step 2 — Text Extraction: Botsonic extracts text content from the uploaded document without requiring manual vectorization configuration.
- Step 3 — Knowledge Base Injection: Extracted content is vectorized and stored in a centralized knowledge base.
- Step 4 — Query Processing: Using the Sonic AI reasoning engine, user intent is analyzed and matched against retrieved content chunks.

- Step 5 — LLM Response: GPT-4 (or the selected model via universal API) generates a context-aware response.
- Note: Botsonic also enables agents to take actions (balance checks, order management) on top of file content retrieval.

Source: [Geekflare](#)

Source: [Botsonic review via pagergpt.ai](#)

5. CustomGPT.ai

Industries Using CustomGPT.ai

- Enterprise customer service & internal knowledge management
- Financial services (policy queries, document analysis)
- Healthcare (medical documentation, patient queries)
- Legal (contract review assistance)
- E-commerce, SaaS, and research

Source: [Geekflare](#)

AI Models Used

- OpenAI GPT-4 / GPT-4o / latest ChatGPT models
- Anthropic Claude

CustomGPT.ai exclusively builds on OpenAI and Anthropic model families — not on open-source or other provider models.

Source: [Geekflare — AI Chatbot Builders for Websites](#)

End-User File Upload Support

Status: YES — Users can upload files directly in chat for context-aware responses.

Anti-hallucination: CustomGPT.ai has built-in guardrails to prevent the model from fabricating answers about uploaded content.

Privacy: Includes a data anonymizer for enhanced user privacy during file processing.

Source: [Geekflare](#)

Supported File Types (End-User Upload)

CustomGPT.ai supports over 1,400 file formats, including:

- PDF, DOCX, DOC, TXT
- CSV, XLSX (spreadsheets)
- Google Docs (via integration)
- Audio files
- Video files
- Live website URLs
- YouTube video links (via auto-syncing integration)

Source: [Geekflare — Top 15 AI Chatbot Builders](#)

File Size Limitation

⚠ Information not found in public documentation.

Query/prompt effective limit: Prompts between 300 and 800 words work without truncation. Effective limit depends on model context window minus retrieved RAG content.

Source: [customgpt.ai/customgpt-limits-explained](#)

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation) with anti-hallucination pipeline

- Step 1 — Upload: User submits a file (any of the 1400+ supported formats) in the chat.
- Step 2 — Extraction: Format-specific parsers extract content (text from PDFs, transcription for audio/video via Whisper-equivalent, parsing for spreadsheets, etc.).
- Step 3 — Chunking & Vectorization: Content is chunked into semantic units and converted to vector embeddings.

- Step 4 — RAG Retrieval: User query is used to retrieve the most relevant content chunks from the vector store.
- Step 5 — Anti-hallucination layer: Retrieved content passes through guardrails that prevent the LLM from generating answers not grounded in the uploaded content.
- Step 6 — LLM Response: OpenAI GPT-4o or Claude generates a response referencing only verified content.
- Auto-sync: CustomGPT supports scheduled re-ingestion for connected platforms like WordPress, Zendesk, YouTube, and Sharepoint.

Source: [CustomGPT Limits Explained](#)

Source: [Geekflare](#)

6. FastBots.ai

Industries Using FastBots.ai

- Startups and small businesses (affordable chatbot deployment)
- Agencies (white-labelling for multiple clients)
- E-commerce and SaaS support
- Customer service automation

Source: [FastBots Blog](#)

AI Models Used

- OpenAI GPT-4 / GPT-4o
- Anthropic Claude

FastBots is noted for giving access to GPT-4 and Claude models earlier than some competitors, and for transparent pricing on model access.

Source: [FastBots vs Chatbase Blog](#)

End-User File Upload Support

Status: YES — End-user file uploads supported during chat sessions.

Source: [FastBots.ai Blog](#)

Supported File Types (End-User Upload)

- PDF
- DOCX
- Common document types

Exact full list of supported types for end-user chat upload is not exhaustively documented publicly.

Source: [FastBots Blog](#)

File Size Limitation

⚠ Information not found in public documentation.

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation) — similar to Chatbase

- FastBots uses a RAG-based architecture where uploaded files are parsed, vectorized, and used to generate grounded answers via OpenAI or Claude models.
- The colorful training data dashboard and clear chat history timeline distinguish FastBots' UX from Chatbase, while the underlying processing is similar.

- Users can opt out of having their conversations used to train future models, with FastBots making this setting more visible than some competitors.

Source: [FastBots.ai — Chatbase Comparison Blog](#)

7. Voiceflow

Industries Using Voiceflow

- E-commerce (product search, order tracking, checkout guidance)
- Retail (multi-channel customer engagement)
- SaaS and tech companies (multi-step support agents)
- Enterprises needing omnichannel (web, voice, Slack, Messenger) deployment
- Product engineering teams building AI agents embedded in apps

Source: [Voiceflow Integrations Guide — parnidia.com](#)

AI Models Used

- OpenAI GPT-4 / GPT-4o
- Anthropic Claude
- Other configurable LLMs via API blocks

Voiceflow allows teams to connect any LLM through API integration blocks. The model is not locked in — teams can switch providers per agent or per flow node.

Source: [voiceflow.com](#)

End-User File Upload Support

Status: YES — But requires manual implementation via API blocks in the flow builder. NOT a one-click toggle.

Approach: Developers build a file upload step using Voiceflow's API block, which calls the Knowledge Base upload API. The bot then uses the indexed document for RAG-based responses.

Source: [Voiceflow KB Docs Upload API](#)

Supported File Types (End-User Upload)

- PDF
- DOCX
- TXT

These are supported via the Knowledge Base API endpoint (multipart/form-data). One document per API call.

Source: [Voiceflow Docs — Upload Document API](#)

File Size Limitation

⚠ Information not found in public documentation.

File Count Limitation per User

Per API call: 1 document per call (as documented in the Knowledge Base Upload API)

There is no documented per-user session limit for total uploads beyond the per-call restriction.

Source: [Voiceflow Docs Upload API](#)

Backend File Processing Approach

Architecture: RAG (Retrieval-Augmented Generation) via Knowledge Base API

- Step 1 — Flow configuration: Developer builds a conversation step in Voiceflow Studio that triggers a file upload prompt to the end user.
- Step 2 — Upload API call: When user uploads a file, the flow triggers a POST request to Voiceflow's Knowledge Base API with the file as multipart/form-data.
- Step 3 — Indexing: Voiceflow indexes the uploaded document, extracting and chunking the content into the KB.
- Step 4 — Retrieval: Subsequent user questions trigger semantic search against the indexed document chunks.
- Step 5 — LLM Response: The selected LLM (GPT-4o, Claude, etc.) generates a response using retrieved chunks as context.
- Voiceflow supports visual testing in the Studio to validate file-based flows before deployment.

Source: [Voiceflow Chat Widget Docs](#)

Source: [Voiceflow KB Upload API](#)

8. Intercom Fin AI

Industries Using Intercom Fin

- Enterprise SaaS & technology (customer support at scale)
- Financial services (ticket deflection, policy queries)
- E-commerce (order tracking, returns)
- Healthcare, legal, and professional services
- Any business already using Zendesk, Salesforce, or Intercom helpdesk

Source: [fin.ai](#)

Source: [Intercom Help Docs](#)

AI Models Used

- OpenAI GPT-4 (foundational model, combined with Intercom's Resolution Bot technology)
- Proprietary Fin AI Engine™ — a patented multi-stage RAG pipeline built on top of GPT-4, specifically optimized for customer service accuracy
- Proprietary fin-cx-retrieval model for knowledge source search and retrieval

Source: [Intercom Blog — Announcing Fin](#)

Source: [fin.ai](#)

End-User File Upload Support

Status: YES — But through a third-party integration (SendSafely), not a native Intercom feature.

Method: During a Fin-automated conversation, Fin can trigger a SendSafely encrypted upload form directly within the Intercom Messenger window. The customer uploads files without leaving the chat.

Setup: Admin inserts the SendSafely app via the 'Send an app' step in an Intercom Workflow/Bot configuration.

Source: [SendSafely Blog — Intercom Fin Integration](#)

Supported File Types (End-User Upload)

File types depend on what SendSafely accepts (the integration partner). Intercom's own Messenger natively supports image attachments.

- Common document formats (PDF, DOCX, etc.) via SendSafely
- Images via native Intercom Messenger

⚠ Exact list of file types supported by SendSafely in this integration is not documented in publicly available sources for Intercom specifically.

Source: [SendSafely — Intercom Fin Integration](#)

File Size Limitation

⚠ Information not found in public documentation.

SendSafely applies its own file size and encryption limits, but these are not documented in the context of the Intercom integration.

File Count Limitation per User

⚠ Information not found in public documentation.

Backend File Processing Approach

Architecture: Multi-stage RAG pipeline (Fin AI Engine™) + external secure file handling

- Step 1 — Trigger: During an automated Fin conversation, the workflow reaches a step requiring document collection.

- Step 2 — SendSafely Widget: Fin inserts the SendSafely encrypted upload form directly inside the Intercom chat window.
- Step 3 — End-to-end encrypted upload: Customer uploads files. SendSafely applies end-to-end encryption during transit and storage.
- Step 4 — Workflow handoff: Once the upload completes, Fin can pass the conversation to further automated workflows or escalate to a human agent with file context.
- Step 5 — LLM processing (for knowledge base queries): Fin uses its proprietary multi-stage RAG engine — the fin-cx-retrieval model retrieves relevant knowledge source content, which is then refined and passed to GPT-4 for answer generation.
- Note: Fin's core strength is answering from the business's knowledge base (help articles, Zendesk/Salesforce data). User-uploaded files go through the SendSafely path and are primarily for document collection workflows, not for real-time AI analysis in the same way Chatbase does it.

Source: [SendSafely — Intercom Fin File Collection](#)

Source: [fin.ai — Fin AI Engine](#)

Key Observations & Notes

1. Most platforms use RAG (Retrieval-Augmented Generation) as their file processing backend, not fine-tuning. Files are chunked into vector embeddings and retrieved on demand — the model is not retrained.
 2. File size and count limits: Almost none of the platforms (other than Chatbase's 5-page PDF limit) publicly document per-user file upload limits for end-user chat. This information typically requires direct contact with the vendor.
 3. Ephemeral vs. persistent: Chatbase treats end-user uploads as ephemeral (single conversation turn). Botpress can persist uploads into the KB table. CustomGPT and Dante AI are more persistent-oriented.
 4. Intercom Fin is the only platform that relies on a third-party integration (SendSafely) for file uploads rather than a native capability, which adds encryption security but also complexity.
 5. Voiceflow requires developer effort to implement file upload — it is not a no-code feature out of the box.
 6. Dante AI and CustomGPT.ai offer the broadest file type support (audio, video, 1400+ formats) among all reviewed platforms.
-

All Sources

Source: [Chatbase Deploy Documentation](#)
Source: [Chatbase Changelog — Attachments](#)
Source: [Chatbase Full LLM Docs](#)
Source: [Botpress Discord — Upload Files Tutorial](#)
Source: [Complete Botpress Guide — nation.ai](#)
Source: [Botpress Review — nexalium.com](#)
Source: [Geekflare — Top 15 AI Chatbot Builders](#)
Source: [Botsonic Review — Elegant Themes](#)
Source: [botsonic.com](#)
Source: [CustomGPT.ai — Limits Explained](#)
Source: [FastBots.ai Blog](#)
Source: [Voiceflow — KB Upload API Docs](#)
Source: [Voiceflow — Chat Widget Docs](#)
Source: [SendSafely — Intercom Fin Integration](#)
Source: [fin.ai — Intercom Fin](#)
Source: [Intercom Blog — Announcing Fin \(GPT-4\)](#)
Source: [Botpress Alternatives — pagergpt.ai](#)
Source: [Chatbase Alternatives — livechatai.com](#)

Document prepared based on publicly available information as of April 2026. Vendor documentation and pricing may change.