# **VERACOIDE**

## **APPLICATION SECURITY REPORT**

PathCheck Foundation

Nov 05 2020 10:34 GMT-05:00 EST

Gaen Mobile

Static and SCA

## Inside This Report

Executive Summary	1
Policy Evaluation	2
Static Scan Details	3
Changes From Last Scan	4
Findings and Recommendations	
Findings Summary	5
Flaw Category Details	6
Findings Details	7
Detailed SCA Vulnerabilities by Component	8
Approved Mitigations	119
Proposed Mitigations	120
Rejected Mitigations	121
Veracode's Methodology	122

While every precaution has been taken in the preparation of this document, Veracode, Inc. assumes no responsibility for errors, omissions, or for damages resulting from the use of the information herein. The Veracode platform uses static and/or dynamic analysis techniques to discover potentially exploitable flaws. Due to the nature of software security testing, the lack of discoverable flaws does not mean the software is 100% secure.

## **EXECUTIVE SUMMARY**



Application: Gaen Mobile

**POLICY NAME: testing for PoV** 

✓ Rules ✓ Scan Requirements ✓ Grace Period

**OPEN FINDINGS: 0** FINDINGS IMPACTING POLICY: 0

## **Findings Violating Policy Rules**

Remediation Status	Count
Open	0
Proposed Mitigations	0

## **Open Findings Impacting Policy**

0	0	0	0	0	0
Veryhigh	High	Medium	Pon	Verylon	Informational

## **Scans Included in Application**

<b>Static</b> 3 Nov 2020 Static 1.0.8 Nov 03 2020 09:55 GMT-05:00 EST	Score 100
---	--------------

## **SCA Findings Summary**

<b>791</b> Third-Party Components
Components Impacting Policy: 0
Vulnerabilities Impacting Policy: 0

## **Third-Party Component License Risk**

High	0
Medium	1
<u> </u>	786
? Unassessable	0
Total	787

## POLICY EVALUATION

Policy Name testing for PoV

Revision 1

Policy Status Pass

Description testing

## REMEDIATION

Flaw Severity	Grace Period	Flaws Exceeding	Policy Status
Very High	0	0	Passed
High	0	0	Passed
Medium	0	0	Passed
Low	0	0	Passed
Very Low	0	0	Passed
Informational	0	0	Passed

## SCAN REQUIREMENTS

Scan Type	Frequency	Last performed	Policy Status
Any	Once	Nov 03 2020 04:55 GMT-05	Passed
		:00 EST	

## **RULES**

Rule Type	Requirement	Result	Policy Status
Standard	OWASP 2017	Flaws found: 0*	Passed

## **SCORE**

Rule Type	Grace Period	Flaws Exceeding	Policy Status
Meet Minimum Score	0	0	Passed

**OPEN FINDINGS: 0** 

## STATIC SCAN DETAILS

## **Overview**

**Application: Gaen Mobile** 

FINDINGS IMPACTING POLICY: 0

POLICY NAME: testing for PoV

SCORE: 100

SCAN NAME: 3 Nov 2020 Static 1.0.8

SCAN DATE: Nov 03 2020 09:55 GMT-05:00 EST

## **Scope of Static Scan**

Total Modules: **3** Scan Size: **785.5KB** 

#### **INCLUDED IN SCAN**

The following modules were identified as top-level modules, the binaries identified during prescan verification that have entry points for external data.

Module Name	Compiler	Operating Environment	Engine Version
Gemfile	RUBY_1_9	Ruby	20201014235120
Gemfile	RUBY_1_9	Ruby	20201014235120
JS files within gaen-mobile-1.0.8.z	JAVASCRIPT_5_1	JavaScript	20201014235120

## NOT INCLUDED IN SCAN

This list identifies the binaries that are the dependents of the top-level modules.

Code paths in these dependencies that are called from a top-level module are included in this report in the scanning results. These modules are scanned for the actual code paths that the application can use. Scanning and results from actual code paths present from the top-level modules to the dependencies are reported upon. Only relevent code paths actually used in the dependencies are reported upon.

Module Name	Compiler	Operating Environment	Engine Version
gradle-wrapper.jar	JAVAC_6	Java J2SE 6	20201014235120
play-services-nearby-exposurenot ification-1.6.1-eap.aar	-	_	20201014235120
ziCSLtqP	JAVAC_1_4	Java J2SE 6	20201014235120

## CHANGES FROM LAST SCAN

## Latest Scan Prior Scan

**Static Scan** 

 Scan Name:
 3 Nov 2020 Static 1.0.8
 Scan Name:
 26 Oct 2020 (1.0.7) Static

 Completed:
 Nov 03 2020 09:55 GMT Completed:
 Oct 26 2020 16:20 GMT 

05:00 EST 04:00 EDT

Score: 100 Score: 99

## Changes in Scope of Static Scan

## MODULES SELECTED IN SCAN

	Latest Scan	Prior Scan
Module Name	Gemfile	Gemfile
	Gemfile	Gemfile
	JS files within gaen-mobile-1.0.8.zip*	JS files within gaen-mobile-1.0.7.zip
Total Modules Selected	3	3
Scan Size	785.5KB	762.2KB

\*Not Included in prior scan

## Findings Summary

## FINDINGS BY SEVERITY

	Static Scan	Software Composition Analysis (SCA)
Very High	0	0
High	0	1
Medium	0	3
Low	0	0
Very Low	0	0
Informational	0	0

## Flaw Category Details

There is no data available for this section.

## Findings Details

There is no data available for this section.

## Detailed SCA Vulnerabilities by Component

## **INQUIRER**

**Fix for Policy** 

1 Vulnerability 1 License

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/inquirer

Severity



## SRCCLR-SID-20567 | Unknown

Description

High

inquirer is vulnerable to memory leak due to listeners not being removed when the prompt closes. This allows an attacker to read stored data that is not removed or initiate a denial of service by consuming too much memory.

License Risk	Identifier	License Name
Low	MIT	MIT License

## WS

1 Vulnerability

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ws

1 License



## Description





#### SRCCLR-SID-5397 | Unknown

ws is vulnerable to denial of service (DoS) attacks. A malicious user can pass a `GET` request to the application with a `Sec-WebSocket-Extensions` header that uses the `Object.prototype` property name to crash the application.

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **UA-PARSER-JS**

1 Vulnerability 1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ua-parser-js

Severity



**Fix for Policy** 

## CVE-2020-7733 | Unknown

**Description** 

Medium

ua-parser-js is vulnerable to regular expression denial of service (ReDoS). A remote attacker is able to cause a denial of service condition by submitting a malicious string that when parsed via the Redmi and Mi Pad regexes, would result in excessive resource consumption.

License Risk	Identifier	License Name
Low	MIT	MIT License

#### NODE-FETCH

1 Vulnerability 1 License

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/node-fetch

**VERACOIDE** Veracode Application Security Report **Fix for Policy Description** Severity CVE-2020-15168 | Unknown Medium node-fetch is vulnerable to denial of service. The 'size' option after following a redirect is not adhered to, which does not result in a `FetchError` being thrown and the process ending without failure when a content size was over the limit. **License Risk Identifier License Name** MIT MIT License Low **JMESPATH** file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/jmespath **O** Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/jmespath 1 License **License Risk** Identifier License Name Apache-2.0 Apache License 2.0 **CLI-SPINNERS O** Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/cli-spinners 1 License **License Risk License Name Identifier** MIT MIT License NODE-MODULES-REGEXP file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/node-modules-**O** Vulnerabilities regexp 1 License **License Risk Identifier License Name** MIT MIT License Low **METRO-CORE O Vulnerabilities** file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/metro-core

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

@HAPI/HOEK	0 Vulnerabilities
file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@hapi/hoek	1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

@HAPI/JOI 0 Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@hapi/joi 1 License



License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

SAFE-REGEX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/safe-regex

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**FARADAY** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/faraday

O Vulnerabilities

1 License

License Risk	Identifier	License Name
	MIT	MIT License

## PRETTY-FORMAT

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/pretty-format

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## @BUGSNAG/PLUGIN-REACT-NATIVE-CLIENT-SYNC

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react-native-client-sync

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**ANSI-RED** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/ansi-red

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## **RAKE**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/and roid/Gemfile.lock/rake$ 

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **REACT-NATIVE-SVG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-svg

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/HELPER-MEMBER-EXPRESSION-TO-FUNCTIONS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helpermember-expression-to-functions

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**XCODE O** Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/xcode

1 License

License Risk	Identifier	License Name
<b>Low</b>	Apache-2.0	Apache License 2.0

**CLI-CURSOR O** Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/cli-cursor

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

STRING-WIDTH **O** Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/string-width 1 License

> **License Risk Identifier License Name** MIT MIT License Low

## @BABEL/PLUGIN-SYNTAX-OPTIONAL-CATCH-BINDING

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/pluginsyntax-optional-catch-binding

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**EMOJI REGEX O Vulnerabilities** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/emoji regex

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

## ISOMORPHIC-FETCH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/isomorphicfetch

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **O Vulnerabilities OBJECT.ASSIGN** 1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/object.assign

License Risk	Identifier	License Name
Low	MIT	MIT License

## **REACT-NATIVE-CONFIG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-config

O Vulnerabilities
1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

CALLSITES O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/callsites

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/PLUGIN-TRANSFORM-REACT-JSX-SOURCE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-react-jsx-source

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

IS-ARRAYISH O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-arrayish 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

OS 0 Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/os 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

ENCODEURL 0 Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/encodeurl 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

LOCATE-PATH

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/locate-path

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### XCPRETTY-TRAVIS-FORMATTER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/xcpretty-travis-formatter

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/xcpretty-travis-formatter

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/TYPES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/types

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

## FRAGMENT-CACHE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fragment-cache

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **OPEN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/open

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **ETAG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/etag

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @HAPI/TOPO

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@hapi/topo

O Vulnerabilities

1 License

License Risk	Identifier	License Name
LOW	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

## **CORE-UTIL-IS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/core-util-is

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ABSOLUTE-PATH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/absolute-path

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @TYPES/YARGS-PARSER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/yargs-parser

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **METRO-SYMBOLICATE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metrosymbolicate

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### ARRAY-FLAT-POLYFILL

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/array-flat-polyfill

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	CC0-1.0	Creative Commons Zero (CCO)

#### **GET-CALLER-FILE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/get-caller-file

O Vulnerabilities 1 License

License Risk Identifier License Name

ISC ISC License

## LOG-SYMBOLS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/log-symbols

O Vulnerabilities

1 License

License Risk Identifier License Name

MIT MIT License

## **IS-EXTENDABLE**

Low

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-extendable

0 Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

STRIP-ANSI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/strip-ansi

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

TTY-SCREEN

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/tty-screen

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

DOM-SERIALIZER

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/dom-serializer

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**XMLDOC** 

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/xmldoc

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @REACT-NATIVE-COMMUNITY/PUSH-NOTIFICATION-IOS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/push-notification-ios$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## METRO-BABEL-REGISTER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-babel-register

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

LODASH

**O** Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/lodash

License Risk	Identifier	License Name
Low	MIT	MIT License

## UNICODE-MATCH-PROPERTY-ECMASCRIPT

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/unicode-match-property-ecmascript$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **RIMRAF**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rimraf

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **PIRATES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pirates

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### LOGKITTY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/logkitty

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @JEST/TEST-RESULT

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@jest/test-result

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BUGSNAG/PLUGIN-REACT-NATIVE-HERMES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react-native-hermes

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **PLIST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/plist file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/plist

License Risk	Identifier	License Name
Low	MIT	MIT License

#### TO-OBJECT-PATH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/to-object-path

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ANSI-WRAP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-wrap

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### IS-WSL

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-wsl

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **MUTE-STREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mute-stream

O Vulnerabilities

1 License

License Risk	Identifier	License Name
o Low	ISC	ISC License

## FARADAY-COOKIE JAR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/faraday-cookie\_jar

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/faraday-cookie\_jar

O Vulnerabilities 1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

#### **ON-FINISHED**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/on-finished

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\langle</b> Low	MIT	MIT License

### **DEPD**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/depd

0 Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

KIND-OF

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/kind-of

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**DENODEIFY O** Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/denodeify 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **FASTLANE-PLUGIN-APPCENTER**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/fastlaneplugin-appcenter

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/fastlane-pluginappcenter

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **COMMANDER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/commander

O Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
♠ Low	MIT	MIT License

## **DEFAULTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/defaults

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **ERROR-STACK-PARSER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/error-stackparser

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **MERGE-STREAM**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/merge-stream

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **EVENTEMITTER3**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/eventemitter3

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **AWS-SDK-CORE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-sdk-core

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **AWS-SDK-KMS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-sdk-kms

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	Apache-2.0	Apache License 2.0

## @BABEL/PLUGIN-TRANSFORM-LITERALS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-literals

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

## BABEL-PLUGIN-SYNTAX-TRAILING-FUNCTION-COMMAS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/babel-plugin-syntax-trailing-function-commas$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## GOOGLE-CLOUD-STORAGE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/google-cloud-storage

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	Apache-2.0	Apache License 2.0

## REACT-NATIVE-SPLASH-SCREEN

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-splash-screen$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

## @JEST/CONSOLE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@jest/console

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/HELPER-MODULE-TRANSFORMS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-module-transforms

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **RUBYZIP**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/rubyzip

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

#### METRO-REACT-NATIVE-BABEL-PRESET

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-react-native-babel-preset$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

## FASTLANE-PLUGIN-INCREMENT\_VERSION\_CODE

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/and roid/Gemfile.lock/fastlane-plugin-increment\_version\_code$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## @BABEL/PLUGIN-TRANSFORM-SHORTHAND-PROPERTIES

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-shorthand-properties$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **BASE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/base

License Risk	Identifier	License Name
Low	MIT	MIT License

LRU-CACHE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/lru-cache

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

**STACKFRAME** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/stackframe

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

#### HTTP-COOKIE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/http-cookie

O Vulnerabilities

1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/http-cookie

License Risk	Identifier	License Name
Low	MIT	MIT License

NAP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/nap

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

## FARADAY MIDDLEWARE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/faraday\_middleware

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

#### HTTP-ERRORS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/http-errors

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

## **AWS-SDK-CORE**

Low

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-sdk-core

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

## @REACT-NATIVE-COMMUNITY/ASYNC-STORAGE

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/async-storage$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **THROUGH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/through

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ANSI-REGEX**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-regex

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### AWS-SIGV4

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-sigv4

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

## JEST-MOCK

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jest-mock

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **CHARDET**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/chardet

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

## POSIX-CHARACTER-CLASSES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/posix-character-classes



License Risk	Identifier	License Name
Low	MIT	MIT License

#### **PARSEURL**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/parseurl

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **AWS-PARTITIONS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-partitions

O Vulnerabilities

1 License

License Risk	Identifier	License Name	
Low	Apache-2.0	Apache License 2.0	

## **HAS-VALUE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/has-value

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **IMPORT-FRESH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/import-fresh

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **FB-WATCHMAN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fb-watchman

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **COLOR**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/color

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/PLUGIN-SYNTAX-NULLISH-COALESCING-OPERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-nullish-coalescing-operator

License Risk	Identifier	License Name
Low	MIT	MIT License

## @REACT-NATIVE-COMMUNITY/CLI-PLATFORM-ANDROID

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-nativecommunity/cli-platform-android

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### STRING-WIDTH

**O** Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/string-width

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **MKDIRP**

**O** Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/mkdirp

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **ARR-DIFF**

**O** Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/arr-diff

1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

## IS-ACCESSOR-DESCRIPTOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-accessordescriptor

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/PLUGIN-PROPOSAL-OBJECT-REST-SPREAD

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/pluginproposal-object-rest-spread

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## MULTI XML

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/multi xml

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## PATH-KEY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/path-key

License Risk	Identifier	License Name
Low	MIT	MIT License

## **SOURCE-MAP**

**O** Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/source-map

1 License

License Risk	Identifier	License Name
△ Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

## **MERGE-STREAM**

**O Vulnerabilities** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/merge-stream

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## VARY

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/vary

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **ESCAPE-STRING-REGEXP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/escape-string-regexp

O Vulnerabilities
1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

## METRO-REACT-NATIVE-BABEL-TRANSFORMER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-react-native-babel-transformer

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ATOB**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/atob

2 Licenses

License Risk	Identifier	License Name
<b>Low</b>	Apache-2.0	Apache License 2.0
<b>Low</b>	MIT	MIT License

## IS-ACCESSOR-DESCRIPTOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-accessor-



descriptor

License Risk	Identifier	License Name
○ Low	MIT	MIT License

## IS-DATA-DESCRIPTOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-data-descriptor

O Vulnerabilities
1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

## **RX-LITE-AGGREGATES**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rx-lite-aggregates$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

## REACT-NATIVE-IPHONE-X-HELPER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-iphone-x-helper

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **NULLTHROWS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/nullthrows

O Vulnerabilities
1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

## UNICODE-CANONICAL-PROPERTY-NAMES-ECMASCRIPT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/unicode-canonical-property-names-ecmascript

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
<b>\rightarrow</b> Low	MIT	MIT License

## @BABEL/HELPER-REGEX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-regex$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

HAS-FLAG 0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/has-flag

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**ONCE** 

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/once

1 License

License Risk	Identifier	License Name
♠ Low	ISC	ISC License

**SERVE-STATIC** 

**O Vulnerabilities** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/serve-static

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @REACT-NATIVE-COMMUNITY/CLI-TOOLS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-tools

O Vulnerabilities 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

MIME-DB

**O Vulnerabilities** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime-db

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

## @BABEL/HELPER-REPLACE-SUPERS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-replace-supers

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CROSS-SPAWN**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cross-spawn

1 License

License Risk	<b>Identifier</b>	License Name
♠ Low	MIT	MIT License

## JSON5

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/json5

License Risk	Identifier	License Name
Low	MIT	MIT License

#### STATIC-EXTEND

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/static-extend

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### PATH-PARSE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/path-parse

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

#### **PROMISE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/promise

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

## BABEL-PLUGIN-DYNAMIC-IMPORT-NODE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/babel-plugindynamic-import-node

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/PLUGIN-TRANSFORM-REACT-JSX-SELF

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/plugintransform-react-jsx-self

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\langle</b> Low	MIT	MIT License

## KIND-OF

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/kind-of

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
LOW	MIT	MIT License

## **SLICE-ANSI**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/slice-ansi

License Risk	Identifier	License Name
Low	MIT	MIT License

P-FINALLY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/p-finally

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

JSONIFY O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jsonify 1 License

License Risk	Identifier	License Name
<b>\lambda</b> Low	CC-PDDC	Public Domain Per Creative Commons

#### **COMMANDER-FASTLANE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/commander-fastlane

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/commander-fastlane

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ANSI-CYAN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-cyan

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## **ANSI-REGEX**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/ansi-regex

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### IS-WINDOWS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-windows

O Vulnerabilities 1 License

License Risk Identifier License Name

Low	MIT	MIT License

### **JWT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/jwt

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **UTIL-DEPRECATE**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/util-deprecate$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CAPTURE-EXIT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/capture-exit

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	ISC	ISC License

#### JEST-MESSAGE-UTIL

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jest-message-util

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **RX-LITE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rx-lite

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

## **TYPE-FEST**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/type-fest

0 Vulnerabilities

2 Licenses

License Risk	Identifier	License Name
<u> </u>	CC0-1.0	Creative Commons Zero (CCO)
<b>Low</b>	MIT	MIT License

## **ANSI-FRAGMENTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-fragments

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## FBJS-CSS-VARS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fbjs-css-vars

0 Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ANSI-COLORS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-colors

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BUGSNAG/PLUGIN-REACT-NATIVE-UNHANDLED-REJECTION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react-native-unhandled-rejection

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### ARRAY-MAP

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/array-map

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @CNAKAZAWA/WATCH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@cnakazawa/watch

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **EXTERNAL-EDITOR**

O Vulnerabilities

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/external-editor$ 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **Y18N**

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/y18n

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

## **COLOR-CONVERT**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/color-convert

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

## @JEST/FAKE-TIMERS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@jest/fake-timers

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ENCODING**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/encoding

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## MAP-VISIT

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/map-visit$ 

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### WHATWG-FETCH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/whatwg-fetch

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

## **REACT-NATIVE-SIMPLE-CRYPTO**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-simple-crypto

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **EXCON**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/excon

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

## **DEFINE-PROPERTY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/define-property

0 Vulnerabilities



License Risk	Identifier	License Name
Low	MIT	MIT License

#### **FBJS-SCRIPTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fbjs-scripts

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### REGENERATE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/regenerate

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## **ARR-UNION**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/arr-union

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **JSONFILE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jsonfile

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### REPEAT-ELEMENT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/repeat-element

O Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
o Low	MIT	MIT License

## @TYPES/HAMMERJS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/hammerjs

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

#### **JS-TOKENS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/js-tokens

0 Vulnerabilities

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### **HAS-VALUE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/has-value

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## **DEFINE-PROPERTIES**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/define-properties$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## NTH-CHECK

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/nth-check

O Vulnerabilities

1 License

License Risk Identifier License Name

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

## @BABEL/PLUGIN-TRANSFORM-UNICODE-REGEX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-unicode-regex

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## COMMANDER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/commander

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **IS-DESCRIPTOR**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-descriptor

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### COCOAPODS-CORE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-core

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

## **REACT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/react

License Risk	Identifier	License Name
Low	MIT	MIT License

OB1

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ob1

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**CLI-WIDTH** 

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cli-width

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

## **BPLIST-CREATOR**

**O** Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/bplist-creator

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **ARR-FLATTEN**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/arr-flatten

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **ESCAPE-HTML**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/escape-html

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## MIME-TYPES

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime-types

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

#### **ON-HEADERS**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/on-headers

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **METRO-INSPECTOR-PROXY**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-inspector-proxy$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

FFI

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/ffi

O Vulnerabilities 1 License

License Risk Identifier License Name

BSD-3-Clause BSD 3-Clause "New" or "Revised" License

**TEMP** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/temp

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-PROPOSAL-EXPORT-DEFAULT-FROM

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-proposal-export-default-from

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

P-TRY

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/p-try

**O Vulnerabilities** 

1 License

License Risk Identifier License Name

MIT MIT License

# @BABEL/HELPER-ANNOTATE-AS-PURE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-annotate-as-pure

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### GOOGLE-CLOUD-STORAGE

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/google-cloud-storage$ 

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

### **BPLIST-PARSER**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/bplist-parser

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## TIME-STAMP

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/time-stamp

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **SNAPDRAGON**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/snapdragon

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-BUILDER-REACT-JSX-EXPERIMENTAL

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-builder-react-jsx-experimental

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **TERMINAL-NOTIFIER**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/and roid/Gemfile.lock/terminal-notifier$ 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/terminal-notifier

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **XCPRETTY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/xcpretty file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/xcpretty

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **INVARIANT**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/invariant

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ACTIVESUPPORT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/activesupport

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **FUNCTION-BIND**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/function-bind

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ROUGE**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/and roid/Gemfile.lock/rouge file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/rouge$ 

O Vulnerabilities 2 Licenses

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License
Low	MIT	MIT License

#### **AWS-SDK-KMS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-sdk-kms

O Vulnerabilities 1 License

License Risk	Identifier	License Name	
Low	Apache-2.0	Apache License 2.0	

# FILE-URI-TO-PATH

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/file-uri-to-path

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### TERMINAL-TABLE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/terminal-table

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/terminal-table

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### STACK-UTILS

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/stack-utils

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/CODE-FRAME

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/code-frame$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-PROPERTY-LITERALS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-property-literals

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**CSS-TREE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/css-tree

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

**UGLIFY-ES** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/uglify-es

O Vulnerabilities
1 License

License Risk Identifier License Name

BSD-2-Clause BSD 2-Clause "Simplified" License

**TYPHOEUS** 

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/typhoeus$ 

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
△ Low	MIT	MIT License

**SEMVER** 

**O Vulnerabilities** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/semver

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

VLQ

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/vlq

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COMMAND-EXISTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/command-exists

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @HAPI/ADDRESS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@hapi/address

O Vulnerabilities 1 License

License Risk	Identifier	License Name
LOW	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

#### GOOGLEAUTH

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	Apache-2.0	Apache License 2.0

#### COCOAPODS-TRUNK

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-trunk

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### SAFE-BUFFER

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/safe-buffer

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **IS-EXTENDABLE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-extendable

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **RETRIABLE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/retriable file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/retriable

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ADDRESSABLE**

file7263928012\_1604414731167\_html/gaen-mobile-

1.0.8/android/Gemfile.lock/addressable file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/addressable

O Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
♠ Low	Apache-2.0	Apache License 2.0

#### TO-FAST-PROPERTIES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/to-fast-properties

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

### **DIGEST-CRC**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/digest-crc

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @REACT-NAVIGATION/BOTTOM-TABS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-navigation/bottom-tabs$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **TTY-CURSOR**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/tty-cursor file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/tty-cursor

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **BYTES**

0 Vulnerabilities

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/bytes$ 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# MIME

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# MINI MAGICK

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/mini\_magick

0 Vulnerabilities

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/mini\_magick$ 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PARSER

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/parser

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### METRO-BABEL-REGISTER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-babel-register

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/TRAVERSE

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/traverse

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

### **URIX**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/urix

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **PUMP**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pump

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **PROMISE**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/promise

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **HIGHLINE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/highline file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/highline

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Ruby	Ruby License

### **DEFINE-PROPERTY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/define-property

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BUGSNAG/PLUGIN-REACT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **IS-STREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-stream

0 Vulnerabilities

1 License

License Risk Identifier License Name

MIT MIT License

# @BABEL/HELPER-BUILDER-BINARY-ASSIGNMENT-OPERATOR-VISITOR

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-builder-binary-assignment-operator-visitor$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @JEST/TYPES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@jest/types

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **IMAGE-SIZE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/image-size

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

**KLAW** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/klaw

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-MEMBER-EXPRESSION-LITERALS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-member-expression-literals$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

IS-NUMBER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-number

0 Vulnerabilities

1 License

License Risk Identifier License Name

MIT MIT License

### **HOIST-NON-REACT-STATICS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/hoist-non-react-statics

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

### **EXCON**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/excon

O Vulnerabilities

1 License

License Risk Identifier License Name

MIT MIT License

### STACKTRACE-PARSER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/stacktrace-parser

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ANSER**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/anser

O Vulnerabilities



License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-VALIDATOR-IDENTIFIER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helpervalidator-identifier

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **ERROR-EX**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/error-ex

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

#### STRIP-ANSI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/strip-ansi

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **SEND**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/send

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **ASTRAL-REGEX**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/astral-regex

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# KIND-OF

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/kind-of

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **COSMICONFIG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cosmiconfig

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/CLI-TYPES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-types

O Vulnerabilities
1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

**MAKEERROR** 

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/makeerror

1 License

License Risk	Identifier	License Name
△ Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

@TYPES/YARGS

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@types/yargs

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/HELPER-WRAP-FUNCTION

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-wrap-function$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **GET-STREAM**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/get-stream

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

## **SOURCE-MAP**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/source-map

1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

### CI-INFO

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ci-info

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### RET

O Vulnerabilities 1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ret

License Risk	Identifier	License Name
Low	MIT	MIT License

### COCOAPODS-DOWNLOADER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-downloader

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### STACK-GENERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/stack-generator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **BUFFER-CRC32**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/buffer-crc32

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## @BABEL/PLUGIN-EXTERNAL-HELPERS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-external-helpers$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

#### DOTENV

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/dotenv

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **UNSET-VALUE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/unset-value

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# **CALLSITES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/callsites

0 Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CONCAT-STREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/concat-stream

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# TMPL

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/tmpl

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

### IS-DATA-DESCRIPTOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-data-descriptor

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### JWT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/jwt

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

## **CORE-JS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/core-js

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### FIND-UP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/find-up

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-TYPESCRIPT

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-typescript$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

### **SOURCE-MAP-SUPPORT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/source-map-support

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HIGHLIGHT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/highlight

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **REACT-NATIVE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **CLASS-UTILS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/class-utils

O Vulnerabilities

1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

### GOOGLE-CLOUD-ENV

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/google-cloud-env

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### FOR-IN

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/for-in

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/SEGMENTED-CONTROL

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/segmented-control$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

### METRO-REACT-NATIVE-BABEL-PRESET

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-react-native-babel-preset

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **END-OF-STREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/end-of-stream

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-RUNTIME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-runtime

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ARRAY-FILTER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/array-filter

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-EXPONENTIATION-OPERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-exponentiation-operator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @REACT-NAVIGATION/STACK

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-navigation/stack

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **AWS-EVENTSTREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-eventstream

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-eventstream

License Risk	Identifier	License Name
o Low	Apache-2.0	Apache License 2.0

# **PASCALCASE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pascalcase

O Vulnerabilities
1 License

License Risk Identifier License Name

MIT MIT License

## **DEBUG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/debug

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# GOOGLE-CLOUD-CORE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/google-cloud-core

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/google-cloud-core

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

### **ANSI-STYLES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-styles

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### MAKE-DIR

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/make-dir

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ARR-DIFF**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/arr-diff

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **COCOAPODS-TRY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-try

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CALLER-PATH**

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **DECODE-URI-COMPONENT**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/decode-uri-component$ 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/caller-path

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **UNION-VALUE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/union-value

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **GOOGLE-API-CLIENT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/google-apiclient

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

### **EE-FIRST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ee-first

O Vulnerabilities

1 License

License Risk Identifier License Name

MIT MIT License

# @BABEL/PLUGIN-TRANSFORM-ASYNC-TO-GENERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-async-to-generator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/GENERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/generator

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ETHON**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/ethon

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/CLI-DEBUGGER-UI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-debugger-ui

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### MAP-CACHE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/map-cache

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### METRO-SOURCE-MAP

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-source-map$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **NATURALLY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/naturally file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/naturally

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @JEST/SOURCE-MAP

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@jest/source-map$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
	MIT	MIT License

### **REPRESENTABLE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/representable

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/representable

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COMPONENT-EMITTER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/component-emitter

O Vulnerabilities
1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-FOR-OF

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-for-of

O Vulnerabilities 1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

### **DOTENV**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/dotenv

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# JSON-PARSE-BETTER-ERRORS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/json-parse-better-errors

O Vulnerabilities
1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

## **SPLIT-ON-FIRST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/split-on-first

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **GENSYNC**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/gensync

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# TO-REGEX-RANGE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/to-regex-range

0 Vulnerabilities

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

FIND-UP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/find-up

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

JS-YAML O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/js-yaml 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**REACT-I18NEXT** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/react-i18next

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

PUBLIC SUFFIX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/public\_suffix

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

STRING DECODER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/string\_decoder

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

LEVEN

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/leven

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**HAS-VALUES** 

**O Vulnerabilities** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/has-values

License Risk	<b>Identifier</b>	License Name
<b>Low</b>	MIT	MIT License

### **DECLARATIVE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/declarative

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

EXTGLOB O Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/extglob 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

IS-ARRAYISH
file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-arrayish

0 Vulnerabilities
1 License

License Risk Identifier License Name

MIT MIT License

### WRITE-FILE-ATOMIC

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/write-file- 0 Vulnerabilities atomic 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

NAN O Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/nan 1 License

License Risk Identifier License Name

A Low MIT MIT License

FASTIMAGE

O Vulnerabilities
file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/fastimage

1 License

License Risk Identifier License Name

MIT MIT License

CHALK O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/chalk 1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

JEST-UTIL
file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jest-util

O Vulnerabilities
1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

### **NORMALIZE-PATH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/normalize-path

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# ARRAY-UNIQUE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/array-unique

O Vulnerabilities

1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

### **NODE-FETCH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/node-fetch

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# PARSE-NODE-VERSION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/parse-node-version

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **PKG-DIR**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pkg-diraction file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_mobile-1.0.8/nod$ 

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/MASKED-VIEW

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/masked-view

O Vulnerabilities 1 License

License Risk	Identifier	License Name
LOW	MIT	MIT License

# @BABEL/TYPES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/types

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

### COCOAPODS-DEINTEGRATE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-deintegrate

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### OS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/os

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **CSS-SELECT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/css-select

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

# @HAPI/BOURNE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@hapi/bourne

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

## **REQUIRE-DIRECTORY**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/requiredirectory$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **SETIMMEDIATE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/setimmediate

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **RESOLVE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/resolve

0 Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

**USE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/use

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### SOURCE-MAP-RESOLVE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/source-map-resolve

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **UBER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/uber file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/uber

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **CONCAT-MAP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/concat-map

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **UNIVERSALIFY**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/universalify

O Vulnerabilities

1 License

cense Risk Identifier License Name

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/CLI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **HAS-VALUES**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/has-values

**O** Vulnerabilities

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

IS-OBJ

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-obj

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

SIMPLE-SWIZZLE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/simple-swizzle

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **CONVERT-SOURCE-MAP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/convert-source-map

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

**COCOAPODS** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**SEMVER** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/semver

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

ONETIME

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/onetime

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

**SET-VALUE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/set-value

0 Vulnerabilities

License Risk	Identifier	License Name
○ Low	MIT	MIT License

#### SAFER-BUFFER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/safer-buffer

O Vulnerabilities
1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# **ERRORHANDLER**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/errorhandler

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# REQUIRE-MAIN-FILENAME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/require-main-filename

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# **ALAMOFIRE**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Podfile.lock/Alamofire

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @JEST/TYPES

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@jest/types

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ISOBJECT**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/isobject

1 License

License Risk	<b>Identifier</b>	License Name
<b>\rightarrow</b> Low	MIT	MIT License

### **OBJECT-VISIT**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/object-visit

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/PLUGIN-SYNTAX-CLASS-PROPERTIES

file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-class-properties

License Risk	Identifier	License Name
Low	MIT	MIT License

### ZIPFOUNDATION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Podfile.lock/ZIPFoundation

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **WRAP-ANSI**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/wrap-ansi

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### YOGA

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Podfile.lock/Yoga

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### LOOSE-ENVIFY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/loose-envify

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @REACT-NATIVE-COMMUNITY/DATETIMEPICKER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/datetimepicker

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# FIND-CACHE-DIR

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/find-cache-dir

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-PROPOSAL-CLASS-PROPERTIES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-proposal-class-properties

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **SUDO-PROMPT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/sudo-prompt

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **EMOJI-REGEX**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/emoji-regex

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **SNAPDRAGON-UTIL**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/snapdragon-util

O Vulnerabilities

1 License

License Risk	Identifier	License Name	
Low	MIT	MIT License	

### MIMIC-FN

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mimic-fn

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### IΡ

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ip

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **MOLINILLO**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/molinillo

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# SERIALIZE-ERROR

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/serialize-error

0 Vulnerabilities

License Risk	Identifier	License Name
o Low	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-JSX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-jsx$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-EXPORT-DEFAULT-FROM

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-export-default-from$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# **EMOJI REGEX**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/emoji\_regex

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# DOMAIN NAME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/domain\_name

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/domain\_name

3 Licenses

License Risk	Identifier	License Name	
Medium	MPL-2.0	Mozilla Public License 2.0	
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License	
♠ Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License	

### **PRIVATE**

0 Vulnerabilities 1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/private

License Risk Identifier License Name

MIT MIT License

## MIXIN-DEEP

**O** Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mixin-deep

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# UNICODE-MATCH-PROPERTY-VALUE-ECMASCRIPT

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/unicode-match-

property-value-ecmascript

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

## **AWS-PARTITIONS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-partitions

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

### **MEMOIST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/memoist file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/memoist

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **EMOJI-REGEX**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/emoji-regex

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-PROPOSAL-OPTIONAL-CHAINING

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-proposal-optional-chaining

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **DAYJS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/dayjs

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# COLORETTE

**O Vulnerabilities** 

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/colorette$ 

1 License

License Ri	sk Identifier	License Name	
o Low	MIT	MIT License	

# **FSEVENTS**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fsevents

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ANSI-STYLES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-styles

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/CLI-PLATFORM-IOS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-platform-ios$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **JSESC**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jsesc

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

#### **HTTPCLIENT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/httpclient file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/httpclient

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
○ Low	Ruby	Ruby License

### JSON-STABLE-STRINGIFY

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/json-stable-string if years and the string of the string of$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **UNPIPE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/unpipe

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **PLIST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/plist

License Risk	Identifier	License Name
Low	MIT	MIT License

### IS-FULLWIDTH-CODE-POINT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-fullwidth-code-point

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **RXJS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rxjs

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

# @BUGSNAG/PLUGIN-REACT-NATIVE-EVENT-SYNC

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react-native-event-sync

O Vulnerabilities
1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# @BUGSNAG/DELIVERY-REACT-NATIVE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/delivery-react-native

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **CLAIDE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/claide file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/claide

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **HAS-SYMBOLS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/has-symbols

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-TYPESCRIPT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-typescript

License Risk	Identifier	License Name
Low	MIT	MIT License

**CSS-WHAT** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/css-what

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

### @BABEL/HELPER-REMAP-ASYNC-TO-GENERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helperremap-async-to-generator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### METRO-SOURCE-MAP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-sourcemap

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**TZINFO** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/tzinfo

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **SPLIT-STRING**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/split-string

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **COLLECTION-VISIT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/collection-visit

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# METRO-REACT-NATIVE-BABEL-TRANSFORMER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-reactnative-babel-transformer

License Risk	Identifier	License Name
Low	MIT	MIT License

### **VOID-ELEMENTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/void-elements

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @TYPES/STACK-UTILS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/stack-utils

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-FUNCTION-NAME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-function-name

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### HAS-FLAG

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/has-flag

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **METRO-SYMBOLICATE**

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metrosymbolicate$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @TYPES/ISTANBUL-LIB-REPORT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/istanbul-lib-report

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NAVIGATION/CORE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-navigation/core

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **MULTIPART-POST**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/multipart-post

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/multipart-post

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/TEMPLATE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/template

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

EXEC-SH O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/exec-sh 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-BLOCK-SCOPED-FUNCTIONS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-block-scoped-functions$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **SIGNET**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/signet file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/signet

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

## PRETTY-FORMAT

**O** Vulnerabilities

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pretty-formation file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_mobile-1.0.8/no$ 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# MS

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ms

License Risk	Identifier	License Name
Low	MIT	MIT License

### SHEBANG-REGEX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/shebang-regex

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-MODULES-COMMONJS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-modules-commonjs

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**License Name** 

MIT License

### **NICE-TRY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/nice-try

**Identifier** 

MIT

0 Vulnerabilities

1 License

### **ABORT-CONTROLLER**

**License Risk** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/abort-controller

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **UUID**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/uuid

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **GH INSPECTOR**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/gh

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/gh\_inspector

**O** Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

### **PSEUDOMAP**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/pseudomap

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	ISC	ISC License

**JETIFIER** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jetifier

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**SET-BLOCKING** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/set-blocking

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	ISC	ISC License

#### **GOOGLE-CLOUD-ENV**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/google-cloud-env

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	Apache-2.0	Apache License 2.0

CLONE

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/clone

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **DOMELEMENTTYPE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/domelementtype

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

# @BABEL/HELPER-OPTIMISE-CALL-EXPRESSION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-optimise-call-expression

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**IS-BUFFER** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-buffer

**O** Vulnerabilities

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-STICKY-REGEX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-sticky-regex$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **TYPEDARRAY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/typedarray

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### MIME-DB

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime-db

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **METRO-CONFIG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-config

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ANYMATCH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/anymatch

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

### **ATOMOS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/atomos file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/atomos

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-DEFINE-MAP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-define-map

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### **INHERITS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/inherits

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

### YARGS-PARSER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/yargs-parser

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# @REACT-NATIVE-COMMUNITY/CLI-SERVER-API

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-server-api

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

### **RANGE-PARSER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/range-parser

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **REACT-NATIVE-MATOMO-SDK**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-matomo-sdk

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\langle</b> Low	MIT	MIT License

## **COMPRESSION**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/compression

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### P-LOCATE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/p-locate

O Vulnerabilities



License Risk	Identifier	License Name
Low	MIT	MIT License

#### **RIMRAF**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rimraf

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# **EXTEND-SHALLOW**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/extend-shallow

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# **WRAP-ANSI**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/wrap-ansi

O Vulnerabilities

1 License

License Risk	Identifier	License Name	
Low	MIT	MIT License	

### **CLIUI**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cliui

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	ISC	ISC License

# @BABEL/PLUGIN-PROPOSAL-NULLISH-COALESCING-OPERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-proposal-nullish-coalescing-operator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **XTEND**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/xtend

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **REGJSGEN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/regjsgen

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### COCOAPODS-SEARCH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-search

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

STATUSES

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/statuses

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

**METRO** 

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/metro

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**NEGOTIATOR** 

**O Vulnerabilities** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/negotiator

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# @BABEL/RUNTIME

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/runtime

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **COLOR-STRING**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/color-string

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### SHELL-QUOTE

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/shell-quote

1 License

Lice	ense Risk	Identifier	License Name
^	Low	MIT	MIT License

### **JSON**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/json

License Risk	Identifier	License Name
Low	Ruby	Ruby License

MIME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

HEX-LITE O Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/hex-lite 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

WORDWRAP

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/wordwrap

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

LOCATE-PATH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/locate-path

O Vulnerabilities 1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

MINI\_MIME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/mini\_mime file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/mini\_mime

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

PLUGIN-ERROR

O Vulnerabilities 1 License

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/plugin-error

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

**CALLER-CALLSITE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/caller-callsite

License Risk	Identifier	License Name
Low	MIT	MIT License

#### STRING-WIDTH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/string-width

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **REACT-REFRESH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-refresh

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### JEST-GET-TYPE

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jest-get-type

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-CLASSES

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-classes

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @TYPES/COLOR-NAME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/color-name

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **BINDINGS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/bindings

1 License

**O** Vulnerabilities

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# STRIP-EOF

**O** Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/strip-eof

License Risk	Identifier	License Name
Low	MIT	MIT License

**ENVINFO** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/envinfo

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

DAYJS
file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/dayjs

0 Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

ASAP O Vulnerabilities file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/asap 1 License

License Risk Identifier License Name

MIT MIT License

YALLIST
file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/yallist

0 Vulnerabilities
1 License

License Risk	Identifier	License Name
△ Low	ISC	ISC License

### @BABEL/HELPER-SPLIT-EXPORT-DECLARATION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper- 0 Vulnerabilities split-export-declaration 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### @BABEL/HELPER-PLUGIN-UTILS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper- 0 Vulnerabilities plugin-utils 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

SHELL-QUOTE O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/shell-quote

License Risk	Identifier	License Name
Low	MIT	MIT License

**MINIMIST** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/minimist

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **REACT-NATIVE-PERMISSIONS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-permissions

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

PATH-EXISTS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/path-exists

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### STRICT-URI-ENCODE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/strict-uriencode

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

CHALK

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/chalk

O Vulnerabilities 1 License

License Risk Identifier License Name

All MIT MIT License

# REACT-NATIVE-SAFE-AREA-CONTEXT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-safe-area-context

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

BASE64-JS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/base64-js

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **BALANCED-MATCH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/balancedmatch

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
^ Low	MIT	MIT License

### **RSVP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/rsvp

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### REACT-NATIVE-GESTURE-HANDLER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-nativegesture-handler

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **OBJECT.PICK**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/object.pick

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ARRAY-REDUCE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/array-reduce

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **EXECA**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/execa

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### WHICH-MODULE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/which-module

**O Vulnerabilities** 

License Risk	Identifier	License Name
Low	ISC	ISC License

#### **IMURMURHASH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/imurmurhash

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @REACT-NAVIGATION/ROUTERS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-navigation/routers

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### AWS-SDK-S3

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-sdk-s3

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### NPM-RUN-PATH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/npm-run-path

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### YARGS-PARSER

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/yargs-parser

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

## WALKER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/walker

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	Apache-2.0	Apache License 2.0

# TTY-SPINNER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/tty-spinner

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/tty-spinner

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ESPRIMA**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/esprima

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

### NODE-INT64

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/node-int64

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **XCODEPROJ**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/xcodeproj

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## IS-FULLWIDTH-CODE-POINT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-fullwidth-code-point

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# HERMES-PROFILE-TRANSFORMER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/hermes-profile-transformer

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **QUERY-STRING**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/query-string

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-MODULE-IMPORTS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-module-imports

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **IS-DIRECTORY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-directory

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### OB1

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ob1

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# FARADAY MIDDLEWARE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/faraday\_middleware

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### 118N

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/i18n

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# MS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ms

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **ASSIGN-SYMBOLS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/assign-symbols

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# PUBLIC SUFFIX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/public\_suffix

License Risk	Identifier	License Name
Low	MIT	MIT License

**FRESH** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fresh

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

SLIDE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/slide

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# @BUGSNAG/PLUGIN-NETWORK-BREADCRUMBS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-network-breadcrumbs

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**ARRAY-SLICE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/array-slice

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**DESTROY** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/destroy

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### METRO-BABEL-TRANSFORMER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-babel-transformer

O Vulnerabilities 1 License

License Risk	Identifier	License Name
LOW	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-FLOW

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-flow$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

STRIP-ANSI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/strip-ansi

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### REMOVE-TRAILING-SEPARATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/remove-trailing-separator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>Low</b>	ISC	ISC License

**ISERROR** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/iserror

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

@BABEL/CORE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/core

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **PROMISESOBJC**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Podfile.lock/PromisesObjC

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

# @TYPES/YARGS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/yargs

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BUGSNAG/CORE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/core

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **MINITEST**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/minitest

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NATIVE-COMMUNITY/CLI-HERMES

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-native-community/cli-hermes$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COPY-DESCRIPTOR**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/copy-descriptor

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

### **FASTIMAGE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/fastimage

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COLOR-SUPPORT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/color-support

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

#### **JSONFILE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jsonfile

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

### REGENERATOR-TRANSFORM

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/regenerator-transform

O Vulnerabilities 1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

#### **TOIDENTIFIER**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/toidentifier

License Risk	Identifier	License Name
Low	MIT	MIT License

**ACCEPTS** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/accepts

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ESCAPE-STRING-REGEXP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/escape-string-regexp

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
<b>\rightarrow</b> Low	MIT	MIT License

#### **JEST-VALIDATE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jest-validate

O Vulnerabilities 1 License

r Electrise

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **SLASH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/slash

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **REGEXPU-CORE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/regexpu-core

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# ALGOLIASEARCH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/algoliasearch

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### **FASTLANE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/fastlane

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

#### **REACT-NATIVE-SCREENS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-screens

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

P-LIMIT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/p-limit

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**GET-VALUE** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/get-value

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

**COMMONDIR** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/commondir

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **METRO-MINIFY-UGLIFY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-minify-uglify

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**RESOLVE-URL** 

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/resolve-url

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **METRO-CACHE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-cache

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

**ARGPARSE** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/argparse

License Risk	Identifier	License Name
Low	MIT	MIT License

**OS-TMPDIR** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/os-tmpdir

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

SIMPLE-PLIST

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/simple-plist

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# WORD\_WRAP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/word\_wrap

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/word\_wrap

0 Vulnerabilities

1 License

License Disk Identifier License Name

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **WCWIDTH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/wcwidth

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **FOURFLUSHER**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/fourflusher

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **DECLARATIVE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/declarative

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-DESTRUCTURING

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-destructuring

License Risk	Identifier	License Name
Low	MIT	MIT License

### **DEEP-ASSIGN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/deep-assign

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-OBJECT-ASSIGN

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-object-assign$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **JSESC**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jsesc

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### KIND-OF

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/kind-of

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-BLOCK-SCOPING

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-block-scoping

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **EXTEND-SHALLOW**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/extend-shallow

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @TYPES/ISTANBUL-REPORTS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/istanbul-reports

License Risk	Identifier	License Name
Low	MIT	MIT License

**FIGURES** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/figures

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COCOAPODS-STATS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapodsstats

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**FS-EXTRA** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fs-extra

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @EGJS/HAMMERJS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@egjs/hammerjs

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

### @BABEL/GENERATOR

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/generator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BUGSNAG/CUID

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/cuid

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**REGEX-NOT** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/regex-not

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **DOMELEMENTTYPE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/domelementtype

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

### **GOOGLE-CLOUD-ERRORS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/google-cloud-errors

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

### **BRACE-EXPANSION**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/brace-expansion

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

GLOB file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/glob

O Vulnerabilities 1 License

License Risk Identifier License Name

ISC ISC License

### **DECLARATIVE-OPTION**

 $file 7263928012\_1604414731167\_html/gaen-mobile-$ 

1.0.8/android/Gemfile.lock/declarative-option

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/declarative-option$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **RUBY-MACHO**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/ruby-macho

O Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

### @BABEL/HELPER-CREATE-CLASS-FEATURES-PLUGIN

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-create-class-features-plugin

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **IS-PLAIN-OBJECT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/is-plain-object

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **XPIPE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/xpipe

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### SUPPORTS-COLOR

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/supports-color

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **PATH-EXISTS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/path-exists

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **BUFFER-FROM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/buffer-from

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @TYPES/ISTANBUL-LIB-COVERAGE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@types/istanbul-lib-coverage

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
♠ Low	MIT	MIT License

#### **ICONV-LITE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/iconv-lite

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

**FASTLANE** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/fastlane

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

SIGNAL-EXIT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/signal-exit

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	ISC	ISC License

**YARGS** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/yargs

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

PATH-IS-ABSOLUTE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/path-is-absolute

O Vulnerabilities

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

KIND-OF

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/kind-of

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **METRO-RESOLVER**

© 2020 Veracode, Inc.

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/metro-resolver

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# HTML-PARSE-STRINGIFY2

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/html-parse-string if y2$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **GLOBALS**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/globals

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **SCHEDULER**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/scheduler

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **SLACK-NOTIFIER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/slack-notifier

**O** Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/slack-notifier

1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-COMPUTED-PROPERTIES

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-computed-properties$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

#### JSC-ANDROID

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jsc-android

1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

### **DIGEST-CRC**

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/digest-crc

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## SHEBANG-COMMAND

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/shebang-command

License Risk	Identifier	License Name
Low	MIT	MIT License

# **GOOGLE-API-CLIENT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/googleapi-client

O Vulnerabilities
1 License

License Risk	Identifier	License Name
△ Low	Apache-2.0	Apache License 2.0

NANOMATCH

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/nanomatch

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

WS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/ws 0 Vulnerabilities 1 License

License Risk Identifier License Name

## @BUGSNAG/SAFE-JSON-STRINGIFY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/safe-json-stringify

MIT

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

MIT License

# FS.REALPATH

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/fs.realpath

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	ISC	ISC License

**NANOID** 

O Vulnerabilities 1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/nanoid

. 2.001.00

License Risk	Identifier	License Name
Low	MIT	MIT License

#### SANE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/sane

O Vulnerabilities 1 License

License Ris	k Identifier	License Name	
△ Low	MIT	MIT License	

#### **RESTORE-CURSOR**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/restore-cursor

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/REGISTER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/register

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **SIMCTL**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/simctl file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/simctl

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **PIFY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/pify

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# FS-EXTRA

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/fs-extra

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### TTY-SCREEN

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/tty-screen

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# DEEPMERGE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/deepmerge

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### **ISEXE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/isexe

License Risk	Identifier	License Name
Low	ISC	ISC License

#### **DEBUG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/debug

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

INFLIGHT O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/inflight

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# JEST-HASTE-MAP

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jest-haste-map

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COMPRESSIBLE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/compressible

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### THREAD SAFE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/thread\_safe

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **ARR-UNION**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/arr-union

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **XMLBUILDER**

O Vulnerabilities

1 License

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/xmlbuilder

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-REACT-JSX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-react-jsx$ 

License Risk	Identifier	License Name
Low	MIT	MIT License

#### REGJSPARSER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/regjsparser

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

### **OBJECT-KEYS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/object-keys

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-SPREAD

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-spread$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **EXPAND-BRACKETS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/expand-brackets

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### PROCESS-NEXTICK-ARGS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/process-nextick-args$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **BOOLBASE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/boolbase

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

### **BIG-INTEGER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/big-integer

License Risk	Identifier	License Name
Low	Unlicense	The Unlicense

# **MULTI JSON**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/multi\_json

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **COLOR-NAME**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/color-name

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BUGSNAG/PLUGIN-CONSOLE-BREADCRUMBS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@bugsnag/plugin-console-breadcrumbs

0 Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **MULTI JSON**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/multi json

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### @BABEL/PLUGIN-PROPOSAL-OPTIONAL-CATCH-BINDING

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/pluginproposal-optional-catch-binding

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **ISOBJECT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/isobject

**O** Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# **COLOR-CONVERT**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/color-convert

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

## @BABEL/HELPER-FUNCTION-NAME

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helperfunction-name

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **WRAPPY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/wrappy

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

#### STREAM-BUFFERS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/stream-buffers

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
^ Low	Unlicense	The Unlicense

# @BABEL/PLUGIN-TRANSFORM-PARAMETERS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-parameters$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

#### **SLASH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/slash

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **MICROMATCH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/micromatch

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# SUPPORTS-COLOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/supports-color

0 Vulnerabilities

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **COCOAPODS-PLUGINS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/cocoapods-plugins

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **RUBYZIP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/rubyzip

O Vulnerabilities 1 License

License Risk	Identifier	License Name
LOW	BSD-2-Clause	BSD 2-Clause "Simplified" License

#### **BSER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/bser

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **HERMES-ENGINE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/hermes-engine

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **NODE-FETCH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/node-fetch

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# CLIUI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cliui

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	ISC	ISC License

### **OBJECT-ASSIGN**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/object-assign

O Vulnerabilities

License Risk	Identifier	License Name
○ Low	MIT	MIT License

### **SNAPDRAGON-NODE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/snapdragon-node

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **DEFINE-PROPERTY**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/define-property

1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **REANIMATED-BOTTOM-SHEET**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/reanimated-bottom-sheet

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## @BABEL/PLUGIN-TRANSFORM-FLOW-STRIP-TYPES

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-flow-strip-types$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

### REACT-NATIVE-FLASH-MESSAGE

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-native-flash-message$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-OPTIONAL-CHAINING

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-optional-chaining$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### MS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/ms

License Risk	Identifier	License Name
Low	MIT	MIT License

### **RESOLVE-FROM**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/resolve-from

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# @BUGSNAG/PLUGIN-REACT-NATIVE-GLOBAL-ERROR-HANDLER

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@bugsnag/plugin-react-native-global-error-handler

**O** Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **EXTEND-SHALLOW**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/extend-shallow

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# AWS-SDK-S3

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/aws-sdk-s3

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### **FBJS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fbjs

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-REACT-DISPLAY-NAME

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/@babel/plugintransform-react-display-name

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### TO-REGEX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/to-regex

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### **NETRC**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/netrc

**O** Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **NANAIMO**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/nanaimo

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

## **FANCY-LOG**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/fancy-log

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### METRO-BABEL-TRANSFORMER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/metro-babel-transformer

O Vulnerabilities 1 License

T Electise

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **MINIMATCH**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/minimatch

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

### **GRACEFUL-FS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/graceful-fs

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# IS-CI

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-ci

O Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### **ANSI-REGEX**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-regex

0 Vulnerabilities

License Risk	Identifier	License Name
○ Low	MIT	MIT License

#### **NANAIMO**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/nanaimo

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ASYNC**

0 Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/async

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

### **ENTITIES**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/entities

1 License

License Risk	Identifier	License Name
Low	BSD-2-Clause	BSD 2-Clause "Simplified" License

#### **REACT-IS**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-is

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **SUPPORTS-COLOR**

O Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/supports-color

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

## @BABEL/PLUGIN-TRANSFORM-REGENERATOR

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-regenerator

O Vulnerabilities 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

### @BABEL/PLUGIN-TRANSFORM-OBJECT-SUPER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-object-super

O Vulnerabilities 1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

### FASTLANE-PLUGIN-LOAD JSON

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/fastlane-

plugin-load\_json file7263928012 1604414731167 html/gaen-mobile-1.0.8/

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/fastlane-plugin-load json

License Risk	Identifier	License Name
Low	MIT	MIT License

# **READABLE-STREAM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/readable-stream

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

FILL-RANGE

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/fill-range

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-ARROW-FUNCTIONS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-transform-arrow-functions$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### MDN-DATA

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mdn-data

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	CC0-1.0	Creative Commons Zero (CCO)

#### **UTILS-MERGE**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/utils-merge

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# SPRINTF-JS

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/sprintf-js

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

#### **DECAMELIZE**

O Vulnerabilities

License Risk	Identifier	License Name
Low	MIT	MIT License

ORA

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ora

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### @BUGSNAG/REACT-NATIVE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_ modules/@bugsnag/react-native

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### REGENERATOR-RUNTIME

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/regeneratorruntime

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **EVENT-TARGET-SHIM**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/event-targetshim

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

# **PROP-TYPES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/prop-types

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### UNICODE-PROPERTY-ALIASES-ECMASCRIPT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/unicodeproperty-aliases-ecmascript

**O Vulnerabilities** 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **GOOGLEAUTH**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/googleauth

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

#### @BABEL/PLUGIN-SYNTAX-JSX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-jsx$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **SOURCE-MAP-URL**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/source-map-url

O Vulnerabilities 1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

#### WHICH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/which

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
♠ Low	ISC	ISC License

#### **CACHE-BASE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/cache-base

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

# @BUGSNAG/PLUGIN-REACT-NATIVE-SESSION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@bugsnag/plugin-react-native-session

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# AWS-SIGV4

file7263928012 1604414731167 html/gaen-mobile-1.0.8/android/Gemfile.lock/aws-sigv4

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	Apache-2.0	Apache License 2.0

# @BABEL/HELPER-VALIDATOR-IDENTIFIER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-validator-identifier

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CFPROPERTYLIST**

file7263928012\_1604414731167\_html/gaen-mobile-

1.0.8/android/Gemfile.lock/CFPropertyList

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/CFPropertyList

I LICCIISC

License Risk	Identifier	License Name
Low	MIT	MIT License

FARADAY
file7263928012 1604414731167 html/gaen-mobile-1.0.8/ios/Gemfile.lock/faraday

0 Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **FINALHANDLER**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/finalhandler

O Vulnerabilities
1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

#### **REACT-DEVTOOLS-CORE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/react-devtools-core

O Vulnerabilities 1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

#### JEST-SERIALIZER

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/jest-serializer

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **CAMELCASE**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/camelcase

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/PLUGIN-SYNTAX-DYNAMIC-IMPORT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-dynamic-import

License Risk	Identifier	License Name
Low	MIT	MIT License

**ULTRON** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ultron

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### @BABEL/PLUGIN-SYNTAX-OBJECT-REST-SPREAD

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugin-syntax-object-rest-spread

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### @BABEL/HELPERS

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helpers

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### @BABEL/HELPER-BUILDER-REACT-JSX

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-builder-react-jsx$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
<b>Low</b>	MIT	MIT License

#### **CROSS-SPAWN**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/cross-spawn

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# **XCODEPROJ**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/xcodeproj

O Vulnerabilities 1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# JEST-WORKER

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/jest-worker

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **NODE-STREAM-ZIP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/node-stream-zip

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### SAX

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/sax

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

#### **ISARRAY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/isarray

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# REGENERATE-UNICODE-PROPERTIES

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/regenerate-unicode-properties$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
○ Low	MIT	MIT License

#### **SETPROTOTYPEOF**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/setprototypeof

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	ISC	ISC License

# **PARSE-JSON**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/parse-json

0 Vulnerabilities

1 License

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

# **ANSI-GRAY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-gray

**O Vulnerabilities** 

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

P-LOCATE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/p-locate

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

LODASH.THROTTLE

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/lodash.throttle

1 License

License Risk	Identifier	License Name
<b>\rightarrow</b> Low	MIT	MIT License

#### COLORED2

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/and roid/Gemfile.lock/colored 2 file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_160414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_16041414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_16041414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_160414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_16041414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_16041414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/colored 2 file 7263928012\_16041414731167\_html/g$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

# @BABEL/PLUGIN-TRANSFORM-TEMPLATE-LITERALS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/plugintransform-template-literals$ 

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **OBJECT-COPY**

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/object-copy

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# **BRACES**

0 Vulnerabilities

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/braces

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-SIMPLE-ACCESS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-simple-access$ 

License Risk	<b>Identifier</b>	License Name
Low	MIT	MIT License

**RUN-ASYNC** 

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/run-async

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

TMP

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/tmp

0 Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

**COLOR-NAME** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/color-name

O Vulnerabilities

1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# **GOOGLE-CLOUD-ERRORS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/google-cloud-errors

O Vulnerabilities
1 License

License Risk	Identifier	License Name	
Low	Apache-2.0	Apache License 2.0	

**YARGS** 

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/yargs

**O** Vulnerabilities

1 License

License Risk	Identifier	License Name
o Low	MIT	MIT License

**DOMUTILS** 

0 Vulnerabilities 1 License

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/domutils

License Risk Identifier License Name

BSD-2-Clause BSD 2-Clause "Simplified" License

#### **BABEL-PRESET-FBJS**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/babel-preset-fbjs

License Risk	Identifier	License Name
Low	MIT	MIT License

CONNECT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/connect

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

118NEXT

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/i18next

O Vulnerabilities

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-GET-FUNCTION-ARITY

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helperget-function-arity

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @REACT-NAVIGATION/NATIVE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@react-navigation/native

O Vulnerabilities 1 License

License Risk	Identifier	License Name
△ Low	MIT	MIT License

#### @BABEL/HELPER-CREATE-REGEXP-FEATURES-PLUGIN

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helpercreate-regexp-features-plugin$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **SOURCE-MAP**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/source-map

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	BSD-3-Clause	BSD 3-Clause "New" or "Revised" License

THROUGH2

O Vulnerabilities

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/through2

1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **ANSI-ESCAPES**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/ansi-escapes

O Vulnerabilities
1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-PLUGIN-UTILS

 $file 7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-plugin-utils$ 

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### SYMBOL-OBSERVABLE

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/symbol-observable

O Vulnerabilities
1 License

License Risk	Identifier	License Name
♠ Low	MIT	MIT License

# UNICODE-DISPLAY\_WIDTH

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/android/Gemfile.lock/unicode-display\_width file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/unicode-

0 Vulnerabilities 1 License

License Risk Identifier License Name

MIT MIT License

#### REPEAT-STRING

display width

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/repeat-string

O Vulnerabilities
1 License

License Risk Identifier License Name

MIT MIT License

## **CONCURRENT-RUBY**

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/ios/Gemfile.lock/concurrent-ruby

O Vulnerabilities 1 License

License Risk	Identifier	License Name
Low	MIT	MIT License

#### **THROAT**

file7263928012 1604414731167 html/gaen-mobile-1.0.8/node modules/throat

License Risk	Identifier	License Name
Low	MIT	MIT License

# @BABEL/HELPER-EXPLODE-ASSIGNABLE-EXPRESSION

file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/@babel/helper-explode-assignable-expression

O Vulnerabilities
1 License

License Risk	Identifier	License Name
<u> </u>	MIT	MIT License

MIME-TYPES
file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/mime-types

0 Vulnerabilities
1 License

License Risk Identifier License Name

MIT MIT License

IS-DESCRIPTOR 0 Vulnerabilities file7263928012\_1604414731167\_html/gaen-mobile-1.0.8/node\_modules/is-descriptor 1 License

License Risk Identifier License Name

MIT MIT License

# APPROVED MITIGATIONS

NOTE: Except in circumstances where the customer has purchased Veracode's mitigation proposal review solution, Veracode does not review the mitigation strategy described below and is not responsible for its contents or the accuracy of any statements provided.

# Medium (1 Finding)

Medium

Finding no longer impacts policy

#### **CWE 259 Use of Hard-coded Password**

#### INSTANCES FOUND VIA STATIC SCAN

	Finding ID	Exploitability	Module	Location
V	1	Likely	JS files within gaen-mobile-1.0. 8.zip	/gaen-mobile-1.0.8/mocks/react-native-config.js 15
	Alex Chaveriat Potential False Positive  This is not a hard-coded password.			Nov 05 2020 10:15 GMT-05:00 EST
	_	<b>riat</b> Approve Mitiq g issue	gation	Nov 05 2020 10:18 GMT-05:00 EST

# PROPOSED MITIGATIONS

There is no data available for this section.

# REJECTED MITIGATIONS

There is no data available for this section.

# VERACODE'S METHODOLOGY

#### ABOUT VERACODE'S METHODOLOGY

The Veracode Application Security Platform uses static analysis, software composition analysis, and dynamic analysis (for web applications) to identify software security findings in your applications. Using static and dynamic analysis as well as software composition analysis helps reduce false negatives and detect a broader range of security findings. Veracode Static Analysis models the application into an intermediate representation, which is then analyzed for security flaws using a set of automated security tests. Veracode Dynamic Analysis uses an automated penetration testing technique to detect security flaws at runtime. Veracode Software Composition Analysis (SCA) helps you build an inventory of your open-source components to identify vulnerabilities. Veracode leverages a continuous improvement process and rapid updates to its SaaS-based scanning technology to ensure the lowest false-positive rates in the industry. The end result is an accurate list of security findings for the classes of automated scans applied to the application.

#### **APPLICATION SECURITY POLICIES**

The Veracode Platform allows an organization to define and enforce a uniform application security policy across all applications in its portfolio. The elements of an application security policy include the:

- Target Veracode Level (LV) for the application
- Types of flaws that should not be in the application (which may be defined by flaw severity, flaw category, CWE, or a common standard including OWASP, CWE/SANS Top 25, or PCI)
- Minimum Veracode security score
- Required scan types and frequencies
- Any customized rules around specifically blacklisted components or CVE severities
- · Grace period within which any policy-relevant flaws should be fixed

#### **Policy Constraints**

Policies have three main constraints that can be applied: rules, required scans, and remediation grace periods.

# **Evaluating Applications Against a Policy**

When an application is evaluated against a policy, it can receive one of four assessments:

Not assessed	The application has not yet had a scan published.
Passed	The application has passed all the aspects of the policy, including rules, required scans, and grace period.
Did not pass	The application has not completed all required scans, has not achieved the target Veracode Level, or has one or more policy relevant flaws that have exceeded the grace period to fix.
Conditional pass	The application has one or more policy relevant flaws that have not yet exceeded the grace period to fix.

The Veracode Level (VL) achieved by an application is determined by type of testing performed on the application, and the severity and types of static, dynamic, and manual flaws detected. A minimum security score (defined below) is also required for each level.

There are five Veracode Levels, denoted as VL1, VL2, VL3, VL4, and VL5. VL1 is the lowest level and is achieved by demonstrating that security testing, automated static or dynamic, is utilized during the SDLC. VL5 is the highest level and is achieved by performing automated and manual testing and removing all significant flaws. The Veracode Levels VL2, VL3, and VL4 provide a continuum of increasing software assurance between VL1 and VL5.

For IT staff operating applications, Veracode Levels can be used to set application security policies. For deployment scenarios of different business criticality, differing VLs should be made requirements. For example, the policy for applications that manage credit card transactions and, therefore, have PCI compliance requirements, should be VL5. A medium business criticality internal application could have a policy requiring VL3.

Software developers can decide which VL they want to achieve, based on the requirements of their customers. Developers of software that is mission critical to most of their customers will want to achieve VL5. Developers of general purpose business software may want to achieve VL3 or VL4. Once the software has achieved a Veracode Level, it can be communicated to customers through a Veracode report or through the Veracode Directory on the Veracode web site.

#### **Criteria for Achieving Veracode Levels**

The following table defines the details for achieving each Veracode Level. The criteria for all columns: Flaw Severities Not Allowed, Flaw Categories not Allowed, Testing Required, and Minimum Score.

\*Dynamic is only an option for web applications.

Veracode Level	Flaw Severities Not Allowed	Testing Required*	Minimum Score
VL5	V.High, High, Medium	Static AND Manual	90
VL4	V.High, High, Medium	Static	80
VL3	V.High, High	Static	70
VL2	V.High	Static OR Dynamic OR Manual	60
VL1		Static OR Dynamic OR Manual	

When multiple testing techniques are used, it is likely that not all testing will be performed on the exact same build. If that is the case, the latest test results from a specific technique will be used to calculate the current Veracode Level. After six months, test results are deemed out of date and will no longer be used to calculate the current Veracode Level.

#### **BUSINESS CRITICALITY**

The foundation of the Veracode rating system is the concept that more critical applications require higher security quality scores to be acceptable risks. Less business-critical applications can tolerate lower security quality. The business criticality is dictated by the typical deployed environment and the value of data used by the application. Factors that determine business criticality are: reputation damage, financial loss, operational risk, sensitive information disclosure, personal safety, and legal

violations.

US. Govt. OMB Memorandum M-04-04; NIST FIPS Pub. 199

<b>Business Criticality</b>	Description
Very High	Mission critical for business/safety of life and limb on the line
High	Exploitation causes serious brand damage and financial loss with long term business impact
Medium	Applications connected to the internet that process financial or private customer information
Low	Typically internal applications with non-critical business impact
Very Low	Applications with no material business impact

## **Business Criticality Definitions**

**Very High (BC5)** This criticality is typically an application where the safety of life or limb is dependent on the system. It is mission critical that the application maintain 100% availability for the long-term viability of the project or business. Examples are control software for industrial, transportation or medical equipment or critical business systems such as financial trading systems.

**High (BC4)** This criticality is typically an important multi-user business application reachable from the internet and it is critical that the application maintain high availability to accomplish its mission. Exploitation of high criticality applications cause serious brand damage, and business/financial loss, and could lead to long-term business impact.

**Medium (BC3)** This criticality is typically a multi-user application connected to the internet or any system that processes financial or private customer information. Exploitation of medium-criticality applications typically result in material business impact resulting in some financial loss, brand damage or business liability. An example is a financial services company's internal 401K management system.

**Low (BC2)** This criticality is typically an internal-only application that requires low levels of application security such as authentication to protect access to non-critical business information and prevent IT disruptions. Exploitation of low criticality applications may lead to minor levels of inconvenience, distress, or IT disruption. An example internal system is a conference room reservation or business card order system.

**Very Low (BC1)** Applications that have no material business impact if its confidentiality, data integrity and availability are affected. Code security analysis is not required for applications at this business criticality, and security spending should be directed to other higher criticality applications.

# SCORING METHODOLOGY

The Veracode scoring system, Security Quality Score, is built on the foundation of two industry standards: the Common Weakness Enumeration (CWE) and Common Vulnerability Scoring System (CVSS v3.0). CWE provides the dictionary of security flaws and CVSS v3.0 provides the foundation for computing severity, based on the potential Confidentiality, Integrity, and Availability impact of a flaw, if exploited.

The Security Quality Score is a single score from 0 to 100, where 0 is the most insecure application and 100 is an application with no detectable security flaws. The score calculation includes non-linear factors

so that, for instance, a single Severity 5 flaw is weighted more heavily than five Severity 1 flaws. Thus, each additional flaw at a given severity contributes progressively less to the score.

Veracode assigns a severity level to each flaw type based on three foundational application security requirements: Confidentiality, Integrity, and Availability. Each of the severity levels reflects the potential business impact if a security breach occurs across one or more of these security dimensions.

# **Confidentiality Impact**

According to CVSS v3.0, this metric measures the impact on confidentiality if an exploit should occur using the vulnerability on the target system. At the weakness level, the scope of the Confidentiality in this model is within an application and is measured at three levels of impact: None, Partial, and Complete.

# **Integrity Impact**

This metric measures the potential impact on integrity of the application being analyzed. Integrity refers to the trustworthiness and guaranteed veracity of information within the application. Integrity measures are designed to protect data from unauthorized modification. When the integrity of a system is sound, it is fully protected from unauthorized modification of its contents.

# **Availability Impact**

This metric measures the potential impact on availability if a successful exploit of the vulnerability is performed on a target application. Availability refers to the accessibility of information resources. Almost exclusive to this domain are denial-of- service vulnerabilities. Attacks that compromise authentication and authorization for application access, application memory, and administrative privileges are examples of impact on the availability of an application.

#### SECURITY QUALITY SCORE CALCULATION

The overall Security Quality Score is computed by aggregating impact levels of weaknesses from static, dynamic, and manual test results within an application and representing the score on a 100-point scale. This score does not predict vulnerability potential as much as it enumerates the security from those weaknesses and their impact levels within the application code.

The Raw Score formula puts weights on each static, dynamic, or manual flaw based on its impact level. These weights are exponential and determined by empirical analysis by Veracode's application security experts, with validation from industry experts. The score is normalized to a scale of 0 to 100, where a score of 100 is an application with 0 detected flaws using the analysis technique selected for the application's business criticality.

# UNDERSTAND SEVERITY, EXPLOITABILITY, AND REMEDIATION EFFORT

Severity and exploitability are two different measures of the seriousness of a flaw. Severity is defined in terms of the potential impact to confidentiality, integrity, and availability of the application as defined in the CVSS v3.0, and exploitability is defined in terms of the likelihood or ease with which a flaw can be exploited. A high-severity flaw with a high likelihood of being exploited by an attacker is potentially more dangerous than a high severity flaw with a low likelihood of being exploited.

Remediation effort, also called Complexity of Fix, is a measure of the likely effort required to fix a flaw. Together with severity, the remediation effort is used to give Fix First guidance to the developer.

#### **VERACODE SEVERITIES**

Veracode severities are defined in the following table.

Severity	Description
Very High	The offending line or lines of code pose a very serious weakness and are easy targets for an attacker. The code should be modified immediately to avoid potential attacks.
High	The offending line or lines of code have significant weakness, and the code should be modified immediately to avoid potential attacks.
Medium	A weakness of average severity. These should be fixed in high assurance software. A fix for this weakness should be considered after fixing the very high and high severities for medium assurance software.
Low	This is a low-priority weakness that will have a small impact on the security of the software. Fixing should be considered for high-assurance software. Medium and low-assurance software can ignore these flaws.
Very Low	Minor problems that some high-assurance software may want to be aware of. These flaws can be safely ignored in medium and low-assurance software.
Informational	Issues that have no impact on the security quality of the application but which may be of interest to the reviewer.

# **Informational Findings**

Informational severity findings are items observed in the analysis of the application that have no impact on the security quality of the application but may be interesting to the reviewer for other reasons. These findings may include code quality issues, API usage, and other factors.

Informational severity findings have no impact on the security quality score of the application and are not included in the summary tables of flaws for the application.

#### **EXPLOITABILITY**

Each flaw instance in a static scan may receive an exploitability rating. The rating is an indication of the intrinsic likelihood that the flaw may be exploited by an attacker. Veracode recommends that the exploitability rating be used to prioritize flaw remediation within a particular group of flaws with the same severity and difficulty of fix classification.

The possible exploitability ratings include:

Exploitability	Description
V. Unlikely	Very unlikely to be exploited
Unlikely	Unlikely to be exploited
Neutral	Neither likely nor unlikely to be exploited.
Likely	Likely to be exploited
V. Likely	Very likely to be exploited

Note: All reported flaws found via Veracode Dynamic Analysis are assumed to be exploitable because the dynamic scan actually executes the attack in question and verifies that it is valid.

Each flaw instance receives an effort/complexity of fix rating based on the classification of the flaw. The effort/complexity of fix rating is given on a scale of 1 to 5, as follows:

Effort/Complexity of Fix	Description
5	Complex design error. Requires significant redesign.
4	Simple design error. Requires redesign and up to 5 days to fix.
3	Complex implementation error. Fix is approx. 51-500 lines of code. Up to 5 days to fix.
2	Implementation error. Fix is approx. 6-50 lines of code. 1 day to fix.
1	Trivial implementation error. Fix is up to 5 lines of code. One hour or less to fix.

Note: All reported flaws found via Veracode Dynamic Analysis are assumed to be exploitable because the dynamic scan actually executes the attack in question and verifies that it is valid.

# COMMON WEAKNESS ENUMERATION (CWE)

The Common Weakness Enumeration (CWE) is an industry-standard classification of types of software weaknesses or flaws, that can lead to security problems. CWE is widely used to provide a standard taxonomy of software errors. Every flaw in a Veracode report is classified according to a standard CWE identifier.

More guidance and background about the CWE is available at <a href="http://cwe.mitre.org/data/index.html">http://cwe.mitre.org/data/index.html</a>.

# COMMON VULNERABILITIES AND EXPOSURES (CVE)

Common Vulnerabilities and Exposures (CVE) is a catalog of known security threats. CVE identifiers are unique identifiers for publicly known security vulnerabilities. CVEs are found in third-party components by Veracode Software Composition Analysis.

More guidance and background about CVE is available at <a href="https://cve.mitre.org/about/">https://cve.mitre.org/about/</a>.

#### ABOUT MANUAL ASSESSMENTS

All Veracode Manual Penetration Testing is performed according to industry-standard testing methodologies, where applicable. The following table describes what testing methodology is used by test type and vulnerability types for manual penetration tests.

Test Type	Methodology	Vulnerabilities
Web Application/API	OWASP Testing Guide	OWASP Top 10/SANS Top 25
Mobile Application	OWASP Mobile Security Testing Guide	OWASP Mobile Top 10
Desktop or Thick-Client Application	OWASP recommended testing guidance and best practices	Application Logic
		Code Injection
		Local Storage
		Binary Exploitation and Reverse Engineering
		Excessive Privileges
		Unencrypted Storage of Sensitive Information
		Unencrypted Transmission of Sensitive Information
		Weak Encryption Implementations

Test Type	Methodology	Vulnerabilities
		Weak Assembly Controls
		Weak GUI Controls
		Weak or Default Passwords
Internet of Things (IoT) and Embedded Systems	OWASP IoT Testing Guide and other industry best practices	OWASP IoT Top 10
Infrastructure and Operations (DevOps Penetration Testing)	PTES (Penetration Testing Execution Standard), NIST SP 800-115, PCI DSS 11.3 (for PCI engagements)	Can vary depending on scope and rules of engagement

For more information on Veracode Manual Penetration Testing, refer to the Veracode Help Center.

# **Time-Boxed Testing**

Veracode's Time-Boxed Manual Penetration Testing service tests as much of the application as possible within the number of days purchased. Veracode's Penetration Tester's follows testing methodologies noted in the table above. Vulnerabilities from Veracode Static and/or Veracode Dynamic Analysis scans that have been previously reported in the Veracode Platform are leveraged during Manual Penetration Testing, if available to the Penetration Tester.

In cases where time is overly constrained Veracode focuses on providing the most value for the time allotted. For smaller applications, less time may be needed to cover a majority of vulnerabilities, while other larger applications may require additional time. For this reason, Veracode Penetration Testers may choose to tailor the methodology to focus on higher priority, business relevant flaws. For example, if a three-day penetration test is purchased for a 500+ page application with complex business logic, the tester may choose to focus more on finding representative examples of higher risk flaws such as injection, authentication, and authorization flaws. In contrast, if this were a 10-day engagement, the tester would be able to cover the entire methodology in more adequate depth.

#### **Traditional Scoped Manual Penetration Testing**

For customers who have purchased MPT, which is scoped through a scoping questionnaire and scoping call, Veracode performs testing according to the scoped number of days using information provided from the customer from the scoping questionnaire and scoping call.

#### TERMS OF USE

Use and distribution of this report are governed by the agreement between Veracode and its customer. In particular, this report and the results in the report cannot be used publicly in connection with Veracode's name without written permission.