

Cucumber Report

23 Mar, 2023 2:44:13 PM

Start : Mar 23, 2:42:52.215 PM

End : Mar 23, 2:44:11.553 PM

Duration : 1 m 19.338 s

Features



Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 4
FAILED - 3
SKIPPED - 5



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add an item to cart</u>	1 m 19.338 s	3	0	3	0	12	4	3	5





#	Feature Name	T	P	F	S	Duration
1	<u>Add an item to cart</u>	3	0	3	0	1 m 19.338 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add an item to cart</u>	<u>Add an item to cart from automative department</u>	4	2	1	1	21.101 s
2	<u>Add an item to cart</u>	<u>Add an item to cart from furniture department</u>	4	1	1	2	29.162 s
3	<u>Add an item to cart</u>	<u>Add an item to cart from menswatches department</u>	4	1	1	2	29.047 s

Add an item to cart

FAILED	DURATION - 1 m 19.338 s	Scenarios		Steps	
/ 2:42:52.215 PM // 2:44:11.553 PM /		Total - 3		Total - 12	
		Pass - 0		Pass - 4	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 5	

Add an item to cart from automative department

<div>FAILED</div> <div>DURATION - 21.101 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 2:42:52.220 PM // 2:43:13.321 PM /</div>				
<div>Add an item to cart</div>				

#	Step / Hook Details	Status	Duration
1	Given user is in the department page	PASSED	2.499 s
2	When user select "Health" checkbox, clicks on item	PASSED	8.430 s
3	And click on add2cart org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#add\to\cart\button"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4e92515a9e7cfa246ae32121b4adcc58, findElement {using=id, value=add-to-cart-button}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:56664}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56664/devtoo..., se:cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e92515a9e7cfa246ae32121b4adcc58 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)	FAILED	10.136 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.click(Unknown Source) at pageFactory.Add2cartpage.clickonadd2cart(Add2cartpage.java:11) at stepDefinations.Mysteps.click_on_add2cart(Mysteps.java:58) at ?.click on add2cart(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:7) * Not displayable characters are replaced by '?'. </pre>		
4	Then successfully an item should be added to cart	SKIPPED	0.001 s



Add an item to cart from furniture department

FAILED DURATION - 29.162 s / 2:43:13.338 PM // 2:43:42.500 PM / Add an item to cart		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user is in the department page	PASSED	12.141 s
2	When user select "furniture" checkbox, clicks on item <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="octopus-dlp-asin-stream"]/ul/li[1]/span/div/div[1]/a/div"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: </pre>	FAILED	17.016 s

#	Step / Hook Details	Status	Duration
	<p>[4e92515a9e7cfa246ae32121b4adcc58, findElement {using=xpath, value=//*[@id="octopus-dlp-asin-stream"]/ul/li[1]/span/div/div[1]/a/div}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:56664}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56664/devtoo..., se:cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e92515a9e7cfa246ae32121b4adcc58</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at com.sun.proxy.\$Proxy25.click(Unknown Source)</p> <p>at pageFactory.ItemsSublistpage.clickonfirstiteminsublist(ItemsSublistpage.java:11)</p> <p>at stepDefinations.Mysteps.user_select_something_checkbox_clicks_on_item(Mysteps.java:46)</p> <p>at ?.user select "furniture" checkbox, clicks on item(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/ PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:13)</p> <p>* Not displayable characters are replaced by '?'.</p>		
3	And click on add2cart	SKIPPED	0.000 s
4	Then successfully an item should be added to cart	SKIPPED	0.000 s

Add an item to cart from menswatches department

<div>FAILED</div> <div>DURATION - 29.047 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:43:42.506 PM // 2:44:11.553 PM /				
Add an item to cart				

#	Step / Hook Details	Status	Duration
1	Given user is in the department page	PASSED	12.503 s
2	When user select "menswatches" checkbox, clicks on item org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="octopus-dlp-asin-stream"]/ul/li[1]/span/div/div[1]/a/div"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4e92515a9e7cfa246ae32121b4adcc58, findElement {using=xpath, value=//*[@id="octopus-dlp-asin-stream"]/ul/li[1]/span/div/div[1]/a/div}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:56664}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\Local\Microsoft\Edge\Selenium\111.0.1661.51 (5b30e0e79e57..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56664/devtools, se.cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4e92515a9e7cfa246ae32121b4adcc58 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)	FAILED	16.542 s

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy25.click(Unknown Source) at pageFactory.Itemsublistpage.clickonfirstiteminsublist(Itemsublistpage.java:11) at stepDefinations.Mysteps.user_select_something_checkbox_clicks_on_item(Mysteps.java:46) at ?.user select "menswatches" checkbox, clicks on item(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/ PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:20) * Not displayable characters are replaced by '?'. 		
3	And click on add2cart	SKIPPED	0.001 s
4	Then successfully an item should be added to cart	SKIPPED	0.000 s