

Cucumber Report

23 Mar, 2023 2:57:29 PM

Start : Mar 23, 2:56:07.472 PM

End : Mar 23, 2:57:27.182 PM

Duration : 1 m 19.710 s

Features







PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 3
SKIPPED - 0

Steps


PASSED - 4
FAILED - 3
SKIPPED - 5



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Add an item to cart</u>		1 m 19.710 s		3	0	3	0	12	4	3	5




#	Feature Name	T	P	F	S	Duration
1	<u>Add an item to cart</u>	3	0	3	0	1 m 19.710 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add an item to cart</u>	<u>Add an item to cart from automotive department</u>	4	2	1	1	21.164 s
2	<u>Add an item to cart</u>	<u>Add an item to cart from furniture department</u>	4	1	1	2	30.006 s
3	<u>Add an item to cart</u>	<u>Add an item to cart from menswatches department</u>	4	1	1	2	28.514 s

Add an item to cart



Add an item to cart from automotive department





#	Step / Hook Details	Status	Duration
1	Given user is in the department page AFTER_STEP - stepDefinitions.Mysteps.takescreenshots(io.cucumber.java.Scenario) image 	PASSED	2.128 s
		PASSED	0.524 s
2	When user select "Health" checkbox, clicks on item AFTER_STEP - stepDefinitions.Mysteps.takescreenshots(io.cucumber.java.Scenario) image 	PASSED	7.928 s
		PASSED	0.297 s

#	Step / Hook Details	Status	Duration
3	<p>And click on add2cart</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#addl-to-cart-button"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [67b336119c15bedbc15899999cf9674c, findElement {using=id, value=add-to-cart-button}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:57993}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\Local\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57993/devtoo..., se:cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67b336119c15bedbc15899999cf9674c at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy26.click(Unknown Source) at pageFactory.Add2cartpage.clickonadd2cart(Add2cartpage.java:11) at stepDefinitions.Mysteps.click_on_add2cart(Mysteps.java:62) at ?.click on add2cart(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:7) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.041 s
	AFTER_STEP - stepDefinations.Mysteps.takescreenshots(io.cucumber.java.Scenario) image	PASSED	0.212 s

#	Step / Hook Details	Status	Duration
			
4	Then successfully an item should be added to cart	SKIPPED	0.000 s


Add an item to cart from furniture department



#	Step / Hook Details	Status	Duration
1	Given user is in the department page	PASSED	12.432 s
	AFTER_STEP - stepDefinitions.Mysteps.takescreenshots(io.cucumber.java.Scenario) 	PASSED	0.368 s
2	When user select "furniture" checkbox, clicks on item	FAILED	16.986 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='octopus-dlp-asin-stream']/ul/li[1]/span/div/div[1]/a/div"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [67b336119c15bedbc15899999cf9674c, findElement {using=xpath, value=//*[@id='octopus-dlp-asin-stream']/ul/li[1]/span/div/div[1]/a/div}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:57993}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\Local\Temp\scoped_dir3208_11100}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57993/devtoo..., se:cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67b336119c15bedbc15899999cf9674c at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy26.click(Unknown Source) at pageFactory.Itemslistpage.clickonfirstiteminslist(Itemslistpage.java:11) at stepDefinations.Mysteps.user_select_something_checkbox_clicks_on_item(Mysteps.java:50) at ?.user select "furniture" checkbox, clicks on item(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:13)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - stepDefinations.Mysteps.takescreenshots(io.cucumber.java.Scenario)	PASSED	0.216 s
	image		
			
3	And click on add2cart	SKIPPED	0.001 s
4	Then successfully an item should be added to cart	SKIPPED	0.000 s

Add an item to cart from menswatches department



#	Step / Hook Details	Status	Duration
1	Given user is in the department page AFTER_STEP - stepDefinations.Mysteps.takescreenshots(io.cucumber.java.Scenario) image 	PASSED	11.525 s
2	When user select "menswatches" checkbox, clicks on item org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='octopus-dlp-asin-stream']/ul/li[1]/span/div/div[1]/a/div"} (Session info: MicrosoftEdge=111.0.1661.44) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_221' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [67b336119c15bedbc15899999cf9674c, findElement {using>xpath, value=//*[@id='octopus-dlp-asin-stream']/ul/li[1]/span/div/div[1]/a/div}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 111.0.1661.44, ms:edgeOptions: {debuggerAddress: localhost:57993}, msedge: {msedgedriverVersion: 111.0.1661.51 (5b30e0e79e57..., userDataDir: C:\Users\SHRINI~1\AppData\Local\Temp\scoped_dir3108_11101}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57993/devtoo..., se:cdpVersion: 111.0.1661.44, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 67b336119c15bedbc15899999cf9674c at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	16.411 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy26.click(Unknown Source) at pageFactory.Itemslistpage.clickonfirstiteminslist(Itemslistpage.java:11) at stepDefinations.Mysteps.user_select_something_checkbox_clicks_on_item(Mysteps.java:50) at ?.user select "menswatches" checkbox, clicks on item(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/PageObjectModel_Cucumber/src/test/java/features/Amazon.feature:20) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinations.Mysteps.takescreenshots(io.cucumber.java.Scenario) image 	PASSED	0.220 s
3	And click on add2cart	SKIPPED	0.000 s
4	Then successfully an item should be added to cart	SKIPPED	0.001 s