Cucumber Report

| Start : May 31, 3:14:44.880 PM	End : May 31, 3:14:46.957 PM	Duration : 2.077 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 5 SKIPPED - 0	PASSED - 60 FAILED - 0 SKIPPED - 0

4

15

60

Pass %
75 %

Pass %
66 %

Pass %
100 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login into application	0.231 s	5	5	0	0	20	20	0	0
Login in to application from Excel	1.704 s	5	0	5	0	20	20	0	0
Login in to application from DataTable	0.052 s	4	4	0	0	16	16	0	0
Create an account in TimesJob portal	0.006 s	1	1	0	0	4	4	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@yahoo	5	5	0	0	1	1	0	0
@gmail	5	5	0	0	1	1	0	0
@param	5	0	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login into application	5	5	0	0	0.231 s
2	Login in to application from Excel	5	0	5	0	1.704 s
3	Login in to application from DataTable	4	4	0	0	0.052 s
4	Create an account in TimesJob portal	1	1	0	0	0.006 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login into application	Login into application with valid credentials	4	4	0	0	0.045 s
2	Login into application	Login into application with invalid credentials	4	4	0	0	0.010 s
3	Login into application	Login into application with valid credentials	4	4	0	0	0.012 s
4	Login into application	Login into application with valid credentials	4	4	0	0	0.009 s
5	Login into application	Login into application with valid credentials	4	4	0	0	0.004 s
6	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	1.158 s
7	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.169 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.077 s
9	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.075 s
10	Login in to application from Excel	Login into application with different sets of Data from excel	4	4	0	0	0.067 s
11	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.003 s
12	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.004 s
13	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.004 s
14	Login in to application from DataTable	Login into application with different sets of Data from datatable	4	4	0	0	0.003 s
15	Create an account in TimesJob portal	Create an account	4	4	0	0	0.005 s

Login into application

PASSED	DURATION - 0.231 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	20
/ 3:14:44.880 PM // 3:14:45.111 PM /					

Login into application with valid credentials

PASSED	DURATION - 0.045 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 3:14:44.911 PM // 3:14:44.956 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.008 s
2	When user entered valid username and password	PASSED	0.000 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.001 s

Login into application with invalid credentials

PASSED	DURATION - 0.010 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 3:14:44.998 PM // 3:14:45.008 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sigin button	PASSED	0.002 s
4	Then sucessfully should not login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.012 s		Steps
/ 3:14:45.044 PM // 3:14:45.056 PM /			Total - 4
			Pass - 4
Login into application			Fail - 0
			Skip - 0
@yahoo @gmail			4

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.001 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.005 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.003 s

Login into application with valid credentials

PASSED	DURATION - 0.009 s		Steps
/ 3:14:45.077 PM // 3:14:45.086 PM /			Total - 4
			Pass - 4
Login into application			Fail - 0
			Skip - 0
@yahoo @gmail			4

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.005 s

#	Step / Hook Details	Status	Duration
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

### Login into application with valid credentials

PASSED	DURATION - 0.004 s
/ 3:14:45.107 PM // 3:14:45.111 PM /	
Login into application	
@yahoo @gmail	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.000 s
3	And click on sigin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.001 s

Login in to application from Excel

FAILED	DURATION - 1.704 s
/ 3:14:45.149 PM // 3:14:46.853 PM /	

Scenarios
Total - 5
Pass - 0
Fail - 5
Skip - 0

Steps
Total - 20
Pass - 20
Fail - 0
Skip - 0

Login into application with different sets of Data from excel

FAILED	DURATION - 1.158 s

/ 3:14:45.155 PM // 3:14:46.313 PM /

Login in to application from Excel

@param

Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.002 s
2	When user enter user name and password from 2	PASSED	1.112 s
3	And clicks on login button	PASSED	0.001 s
4	Then should sucessfully login into application	PASSED	0.001 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.010 s

	java.lang.AssertionError: The following asserts failed: expected [20] but found [10]
	     at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47)
	     at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31)
	     at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

FAILED	DURATION - 0.169 s

/ 3:14:46.376 PM // 3:14:46.545 PM /

Login in to application from Excel

@param

Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name and password from 3	PASSED	0.138 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

FAILED	DURATION - 0.077 s		Steps	
/ 3:14:46.587 PM // 3:14:46.664 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4	PASSED	0.057 s
3	And clicks on login button	PASSED	0.001 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.004 s
	java.lang.AssertionError: The following asserts failed: expected [20] but found [10] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31) at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

FAILED	DURATION - 0.075 s		Steps	
/ 3:14:46.685 PM // 3:14:46.760 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name and password from 5	PASSED	0.057 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.002 s

	java.lang.AssertionError: The following asserts failed: expected [20] but found [10]
	    at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47)
	    at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31)
	    at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login into application with different sets of Data from excel

| FAILED	DURATION - 0.067 s
/ 3:14:46.786 PM // 3:14:46.853 PM /	
Login in to application from Excel	
@param	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6	PASSED	0.056 s
3	And clicks on login button	PASSED	0.001 s
4	Then should sucessfully login into application	PASSED	0.000 s
	AFTER - stepDefinations.ParamWithExcelSteps.afterEachscenario1()	FAILED	0.002 s

	java.lang.AssertionError: The following asserts failed: expected [20] but found [10]
	    at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:47)
	    at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:31)
	    at stepDefinations.ParamWithExcelSteps.afterEachscenario1(ParamWithExcelSteps.java:32)		

Login in to application from DataTable

| PASSED	DURATION - 0.052 s		Scenarios	Steps
/ 3:14:46.874 PM // 3:14:46.926 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	Total - 16 Pass - 16 Fail - 0 Skip - 0

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.003 s		Steps
/ 3:14:46.874 PM // 3:14:46.877 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0
Login in to application from DataTable			

| #	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.001 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.004 s		Steps
/ 3:14:46.890 PM // 3:14:46.894 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0
Login in to application from DataTable			

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When user enter user name as Name2 and password as Password2	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.001 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.004 s		Steps
/ 3:14:46.903 PM // 3:14:46.907 PM /			Total - 4
			Pass - 4
Login in to application from DataTable			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.003 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable

PASSED	DURATION - 0.003 s		Steps
/ 3:14:46.923 PM // 3:14:46.926 PM /			Total - 4
			Pass - 4
Login in to application from DataTable			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.001 s
3	And clicks on login button	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then should sucessfully login into application	PASSED	0.000 s

Create an account in TimesJob portal

PASSED	DURATION - 0.006 s		Scenarios			Steps	
/ 3:14:46.951 PM // 3:14:46.957 PM /			Total - 1 Pass - 1 Fail - 0 Skip - 0			Total - 4 Pass - 4 Fail - 0 Skip - 0	

Create an account

PASSED	DURATION - 0.005 s			Steps	
/ 3:14:46.952 PM // 3:14:46.957 PM /				Total - 4 Pass - 4 Fail - 0 Skip - 0	
Create an account in TimesJob portal					

#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.001 s
2	When user enter following details	PASSED	0.003 s
	srinivas | Narayan | 9972278770 | srinivas.narayan97@gmail.com | Bangalore		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.001 s