

Cucumber Report

21 Mar, 2023 4:34:22 PM

Start : Mar 21, 4:34:21.216 PM

End : Mar 21, 4:34:21.816 PM

Duration : 0.600 s

Features

Scenarios

Steps

PASSED - 3

FAILED - 1

SKIPPED - 0

PASSED - 10



FAILED - 5

SKIPPED - 0

PASSED - 45


FAILED - 5

SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login into application</u>	0.059 s	5	5	0	0	20	20	0	0
<u>Login in to application from Excel</u>	0.502 s	5	0	5	0	20	5	5	10
<u>Login in to application from DataTable</u>	0.011 s	4	4	0	0	16	16	0	0
<u>Create an account in TimesJob portal</u>	0.006 s	1	1	0	0	4	4	0	0


Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@yahoo	5	5	0	0	1	1	0	0
@gmail	5	5	0	0	1	1	0	0
@param	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login into application</u>	5	5	0	0	0.059 s
2	<u>Login in to application from Excel</u>	5	0	5	0	0.502 s
3	<u>Login in to application from DataTable</u>	4	4	0	0	0.011 s
4	<u>Create an account in TimesJob portal</u>	1	1	0	0	0.006 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.026 s
2	<u>Login into application</u>	<u>Login into application with invalid credentials</u>	4	4	0	0	0.002 s
3	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.002 s
4	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.001 s
5	<u>Login into application</u>	<u>Login into application with valid credentials</u>	4	4	0	0	0.004 s
6	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.385 s
7	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.034 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.028 s
9	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.025 s
10	<u>Login in to application from Excel</u>	<u>Login into application with different sets of Data from excel</u>	4	1	1	2	0.017 s
11	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.002 s
12	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.001 s
13	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
14	<u>Login in to application from DataTable</u>	<u>Login into application with different sets of Data from datatable</u>	4	4	0	0	0.000 s
15	<u>Create an account in TimesJob portal</u>	<u>Create an account</u>	4	4	0	0	0.006 s

Login into application



PASSED	DURATION - 0.059 s	Scenarios		Steps	
/ 4:34:21.216 PM // 4:34:21.275 PM /		Total - 5		Total - 20	
		Pass - 5		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login into application with valid credentials

<div>PASSED</div> <div>DURATION - 0.026 s</div>	<div></div>	Steps	<div></div>
<div>/ 4:34:21.225 PM // 4:34:21.251 PM /</div>		Total - 4	
<div>Login into application</div>		Pass - 4	
<div>@yahoo @gmail</div>		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.001 s
2	When user entered valid username and password	PASSED	0.001 s
3	And click on signin button	PASSED	0.001 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with invalid credentials

<div>PASSED</div> <div>DURATION - 0.002 s</div>		Steps	
/ 4:34:21.258 PM // 4:34:21.260 PM /		Total - 4	
Login into application		Pass - 4	
@yahoo @gmail		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered invalid username and password	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should not login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.002 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:34:21.264 PM // 4:34:21.266 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name1" and password as "pwd1"	PASSED	0.000 s
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s



Login into application with valid credentials

PASSED	DURATION - 0.001 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:34:21.268 PM // 4:34:21.269 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name2" and password as "pwd2"	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	And click on sign button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.000 s

Login into application with valid credentials

PASSED	DURATION - 0.004 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:34:21.271 PM // 4:34:21.275 PM /				
Login into application				
@yahoo @gmail				

#	Step / Hook Details	Status	Duration
1	Given user is in the loginpage	PASSED	0.000 s
2	When user entered valid username as "Name3" and password as "pwd3"	PASSED	0.001 s
3	And click on signin button	PASSED	0.000 s
4	Then sucessfully should login	PASSED	0.001 s

Login in to application from Excel

FAILED		DURATION - 0.502 s		Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 20 Pass - 5 Fail - 5 Skip - 10			
/ 4:34:21.284 PM // 4:34:21.786 PM /									

Login into application with different sets of Data from excel

FAILED	DURATION - 0.385 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:34:21.286 PM // 4:34:21.671 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name and password from 2 <pre> java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) at ?.user enter user name and password from 2(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.382 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

Login into application with different sets of Data from excel

FAILED	DURATION - 0.034 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:34:21.676 PM // 4:34:21.710 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name and password from 3 <pre>java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) at ?.user enter user name and password from 3(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.031 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s



Login into application with different sets of Data from excel

FAILED DURATION - 0.028 s / 4:34:21.712 PM // 4:34:21.740 PM / Login in to application from Excel @param		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 4 <pre>java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) </pre>	FAILED	0.025 s



#	Step / Hook Details	Status	Duration
	at ?.user enter user name and password from 4(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. And clicks on login button		
3	And clicks on login button	SKIPPED	0.001 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

Login into application with different sets of Data from excel

FAILED	DURATION - 0.025 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 4:34:21.741 PM // 4:34:21.766 PM /				
Login in to application from Excel				
@param				



#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 5 java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) at ?.user enter user name and password from 5(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. And clicks on login button	FAILED	0.023 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

Login into application with different sets of Data from excel


<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:34:21.769 PM // 4:34:21.786 PM /				
Login in to application from Excel				
@param				

#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name and password from 6 <pre>java.lang.AssertionError: expected [20] but found [10] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at stepDefinations.ParamWithExcelSteps.user_enter_user_name_and_password_from(ParamWithExcelSteps.java:21) at ?.user enter user name and password from 6(file:///C:/SeleniumWorkSpaces/March2022_BDDCucumber_synechron/Cucumber_Synechron/src/test/java/features/ParamWithCexcel.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.015 s
3	And clicks on login button	SKIPPED	0.000 s
4	Then should sucessfully login into application	SKIPPED	0.000 s

Login in to application from DataTable


<div>PASSED</div>	<div>DURATION - 0.011 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 16</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:34:21.791 PM // 4:34:21.802 PM /					

Login into application with different sets of Data from datatable




#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name1 and password as Password1	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable




#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.001 s
2	When user enter user name as Name2 and password as Password2	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable





#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name3 and password as Password3	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Login into application with different sets of Data from datatable





#	Step / Hook Details	Status	Duration
1	Given user is the login page for yahoo	PASSED	0.000 s
2	When user enter user name as Name4 and password as Password4	PASSED	0.000 s
3	And clicks on login button	PASSED	0.000 s
4	Then should sucessfully login into application	PASSED	0.000 s

Create an account in TimesJob portal

PASSED	DURATION - 0.006 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:34:21.810 PM // 4:34:21.816 PM /					

Create an account

<div>PASSED</div>	<div>DURATION - 0.006 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:34:21.810 PM // 4:34:21.816 PM /				
Create an account in TimesJob portal				

#	Step / Hook Details	Status	Duration
1	Given user is in the register page for Timesjob portal	PASSED	0.000 s
2	When user enter following details	PASSED	0.004 s
	srinivas Narayan 9972278770 srinivas.narayan97@gmail.com Bangalore		
3	And click on register button	PASSED	0.000 s
4	Then sucessfully an account should be created	PASSED	0.001 s