




 **ISTL ENERGY**



Product Catalogue

Shining a light on innovation



ABOUT ISTL



ISTL Group stands at the forefront of the energy sector as a leading provider of comprehensive energy solutions. Our specialization lies in harnessing sustainable and efficient technologies to address a broad spectrum of energy applications. From pioneering energy generation methods to optimizing energy savings and advancing distribution systems, our focus is on delivering innovative solutions that drive sustainability and efficiency.

Our portfolio includes a diverse range of products and services, all designed with a commitment to achieving less emissions, managing energy demand effectively, and offsetting carbon footprints. We are dedicated to supporting our clients in their journey towards environmental stewardship and operational excellence.

Headquartered in Singapore, ISTL Group's global footprint extends significantly into India, where we have made substantial investments in key ventures. One of these is IST Labs, a leading research and development firm renowned for its cutting-edge innovations aimed at fostering a sustainable future. IST Labs plays a crucial role in advancing new technologies that drive efficiency and reduce environmental impact. Additionally, our investment in Sesola Power, a prominent renewable energy contractor, underscores our commitment to expanding our capabilities in the renewable energy sector and supporting large-scale clean energy projects.

In response to the growing energy demands of the Middle East and African regions, we established ISTL Energy in Dubai. This strategic move allows us to cater to the unique energy needs of these regions, leveraging our expertise to provide tailored solutions that address local challenges and opportunities.

Our dedicated teams, organized into Commercial & Industrial (C&I) and utility projects, work in close collaboration with our partners to deliver impactful results. By focusing on these specialized areas, we ensure that our solutions are both scalable and effective, contributing to a cleaner and more sustainable future. Through these efforts, ISTL Group is committed to creating positive change and leading the way in the global energy transition.

OUR PRODUCT RANGE

Our extensive selection of products includes advanced LED lighting solutions designed to fulfil the changing requirements of contemporary infrastructure and consumer preferences.

- Bollard Lights
- COB & Down Lights
- Tri Proof Lights
- High Bay Lights
- Façade Lights
- Wall Washer Lights
- Profile Lights
- Batten Lights
- Clean Room Panel Lights
- Spot Lights & Track Lights
- Panel Lights
- Well Glass Lights
- In-Ground Lights



Additionally, Our Portfolio includes

- RGB Lights
 - Street Lights
 - Flood Lights
 - Decorative Lights
 - Solar Street Lights
 - Solar Flood Lights
-
- Each designed to deliver superior performance, longevity, and energy efficiency.

OUR CAPABILITIES

Our in-house facility features a fully operational laboratory equipped with state-of-the-art equipment.



3 Phase Testing Jig



High Voltage Tester



Strapping Machine



Terminal Lug Press
Machine



LCR Meter & Multi Meter



Automatic Computer Wire
Stripping Machine



20 KV Surge Generator



High Temperature
Endurance Test



Normal Life Test Rack

Industrial Lighting



STREET LIGHT GRITTY

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0024SLG24	24W	5.5K/6.5K	270x83x56mm
2	ISTL0036SLG24	36W	5.5K/6.5K	341x106x57mm
3	ISTL0045SLG24	45W	5.5K/6.5K	348x132x58mm
4	ISTL0075SLG24	75W	5.5K/6.5K	388x188x83mm
5	ISTL0100SLG24	100W	5.5K/6.5K	388x188x83mm
6	ISTL0120SLG24	120W	5.5K/6.5K	388x188x83mm
7	ISTL0150SLG24	150W	5.5K/6.5K	459x230x89mm
8	ISTL0200SLG24	200W	5.5K/6.5K	521x250x86mm
9	ISTL0250SLG24	250W	5.5K/6.5K	589x290x86mm



STREET LIGHT VALIANT

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0024SLV24	24W	5.5K/6.5K	240x80x68mm
2	ISTL0036SLV24	36W	5.5K/6.5K	240x80x68mm
3	ISTL0045SLV24	45W	5.5K/6.5K	242x95x70mm
4	ISTL0075SLV24	75W	5.5K/6.5K	235x160x95mm
5	ISTL0100SLV24	100W	5.5K/6.5K	325x181x105mm
6	ISTL0120SLV24	120W	5.5K/6.5K	325x181x105mm
7	ISTL0150SLV24	150W	5.5K/6.5K	367x202x110mm
8	ISTL0200SLV24	200W	5.5K/6.5K	367x202x110mm
9	ISTL0250SLV24	250W	5.5K/6.5K	459x230x89mm



STREET LIGHT HAWK

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0024SLH24	24W	5.5K/6.5K	252x102x42mm
2	ISTL0036SLH24	36W	5.5K/6.5K	300x120x42mm
3	ISTL0045SLH24	45W	5.5K/6.5K	347x142x45mm
4	ISTL0075SLH24	75W	5.5K/6.5K	385x162x50mm
5	ISTL0100SLH24	100W	5.5K/6.5K	455x200x90mm
6	ISTL0120SLH24	120W	5.5K/6.5K	455x200x90mm
7	ISTL0150SLH24	150W	5.5K/6.5K	455x200x90mm
8	ISTL0200SLH24	200W	5.5K/6.5K	455x260x90mm
9	ISTL0250SLH24	250W	5.5K/6.5K	455x260x90mm



FLOOD LIGHT – INTEGRA

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0030FLI24	30W	5.5K/6.5K	163x120x34mm
2	ISTL0050FLI24	50W	5.5K/6.5K	186x140x34mm
3	ISTL0100FLI24	100W	5.5K/6.5K	290x220x34mm
4	ISTL0150FLI24	150W	5.5K/6.5K	340x250x34mm
5	ISTL0200FLI24	200W	5.5K/6.5K	370x280x34mm
6	ISTL0250FLI24	250W	5.5K/6.5K	370x280x34mm
7	ISTL0300FLI24	300W	5.5K/6.5K	395x310x34mm



FLOOD LIGHT – HAWK

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0030FLH24	50W	5.5K/6.5K	200x215x50mm
2	ISTL0050FLH24	100W	5.5K/6.5K	235x260x50mm
3	ISTL0100FLH24	150W	5.5K/6.5K	275x290x59mm
4	ISTL0150FLH24	200W	5.5K/6.5K	320x320x60mm



FLOOD LIGHT – ENDURA

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0030FLE24	50W	5.5K/6.5K	290x240x56mm
2	ISTL0050FLE24	70W	5.5K/6.5K	290x240x56mm
3	ISTL0100FLE24	100W	5.5K/6.5K	290x240x56mm
4	ISTL0150FLE24	120W	5.5K/6.5K	290x240x56mm
5	ISTL0200FLE24	150W	5.5K/6.5K	290x240x56mm
6	ISTL0250FLE24	200W	5.5K/6.5K	361x296x72mm
7	ISTL0300FLE24	250W	5.5K/6.5K	439x340x70mm





MODULAR FLOOD LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0100MFL24	100W	5.5K/6.5K	238.5x105.5mm
2	ISTL0150MFL24	150W	5.5K/6.5K	238.5x105.5mm
3	ISTL0200MFL24	200W	5.5K/6.5K	238.5x105.5mm
4	ISTL0300MFL24	300W	5.5K/6.5K	238.5x105.5mm
5	ISTL0400MFL24	400W	5.5K/6.5K	238.5x105.5mm



FLOOD LIGHT - GRITTY

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0030FLE24	50W	5.5K/6.5K	290x240x56mm
2	ISTL0050FLE24	70W	5.5K/6.5K	290x240x56mm
3	ISTL0100FLE24	100W	5.5K/6.5K	290x240x56mm
4	ISTL0150FLE24	120W	5.5K/6.5K	290x240x56mm
5	ISTL0200FLE24	150W	5.5K/6.5K	290x240x56mm
6	ISTL0250FLE24	200W	5.5K/6.5K	361x296x72mm
7	ISTL0300FLE24	250W	5.5K/6.5K	439x340x70mm





WELL GLASS – DESSERT CLEAR

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0035WGDC24	35W	5.5K/6.5K	φ132x116
2	ISTL0040WGDC24	40W	5.5K/6.5K	φ132x116
3	ISTL0045WGDC24	45W	5.5K/6.5K	φ132x116



WELL GLASS – DESSERT DIFFUSED

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0035WGDD24	35W	5.5K/6.5K	φ132x116
2	ISTL0040WGDD24	40W	5.5K/6.5K	φ132x116
3	ISTL0045WGDD24	45W	5.5K/6.5K	φ132x116



WELL GLASS – THOR

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0035WGT24	50W	5.5K/6.5K	φ138x130
2	ISTL0040WGT24	60W	5.5K/6.5K	φ132x145





UFO HIGH BAY – SPIRA HAWK

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0060UHBSH24	60W	5.5K/6.5K	φ 244x135
2	ISTL0080UHBSH24	80W	5.5K/6.5K	φ 244x135
3	ISTL0100UHBSH24	100W	5.5K/6.5K	φ 244x135
4	ISTL0150UHBSH24	150W	5.5K/6.5K	φ 276x130
5	ISTL0200UHBSH24	200W	5.5K/6.5K	φ 318x229
6	ISTL0250UHBSH24	250W	5.5K/6.5K	φ 360x140



UFO HIGH BAY – SPIRA GRITTY

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0060UHBSG24	60W	5.5K/6.5K	φ 244x135
2	ISTL0080UHBSG24	80W	5.5K/6.5K	φ 244x135
3	ISTL0100UHBSG24	100W	5.5K/6.5K	φ 244x135
4	ISTL0150UHBSG24	150W	5.5K/6.5K	φ 276x130
5	ISTL0200UHBSG24	200W	5.5K/6.5K	φ 318x229
6	ISTL0250UHBSG24	250W	5.5K/6.5K	φ 360x140



TRIPROOF LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0040TFLT24	40W	5.5K/6.5K
2	ISTL0060TFLT24	60W	5.5K/6.5K
3	ISTL0080TFLT24	80W	5.5K/6.5K





FLAME PROOF CLEAN ROOM LIGHT

S.N	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0030FPCR24	30W	5.5K/6.5K	390x220x65mm	352x186x45mm
2	ISTL0050FPCR24	50W	5.5K/6.5K	390x220x65mm	352x186x45mm



FLAME PROOF LIGHT

S.N.	PRODUCT CODE	WATTAGE
1	ISTL0030FPL24	30W
2	ISTL0040FPL24	40W
3	ISTL0050FPL24	50W
4	ISTL0060FPL24	60W
5	ISTL0080FPL24	80W
6	ISTL0100FPL24	100W
7	ISTL0150FPL24	150W



FLAME PROOF WELL GLASS

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0030FPWG24	30W	5.5K/6.5K
2	ISTL0040FPWG24	40W	5.5K/6.5K
3	ISTL0045FPWG24	45W	5.5K/6.5K





CLEAN ROOM PANEL LIGHT BOTTOM OPENING

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0025CRPBO24	25W	5.5K/6.5K	345x345mm
2	ISTL0040CRPBO24	40W	5.5K/6.5K	655x355mm
3	ISTL0050CRPBO24	50W	5.5K/6.5K	645x645mm
4	ISTL0060CRPBO24	60W	5.5K/6.5K	645x645mm
5	ISTL0100CRPBO24	100W	5.5K/6.5K	645x645mm



CLEAN ROOM PANEL LIGHT TOP OPENING

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0025CRPTO24	25W	5.5K/6.5K	345x345mm
2	ISTL0040CRPTO24	40W	5.5K/6.5K	655x355mm
3	ISTL0050CRPTO24	50W	5.5K/6.5K	645x645mm
4	ISTL0060CRPTO24	60W	5.5K/6.5K	645x645mm
5	ISTL0100CRPTO24	100W	5.5K/6.5K	645x645mm



CLEAN ROOM PANEL SURFACE MOUNTED

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0040CRPSM24	40W	5.5K/6.5K	345x345mm
2	ISTL0060CRPSM24	60W	5.5K/6.5K	655x355mm
3	ISTL0100CRPSM24	100W	5.5K/6.5K	645x645mm



RIMLESS DOWNLIGHT SQUARE

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0008RDS24	8W	5.5K/6.5K	110x53mm	100x53mm
2	ISTL0012RDS24	12W	5.5K/6.5K	110x53mm	100x53mm
3	ISTL0018RDS24	18W	5.5K/6.5K	143x58mm	120x58mm
4	ISTL0024RDS24	24W	5.5K/6.5K	170x58mm	140x58mm



RIMLESS DOWNLIGHT ROUND

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0008RDR24	25W	5.5K/6.5K	119x53mm	112x53mm
2	ISTL0012RDR24	40W	5.5K/6.5K	119x53mm	112x53mm
3	ISTL0018RDR24	50W	5.5K/6.5K	154x58mm	125x58mm
4	ISTL0024RDR24	60W	5.5K/6.5K	175x58mm	150x58mm
5	ISTL0100RDR24	100W	5.5K/6.5K	119x53mm	112x53mm



COB LIGHT ROUND

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0008CLR24	4W	5.5K/6.5K	68x35mm	58x35mm
2	ISTL0008CLR24	7W	5.5K/6.5K	88x40mm	70x40mm
3	ISTL0008CLR24	12W	5.5K/6.5K	105x45mm	85x45mm
4	ISTL0008CLR24	15W	5.5K/6.5K	105x45mm	85x45mm
5	ISTL0008CLR24	20W	5.5K/6.5K	120x75mm	105x75mm
6	ISTL0008CLR24	25W	5.5K/6.5K	120x75mm	105x75mm
7	ISTL0008CLR24	30W	5.5K/6.5K	145x90mm	135x90mm
8	ISTL0008CLR24	40W	5.5K/6.5K	160x100mm	145x100mm
9	ISTL0008CLR24	50W	5.5K/6.5K	160x100mm	145x100mm



BULK HEAD LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0012BHL24	12W	5.5K/6.5K	195X122X85mm



COB SURFACE LIGHT ROUND

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0007CSLR24	7W	5.5K/6.5K	50Dx70H
2	ISTL0012CSLR24	12W	5.5K/6.5K	70Dx90H
3	ISTL0018CSLR24	18W	5.5K/6.5K	90Dx100H



EDGE PANEL LIGHT ROUND

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0004EPLR24	4W	5.5K/6.5K	82x10mm	70x10mm
2	ISTL0006EPLR24	6W	5.5K/6.5K	110x9.5mm	95x9.5mm
3	ISTL0009EPLR24	9W	5.5K/6.5K	120x9.5mm	100x9.5mm
4	ISTL0012EPLR24	12W	5.5K/6.5K	150x10.5mm	138x10.5mm
5	ISTL0015EPLR24	15W	5.5K/6.5K	170x10.5mm	150x10.5mm
6	ISTL0018EPLR24	18W	5.5K/6.5K	190x10.5mm	175x10.5mm
7	ISTL0022EPLR24	22W	5.5K/6.5K	200x10.5mm	200x10.5mm



EDGE PANEL LIGHT SQUARE

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION	INNER DIMENSION
1	ISTL0004EPLS2_4	4W	5.5K/6.5K	82x82x10mm	70x70x10mm
2	ISTL0006EPLS2_4	6W	5.5K/6.5K	110x110x10.5mm	95x95x10.5mm
3	ISTL0009EPLS2_4	9W	5.5K/6.5K	120x120x10.5mm	100x100x10.5mm
4	ISTL0012EPLS2_4	12W	5.5K/6.5K	150x150x9.5mm	138x138x9.5mm
5	ISTL0015EPLS2_4	15W	5.5K/6.5K	172x172x9.5mm	150x150x9.5mm
6	ISTL0018EPLS2_4	18W	5.5K/6.5K	190x190x9.5mm	175x175x9.5mm
7	ISTL0022EPLS2_4	22W	5.5K/6.5K	220x220x10mm	200x200x10mm



SURFACE EDGE LIGHT ROUND

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0004SELR24	4W	5.5K/6.5K	80x35
2	ISTL0009SELR24	9W	5.5K/6.5K	100x32
3	ISTL0012SELR24	12W	5.5K/6.5K	135x32
4	ISTL0015SELR24	15W	5.5K/6.5K	155x32
5	ISTL0022SELR24	22W	5.5K/6.5K	195x32



SURFACE EDGE LIGHT SQUARE

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0004SELS24	4W	5.5K/6.5K	80x80x35
2	ISTL0009SELS24	9W	5.5K/6.5K	100x100x32
3	ISTL0012SELS24	12W	5.5K/6.5K	135x135x32
4	ISTL0015SELS24	15W	5.5K/6.5K	155x155x32
5	ISTL0022SELS24	22W	5.5K/6.5K	195x195x32




PANEL LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	OUTER DIMENSION
1	ISTL0025PL24	25W	5.5K/6.5K	275x275
2	ISTL0036PL24	36W	5.5K/6.5K	570x570
3	ISTL0048PL24	48W	5.5K/6.5K	570x570
4	ISTL0060PL24	60W	5.5K/6.5K	1175x275
5	ISTL0080PL24	80W	5.5K/6.5K	1175x275



TRACK

S.N.	PRODUCT CODE
1	ISTL0001T24
2	ISTL0002T24
3	ISTL0003T24
4	ISTL0004T24



TRACK LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0010TLW24	10W	5.5K/6.5K
2	ISTL0020TLW24	20W	5.5K/6.5K
3	ISTL0030TLW24	30W	5.5K/6.5K
4	ISTL0010TLB24	10W	5.5K/6.5K
5	ISTL0020TLB24	20W	5.5K/6.5K
6	ISTL0030TLB24	30W	5.5K/6.5K



STRIP LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0012SL24	12W	5.5K/6.5K	5 m
2	ISTL0018SL24	18W	5.5K/6.5K	5 m
3	ISTL0024SL24	24W	5.5K/6.5K	5 m



SMPS

S.N.	PRODUCT CODE	WATTAGE
1	ISTL_SMPS	AS PER REQUIREMENT





INTEGRATED SOLAR STREET LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0012ISSL24	12W	5.5K/6.5K
2	ISTL0015ISSL24	15W	5.5K/6.5K
3	ISTL0020ISSL24	20W	5.5K/6.5K
4	ISTL0030ISSL24	30W	5.5K/6.5K
5	ISTL0040ISSL24	40W	5.5K/6.5K
6	ISTL0050ISSL24	50W	5.5K/6.5K
7	ISTL0060ISSL24	60W	5.5K/6.5K



SEMI INTEGRATED SOLAR STREET LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0012SISSL24	12W	5.5K/6.5K
2	ISTL0015SISSL24	15W	5.5K/6.5K
3	ISTL0020SISSL24	20W	5.5K/6.5K
4	ISTL0030SISSL24	30W	5.5K/6.5K
5	ISTL0040SISSL24	40W	5.5K/6.5K
6	ISTL0050SISSL24	50W	5.5K/6.5K



NON-INTEGRATED SOLAR STREET LIGHT


S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0012NISSL24	12W	5.5K/6.5K
2	ISTL0015NISSL24	15W	5.5K/6.5K
3	ISTL0020NISSL24	20W	5.5K/6.5K
4	ISTL0030NISSL24	30W	5.5K/6.5K
5	ISTL0040NISSL24	40W	5.5K/6.5K
6	ISTL0050NISSL24	50W	5.5K/6.5K





BOLLARD LIGHT – TYPE A

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0010BLTA24	10W	5.5K/6.5K	90x210mm
2	ISTL0012BLTA24	12W	5.5K/6.5K	90x210mm



BOLLARD LIGHT – TYPE B

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0007BLTB24	7W	5.5K/6.5K	101x250mm
2	ISTL0012BLTB24	12W	5.5K/6.5K	101x600mm






SPIKE LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0006SL24	6W	5.5K/6.5K	75x55mm
2	ISTL0010SL24	10W	5.5K/6.5K	75x55mm
3	ISTL0015SL24	15W	5.5K/6.5K	75x55mm




WALL LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0004WL24	4W	5.5K/6.5K	95x70mm
2	ISTL0008WL24	8W	5.5K/6.5K	150x70mm



WALL WASHER

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0012WW24	12W	5.5K/6.5K
2	ISTL0024WW24	24W	5.5K/6.5K
3	ISTL0060WW24	60W	5.5K/6.5K





GARDEN LIGHT BOLLARD – TYPE A

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0006GLBTA24	6W	5.5K/6.5K	800mm
2	ISTL0009GLBTA24	9W	5.5K/6.5K	800mm
3	ISTL0012GLBTA24	12W	5.5K/6.5K	800mm



GARDEN LIGHT BOLLARD – TYPE B

S.N.	PRODUCT CODE	WATTAGE	CCT	DIMENSION
1	ISTL0020GLBTB24	20W	5.5K/6.5K	600mm
2	ISTL0048GLBTB24	48W	5.5K/6.5K	1200mm
3	ISTL0048GLBTB24	48W	5.5K/6.5K	2400mm



LED POST TOP LIGHT

S.N.	PRODUCT CODE	WATTAGE	CCT
1	ISTL0007LPTL24	7W	5.5K/6.5K



Designer Poles



FLAMINGO POLE HEIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0005FPH24	5m
2	ISTL0006FPH24	6m
3	ISTL0005FPH24	5m
4	ISTL0006FPH24	6m



LUMIO POLE HEIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0003LPH24	3m
2	ISTL0004LPH24	4m
3	ISTL0005LPH24	5m



ZYDO POLE HEIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0005ZPH24	3m
2	ISTL0006ZPH24	4m



GLIZZ POLE LIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0004GPL24	4mtr
2	ISTL0005GPL24	5mtr
3	ISTL0006GPL24	6mtr




ALDURA POLE LIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0003APL24	3mtr
2	ISTL0003.6APL24	3.6mtr
3	ISTL0004.5APL24	4.5mtr



TRONIC POLE LIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL00016TPL24	2.4mtr
2	ISTL00016TPL24	3mtr
3	ISTL00016TPL24	3.6mtr





GLIZZ POLE LIGHT

S.N.	PRODUCT CODE	HEIGHT
1	ISTL0004GPL24	4mtr
2	ISTL0005GPL24	5mtr
3	ISTL0006GPL24	6mtr





****Our range of designer poles is diverse, ensuring there is an ideal option for every aesthetic and functional requirement.**

** Items shown above are subject to availability

** Customized designs are also available upon request.

DESIGNER POLES



ISTL takes pride in presenting a stunning selection of designer Solar Poles, meticulously designed to enhance the aesthetics of any location. These Solar Poles not only deliver efficient and sustainable lighting solutions but also elevate the visual appeal of any environment. Whether brightening urban parks, residential pathways, or commercial plazas, ISTL's designer Solar Poles seamlessly integrate with their surroundings, adding a touch of elegance and modernity.



** Items shown above are subject to availability
** Customized designs are also available upon request.



INTEGRATED SOLAR POLES

ISTL proudly presents Solar Integrated Designer Poles, combining cutting-edge solar technology with exquisite design. These poles are meticulously engineered to provide efficient, eco-friendly lighting while enhancing the aesthetic appeal of any environment. ISTL's dedication to innovation and design excellence guarantees that each pole serves as a sustainable lighting solution that also elevates the visual allure of its surroundings.

At ISTL, we are proud of our commitment to quality, environmental responsibility, and adherence to industry standards. Our adherence to ISO 9001:2015 certification ensures that we maintain high standards of quality management across all our processes. Additionally, our ISO 14001:2015 certification demonstrates our dedication to effective environmental management practices, emphasizing our efforts to minimize our environmental footprint. Furthermore, our certification by ISO 45001:2018 underscores our adherence to rigorous industry standards. Together, these certifications illustrate our steadfast commitment to excellence, sustainability, and ongoing enhancement in all facets of our operations.

Technical Specification:

SYSTEM WATTAGE – 12W/15W/20W/24W

LUMEN OUTPUT – 137Lm/W

COLOUR TEMPERATURE – 2500K/4000K/6500K

HEIGHT – 5M/6M

CERTIFICATES



IS 10322 (PART 5/SEC 3) : 2012

LM 79 & LM 80
Certifications

Certifications Reinforcing Excellence at ISTL.

ISTL takes pride in its commitment to excellence and sustainability through a range of certifications. Specializing in LED Street Lights and Solar Street Lights, we adhere strictly to international standards across our operations.

Our ISO 9001:2015 certification ensures rigorous quality management systems, guaranteeing consistent product excellence and customer satisfaction. The ISO 14001:2015 certification underscores our proactive environmental practices, minimizing our ecological impact.

Safety is paramount with our ISO 45001:2018 certification, ensuring robust occupational health and safety management systems. Our BIS certification for LED Street Lights and IP66 certification validate our products' reliability and durability in harsh conditions.

Additionally, our LM79 and LM80 certifications assure performance and longevity of our LED products. As an MSME and "Made in India" entity, we contribute significantly to local manufacturing and economic growth.

These certifications reflect our unwavering commitment to quality, safety, and environmental responsibility, reinforcing our position as a trusted leader in the lighting industry.



Thank you for purchasing



ISTL GROUP

**We are proud of your Contribution with making our World
Greener and Safer!!**

Corporate Office (INDIA)
133/1/B, 1st Floor, Phase II,
I.D.A. Cherlapally, Hyderabad,
Telangana - 500051
Contact us: +916301377549

Corporate Office (SINGAPORE)
#09-06 One Pemimpin
1 Pemimpin Drive
Singapore 576151
Contact us: +6581838940

Registered Office (INDIA)
165, 1st main, 2nd Cross,
ISRO Layout, Bangalore
Karnataka - 560078
Contact us: +918880904999

Corporate Office (DUBAI)
1204 Donna Tower,
Silicon Oasis, DSO Dubai,
United Arab Emirates - 341907
Contact us: +97142510925

Visit: www.istlabs.in