
To perform a factor analysis on event log measures, it is recommended to have at least 5, and better 10 data points per variable. With 148 log measures in the literature, this means we need $10 \cdot 148 = 1480$ event logs for our population. Currently, there is no collection of event logs that contains this many structurally different logs. We therefore use **(i)GEDI** to generate artificial event logs where the log measures return different results. As input, **(i)GEDI** takes a subset of log measures alongside an interval of values. It returns an event log such that calculating the log measure for this log returns a value that lies in the specified interval. Since we aim to generate data that could also appear in practice, we choose these intervals by inspecting the values that the log measures return for the following well-known event logs:

- 96 test logs from the Process Discovery Contest 2025:
  `https://data.4tu.nl/datasets/7212a73a-1eac-4a08-8c01-973dca020822/1`
- 5 logs from the Business Process Intelligence Challenge 2020:
  Travel Permit Data: `https://data.4tu.nl/datasets/db35afac-2133-40f3-a565-2dc77a9329a3/1`
  Request For Payment: `https://data.4tu.nl/datasets/a6f651a7-5ce0-4bc6-8be1-a7747effa1cc/1`
  International Declarations: `https://data.4tu.nl/datasets/91fd1fa8-4df4-4b1a-9a3f-0116c412378f/1`
  Domestic Declarations: `https://data.4tu.nl/datasets/6a0a26d2-82d0-4018-b1cd-89afb0e8627f/1`
  Prepaid Travel Costs: `https://data.4tu.nl/datasets/fb84cf2d-166f-4de2-87be-62ee317077e5/1`
- 1 log from the Business Process Intelligence Challenge 2019:
  `https://data.4tu.nl/datasets/35ed7122-966a-484e-a0e1-749b64e3366d/1`
- 1 log from the Business Process Intelligence Challenge 2018:
  `https://data.4tu.nl/datasets/443451fd-d38a-4464-88b4-0fc641552632/1`
- 2 logs from the Business Process Intelligence Challenge 2017:
  BPI Challenge 2017: `https://data.4tu.nl/datasets/34c3f44b-3101-4ea9-8281-e38905c68b8d/1`
  Offer Log: `https://data.4tu.nl/datasets/cc497753-1175-41f6-a107-425787c54266/2`
- 5 logs from the Business Process Intelligence Challenge 2015:
  Municipality 1: `https://data.4tu.nl/datasets/6f35269e-4ce7-4bc4-9abb-b3cea04cad00/1`
  Municipality 2: `https://data.4tu.nl/datasets/372d0cad-3fb1-4627-8ea9-51a09923d331/1`
  Municipality 3: `https://data.4tu.nl/datasets/d6741425-5f62-4a59-92c5-08bae64b4611/1`
  Municipality 4: `https://data.4tu.nl/datasets/34216d8a-f054-46d4-bf03-d9352f90967e/1`
  Municiplaity 5: `https://data.4tu.nl/datasets/32b70553-0765-4808-b155-aa5319802c8a/1`
- 3 logs from the Business Process Ingelligence Challenge 2013:
  Open Problems: `https://data.4tu.nl/datasets/7aafbf5b-97ae-48ba-bd0a-4d973a68cd35/1`
  Incidents: `https://data.4tu.nl/datasets/0fc5c579-e544-4fab-9143-fab1f5192432/1`
  Closed Problems: `https://data.4tu.nl/datasets/1987a2a6-9f5b-4b14-8d26-ab7056b17929/1`
- 1 log from the Business Process Intelligence Challenge 2012:
  `https://data.4tu.nl/datasets/533f66a4-8911-4ac7-8612-1235d65d1f37/1`

We excluded the event logs provided for the Business Process Ingelligence Challenge 2016 and 2014 since they are only available in `.csv` format and we did not feel confident to convert them to `.xes` format without further process knowledge.

For a fixed log measure, we computed its value for each of the previously mentioned event logs by using the implementation in **FEEED**. If no such implementation existed, we implemented the measure and highlight the name of the resulting function in gray in the next tables. These following tables show for each measure:

- the name of the measure, as defined in the supplementary material of this project,
- the range of values that the measure can return for an arbitrary event log,
- the name of the function in **FEEED** that calculates the measure for a specified event log,
- the name of the function in **Fig4PM** that calculates the measure for a specified event log,
- an interval of real numbers that contains all values returned for the previously mentioned collection of event logs, and
- an interval of real numbers that we chose for the generation of artificial event logs, based on the observations in the previous column.



	Measure	Range	Name in FEEED	Name in Fig4PM	Observed Range	Chosen Range
1.	C_{var}	$[0, \infty)$	`n_unique_activities`	`total_number_of_event_classes`	$[3, 410]$	$[3, 400]$
2.	C_{mag}	$[0, \infty)$	`n_events`	`total_number_of_events`	$[2\,351, 2\,514\,266]$	$[100, 500\,000]$

	Measure	Range	Name in FEEED	Name in Fig4PM	Observed Range	Chosen Range
1.	C_{len}	$[0, \infty)$	n_traces	total_number_of_traces	$[819, 251\,734]$	$[10, 50\,000]$
2.	C_{var}	$[0, \infty)$	n_unique_activities	total_number_of_event_classes	$[3, 410]$	$[3, 400]$
3.	C_{mag}	$[0, \infty)$	n_events	total_number_of_events	$[2\,351, 2\,514\,266]$	$[100, 500\,000]$
4.	$C_{\text{A-start-\#}}$	$[0, \infty)$	n_unique_start_activities	number_of_distinct_start_events	$[1, 15]$	$[1, 10]$
5.	$C_{\text{A-start-rel}}$	$[0, 1]$	rel_unique_start_activities	relative_number_of_distinct_start_events	$[0.02, 1]$	$[0, 1]$
6.	$C_{\text{A-start-min}}$	$[0, \infty)$	start_activities_min	—	$[1, 31\,509]$	$[1, 10\,000]$
7.	$C_{\text{A-start-max}}$	$[0, \infty)$	start_activities_max	—	$[719, 199\,867]$	$[1, 100\,000]$
8.	$C_{\text{A-start-mean}}$	$[0, \infty)$	start_activities_mean	—	$[59.43, 31\,509]$	$[1, 10\,000]$
9.	$C_{\text{A-start-med}}$	$[0, \infty)$	start_activities_median	—	$[1, 31\,509]$	$[1, 10\,000]$
10.	$C_{\text{A-start-dev}}$	$[0, \infty)$	start_activities_std	—	$[0, 65\,387.49]$	$[0, 10\,000]$
11.	$C_{\text{A-start-var}}$	$[0, \infty)$	start_activities_variance	—	$[0, 4\,275\,524\,278.19]$	$[0, 1\,000\,000]$
12.	$C_{\text{A-start-Q1}}$	$[0, \infty)$	start_activities_q1	—	$[1, 31\,509]$	$[1, 10\,000]$
13.	$C_{\text{A-start-Q3}}$	$[0, \infty)$	start_activities_q3	—	$[5.5, 31\,509]$	$[1, 10\,000]$
14.	$C_{\text{A-start-IQR}}$	$[0, \infty)$	start_activities_iqr	—	$[0.0, 14\,127.25]$	$[1, 10\,000]$
15.	$C_{\text{A-start-skew}}$	$(-\infty, \infty)$	start_activities_skewness	—	$[0, 3.45]$	$[-1, 3]$
16.	$C_{\text{A-start-kurt}}$	$[-2, \infty)$	start_activities_kurtosis	—	$[-0.71, 4.12]$	$[-2, 4]$
17.	$C_{\text{A-end-\#}}$	$[0, \infty)$	n_unique_end_activities	number_of_distinct_end_events	$[1, 119]$	$[1, 100]$
18.	$C_{\text{A-end-rel}}$	$[0, 1]$	rel_unique_end_activities	relative_number_of_distinct_end_events	$[0.08, 1]$	$[0, 1]$
19.	$C_{\text{A-end-min}}$	$[0, \infty)$	end_activities_min	—	$[1, 1487]$	$[1, 1\,400]$
20.	$C_{\text{A-end-max}}$	$[0, \infty)$	end_activities_max	—	$[216, 181\,328]$	$[1, 50\,000]$
21.	$C_{\text{A-end-mean}}$	$[0, \infty)$	end_activities_mean	—	$[10.15, 7\,866.69]$	$[1, 5\,000]$
22.	$C_{\text{A-end-med}}$	$[0, \infty)$	end_activities_median	—	$[1, 3\,777]$	$[1, 3\,000]$
23.	$C_{\text{A-end-dev}}$	$[0, \infty)$	end_activities_std	—	$[0, 31\,658.43]$	$[0, 10\,000]$
24.	$C_{\text{A-end-var}}$	$[0, \infty)$	end_activities_variance	—	$[0, 1\,002\,256\,126.46]$	$[0, 1\,000\,000]$
25.	$C_{\text{A-end-Q1}}$	$[0, \infty)$	end_activities_q1	—	$[1, 1\,892.5]$	$[1, 1\,000]$
26.	$C_{\text{A-end-Q3}}$	$[0, \infty)$	end_activities_q3	—	$[3, 5\,661.5]$	$[1, 5\,000]$
27.	$C_{\text{A-end-IQR}}$	$[0, \infty)$	end_activities_iqr	—	$[0, 4\,491.75]$	$[0, 400]$
28.	$C_{\text{A-end-skew}}$	$(-\infty, \infty)$	end_activities_skewness	—	$[-0.70, 6.89]$	$[-1, 5]$
29.	$C_{\text{A-end-kurt}}$	$[-2, \infty)$	end_activities_kurtosis	—	$[-2, 54.20]$	$[-2, 50]$
30.	$C_{\text{TL-min}}$	$[0, \infty)$	trace_len_min	minimum_trace_length	$[1, 24]$	$[1, 20]$
31.	$C_{\text{TL-max}}$	$[0, \infty)$	trace_len_max	maximum_trace_length	$[20, 2973]$	$[1, 2\,000]$
32.	$C_{\text{TL-mean}}$	$[0, \infty)$	trace_len_mean	average_trace_length	$[2.87, 57.39]$	$[2, 50]$
33.	$C_{\text{TL-med}}$	$[0, \infty)$	trace_len_median	—	$[2, 54]$	$[1, 50]$
34.	$C_{\text{TL-mode}}$	$[0, \infty)$	trace_len_mode	—	$[2, 61]$	$[1, 50]$
35.	$C_{\text{TL-dev}}$	$[0, \infty)$	trace_len_std	—	$[1.47, 34.87]$	$[0, 30]$
36.	$C_{\text{TL-var}}$	$[0, \infty)$	trace_len_variance	—	$[2.15, 1\,216.07]$	$[0, 1\,000]$

	Measure	Range	Name in FEEED	Name in Fig4PM	Observed Range	Chosen Range
37.	$C_{\text{TL-Q1}}$	$[0, \infty)$	trace_len_q1	—	$[2, 44]$	$[1, 40]$
38.	$C_{\text{TL-Q3}}$	$[0, \infty)$	trace_len_q3	—	$[3, 62]$	$[1, 60]$
39.	$C_{\text{TL-IQR}}$	$[0, \infty)$	trace_len_iqr	—	$[1, 28]$	$[1, 20]$
40.	$C_{\text{TL-g-mean}}$	$[0, \infty)$	trace_len_geometric_mean	—	$[2.38, 53.78]$	$[1, 50]$
41.	$C_{\text{TL-g-dev}}$	$[0, \infty)$	trace_len_geometric_std	—	$[1.27, 2.93]$	$[0, 2]$
42.	$C_{\text{TL-h-mean}}$	$[0, \infty)$	trace_len_harmonic_mean	—	$[2.02, 51.65]$	$[1, 50]$
43.	$C_{\text{TL-skew}}$	$(-\infty, \infty)$	trace_len_skewness	—	$[-0.10, 26.13]$	$[-1, 20]$
44.	$C_{\text{TL-kurt}}$	$[-2, \infty)$	trace_len_kurtosis	—	$[0.36, 1\,720.40]$	$[-2, 1\,000]$
45.	$C_{\text{TL-cvar}}$	$[0, \infty)$	trace_len_coefficient_variation	—	$[0.24, 2.06]$	$[0, 2]$
46.	$C_{\text{TL-ent}}$	$[0, \infty)$	trace_len_entropy	—	$[6.51, 12.04]$	$[0, 10]$
47.	$C_{\text{TL-hist1}}$	$[0, 1]$	trace_len_hist1	—	$[0, 0.36]$	$[0, 1]$
48.	$C_{\text{TL-hist2}}$	$[0, 1]$	trace_len_hist2	—	$[0, 0.28]$	$[0, 1]$
49.	$C_{\text{TL-hist3}}$	$[0, 1]$	trace_len_hist3	—	$[0, 0.40]$	$[0, 1]$
50.	$C_{\text{TL-hist4}}$	$[0, 1]$	trace_len_hist4	—	$[0, 0.19]$	$[0, 1]$
51.	$C_{\text{TL-hist5}}$	$[0, 1]$	trace_len_hist5	—	$[0, 0.14]$	$[0, 1]$
52.	$C_{\text{TL-hist6}}$	$[0, 1]$	trace_len_hist6	—	$[0, 0.06]$	$[0, 1]$
53.	$C_{\text{TL-hist7}}$	$[0, 1]$	trace_len_hist7	—	$[0, 0.02]$	$[0, 1]$
54.	$C_{\text{TL-hist8}}$	$[0, 1]$	trace_len_hist8	—	$[0, 0.004]$	$[0, 1]$
55.	$C_{\text{TL-hist9}}$	$[0, 1]$	trace_len_hist9	—	$[0, 0.002]$	$[0, 1]$
56.	$C_{\text{TL-hist10}}$	$[0, 1]$	trace_len_hist10	—	$[0, 0.002]$	$[0, 1]$
57.	$C_{\text{TL-hist-skew}}$	$(-\infty, \infty)$	trace_len_skewness_hist	—	$[0.87, 2.67]$	$[-1, 2]$
58.	$C_{\text{TL-hist-kurt}}$	$[-2, \infty)$	trace_len_kurtosis_hist	—	$[-0.90, 5.11]$	$[-2, 5]$
59.	$C_{\text{FREQ-T-max-r}}$	$[0, 1]$	ratio_most_common_variant	—	$[0, 0.44]$	$[0, 1]$
60.	$C_{\text{FREQ-T-max-1\%}}$	$[0, 1]$	ratio_top_1_variants	—	$[0, 0.87]$	$[0, 1]$
61.	$C_{\text{FREQ-T-max-5\%}}$	$[0.05, 1]$	ratio_top_5_variants	—	$[0.05, 0.93]$	$[0.05, 1]$
62.	$C_{\text{FREQ-T-max-10\%}}$	$[0.1, 1]$	ratio_top_10_variants	—	$0.10, 0.95]$	$[0.1, 1]$
63.	$C_{\text{FREQ-T-max-20\%}}$	$[0.2, 1]$	ratio_top_20_variants	—	$[0.20, 0.98]$	$[0.2, 1]$
64.	$C_{\text{FREQ-T-max-50\%}}$	$[0.5, 1]$	ratio_top_50_variants	—	$[0.50, 0.99]$	$[0.5, 1]$
65.	$C_{\text{FREQ-T-max-75\%}}$	$[0.75, 1]$	ratio_top_75_variants	—	$[0.75, 1]$	$[0.75, 1]$
66.	$C_{\text{FREQ-T-mean}}$	$[1, \infty)$	mean_variant_occurrence	—	$[1.00, 106.06]$	$[1, 100]$
67.	$C_{\text{FREQ-T-dev}}$	$[0, \infty)$	std_variant_occurrence	—	$[0.05, 594.26]$	$[0, 500]$
68.	$C_{\text{FREQ-T-skew}}$	$(-\infty, \infty)$	skewness_variant_occurrence	—	$[5.33, 64.77]$	$[-1, 50]$
69.	$C_{\text{FREQ-T-kurt}}$	$[-2, \infty)$	kurtosis_variant_occurrence	—	$[29.53, 5\,083.46]$	$[-2, 1\,000]$
70.	$C_{\text{FREQ-A-min}}$	$[1, \infty)$	activities_min	—	$[1, 539]$	$[1, 500]$
71.	$C_{\text{FREQ-A-max}}$	$[1, \infty)$	activities_max	—	$[830, 466\,141]$	$[1, 100\,000]$
72.	$C_{\text{FREQ-A-mean}}$	$[1, \infty)$	activities_mean	—	$[108.18, 61\,323.56]$	$[1, 50\,000]$

	Measure	Range	Name in FEEED	Name in Fig4PM	Observed Range	Chosen Range
73.	$C_{\text{FREQ-A-med}}$	$[1, \infty)$	activities_median	—	$[12, 27\,333.5]$	$[1, 10\,000]$
74.	$C_{\text{FREQ-A-dev}}$	$[0, \infty)$	activities_std	—	$[187.59, 120\,522.25]$	$[0, 100\,000]$
75.	$C_{\text{FREQ-A-var}}$	$[0, \infty)$	activities_variance	—	$[35\,189.32, 14\,525\,612\,122.34]$	$[0, 1\,000\,000]$
76.	$C_{\text{FREQ-A-Q1}}$	$[1, \infty)$	activities_q1	—	$[3, 12\,130.25]$	$[1, 100]$
77.	$C_{\text{FREQ-A-Q3}}$	$[1, \infty)$	activities_q3	—	$[91.25, 45\,907]$	$[1, 10\,000]$
78.	$C_{\text{FREQ-A-IRQ}}$	$[0, \infty)$	activities_iqr	—	$[88.25, 45\,005]$	$[0, 10\,000]$
79.	$C_{\text{FREQ-A-skew}}$	$(-\infty, \infty)$	activities_skewness	—	$[-0.34, 2.45]$	$[-1, 2]$
80.	$C_{\text{FREQ-A-kurt}}$	$[-2, \infty)$	activities_kurtosis	—	$[-1.5, 5.39]$	$[-2, 5]$
81.	$C_{\text{DT-\#}}$	$[0, \infty)$	n_variants	total_number_of_trace_classes	$[89, 28\,457]$	$[1, 10\,000]$
82.	$C_{\text{DT-\%}}$	$[0, 1]$	ratio_variants_per_number_of_traces	number_of_distinct_traces_per_hundred_traces	$[0.01, 1]$	$[0, 1]$
83.	$C_{\text{DT-cov}}$	$[1, \infty)$	coverage_variants	absolute_trace_coverage	$[35, 21\,182]$	$[0, 10\,000]$
84.	$C_{\text{DT-cov-\%}}$	$[0, 1]$	rel_coverage_variants	relative_trace_coverage	$[0.13, 0.80]$	$[0, 1]$
85.	$C_{\text{DT-het}}$	$[0, 1]$	heterogeneity_rate_variants	traces_heterogeneity_rate	$[0.50, 1]$	$[0, 1]$
86.	$C_{\text{DT-sim}}$	$[0, 1]$	similarity_rate_variants	similarity_rate_variants	$[0.18, 0.56]$	$[0, 1]$
87.	$C_{\text{DA-min}}$	$[0, \infty)$	distinct_activities_min	—	$[1, 9]$	$[1, 5]$
88.	$C_{\text{DA-max}}$	$[0, \infty)$	distinct_activities_max	—	$[3, 133]$	$[1, 100]$
89.	$C_{\text{DA-avg}}$	$[0, \infty)$	distinct_activities_mean	average_trace_size	$[1.71, 52.11]$	$[1, 50]$
90.	$C_{\text{DA-dev}}$	$[0, \infty)$	distinct_activities_std	—	$[0.49, 19.01]$	$[0, 15]$
91.	$C_{\text{DA-dens}}$	$[0, 1]$	event_density	event_density	$[0.25, 0.98]$	$[0, 1]$
92.	$C_{\text{DA-ovrlp}}$	$[0, 1]$	distinct_activities_non_overlap	—	—	$[0, 1]$
93.	$C_{\text{comp-fact}}$	$[0, \infty)$	complexity_factor	complexity_factor	$[10.05, 1600.73]$	$[0, 1\,000]$
94.	$C_{\text{s-T-div}}$	$[0, 1]$	simple_trace_diversity	simple_trace_diversity	$[0.27, 0.89]$	$[0, 1]$
95.	$C_{\text{a-T-div}}$	$[0, \infty)$	advanced_trace_diversity	advanced_trace_diversity	$[0.77, 6.35]$	$[0, 5]$
96.	$C_{\text{loop-\#}}$	$[0, \infty)$	n_traces_with_loop	absolute_number_of_traces_with_self_loop	$[0, 43\,568]$	$[0, 10\,000]$
97.	$C_{\text{loop-rel-\#}}$	$[0, 1]$	avg_traces_with_loop	relative_number_of_traces_with_self_loop	$[0, 1]$	$[0, 1]$
98.	$C_{\text{loop-avg-\#}}$	$[0, \infty)$	avg_loops_per_trace	average_number_of_self_loops_per_trace	$[0, 7.32]$	$[0, 5]$
99.	$C_{\text{loop-max-\#}}$	$[0, \infty)$	max_loops_per_trace	maximum_number_of_self_loops_per_trace	$[0, 169]$	$[0, 100]$
100.	$C_{\text{loop-avg-size}}$	$[0, \infty)$	avg_loop_size_per_trace	average_size_of_self_loops_per_trace	$[0, 14.22]$	$[0, 10]$
101.	$C_{\text{loop-max-size}}$	$[0, \infty)$	max_loop_size_per_trace	maximum_size_of_self_loops_per_trace	$[0, 733]$	$[0, 500]$
102.	$C_{\text{rep-\#}}$	$[0, \infty)$	n_traces_with_repetition	absoulute_number_of_traces_with_repetition	$[151, 43\,809]$	$[0, 10\,000]$
103.	$C_{\text{rep-rel-\#}}$	$[0, 1]$	avg_traces_with_repetition	relative_number_of_traces_with_repetition	$[0.06, 1]$	$[0, 1]$
104.	$C_{\text{DFG-V}}$	$[0, \infty)$	n_nodes_dfg	number_of_nodes	$[5, 412]$	$[0, 400]$
105.	$C_{\text{DFG-E}}$	$[0, \infty)$	n_edges_dfg	number_of_arcs	$[12, 5\,037]$	$[0, 5\,000]$
106.	$C_{\text{DFG-cnc}}$	$[0, \infty)$	coeff_of_connectivity_dfg	coefficient_of_network_connectivity	$[2.4, 18.34]$	$[0, 15]$
107.	$C_{\text{DFG-adeg}}$	$[0, \infty)$	avg_node_degree_dfg	average_node_degree	$[4.8, 36.68]$	$[0, 30]$
108.	$C_{\text{DFG-mdeg}}$	$[0, \infty)$	max_node_degree_dfg	maximum_node_degree	$[8, 152]$	$[0, 150]$
109.	$C_{\text{DFG-dens}}$	$[0, 1]$	density_dfg	density	$[0.03, 0.66]$	$[0, 1]$
110.	$C_{\text{DFG-struct}}$	$[0, 1]$	structure_dfg	structure	$[0.37, 0.97]$	$[0, 1]$

	Measure	Range	Name in FEEED	Name in Fig4PM	Observed Range	Chosen Range
111.	$C_{\text{DFG-CN}}$	$[0, \infty)$	cyclomatic_number_dfg	cyclomatic_number	$[8, 4\,653]$	$[0, 1\,000]$
112.	$C_{\text{DFG-diam}}$	$[0, \infty)$	diameter_dfg	graph_diameter	—	—
113.	$C_{\text{DFG-sep-\#}}$	$[0, \infty)$	n_cut_vertices_dfg	number_of_cut_vertices	$[0, 2]$	$[0, 2]$
114.	$C_{\text{DFG-sep-r}}$	$[0, 1]$	separability_ratio_dfg	separability_ratio	$[0, 0.17]$	$[0, 1]$
115.	$C_{\text{DFG-seq-r}}$	$[0, 1]$	sequentiality_ratio_dfg	sequentiality_ratio	$[0, 0.01]$	$[0, 1]$
116.	$C_{\text{DFG-cyc}}$	$[0, 1]$	cyclicity_dfg	cyclicity	$[0.6, 0.99]$	$[0, 1]$
117.	$C_{\text{DFG-P-comp}}$	$[1, \infty)$	path_complexity_dfg	simple_path_complexity	—	—
118.	C_{succ}	$[0, \infty)$	number_of_successions	—	$[6, 4\,909]^*$	$[1, 1\,000]$
119.	C_{ties}	$[0, \infty)$	number_of_ties	—	$[0, 2\,909]^*$	$[1, 1\,000]$
120.	C_{struct}	$[0, \infty)$	structure	—	$[1.71, 52.11]^*$	$[0, 50]$
121.	C_{affinity}	$[0, 1]$	average_affinity	affinity		$[0, 1]$
122.	C_{LZ}	$[1, \infty)$	lempel_ziv_complexity	—	$[363, 110\,184]^*$	$[1, 100\,000]$
123.	$C_{\text{dev-R}}$	$[0, \infty)$	deviation_from_random	—		$[0, 10]$
124.	$C_{\text{avg-dist}}$	$[0, \infty)$	average_edit_distance	—	$[1.67, 52.91]^*$	$[0, 50]$
125.	$C_{\text{ENT-trace}}$	$[0, \infty)$	eventropy_trace	trace_entropy	$[2.60, 11.99]^*$	$[0, 10]$
126.	$C_{\text{ENT-pref}}$	$[0, \infty)$	eventropy_prefix	—	$[4.41, 14.52]^*$	$[0, 10]$
127.	$C_{\text{ENT-pref-F}}$	$[0, \infty)$	eventropy_prefix_flattened	prefix_entropy	$[6.57, 15.88]^*$	$[0, 10]$
128.	$C_{\text{ENT-g-block}}$	$[0, \infty)$	eventropy_global_block	—	$[5.30, 19.45]^*$	$[0, 10]$
129.	$C_{\text{ENT-g-block-F}}$	$[0, \infty)$	eventropy_global_block_flattened	all_block_entropy	$[6.68, 21.07]^*$	$[0, 10]$
130.	$C_{\text{ENT-LZ}}$	$[0, \infty)$	eventropy_lempel_ziv	—	$[0.05, 3.86]^*$	$[0, 3]$
131.	$C_{\text{ENT-LZ-F}}$	$[0, \infty)$	eventropy_lempel_ziv_flattened	—	$[0.89, 3.86]^*$	$[0, 3]$
132.	$C_{\text{ENT-k-block-d1}}$	$[0, \infty)$	eventropy_k_block_diff_1	—	$[1.24, 7.11]^*$	$[0, 5]$
133.	$C_{\text{ENT-k-block-d3}}$	$[0, \infty)$	eventropy_k_block_diff_3	—	$[0.2, 2.04]^*$	$[0, 2]$
134.	$C_{\text{ENT-k-block-d5}}$	$[0, \infty)$	eventropy_k_block_diff_5	—	$[1.24, 7.11]^*$	$[0, 5]$
135.	$C_{\text{ENT-k-block-r1}}$	$[0, \infty)$	eventropy_k_block_ratio_1	—	$[1.24, 7.11]^*$	$[0, 5]$
136.	$C_{\text{ENT-k-block-r3}}$	$[0, \infty)$	eventropy_k_block_ratio_3	—	$[0.99, 3.91]^*$	$[0, 3]$
137.	$C_{\text{ENT-k-block-r5}}$	$[0, \infty)$	eventropy_k_block_ratio_5	—	$[0.64, 2.63]^*$	$[0, 2]$
138.	$C_{\text{ENT-knn-3}}$	$[0, \infty)$	eventropy_knn_3	—	$[2.92, 7.33]^*$	$[0, 5]$
139.	$C_{\text{ENT-knn-5}}$	$[0, \infty)$	eventropy_knn_5	—	$[2.53, 6.88]^*$	$[0, 5]$
140.	$C_{\text{ENT-knn-7}}$	$[0, \infty)$	eventropy_knn_7	—	$[2.26, 6.60]^*$	$[0, 5]$
141.	$C_{\text{epa-var}}$	$[0, \infty)$	epa_variant_entropy	—	$[920.09, 1\,1563\,842.15]$	$[0, 100\,000]$
142.	$C_{\text{epa-n-var}}$	$[0, 1]$	epa_normalized_variant_entropy	—	$[0.63, 0.76]$	$[0, 1]$
143.	$C_{\text{epa-seq}}$	$[0, \infty)$	epa_sequence_entropy	—	$[5\,051.03, 21\,146\,257.12]$	$[0, 1\,000\,000]$
144.	$C_{\text{epa-n-seq}}$	$[0, 1]$	epa_normalized_sequence_entropy	—	$[0.16, 0.66]$	$[0, 1]$
145.	$C_{\text{epa-seq-L}}$	$[0, \infty)$	epa_sequence_entropy_linear_forgetting	—	$[4\,783.14, 14\,140\,242.75]$	$[0, 1\,000\,000]$
146.	$C_{\text{epa-n-seq-L}}$	$[0, 1]$	epa_normalized_sequence_entropy_linear_forgetting	—	$[0.09, 0.39]$	$[0, 1]$
147.	$C_{\text{epa-seq-E}}$	$[0, \infty)$	epa_sequence_entropy_exponential_forgetting	—	$[4\,800.20, 15\,576\,107.16]$	$[0, 1\,000\,000]$
148.	$C_{\text{epa-n-seq-E}}$	$[0, 1]$	epa_normalized_sequence_entropy_exponential_forgetting	—	$[0.10, 0.44]$	$[0, 1]$

*: The experiments for this measure did not include the event log of the Business Process Intelligence Challenge 2018, as including it led to an automatic kill of the process.