EC Legacy Regression Testing, OPSUI

Execution Environment

Host name	pfeniza - ENIC-KSANTOS.eurogroup.local
Local OS	Windows 10 64bit
Katalon version	9.7.2.223
Browser	Chrome 129.0.0.0
Device name	

Summary

ID	Test Suites/EC Legacy Regression Testing, OPSUI
Description	

Total	3		
Passed	2	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	25-09-2024 17:00:03	End	25-09-2024 17:01:24
Elapsed	1m - 21.549s		

#	ID	Description	Status
1	Test Cases/EasyClaimLegacyLogin		PASSED
2	Test Cases/EasyClaimLegacyConnect		PASSED
3	Test Cases/EasyClaimLegacyFileClaiming		FAILED

EasyClaimLegacyLogin

Information

ID	Test Cases/EasyClaimLegacyLogin		
Description			
Tag			
Start	25-09-2024 17:00:03	End	25-09-2024 17:00:08
Elapsed	5.270s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.839s	PASSED
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyClaims.Legacy%2F") Navigate to 'http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC	1.563s	PASSED
3	maximizeWindow() Current window maximized	0.069s	PASSED
4	setText(findTestObject("Object Repository/Page_Login - Easy Claims/input_Username_Username"), "patcheadmin2") Text 'patcheadmin2' is set on object 'Object Repository/Page_Login - Easy Claims/input_Username_Username'	0.683s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_Login - Easy Claims/input_Password_Password"), "nwr9I1qT+J0GbQ++JlYjHw==") Text ****** has been set on object 'Object Repository/Page_Login - Easy Claims/input_Password_Password'	0.356s	PASSED

#	Description	Elapsed	Status
6	sendKeys(findTestObject("Object Repository/Page_Login - Easy Claims/input_Password_Password"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Page_Login - Easy Claims/input_Password_Password'	0.478s	PASSED

EasyClaimLegacyConnect

Information

ID	Test Cases/EasyClaimLegacyConnect
Description	
Tag	

Start	25-09-2024 17:00:08	End	25-09-2024 17:00:16
Elapsed	8.046s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("EasyClaimLegacyLogin"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/EasyClaimLegacyLogin' successfully	3.170s	PASSED
2	setText(findTestObject("Object Repository/Page_Connect - Easy Claims/input_Username_Username"), "PRO01_BDH_IJCM_01") Text 'PRO01_BDH_IJCM_01' is set on object 'Object Repository/Page_Connect - Easy Claims/input_Username_Username'	3.461s	PASSED
3	setEncryptedText(findTestObject("Object Repository/Page_Connect - Easy Claims/input_Password_Password"), "P22/mDurbpKTCUGWnKJ+/Q==") Text ****** has been set on object 'Object Repository/Page_Connect - Easy Claims/input_Password_Password'	0.346s	PASSED
4	click(findTestObject("Object Repository/Page_Connect - Easy Claims/input_Password_k-button k-primary")) Object: 'Object Repository/Page_Connect - Easy Claims/input_Password_k-button k-primary' is clicked on	0.313s	PASSED
5	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/") Navigate to 'http://172.30.1.26/OPSUI.EasyClaims.Legacy/' successfully	0.623s	PASSED

EasyClaimLegacyFileClaiming

Information

ID	Test Cases/EasyClaimLegacyFileClaiming
Description	
Tag	

Start	25-09-2024 17:01:20	End	25-09-2024 17:01:24
Elapsed	4.297s		
Status	FAILED		

Details

#	Description	Elapsed	Status

EasyClaimLegacyFileClaiming

#	Description	Elapsed	Status
1	callTestCase(findTestCase("EasyClaimLegacyConnect"), [:], STOP_ON_FAILURE)	4.280s	FAILED

Unable to call Test Case 'Test Cases/EasyClaimLegacyConnect' (Root cause: com.kms.
katalon.core.exception.StepFailedException: Call Test Case 'Test
Cases/EasyClaimLegacyConnect' failed
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
          at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
          at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
          at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:310)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at EasyClaimLegacyFileClaiming.run(EasyClaimLegacyFileClaiming:20)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
          at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
          at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:150)
          at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
          at TempTestSuite1727254791941.run(TempTestSuite1727254791941.groovy:35)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)

#	Description	Elapsed	Status

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/EasyClaimLegacyLogin' failed
 at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
 at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
 at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)
 at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
 at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
 at EasyClaimLegacyConnect.run(EasyClaimLegacyConnect:20)
 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)
 at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
 ... 28 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to send keys '' to object 'Object Repository/Page_Login - Easy Claims/input_Password_Password'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43)
 at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)
 at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903)
 at EasyClaimLegacyLogin.run(EasyClaimLegacyLogin:30)

#	Description	Elapsed	Status

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 47 more

Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:2230

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

System info: host: 'ENIC-KSANTOS', ip: '10.81.234.6', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Driver info: driver.version: EventFiringWebDriver

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)

at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)

at org.openqa.selenium.By$ByXPath.findElements(By.java:348)

at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)

at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105)

at jdk.proxy2/jdk.proxy2.$Proxy20.findElements(Unknown Source)

at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1029)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:920)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:902)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:893)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:739)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

#	Description	Elapsed	Status
	(WebUiCommonHelper.java:723) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1409) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at Script1727244544801.run(Script1727244544801.groovy:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at Script1727244544693.run(Script1727244544693.groovy:20)		

#	Description	Elapsed	Status

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:75)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at Script1727244544747.run(Script1727244544747.groovy:20)

... 18 more

Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:2230

at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)

at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)

at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)

at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)

at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)

at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)

at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)

#	Description	Elapsed	Status

at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
at okhttp3.RealCall.execute(RealCall.java:77)
at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103)
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
... 85 more
Caused by: java.net.ConnectException: Connection refused: no further information
at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)
at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245)
at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257)
at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135)
at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114)
at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
at okhttp3.RealCall.execute(RealCall.java:77)
at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103)
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.

#	Description	Elapsed	Status

java:552)

   at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)

   at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)

   at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)

   at org.openqa.selenium.By$ByXPath.findElements(By.java:348)

   at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)

   at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)

   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

   at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)

   at jdk.proxy2/jdk.proxy2.$Proxy20.findElements(Unknown Source)

   at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1029)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:920)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:902)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:893)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:739)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:723)

   at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1409)

   at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)

   at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)

   at com.kms.katalon.core.webui.keyword.builtin.
SendKeysKeyword$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)

   at com.kms.katalon.core.webui.keyword.builtin.
SendKeysKeyword$_sendKeys_closure1.call(SendKeysKeyword.groovy)

   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:35)

   at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys
(SendKeysKeyword.groovy:60)

   at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute
(SendKeysKeyword.groovy:38)

   at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)

   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys
(WebUiBuiltInKeywords.groovy:903)

   at EasyClaimLegacyLogin.run(EasyClaimLegacyLogin:30)

   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)

#	Description	Elapsed	Status

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at EasyClaimLegacyConnect.run(EasyClaimLegacyConnect:20)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

#	Description	Elapsed	Status
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at EasyClaimLegacyFileClaiming.run(EasyClaimLegacyFileClaiming:20)		
	... 18 more		
	)		