## **DDT-Testing**

#### **Execution Environment**

Host name pfeniza - ENIC-KSANTOS.eurogroup.local

Local OS Windows 10 64bit

Katalon version 9.7.2.223

Browser Chrome 130.0.0.0

Device name

Summary

ID Test Suites/DDT-Testing

Description

Total 5

Passed 0 Failed 0 Error 5 Incomplete 0

Skipped 0

Start 31-10-2024 13:30:20 End 31-10-2024 13:30:30

Elapsed 9.896s

#	ID	Description	Status
1	Test Cases/Data-Driven Testing/Login		ERROR
2	Test Cases/Data-Driven Testing/Login		ERROR
3	Test Cases/Data-Driven Testing/Login		ERROR
4	Test Cases/Data-Driven Testing/Login		ERROR
5	Test Cases/Data-Driven Testing/Login		ERROR

### Information

ID Test Cases/Data-Driven Testing/Login

Description

Tag

Start 31-10-2024 13:30:20 End 31-10-2024 13:30:24

Elapsed 3.853s
Status ERROR

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	2.001s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2 FOPSUI.EasyClaims.Legacy%2F")  Navigate to  'http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC	1.364s	PASSED
3	maximizeWindow()	0.065s	PASSED

Description	Elapsed	Status
setText(findTestObject("Object Repository/Page_Login, User, Hospital - Easy Claims/input_Username_Username"), User)	0.105s	ERROF
Test Cases/Data-Driven Testing/Login FAILED.		
Reason:		
groovy.lang.MissingPropertyException: No such property: User for class: Script1730351407208		
at Login.run(Login:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1730352609161.run(TempTestSuite1730352609161.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

### Information

ID Test Cases/Data-Driven Testing/Login

Description

Tag

Start 31-10-2024 13:30:24 End 31-10-2024 13:30:26

Elapsed 1.652s Status ERROR

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	1.058s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2 FOPSUI.EasyClaims.Legacy%2F")  Navigate to  'http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC	0.514s	PASSED
3	maximizeWindow()	0.047s	PASSED

١	Description	Elapsed	Status
	setText(findTestObject("Object Repository/Page_Login, User, Hospital - Easy Claims/input_Username_Username"), User)	0.008s	ERROR
	Test Cases/Data-Driven Testing/Login FAILED.		
	Reason:		
	groovy.lang.MissingPropertyException: No such property: User for class: Script1730351407208		
	at Login.run(Login:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1730352609161.run(TempTestSuite1730352609161.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		

### Information

ID Test Cases/Data-Driven Testing/Login

Description

Tag

Start 31-10-2024 13:30:26 End 31-10-2024 13:30:27

Elapsed 1.401s Status ERROR

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	0.840s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2 FOPSUI.EasyClaims.Legacy%2F")  Navigate to  'http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC	0.501s	PASSED
3	maximizeWindow()	0.040s	PASSED

Desc	cription	Elapsed	Status
	ext(findTestObject("Object Repository/Page_Login, User, Hospital - Easy ns/input_Username_Username"), User)	0.007s	ERROR
	Cases/Data-Driven Testing/Login FAILED.		
Reas			
groo Scrip	vy.lang.MissingPropertyException: No such property: User for class: vt1730351407208		
	at Login.run(Login:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:			
java	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:			
1	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:	439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Tes	tCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Tes	tCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:			
(Con	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase nmonExecutor.java:65)		
(COI	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Tes	SuiteExecutor.java:150)		
(,,,,,	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1730352609161.run(TempTestSuite1730352609161.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Meth			
/NIc+	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nati	veMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dol	at java.base/jdk.internat.renect.belegatingMethodAccessorimpt.invoke egatingMethodAccessorImpl.java:43)		

### Information

ID Test Cases/Data-Driven Testing/Login

Description

Tag

Start 31-10-2024 13:30:27 End 31-10-2024 13:30:28

Elapsed 1.327s
Status ERROR

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	0.759s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2 FOPSUI.EasyClaims.Legacy%2F")  Navigate to  'http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC	0.509s	PASSED
3	maximizeWindow()	0.039s	PASSED

Desc	cription	Elapsed	Status
	ext(findTestObject("Object Repository/Page_Login, User, Hospital - Easy ns/input_Username_Username"), User)	0.007s	ERROR
	Cases/Data-Driven Testing/Login FAILED.		
Reas			
groo Scrip	vy.lang.MissingPropertyException: No such property: User for class: vt1730351407208		
	at Login.run(Login:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:			
java	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:			
1	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:	439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Tes	tCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Tes	tCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:			
(Con	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase nmonExecutor.java:65)		
(COI	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Tes	SuiteExecutor.java:150)		
(,,,,,	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1730352609161.run(TempTestSuite1730352609161.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Meth			
/NIc+	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nati	veMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dol	at java.base/jdk.internat.renect.belegatingMethodAccessorimpt.invoke egatingMethodAccessorImpl.java:43)		

### Information

ID Test Cases/Data-Driven Testing/Login

Description

Tag

Start 31-10-2024 13:30:28 End 31-10-2024 13:30:30

Elapsed 1.357s Status ERROR

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	0.820s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyClaims.Legacy%2F")	0.479s	PASSED
	Navigate to http://172.30.1.26/OPSUI.EasyClaims.Legacy/Account/Login?ReturnUrl=%2FOPSUI.EasyC		
3	maximizeWindow()	0.039s	PASSED

Test Cases/Data-Reason: groovy.lang.Missi Script1730351407 at Logir at com. java:119) at com. java:448) at com. java:439) at com. (TestCaseExecut at com. (TestCaseExecut at com. (CommonExecuto at com. (TestSuiteExecuto at com. (TestSuiteExecuto at com. 106) at com. 180)		Elapsed	Status
Reason: groovy.lang.Missi Script1730351407     at Logir     at com.     java:119)     at com. java:448)     at com. java:439)     at com. (TestCaseExecute     at com. (TestCaseExecute     at com. java:285)     at com. (CommonExecute     at com. (TestSuiteExecute     at com. (TestSuiteExecute     at com. 106)     at com. 180)	tObject("Object Repository/Page_Login, User, Hospital - Easy sername_Username"), User)	0.006s	ERROF
groovy.lang.Missi Script1730351407     at Logir     at com.     java:119)     at com. java:448)     at com. java:439)     at com. (TestCaseExecute     at com. (TestCaseExecute     at com. (CommonExecute     at com. (TestSuiteExecute     at com. (TestSuiteExecute     at com. (TestSuiteExecute     at com. 106)     at com. 180)	a-Driven Testing/Login FAILED.		
Script173035140 at Logir at com. at com. java:119) at com. java:448) at com. java:439) at com. (TestCaseExecut at com. (TestCaseExecut at com. (CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180)			
at com. at com. java:119) at com. java:448) at com. java:439) at com. (TestCaseExecut at com. (TestCaseExecut at com. java:285) at com. (CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180)	ssingPropertyException: No such property: User for class: 407208		
at com. java:119) at com. java:448) at com. java:439) at com. (TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	gin.run(Login:26)		
java:119) at com. java:448) at com. java:439) at com. (TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com. java:448) at com. java:439) at com. (TestCaseExecut at com. (TestCaseExecut at com. java:285) at com. (CommonExecut at com. (TestSuiteExecut at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:448) at com. java:439) at com. (TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp			
at com. java:439) at com. (TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:439) at com. (TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp			
at com. (TestCaseExecute at com. (TestCaseExecute at com.) java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
(TestCaseExecute at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp			
at com. (TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecute at com. java:285) at com. (CommonExecute at com. (TestSuiteExecute at com. 106) at com. 180) at Temp			
at com. java:285) at com. (CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
java:285) at com. (CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180) at Temp			
at com. (CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
(CommonExecuto at com. (TestSuiteExecuto at com. 106) at com. 180) at Temp			
at com. (TestSuiteExecute at com. 106) at com. 180) at Temp	m.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(TestSuiteExecute at com. 106) at com. 180) at Temp			
at com. 106) at com. 180) at Temp	m.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
106) at com. 180) at Temp			
at com. 180) at Temp	m.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
180) at Temp			
at Temp	m.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
· ·	T+C		
at java.	mpTestSuite1730352609161.run(TempTestSuite1730352609161.groovy:35)		
Mathad)	a.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)	a base lidk internal reflect NativeMethod AccessorImpl invoke		
	a.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke AccessorImpl.java:77)		
	a.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	hodAccessorImpl.java:43)		