

## Main Diagram

Table albuns		
Idx	Name	Data Type
* Pk	id	INT AUTO_INCREMENT
*	titulo	VARCHAR(100)
* Idx	id_artista	INT
	ano_lancamento	VARCHAR(4)
Indexe	s	
Type	Name	On
Pk	pk_albuns	id
	id_artista	id_artista
Foreign Keys		
Type	Name	On
	albuns_ibfk_1 ( id_artista ) ref artistas ( id )	
Options	S	

Table	artistas	
Idx	Name	Data Type
* Pk	id	INT AUTO_INCREMENT
*	nome	VARCHAR(100)
	genero	ENUM('MPB', 'Rock', 'Pop', 'Jazz', 'Eletrônico', 'Sertanejo')
Indexe	s	
Type	Name	0n
Pk	pk_artistas	id
Ontion	8	

ENGINE=InnoDB AUTO\_INCREMENT=51 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci

ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci

ENGINE=InnoDB AUTO\_INCREMENT=201 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci

Table	historico	
Idx	Name	Data Type
* PK	id_usuario	INT
* PK	id_musica	INT
* PK	data_execucao	DATETIME
Indexes		
Type	Name	On .
Pk	pk_historico	id_usuario, id_musica, data_execucao
	id_musica	id_musica
Foreign	Keys	
Type	Name	On .
	historico_ibfk_1 ( id_usuario ) ref usuarios ( id )	
	historico_ibfk_2 ( id_musica ) ref musicas ( id )	
Options		

Table musicas		
Idx	Name	Data Type
* PK	id	INT AUTO_INCREMENT
*	titulo	VARCHAR(100)
	duracao_segundos	INT
* Idx	id_album	INT

Indexes

Table	musicas	
Type	Name	On .
Pk	pk_musicas	id
	id_album	id_album
Foreig	n Keys	
Type	Name	On
	musicas_ibfk_1 ( id_album ) ref albuns ( id )	
Constraints		
	Name	Definition
	musicas_chk_1	`duracao_segundos` > O
Option	3	

ENGINE=InnoDB AUTO\_INCREMENT=1001 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci

Table playlist_musicas		
Idx	Name	Data Type
* Pk	id_playlist	INT
* Pk	id_musica	INT
Indexes	3	
Type	Name	0n
Pk	pk_playlist_musicas	id_playlist, id_musica
	id_musica	id_musica
Foreign	ı Keys	
Type	Name	0n
	playlist_musicas_ibfk_1 ( id_playlist ) ref playlists ( id )	
	playlist_musicas_ibfk_2 ( id_musica ) ref musicas ( i	d )
Options		
ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci		

Table playlists Idx Name Data Type ∗ Pk id INT AUTO\_INCREMENT VARCHAR(100) \* Unq nome \* Unq id\_usuario INT Indexes Type Name 0n Pk pk\_playlists id Unq nome nome, id\_usuario id\_usuario id\_usuario Foreign Keys 0n Type playlists\_ibfk\_1 ( id\_usuario ) ref usuarios ( id ) Options

ENGINE=InnoDB AUTO\_INCREMENT=101 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci

	ios	
Idx Name		Data Type
* PK id		INT AUTO_INCREMENT
* nome		VARCHAR(100)
* Unq email	l	VARCHAR(100)
data_	_nascimento	DATE
Indexes		
Type Name		On

## Table usuarios

Pk pk\_usuarios id

Unq email email

## Options

ENGINE=InnoDB AUTO\_INCREMENT=101 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4\_0900\_ai\_ci