

```
PROBLEMS OUTPUT DEBUG CONSOLE <u>TERMINAL</u> PORTS

PS C:\Users\Blossom Nail Lab\git\02-bases> git init
Initialized empty Git repository in C:/Users/Blossom Nail Lab/git/02-bases/.git/
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git init
Initialized empty Git repository in C:/Users/Blossom Nail Lab/git\02-bases/.git/
PS C:\Users\Blossom Nail Lab\git\02-bases> git index.html main.html
git: 'index.html' is not a git command. See 'git --help'.
PS C:\Users\Blossom Nail Lab\git\02-bases> git add index.html main.html
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'main.html', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Blossom Nail Lab\git\02-bases> git add index.html main.html
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git status
On branch main
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file: index.html
        new file:
                    main.html
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .DS Store
        css/
        fonts/
        images/
        js/
        scss/
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git commit -m "archivos html añadidos"
[main (root-commit) aa4f5e8] archivos html añadidos
2 files changed, 94 insertions(+)
create mode 100644 index.html
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git add js/*.js
warning: in the working copy of 'js/bootstrap.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'js/jquery.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'js/popper.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'js/popper.js', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\Blossom Nail Lab\git\02-bases> git status
On branch main
Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: js/bootstrap.min.js

new file: js/jquery.min.js

new file: js/jquery.min.js

new file: js/popper.js

Untracked files:

(use "git add <file>..." to include in what will be committed)

.DS_Store

css/

fonts/
images/
js/.DS_Store

scss/
```


```
Untracked files:

(use "git add <file>..." to include in what will be committed)

.DS_Store

css/
fonts/
images/
js/.DS_Store
nueva carpeta/
scss/

PS C:\Users\Blossom Nail Lab\git\02-bases>
```



```
PS C:\Users\Blossom Nail Lab\git\02-bases> git add nuevacarpeta/.gitkeep
PS C:\Users\Blossom Nail Lab\git\02-bases> git commit -m "gitkeep añadido"
[main 6d594ec] gitkeep añadido
5 files changed, 20 insertions(+)
create mode 100644 js/bootstrap.min.js
create mode 100644 js/jquery.min.js
create mode 100644 js/main.js
create mode 100644 js/popper.js
create mode 100644 nuevacarpeta/.gitkeep
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git add nuevacarpeta/.gitkeep
PS C:\Users\Blossom Nail Lab\git\02-bases> git commit -m "gitkeep añadido"
[main 6d594ec] gitkeep añadido
5 files changed, 20 insertions(+)
create mode 100644 js/bootstrap.min.js
create mode 100644 js/jquery.min.js
create mode 100644 js/main.js
create mode 100644 js/popper.js
create mode 100644 nuevacarpeta/.gitkeep
PS C:\Users\Blossom Nail Lab\git\02-bases> git status
On branch main
Changes not staged for commit:
 (use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
                    nuevacarpeta/.gitkeep
        deleted:
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .DS_Store
        css/
        fonts/
        images/
        js/.DS_Store
        scss/
```

```
no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\Blossom Nail Lab\git\02-bases> git checkout -- .
PS C:\Users\Blossom Nail Lab\git\02-bases>
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file: css/.DS Store
        new file: css/bootstrap.min.css
        new file: css/bootstrap/.DS Store
        new file: css/bootstrap/_media.css
        new file: css/bootstrap/mixins/.DS_Store
        new file: css/bootstrap/mixins/_border-radius.css
new file: css/bootstrap/mixins/_resize.css
new file: css/bootstrap/mixins/_screen-reader.css
        new file: css/bootstrap/mixins/ transition.css
        new file: css/bootstrap/mixins/ visibility.css
        new file: css/bootstrap/utilities/_stretched-link.css
        new file: css/style.css
Untracked files:
  (use "git add <file>..." to include in what will be committed)
         .DS Store
         fonts/
        images/
         js/.DS_Store
         scss/
```

```
PS C:\Users\Blossom Nail Lab\git\02-bases> git commit -m "estilos agregado"
 [main 3b3649f] estilos agregado
 12 files changed, 8421 insertions(+)
 create mode 100644 css/.DS_Store
 create mode 100644 css/bootstrap.min.css
 create mode 100644 css/bootstrap/.DS_Store
 create mode 100644 css/bootstrap/_media.css
create mode 100644 css/bootstrap/mixins/.DS_Store
  create mode 100644 css/bootstrap/mixins/_border-radius.css
  create mode 100644 css/bootstrap/mixins/_resize.css
 create mode 100644 css/bootstrap/mixins/_screen-reader.css
 create mode 100644 css/bootstrap/mixins/_transition.css
create mode 100644 css/bootstrap/mixins/_visibility.css
 create mode 100644 css/bootstrap/utilities/_stretched-link.css
 create mode 100644 css/style.css
PS C:\Users\Blossom Nail Lab\git\02-bases> git status --short
?? .DS_Store
?? fonts/
?? images/
?? js/.DS_Store
?? scss/
PS C:\Users\Blossom Nail Lab\git\02-bases>
Blossom Nail Lab\git\02-bases> git config --global alias.s "status --short"
lossom Nail Lab\git\02-bases>
 PS C:\Users\Blossom Nail Lab\git\02-bases> git s
 ?? .DS Store
 ?? fonts/
 ?? images/
 ?? js/.DS_Store
 ?? scss/
  S C:\Users\Blossom Nail Lab\git\03-instalaciones> git add .
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git status
On branch main
No commits yet
 Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file: instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git s
 A instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git commit -m "instalaciones agregado"
 [main (root-commit) e8c3c2f] instalaciones agregado
1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git diff
diff --git a/instalaciones.md b/instalaciones.md
index e69de29..8a3b2cf 100644
 --- a/instalaciones.md
+++ b/instalaciones.md
@@ -0,0 +1,9 @@
+#Pasos para instalar
+Seguir estos pasos:
+yarn install
```

\ No newline at end of file

```
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git s
M instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git commit --amend -m "nuevo texto para el commit"
[main 86a47b3] nuevo texto para el commit
Date: Sun Dec 8 17:13:49 2024 +0100
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones>
```

```
S C:\Users\Blossom Nail Lab\git\03-instalaciones> git s
M instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git add instalaciones.md
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git commit -m "segundo commit"
[main ef673d6] segundo commit
1 file changed, 9 insertions(+)
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git log
commit ef673d63efd7745ac80207db6b9f6d9ef01b3f06 (HEAD -> main)
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:19:54 2024 +0100
   segundo commit
commit 86a47b359d59a22206ce99d48a274aa354cc0324
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:13:49 2024 +0100
   nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones>
```

```
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git reset --soft HEAD^
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git log
commit 86a47b359d59a22206ce99d48a274aa354cc0324 (HEAD -> main)
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:13:49 2024 +0100

nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones>
```

```
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git log
commit d6b6b9a1a557eabe18cbbe44fbb0a289267a9616 (HEAD -> main)
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:22:41 2024 +0100

segundo commit

commit 86a47b359d59a22206ce99d48a274aa354cc0324
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:13:49 2024 +0100

nuevo texto para el commit

PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git reset --hard HEAD^
HEAD is now at 86a47b3 nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones>
```

```
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git commit -m "segundo commit"
[main cdbad71] segundo commit
1 file changed, 11 insertions(+)
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git s
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git log
commit cdbad711c097adb1739186daa27cf565af0585de (HEAD -> main)
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:27:26 2024 +0100
    segundo commit
commit 86a47b359d59a22206ce99d48a274aa354cc0324
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:13:49 2024 +0100
    nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git reset --hard HEAD^
HEAD is now at 86a47b3 nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones> git log commit 86a47b359d59a22206ce99d48a274aa354cc0324 (HEAD -> main)
Author: Patricia <patrialvcas@gmail.com>
Date: Sun Dec 8 17:13:49 2024 +0100
    nuevo texto para el commit
PS C:\Users\Blossom Nail Lab\git\03-instalaciones>
```

```
Initialized empty Git repository in C:/Users/Blossom Nail Lab/git/04-Materia-Heroes/.git/PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git add readme.md
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git commit -m "readme.md agregado"
On branch main
Initial commit
Untracked files:
  (use "git add <file>..." to include in what will be committed)
          README.md
ciudades.md
           misiones.md
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git add README.md
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git commir -m
git: 'commir' is not a git command. See 'git --help'.
The most similar command is
                                                                                          "README.md agregado"
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git commit -m "README.md agregado"
[main (root-commit) d220a07] README.md agregado
1 file changed, 0 insertions(+), 0 deletions(-)
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git s
?? ciudades.md
?? historia/
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git add misiones.md
warning: in the working copy of 'misiones.md', LF will be replaced by CRLF the next time Git touches it PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git s
?? ciudades.md
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git commit -m "misiones.md agregado"
```

```
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git commit -m "misiones.md agregado"
 1 file changed, 5 insertions(+)
create mode 100644 misiones.md
?? ciudades.md
?? heroes.md
?? historia/
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git add heroes.md
      ada la historia de Batm
# Please enter the commit message for your changes. Lines starting # with '#' will be ignored, and an empty message aborts the commit.
# Date:
             Sun Dec 8 17:35:18 2024 +0100
# On branch main
# Changes to be committed:
        new file: historia/batman.historia.md
#
        new file: historia/superman.historia.md
#
```

```
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git config --global alias.lg "log --graph --abbrev-commit --decorate --format-format:"XC(bold blue)XMXC(reset) - XC(bold green)(Xan)XC(reset) XC(bild white)- XanXC(reset)XC(bold yellow)XdXC(reset)* --all"
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git lg
dff3C66 - (20 minutes ago) carpeta historia agregada - Patricia
* 910Ma87 - (20 minutes ago) carpeta historia agregado - Patricia
* 2ebe6db - (21 minutes ago) misones.md agregado - Patricia
* 35e6980 - (22 minutes ago) misones.md agregado - Patricia
* d220a07 - (22 minutes ago) READYE.md agregado - Patricia
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> |
```

```
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git lg
 * 2eb64db - (27 minutes ago) heroes.md agregado - Patricia (HEAD -> main)
* 35e6980 - (28 minutes ago) meroes.md agregado - Patricia

* d220a07 - (28 minutes ago) README.md agregado - Patricia

PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git reset --hard 35e6980
HEAD is now at 35e6980 misiones.md agregado
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git lg
* 35e6980 - (28 minutes ago) misiones.md agregado - Patricia (HEAD -> main)

* d220a07 - (29 minutes ago) README.md agregado - Patricia
PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git redflog
git: 'redflog' is not a git command. See 'git --help'.
 The most similar command is
           reflog
 PS C:\Users\Blossom Nail Lab\git\04-Materia-Heroes> git reflog
 35e6980 (HEAD -> main) HEAD@{0}: reset: moving to 35e6980
 2eb64db HEAD@{1}: reset: moving to 2eb64db 2eb64db HEAD@{2}: reset: moving to 2eb64db
dff3c66 HEAD@{3}: reset: moving to dff3c66
dff3c66 HEAD@{4}: commit: carpeta historia agregada
9104a87 HEAD@{5}: commit: ciudades.md agregado
 2eb64db HEAD@{6}: commit: heroes.md agregado
35e6980 (HEAD -> main) HEAD@{7}: commit: misiones.md agregado d220a07 HEAD@{8}: commit (initial): README.md agregado
```