



TRABAJO:

CONSULTAS EN POSTGRESQL

DOCENTE:

FLOR MEDINILLA, PATRICIA MABEL

FECHA:

8/06/2026

ACTIVIDAD: Script SQL con consultas CRUD y consultas JOIN funcionales sobre la base de datos.

FECHA: 8/06/2026

DOCENTE: Flor Medinilla, Patricia Mabel

INDICACIONES:

Utilizando la base de datos de gestión de alojamientos turísticos proporcionada, se debe escribir y ejecutar las 20 consultas SQL guiadas de esta práctica, guardar todas las consultas en un único archivo .sql y documentar los resultados obtenidos con capturas de pantalla.

N°	Categoría	Operación	Descripción
01	INSERT	Insertar propietario	Agregar un nuevo propietario
02	INSERT	Insertar alojamiento	Crear alojamiento vinculado
03	INSERT	Huésped y reserva	Registrar huésped y reserva
04	INSERT	Insertar pago	Registrar pago
05	SELECT	Alojamientos activos	Filtrar activos
06	SELECT	Huéspedes por país	Filtrar por nacionalidad
07	SELECT	Reservas por fechas	Uso de BETWEEN
08	UPDATE	Actualizar precio	Modificar precio
09	UPDATE	Estado reserva	Actualizar estado
10	DELETE	Eliminar reseña	DELETE WHERE
11	JOIN	Reservas + huésped	INNER JOIN
12	JOIN	Alojamiento completo	INNER JOIN múltiple
13	JOIN	Pagos + reservas	JOIN combinado
14	LEFT JOIN	Sin reseñas	Incluye nulls
15	LEFT JOIN	Sin reservas	Filtrar null
16	AGG	Total ingresos	SUM
17	AGG	Promedio rating	AVG
18	AGG	Top alojamientos	COUNT + LIMIT
19	HAVING	Más de 3 reservas	GROUP BY + HAVING
20	Subconsulta	Alojamiento más caro	Subquery

INSERT

01_INSERT: AGREGAR NUEVO PROPIETARIO

```
INSERT INTO owners (  
first_name,  
last_name,  
company_name,  
email,  
phone,  
tax_id,  
address_line1,  
city,  
state,  
country,  
postal_code  
)  
VALUES (  
'André',  
'Taylor',  
'Torogoz Tour El Salvador',  
'andretaylor@torogoztuor.com.sv',  
'+503 7123-4567',  
'SV-98765432',  
'Avenida Roosevelt 75',  
'San Salvador',  
'San Salvador',  
'El Salvador',  
'503'  
);
```

The screenshot shows a PostgreSQL client interface with the following components:

- Query Editor:** Contains the SQL statement from the previous block, with line numbers 24 to 39. Line 37 has a comment: `-- Visualizando propietarios`.
- Query History:** Shows the executed query.
- Data Output:** Displays the result of the query. It shows a table with 8 columns: `owner_id` (PK), `first_name`, `last_name`, `company_name`, `email`, `phone`, `tax_id`, and `address_line1`. The first row of data is visible.
- Notifications and Messages:** Empty.
- Footer:** Shows "Showing rows: 1 to 1" and "Page No: 1 of 1".

	owner_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	company_name character varying (150)	email character varying (150)	phone character varying (30)	tax_id character varying (50)	address_line1 character varying (255)
1	21	André	Taylor	Torogoz Tour El Salvador	andretaylor@torogoztuor.com.sv	+503 7123-4567	SV-98765432	Avenida Roosevelt 75

02_INSERT: CREAR ALOJAMIENTO VINCULADO

```
INSERT INTO accommodations (  
owner_id,  
accommodation_type_id,  
location_id,  
name,  
description,  
max_guests,  
bedroom_count,  
bathroom_count,  
base_price_per_night,  
currency_code,  
check_in_time,  
check_out_time,  
is_active  
)  
VALUES (  
(SELECT owner_id FROM owners WHERE email = 'andretaylor@torogoztuor.com.sv'),  
1, -- 1 = Hotel  
1, -- location_id existente  
'Hotel Vista del Volcán',  
'Hermoso hotel con vista privilegiada al volcán Santa Ana, rodeado de naturaleza.',  
4,  
4,  
3,  
199.99,  
'USD',  
'14:00:00',  
'11:00:00',  
TRUE  
);
```

The screenshot shows a PostgreSQL query editor interface. The query history pane displays the following SQL statement:

```
(SELECT owner_id FROM owners WHERE email = 'andretaylor@torogoztuor.com.sv'),  
1, -- 1 = Hotel  
1, -- location_id existente  
'Hotel Vista del Volcán',  
'Hermoso hotel con vista privilegiada al volcán Santa Ana, rodeado de naturaleza.',  
4,  
4,  
3,  
199.99,  
'USD',  
'14:00:00',  
'11:00:00',  
TRUE  
);  
  
SELECT * FROM accommodations WHERE owner_id = 21;
```

The Data Output pane shows the result of the query, displaying a single row of data:

accommodation_id [PK] bigint	owner_id bigint	accommodation_type_id integer	location_id bigint	name character varying (150)	description text
1	21	21	1	Hotel Vista del Volcán	Hermoso hotel con vista privilegiada al volcán Santa Ana, rodeado de natural...

	max_guests integer	bedroom_count integer	bathroom_count integer	base_price_per_night numeric (10,2)	currency_code character (3)	check_in_time time without time zone	check_out_time time without time zone	is_active boolean	created_at timestamp without time zone
1	4	4	3	199.99	USD	14:00:00	11:00:00	true	2026-06-07 20:24:12

03_INSERT: REGISTRAR HUESPED Y RESERVA

```
-- INSERTANDO HUESPED
INSERT INTO guests (
first_name,
last_name,
email,
phone,
date_of_birth,
nationality,
passport_number,
emergency_contact_name,
emergency_contact_phone
)
VALUES (
'Irene',
'Estrada',
'ireneestrada214@gmail.com',
'+503 6234-5678',
'1995-08-20',
'El Salvador',
'SV12345678',
'Victor Estrada',
'+503 6111-2222'
);
```

tarea_turismo/postgres@Servidor Local									
Query									
Query History									
<pre> 81 passport_number, 82 emergency_contact_name, 83 emergency_contact_phone 84) 85 VALUES (86 'Irene', 87 'Estrada', 88 'ireneestrada214@gmail.com', 89 '+503 6234-5678', 90 '1995-08-20', 91 'El Salvador', 92 'SV12345678', 93 'Victor Estrada', 94 '+503 6111-2222' 95); 96 97 SELECT * FROM guests WHERE email = 'ireneestrada214@gmail.com'; 98 </pre>									
Data Output									
Showing rows: 1 to 1 of 1									
	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)	phone character varying (30)	date_of_birth date	nationality character varying (100)	passport_number character varying (50)	
1	101	Irene	Estrada	ireneestrada214@gmail.c...	+503 6234-5678	1995-08-20	El Salvador	SV12345678	

CONTINUACIÓN...

```
-- INSERTANDO RESERVA
INSERT INTO bookings (
  guest_id,
  accommodation_id,
  booking_status_id,
  check_in_date,
  check_out_date,
  adult_count,
  child_count,
  subtotal_amount,
  tax_amount,
  discount_amount,
  total_amount,
  special_requests,
  booking_reference
)
VALUES (
  (SELECT guest_id FROM guests WHERE email = 'ireneestrada214@gmail.com'),
  1, -- accommodation_id existente
  1, -- 1 = Pending
  '2026-07-15',
  '2026-07-20',
  2,
  0,
  300.00,
  119.99,
  0.00,
  419.99,
  'Habitación en piso alto, preferiblemente con vista al volcán.',
  'BK-SVTEST01'
);
```

task_turismo/postgres@Servidor Local

Query History

```
116 (SELECT guest_id FROM guests WHERE email = 'ireneestrada214@gmail.com'),
117 1, -- accommodation_id existente
118 1, -- 1 = Pending
119 '2026-07-15',
120 '2026-07-20',
121 2,
122 0,
123 300.00,
124 119.99,
125 0.00,
126 419.99,
127 'Habitación en piso alto, preferiblemente con vista al volcán.',
128 'BK-SVTEST01'
129 );
130
131 SELECT * FROM bookings WHERE guest_id = 101;
132
```

Data Output Notifications Messages

Showing rows: 1 to 1 Page No: 1 of 1

	subtotal_amount numeric (10,2)	tax_amount numeric (10,2)	discount_amount numeric (10,2)	total_amount numeric (10,2)	special_requests text	booking_reference character varying (50)	booked_at timestamp without tim
1	300.00	119.99	0.00	419.99	Habitación en piso alto, preferiblemente con vista al vol...	BK-SVTEST01	2026-06-07 20:54:11.2

04_INSERT: INSERTAR PAGO

```
INSERT INTO payments (  
    booking_id,  
    amount,  
    payment_method,  
    payment_status,  
    transaction_reference,  
    notes  
)  
VALUES (  
    (SELECT booking_id FROM bookings WHERE booking_reference = 'BK-SVTEST01'),  
    419.99,  
    'Tarjeta de Crédito',  
    'Completed',  
    'TXN-2026-07-001',  
    'Pago completo realizado en línea mediante tarjeta Visa.'  
);
```

The screenshot shows a PostgreSQL query editor interface. The top bar indicates the connection is to 'tarea_turismo/postgres@Servidor Local'. The query editor displays the following SQL code:

```
144 notes  
145 )  
146 VALUES (  
147 (SELECT booking_id FROM bookings WHERE booking_reference = 'BK-SVTEST01'),  
148 419.99,  
149 'Tarjeta de Crédito',  
150 'Completed',  
151 'TXN-2026-07-001',  
152 'Pago completo realizado en línea mediante tarjeta Visa.'  
153 );  
154  
155  
156 SELECT * FROM payments WHERE booking_id = 101;  
157  
158  
159  
160
```


Below the query editor, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 8 columns: payment_id, booking_id, payment_date, amount, payment_method, payment_status, transaction_reference, and notes. The table shows one row of data.

payment_id [PK] bigint	booking_id bigint	payment_date timestamp without time zone	amount numeric (10,2)	payment_method character varying (50)	payment_status character varying (50)	transaction_reference character varying (100)	notes text	
1	91	101	2026-06-07 21:56:38,671568	419.99	Tarjeta de Crédito	Completed	TXN-2026-07-001	Pago completo realizado en

SELECT

05_SELECT: SELECCIONAR ALOJAMIENTOS ACTIVOS

```
SELECT
accommodation_id,
name,
base_price_per_night,
currency_code,
max_guests,
bedroom_count,
bathroom_count,
is_active
FROM accommodations
WHERE is_active = TRUE
ORDER BY base_price_per_night DESC;
```



Query History

```
180 SELECT
181 accommodation_id,
182 name,
183 base_price_per_night,
184 currency_code,
185 max_guests,
186 bedroom_count,
187 bathroom_count,
188 is_active
189 FROM accommodations
190 WHERE is_active = TRUE
191 ORDER BY base_price_per_night DESC;
```

Data Output

	accommodation_id [PK] bigint	name character varying (150)	base_price_per_night numeric (10,2)	currency_code character (3)	max_guests integer	bedroom_count integer	bathroom_count integer	is_active boolean
1	13	Panoramic Suite Ville	597.44	MXN	4	1	1	true
2	18	Charming Stay los bajos	590.96	USD	3	3	1	true
3	5	Panoramic Stay Ville	560.30	USD	2	6	4	true
4	10	Rustic Lodge boeuf	523.75	EUR	2	2	2	true
5	9	Boutique Nest boeuf	445.08	GBP	4	1	1	true
6	19	Boutique Suite los bajos	378.70	MXN	1	1	4	true
7	15	Luxury Nest Ville	359.02	MXN	11	5	3	true
8	1	Rustic Lodge Ville	354.37	USD	4	2	4	true
9	14	Luxury Escape de la Montaña	321.60	EUR	2	5	1	true
10	12	Rustic Retreat Ville	309.56	MXN	7	3	4	true
11	6	Rustic Getaway de la Monta...	306.16	MXN	9	6	2	true
12	7	Panoramic Getaway dan	285.34	BRL	2	3	1	true
13	3	Boutique Retreat Ville	230.50	BRL	12	6	3	true
14	21	Hotel Vista del Volcán	199.99	USD	4	4	3	true
15	17	Luxury Getaway los altos	159.37	GBP	6	3	2	true
16	11	Boutique Stay Ville	142.75	USD	1	6	1	true
17	2	Rustic Hideaway Ville	129.59	USD	9	3	1	true
18	20	Rustic Retreat furt	113.26	BRL	2	1	2	true
19	8	Cozy Lodge Ville	44.03	MXN	2	5	2	true

Total rows: 19 Query complete 00:00:00.411 CRLF Ln 191, Col 36

06_SELECT: SELECCIONAR HUESPED POR PAÍS

```
SELECT
guest_id,
first_name,
last_name,
email,
nationality,
phone
FROM guests
WHERE nationality = 'El Salvador'
ORDER BY last_name, first_name;
```

The screenshot shows a PostgreSQL query editor interface. The query window displays the following SQL code:

```
-- .....
-- SELECCIONAR HUESPED POR NACIONALIDAD
-- .....
SELECT
guest_id,
first_name,
last_name,
email,
nationality,
phone
FROM guests
WHERE nationality = 'El Salvador'
ORDER BY last_name, first_name;
```

Below the query window, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 7 columns: guest_id, first_name, last_name, email, nationality, and phone. The table contains one row of data.

guest_id	first_name	last_name	email	nationality	phone
101	Irene	Estrada	ireneestrada214@gmail.c...	El Salvador	+503 6234-5678

07_SELECT: SELECCIONAR RESERVAS POR FECHAS

```
SELECT
booking_id,
booking_reference,
guest_id,
accommodation_id,
check_in_date,
check_out_date,
total_nights,
total_amount
FROM bookings
WHERE check_in_date BETWEEN '2026-06-01' AND '2026-12-31'
ORDER BY check_in_date ASC;
```

</

UPDATE

08_UPDATE: ACTUALIZAR PRECIO

UPDATE accommodations

SET

base_price_per_night = 350.00,

updated_at = CURRENT_TIMESTAMP

WHERE accommodation_id = 21;

tarea_turismo/postgres@Servidor Local

09_UPDATE: ACTUALIZAR ESTADO DE RESERVA (PENDIENTE A CONFIRMADO)

```
UPDATE bookings
SET
booking_status_id = 2, -- 2 = Confirmed
updated_at = CURRENT_TIMESTAMP
WHERE booking_reference = 'BK-SVTEST01';
```

The screenshot shows a PostgreSQL client interface with the following SQL query executed:

```
250 booking_status_id = 2, -- 2 = Confirmed
251 updated_at = CURRENT_TIMESTAMP
252 WHERE booking_reference = 'BK-SVTEST01';
253
254
255 SELECT
256     b.booking_id,
257     b.booking_reference,
258     b.booking_status_id,
259     bs.status_name,
260     b.updated_at
261 FROM bookings b
262 JOIN booking_statuses bs ON b.booking_status_id = bs.booking_status_id
263 WHERE b.booking_reference = 'BK-SVTEST01';
264
265
```

The Data Output tab shows the following table:

booking_id	booking_reference	booking_status_id	status_name	updated_at
101	BK-SVTEST01	2	Confirmed	2026-06-07 22:56:14.388861

DELETE

10. DELETE: ELIMINAR UNA RESEÑA

```
DELETE FROM reviews WHERE review_id = 1;
```

Visualización de comentarios:

The screenshot shows a PostgreSQL client interface with the following SQL query executed:

```
268
269
270 -- ELIMINAR COMENTARIO DE HUESPED
271
272
273 --Visualizando comentario a eliminar
274 SELECT * FROM reviews;
275
276
277
```

The Data Output tab shows the following table:

review_id	booking_id	guest_id	accommodation_id	rating	review_title	review_text
1	1	39	60	2	Great location	Pour plaindre regretter devoir rentrer doux.
2	2	54	6	10	Very comfortable	Four art western enough key man. Particular condition man century shoulder.
3	3	85	55	4	Amazing stay!	Esfuerzo ocho estado ahora. Principales fácil es organización resulta de esta.

Comprobación de eliminación del comentario 1.

task_turismo/postgres@Servidor Local

Query Query History

```

268
269
270 -- .....
271 -- ..... ELIMINAR COMENTARIO DE HUESPED .....
272
273 --Visualizando comentario a eliminar
274 SELECT * FROM reviews;
275
276 --Eliminando comentario
277 DELETE FROM reviews WHERE review_id = 1;
278
279 --Comprobando la eliminación del comentario
280 SELECT * FROM reviews;
281
282

```

Data Output Notifications Messages

Showing rows: 1 to 59 Page No: 1 of 1

	review_id [PK] bigint	booking_id bigint	guest_id bigint	accommodation_id bigint	rating integer	review_title character varying (150)	review_text text
1	2	54	6	10	3	Very comfortable	Four art western enough key man. Particular condition man century shoulder.
2	3	85	55	4	1	Amazing stay!	Esfuerzo ocho estado ahora. Principales fácil es organización resulta de esta.
3	4	13	2	5	2	Very comfortable	Précipiter tandis que moyer lui.

JOIN

11_JOIN: RESERVAS +HUESPED (INNER JOIN)

```

SELECT
b.booking_id,
b.booking_reference,
b.check_in_date,
b.check_out_date,
b.total_nights,
b.total_amount,
g.first_name AS guest_first_name,
g.last_name AS guest_last_name,
g.email AS guest_email,
g.nationality
FROM bookings AS b
INNER JOIN guests AS g
ON b.guest_id = g.guest_id
ORDER BY b.check_in_date DESC;

```

Query: tarea_turismo/postgres@Servidor Local

```

297 g.nationality
298 FROM bookings AS b
299 INNER JOIN guests AS g
300 ON b.guest_id = g.guest_id
301 ORDER BY b.check_in_date DESC;
302
303

```

Data Output: Showing rows: 1 to 101 | Page No: 1 of 1

	booking_id bigint	booking_reference character varying (50)	check_in_date date	check_out_date date	totalNights integer	totalAmount numeric (10,2)	guest_firstName character varying (100)	guest_lastName character varying (100)	guest_email character var
1	101	BK-SVTEST01	2026-07-15	2026-07-20	5	419.99	Irene	Estrada	ireneestrada
2	60	BK-4C3BAEWC	2026-07-13	2026-07-22	9	3016.65	Corey	Segovia	tilmannkoest
3	85	BK-CXXBW01P	2026-07-06	2026-07-11	5	364.39	Benjamin	Hartung	ibarramaria-l
4	50	BK-ZR6QCEOU	2026-06-25	2026-07-04	9	1515.84	Karl-August	Faivre	yurias@exan
5	64	BK-F337KUU4	2026-06-23	2026-06-29	6	107.73	Linda	Gosselin	elfieholzapfe
6	20	BK-K3ZEZQAC	2026-06-17	2026-06-29	12	2149.33	Teresa	Lemus	morsephyllis
7	81	BK-VG9KU8S6	2026-05-31	2026-06-01	1	1939.53	Fatima	Nette	robertelisab
8	89	BK-ERV7997E	2026-05-20	2026-06-02	13	3210.23	Vanesa	Adkins	eugenebenoi
9	7	BK-1BCPPVOH	2026-05-16	2026-05-26	10	1969.64	Tiburcio	Acuña	mirelagiraltg
10	23	BK-RT3G207	2026-04-24	2026-05-05	11	1851.89	Sharon	I évv	wisealexand

12_JOIN: ALOJAMIENTO COMPLETO (INNER JOIN MULTIPLE)

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
a.base_price_per_night,
a.currency_code,
a.max_guests,
a.is_active,
o.first_name || ' ' || o.last_name AS propietario,
o.email AS email_propietario,
t.type_name AS tipo_alojamiento,
l.city,
l.state,
l.country
FROM accommodations AS a
INNER JOIN owners AS o
ON a.owner_id = o.owner_id
INNER JOIN accommodation_types AS t
ON a.accommodation_type_id = t.accommodation_type_id
INNER JOIN locations AS l
ON a.location_id = l.location_id
ORDER BY a.accommodation_id;

```

Query Query History

```

313 a.max_guests,
314 a.is_active,
315 o.first_name || ' ' || o.last_name AS propietario,
316 o.email AS email_propietario,
317 t.type name AS tipo alojamiento,

```

Data Output Notifications Messages

Showing rows: 1 to 21 Page No: 1 of 1

	n_id	alojamiento	base_price_per_night	currency_code	max_guests	is_active	propietario	email_propietario	tipo_alojamier
		character varying (150)	numeric (10,2)	character (3)	integer	boolean	text	character varying (150)	character vary
1	1	Rustic Lodge Ville	350.00	USD	4	true	Anunciación Real	jmarques@example.org	Resort
2	2	Rustic Hideaway Ville	129.59	USD	9	true	Ismael Jacquot	victoria95@example.com	Hostel
3	3	Boutique Retreat Ville	230.50	BRL	12	true	Ignacio Stafford	jbinner@example.org	Resort
4	4	Modern Escape Ville	527.49	BRL	9	false	Ignacio Stafford	jbinner@example.org	House
5	5	Panoramic Stay Ville	560.30	USD	2	true	Ignacio Stafford	jbinner@example.org	House
6	6	Rustic Getaway de la Monta...	306.16	MXN	9	true	Zacharie Hethur	jessica99@example.net	Apartment
7	7	Panoramic Getaway dan	285.34	BRL	2	true	Miguel Ángel Hod...	de-sousaemmanuel@example.c...	Guesthouse
8	8	Cozy Lodge Ville	44.03	MXN	2	true	Hugo Bellido	antoinettevollbrecht@example...	House
9	9	Boutique Nest boeuf	445.08	GBP	4	true	Cynthia Benavidez	fseip@example.com	Guesthouse
10	10	Rustic Lodge boeuf	523.75	EUR	2	true	Hugo Bellido	antoinettevollbrecht@example...	Hostel
11	11	Boutique Stay Ville	142.75	USD	1	true	Audrey Voisin	shelley71@example.org	House
12	12	Rustic Retreat Ville	309.56	MXN	7	true	Friedericke Alber...	luce72@example.com	Hotel

13_JOIN: PAGOS +RESERVAS (JOIN COMBINADO)

```

SELECT
p.payment_id,
p.payment_date,
p.amount,
p.payment_method,
p.payment_status,
p.transaction_reference,
b.booking_reference,
b.check_in_date,
b.check_out_date,
b.total_amount AS total_reserva
FROM payments AS p
INNER JOIN bookings AS b
ON p.booking_id = b.booking_id
ORDER BY p.payment_date DESC;V

```

Query Query History

```

331
332
333
334
335
336
337

```

JOIN: PAGOS +RESERVAS (JOIN COMBINADO)

```

SELECT
p.payment_id,
p.payment_date,

```

Data Output Notifications Messages

Showing rows: 1 to 91 Page No: 1 of 1

	payment_id bigint	payment_date timestamp without time zone	amount numeric (10,2)	payment_method character varying (50)	payment_status character varying (50)	transaction_reference character varying (100)	booking_reference character varying (50)
1	91	2026-06-07 21:56:38.671568	419.99	Tarjeta de Crédito	Completed	TXN-2026-07-001	BK-SVTEST01
2	2	2026-04-15 01:23:25.356206	2437.43	CreditCard	Failed	84f39773-2afa-4f8c-be18-13ed9c7dad...	BK-6LFEWVZN
3	3	2026-04-15 01:23:25.356206	199.38	Cash	Refunded	ac64d795-6f5e-4fea-a6f9-5071ae3f4dd5	BK-5P50300L
4	4	2026-04-15 01:23:25.356206	136.97	Crypto	Refunded	3f067a9e-e732-4fed-86b8-a86cf3c384...	BK-EC8UY057
5	5	2026-04-15 01:23:25.356206	602.10	BankTransfer	Refunded	c890a057-ec72-4730-9def-a476d5ba8...	BK-D4N1U349
6	6	2026-04-15 01:23:25.356206	775.07	BankTransfer	Refunded	327c14e9-52ca-4d67-8a0f-4ba93f7f16...	BK-1BCPPVOH
7	7	2026-04-15 01:23:25.356206	229.89	BankTransfer	Refunded	851dc089-8942-459a-a3a7-65d83b53c...	BK-811KERPE
8	8	2026-04-15 01:23:25.356206	2659.72	Cash	Pending	ed993373-cc0c-4d03-8cb8-47916d22c...	BK-UZPEAL2W
9	9	2026-04-15 01:23:25.356206	2394.80	PayPal	Failed	7f2515cf-3381-49b5-a2e3-f4ccaf008c87	BK-MLGSES6M
10	10	2026-04-15 01:23:25.356206	1064.90	Cash	Failed	0e062bf2-8db5-426b-91a9-4c7796ed5...	BK-8WQUUY5X

LEFT JOIN

14 LEFT JOIN RESEÑAS INCLUYE NULLS

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
r.review_id,
r.rating,
r.review_title,
r.review_date
FROM accommodations AS a
LEFT JOIN reviews AS r
ON a.accommodation_id = r.accommodation_id
ORDER BY a.accommodation_id, r.review_date DESC;

```

area_turismo/postgres@Servidor Local

15_ LEFT JOIN SIN RESERVAS FILTRAR NULLS

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
a.is_active,
a.base_price_per_night
FROM accommodations AS a
LEFT JOIN bookings AS b
ON a.accommodation_id = b.accommodation_id
WHERE b.booking_id IS NULL
ORDER BY a.accommodation_id;

```


tarea_turismo/postgres@Servidor Local

Query Query History

```

364 ORDER BY a.accommodation_id, r.review_date DESC;
365
366
367 -- .....
368 -- LEFT JOIN SIN RESERVAS FILTRAR NULLS
369 -- .....
370
371 SELECT
372 a.accommodation_id,
373 a.name AS alojamiento,
374 a.is_active,
375 a.base_price_per_night
376 FROM accommodations AS a
377 LEFT JOIN bookings AS b
378 ON a.accommodation_id = b.accommodation_id
379 WHERE b.booking_id IS NULL
380 ORDER BY a.accommodation_id;

```

Data Output Notifications Messages

Showing rows: 1 to 1 Page No: 1 of 1

	accommodation_id [PK] bigint	alojamiento character varying (150)	is_active boolean	base_price_per_night numeric (10,2)
1	21	Hotel Vista del Volcán	true	350.00

AGG

16_ AGG SUM

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
COUNT(b.booking_id) AS total_reservas,
SUM(b.total_amount) AS ingresos_totales,
a.currency_code
FROM accommodations AS a
INNER JOIN bookings AS b
ON a.accommodation_id = b.accommodation_id
GROUP BY
a.accommodation_id,
a.name,
a.currency_code
ORDER BY ingresos_totales DESC;

```

task_tourism/postgres@Servidor Local

Query Query History

```

393 ON a.accommodation_id = b.accommodation_id
394 GROUP BY
395 a.accommodation_id,
396 a.name,
397 a.currency_code
398 ORDER BY ingresos_totales DESC;
399
400

```

Data Output Notifications Messages

Showing rows: 1 to 20 Page No: 1 of 1

	accommodation_id [PK] bigint	alojamiento character varying (150)	total_reservas bigint	ingresos_totales numeric	currency_code character (3)
1	18	Charming Stay los bajos	9	14876.06	USD
2	15	Luxury Nest Ville	6	12298.32	MXN
3	11	Boutique Stay Ville	6	12081.45	USD
4	6	Rustic Getaway de la Monta...	5	12073.92	MXN
5	14	Luxury Escape de la Montaña	4	11086.90	EUR
6	5	Panoramic Stay Ville	8	11081.11	USD
7	10	Rustic Lodge boeuf	4	10354.98	EUR
8	17	Luxury Getaway los altos	5	9851.01	GBP
9	20	Rustic Retreat furt	4	9527.76	BRL
10	19	Boutique Suite los bajos	5	8887.49	MXN

Total rows: 20 Query complete 00:00:00.324 CRLF Ln 398, Col 32

17_ AGG AVG

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
COUNT(r.review_id) AS total_reseñas,
ROUND(AVG(r.rating), 2) AS promedio_rating,
MIN(r.rating) AS rating_minimo,
MAX(r.rating) AS rating_maximo
FROM accommodations AS a
INNER JOIN reviews AS r
ON a.accommodation_id = r.accommodation_id
GROUP BY
a.accommodation_id,
a.name
ORDER BY promedio_rating DESC;

```

Query History

```

411 FROM accommodations AS a
412 INNER JOIN reviews AS r
413 ON a.accommodation_id = r.accommodation_id
414 GROUP BY
415 a.accommodation_id,
416 a.name
417 ORDER BY promedio_rating DESC;
418

```

Data Output

Showing rows: 1 to 20

	accommodation_id [PK] bigint	alojamiento character varying (150)	total reseñas bigint	promedio_rating numeric	rating_minimo integer	rating_maximo integer
1	17	Luxury Getaway los altos	1	5.00	5	5
2	14	Luxury Escape de la Montaña	3	4.67	4	5
3	12	Rustic Retreat Ville	2	4.50	4	5
4	10	Rustic Lodge boeuf	5	4.00	3	5
5	3	Boutique Retreat Ville	3	4.00	3	5
6	6	Rustic Getaway de la Monta...	3	3.67	1	5
7	18	Charming Stay los bajos	2	3.50	3	4
8	16	Boutique Lodge los bajos	2	3.50	3	4
9	19	Boutique Suite los bajos	3	3.33	1	5
10	20	Rustic Retreat furt	4	3.25	1	5

Total rows: 20 Query complete 00:00:00.377 CRLF Ln 417, Col 31

18_ AGG COUNT + LIMIT

```

SELECT
a.accommodation_id,
a.name AS alojamiento,
COUNT(b.booking_id) AS total_reservas
FROM accommodations AS a
INNER JOIN bookings AS b
ON a.accommodation_id = b.accommodation_id
GROUP BY
a.accommodation_id,
a.name
ORDER BY total_reservas DESC
LIMIT 5;

```

Query History

```

428 ON a.accommodation_id = b.accommodation_id
429 GROUP BY
430 a.accommodation_id,
431 a.name
432 ORDER BY total_reservas DESC
433 LIMIT 5;
434
435

```

Data Output

Showing rows: 1 to 5

	accommodation_id [PK] bigint	alojamiento character varying (150)	total_reservas bigint
1	18	Charming Stay los bajos	9
2	5	Panoramic Stay Ville	8
3	15	Luxury Nest Ville	6
4	11	Boutique Stay Ville	6
5	19	Boutique Suite los bajos	5

19_ HAVING GROUP BY + HAVING

```
SELECT
a.accommodation_id,
a.name AS alojamiento,
COUNT(b.booking_id) AS total_reservas,
SUM(b.total_amount) AS ingresos_totales
FROM accommodations AS a
INNER JOIN bookings AS b
ON a.accommodation_id = b.accommodation_id
GROUP BY
a.accommodation_id,
a.name
HAVING COUNT(b.booking_id) > 3
ORDER BY total_reservas DESC;
```

The screenshot shows a PostgreSQL query editor interface. The top bar indicates the connection is to 'tarea_turismo/postgres@Servidor Local'. The query editor contains the following SQL code:

```
445 ON a.accommodation_id = b.accommodation_id
446 GROUP BY
447 a.accommodation_id,
448 a.name
449 HAVING COUNT(b.booking_id) > 3
450 ORDER BY total_reservas DESC;
451
452
```

Below the query editor, the 'Data Output' tab is active, displaying the results of the query. The results are shown in a table with 5 columns: accommodation_id, alojamiento, total_reservas, and ingresos_totales. The table contains 10 rows of data, sorted by total_reservas in descending order.

accommodation_id [PK] bigint	alojamiento character varying (150)	total_reservas bigint	ingresos_totales numeric
1	18 Charming Stay los bajos	9	14876.06
2	5 Panoramic Stay Ville	8	11081.11
3	11 Boutique Stay Ville	6	12081.45
4	15 Luxury Nest Ville	6	12298.32
5	3 Boutique Retreat Ville	5	4733.42
6	17 Luxury Getaway los altos	5	9851.01
7	13 Panoramic Suite Ville	5	8580.89
8	1 Rustic Lodge Ville	5	5502.70
9	7 Panoramic Getaway dan	5	7420.16
10	8 Cozy Lodge Ville	5	7279.55

At the bottom of the interface, the status bar shows 'Total rows: 19', 'Query complete 00:00:00.345', and 'Ln 450, Col 30'.

20_ SUBCONSULTA (SUBQUERY)

```
SELECT
a.accommodation_id,
a.name AS alojamiento,
a.base_price_per_night,
a.currency_code,
a.max_guests,
a.bedroom_count,
a.bathroom_count,
o.first_name || ' ' || o.last_name AS propietario,
t.type_name AS tipo,
l.city,
l.country
FROM accommodations AS a
INNER JOIN owners AS o
ON a.owner_id = o.owner_id
INNER JOIN accommodation_types AS t
ON a.accommodation_type_id = t.accommodation_type_id
INNER JOIN locations AS l
ON a.location_id = l.location_id
WHERE a.base_price_per_night = (
SELECT MAX(base_price_per_night)
FROM accommodations
);
```

The screenshot shows a PostgreSQL query editor interface. The query is as follows:

```
472 ON a.accommodation_type_id = t.accommodation_type_id
473 INNER JOIN locations AS l
474 ON a.location_id = l.location_id
475 WHERE a.base_price_per_night = (
476 SELECT MAX(base_price_per_night)
477 FROM accommodations
478 );
479
```

Below the query editor, the 'Data Output' tab is active, displaying a single row of results. The columns and their data are:

	accommodation_id	alojamiento	base_price_per_night	currency_code	max_guests	bedroom_count	bathroom_count	propietario	tipo
1	13	Panoramic Suite Ville	597.44	MXN	4	1	1	Zacharie Heth...	Guesthouse

DIAGRAMA DE ENTIDAD Y RELACIÓN (ERD)

