

SAMPLES FOR PETROGRAPHIC & MINERALOGIC EXAMINATION

Sample No	Hole No	Depth	Description	Work Required
87101	MG17	47.15	Whyalla Ss	Thin section
102	"	47.25	Basal Whyalla $\bar{c}$ Dol. Lenticles	" "
103	"	47.35	Sandy claystone $\bar{c}$ pebbles	" "
104	"	47.40	Dolomite breccia	" "
105	"	48.60	Dolomitic shale	Thin & Polished
106	"	52.25	Laminite	Thin section
107	"	53.95	Laminite	" "
108	"	55.90	Dolomite breccia	" "
109	"	56.30	Shale	" "
110	"	57.25	Shale	" "
111	"	61.20	White clay	" "
112	"	61.30	Haematitic breccia	" "
113	"	61.70	Quartzite conglomerate	" "
114	MG21	45.90	Pebbly Ss	" "
115	"	48.60	Basal Whyalla Ss	" "
116	"	53.70	Black Shale	Thin & Polished
* 117	"	59.70	Dolomite	Thin Section
118	"	62.30	Laminite	" "
119	"	66.00	Sandstone	" "
120	MG27	24.60	Claystone	" "
121	"	26.90	Sandy claystone $\bar{c}$ pebbles	" "
122	"	28.40	Dolomitic siltstone	Thin & Polished
123	"	29.40	Dolomitic siltstone	" " "
124	MG22	20.70	Sandy claystone	Thin Section
125	"	22.30	Basal Whyalla Ss	" "
126	"	23.80	Dolomitic Ss	Thin & Polished
127	"	24.50	Dolomite	Thin Section
128	"	25.70	Dolomitic clay	" "
129	"	25.75	Dolomitic Ss	" "
130	"	28.50	Shale	" "
131	MG23	24.50	Dolomitic clay	Thin & Polished
132	"	33.50	Green shale	Thin Section
133	MG24	24.70	Dolomitic clay	Thin & Polished
134	"	27.60	Dolomitic Ss	" " "

000004

[illegible]

[illegible]

Gunnyot
1966

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	GUNNOT.		COPPER MINERALS	RATIO Sulph : O.Salts	ASSAY % Cu.	000006
					MINERALS.					REMARKS
A4	1459	60	Off White	Well rounded grains of Qtz. matrix	Qtz	clay.	Malachite			L. S Stone.
	1461			CaCO ₃ . Clay						
	1462	5'-10'	Off White	— " —	— " —		Malachite			L. S Stone
	1463	10'-15'	Off White	As above some angular chips high % of clay.	Qtz	clay	Malachite			L. S Stone
	1464	15'-20'	Off White	— " — + angular chips R. Qtz.			Malachite			L. S Stone or R. Qtzite
	1465	20'-25'	Pink	Angular chips R. Qtzite.	Pink	Qtz. In Coated grain.	Not Noted.			R. Qtzite.
	1466	25'-30'	Pink	— " —	— " —		— " —			R. Qtzite.
	1467	30'-35'	"	"	"					"
	1468	35'-40'	"	"	"		"			"

43

AG00N 1966 H3.

1967		SAMPLE	FOOTAGE	COLOUR	AGGREGATE				COPPER, MINERALS	RATIO Sulph:O.Salts	ASSAY % Cu.	000008 REMARK
LAGOON		F4.0S	13002	53-53"	Pink	Red Quartzite & Pyrite					NIL	
			13005	53-60	"	"	"				0.01	
13004			13006	60-65	White/Pink	"	"				NIL	
to		F3.0S	13014	0-10	White/Pink	Red Qz. + gypsum						Dry
13051		F3.0S	13015	10-15	White/Pink	Red Quartzite - gypseous					NIL	Dry
			13016	15-20	Grey/Pink	RQz & Pyrite - gypseous						Dry
			13017	20-25	"	" (2%)	"					Dry
			13018	25-30	"	"	"					Dry
			13019	30-35	Pink	RQz & <1% pyrite					NIL	Dry
			13020	35-40	"	"	"				0.23	Dry
			13021	40-45	Red/Pink	RQz & <1% pyrite. Colour due to xs Fe ₂ O ₃					0.03	Dry
			13022	45-50	"	RQz. Colour due to xs Fe ₂ O ₃ coating grains.					0.03	Dry
			13023	50-55	"	"	"				0.03	Dry
		F1.0S	13029	0-10	Yellow	Lithic SSTE Colour = coating on grains. V. Coarse						Dry
			13030	10-15	Pink	Lithic Ss (Miner). Red Qz + pyrite + gypsum						Dry
			13031	15-20	Pink	Red Qz 1% pyrite					0.14	Dry
			13032	20-25	Pink	"	" gypseous				0.18	Dry
			13033	25-30	Yellow/Pink	RQz <1% pyrite gypseous						Dry
			13034	30-35	Yellow/Pink	RQz + Lithic Ss. Tr. Pyrite						Dry
			13035	35-40	Red/Pink	RQz + Hematite colour & abund. Magnetite					NIL	Wet
			13036	40-45	"	" & Magnetite					NIL	Wet
			13037	45-50	"	RQz + Hematite & Tr. Magnetite					0.03	Wet
Z2.0N		13046	0-8.5	White	Lithic Ss & RQz chips							
Z2.0N		13047	8.5-20	Khaki	Lithic Ss (?) gypseous & Tr. pyrite (Some RQz?)			chalcocite	1:0	0.54		
		13048	20-25	White/Pink	RQz & abundant chalcocite - large metallic chips. Some chalcoppyrite. Tr. green oxide Cu.			chalcocite chalcoppyrite	10:1	4.51		
		13049	25-30	Pink/Red	RQz & grains black chalcocite, chalcoppyrite & green oxide Cu			chalcocite	10:1	1.38		
		13050	30-35	"	RQz + Lithic Ss contaminat. chalcocite			"	"	0.79		
		13051	35-40	"	RQz + chalcocite & oxide Copper + pyrite & chalcoppyrite			"	"	0.16		

LAGOON 1967 13004 - 13051

1967

Z 2.0 N AND Z 1.5 N

LAGOON

13052

to

13082

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE			COPPER MINERALS	RATIO Sulph : O.Salts	ASSAY % Cu.	REMARK
Z 2.0 N	13052	40-45	Pink/Red	RD2 ± magnetite altering to hematite. Tr. chalcoite	hematite	chalcocite	10:1	0.16		
	13053	45-50	Orange/Pink	RD2 ± chalcocite & green oxide Cu		"	8:1	0.19		
	13054	50-55	"	RD2 " " + pyrite or chalcopyrite		"	"	0.31		
	13055	55-60	Pink	RD2 ± Tr. chalcocite + pyrite & chalcopyrite		"	"	0.09		
	13056	60-65	Orange/Pink	RD2 ± Tr. Pyrite				0.03		
	13057	65-70	Pink	RD2				0.03		
	13058	70-75	Pink	RD2 Magnetite altering to hematite. Pyrite. Tr. oxides				0.09 0.16 0.20		saccharoidal 'clean' sample.
	13059	75-80	Deep Red	RD2 Few black grains				0.09		
	13060	80-85	Deep Red	RD2 Tr. pyrite				0.01		
	13061	85-90	"	RD2 Tr. chalcocite & green oxide Cu (Contaminant?)				0.03		
Z 1.5 N	13062	0-5	Pink	RD2? - gypsaceous Tr. magnetite						
	13063	5-10	Pink/Red	RD2? + soft black non-magnetic grains						
	13064	15-20	Khaki	RD2 + chalcocite + Tr. green oxide Cu + Magnetite				0.18		
	13065	20-25	Pink/White	RD2 + chalcocite				0.35		
	13066	25-30	Orange/Pink	RD2 + chalcocite ± Tr. green oxide. ± Tr. Pyrite				0.35		
	13067	30-35	"	" " "				0.19		
	13068	35-40	White/Pink	RD2 ± Tr. chalcocite & green Cu + Tr. Magnetite				0.13		
	13069	40-45	Pink	RD2 Tr. Magnetite				0.13		
	13070	45-50	White/Pink	RD2 Tr. Pyrite				0.16		
	13071	50-55	Pink	RD2 ± Tr. pyrite or chalcopyrite				0.081		
	13072	55-60	Pink	RD2 Tr. chalcocite & green Cu				0.09		
	13073	60-65	Pink	RD2				0.06		
	13075	70-75	Pink	RD2 Tr. Magnetite				0.16		
	13076	75-80	Red	RD2 Tr. pyrite. Colour due Fe ₂ O ₃ coating				0.03		
	13077	80-85	"	RD2. Colour Fe ₂ O ₃				0.03		
	13078	85-90	"	RD2 " "				0.03		
	13079	90-95	"	RD2 " + Tr. Pyrite				0.03		
	13081	100-105	Pink	RD2 + ≤1% magnetite				0.03		
	13082	105-110	Pink	RD2 Tr. Pyrite. Some shiny black grains?				0.05		

13052 - 13082

1967
LAGOON

13083

to

13120

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE			COPPER MINERALS	RATIO Sulph:O.Salts	ASSAY % Cu.	000010 REMARK
Z1-5N	13083	110-115'	Pink	Red Quartzite + magnetite					0.05	
Z1-0N	13085	5-10	Red/Pink	Lithic Ss. + hematite + magnetite						
	13086	10-15'	Buff	RO ₂ + Pyrite or chalcopyrite + chalcocite + Tr. green Cu.					0.47	
	13087	15-20	Buff	R. Q ₂ Pyrite & chalcopyrite, chalcocite, magnetite			Cu ₂ S Cu Fe S ₂	1:0	1.09	
	13088	20-25'	Buff	RO ₂ + pyrite & chalcopyrite, chalcocite & green CuO				10:1	1.04	
	13089	25-30	Pink	RO ₂ + pyrite & chalcopyrite + chalcocite + green CuO + Magnetite				10:1	0.63	
	13090	30-35'	Pink	RO ₂ + magnetite + Tr. green CuO					0.23	
	13091	35-40	Pink	R. Q ₂ Tr. green "CuO"					0.14	
	13092	40-45'	Pink	RO ₂ Tr. pyrite					0.03	
Z00	13098	0-10	Yellow	Lithic Ss. Coarse rounded yellow grains. RO ₂ chips + chalcocite				1:0	0.41	
	13099	10-15'	Pink	Lithic Ss. = RO ₂ , either as inclusions or at base of mn.			Chalcocite	1:0	4.47	Cu esp. interstitial in RO ₂ fragments.
	13100	15-20	Pink	RO ₂ + chalcocite				1:0	1.67	0.03
	13101	20-25'	Pink	RO ₂ , gypsaceous. & Tr. chalcocite					0.25	
	13104	35-40	Pink	" " + Tr. pyrite or chalcopyrite					0.11	
	13105	40-45'	Pink	RO ₂ - gypsaceous.						
	13106	45-50	"	"						
	13107	50-55'	"	"						
	13108	55-60	"	"						
Z1-0S	13109	0-10	Buff	Lithic Sstc Many yellow-coated grains					0.08	
	13110	10-15'	Pink	Red Q ₂ + chalcocite & Tr. Bornite				1:0	2.68	0.03
	13111	15-20	Pink	Red Q ₂ + pyrite & chalcopyrite + chalcocite				1:0	0.39	
	13112	20-25'	Pink	Red Q ₂ + gypsum + chalcopyrite & pyrite				1:0	0.24	
	13113	25-26	Pink	R. Q ₂ + gypsum + Tr. Sulphides					0.31	
	13114	26-30	Buff	R. Q ₂ Tr. magnetite					0.09	
	13115	30-35'	Orange/Pink	RO ₂ & Tr. pyrite or chalcopyrite					0.06	
	13116	35-40	Buff	RO ₂ & Tr. pyrite					0.06	
	13120	55-60	Red	RO ₂ Colour due Fe ₂ O ₃ coating					0.03	

13083 - 13120

1967
LAGOON

13121

to

13169

		Y 00	Y 1-ON	Y 2-ON	AND	X 3-0 S	COPPER MINERALS	RATIO Sulph:O.Salts	ASSAY % Cu.	000011 REMARK
Y 00	13121	0-10	Yellow	Lithic Ss. Coarse grains, well rounded, o	yellow cont.					
	13122	10-15	Gray/Pink	RD ₂ + gypsous clay + chalcoite + fine + pyrite Tr				1:0	0.84	0.16 CuO
	13123	15-20	Pink/White	RD ₂ - gypsous - c	pyr. & chalcoite				0.31	
	13124	20-25	"	"	"				0.54	
	13128	40-45	Pink	RD ₂					0.02	
Y 1-ON	13131	10-20	Buff	Lithic Ss? RD ₂ Tr	chalcoite & green CuO & Tr	pyrite	Samples appear to have been coarsely crushed and difficult to identify.			0.06
	13132	20-25	Buff	Lithic Ss? RD ₂						0.06
	13133	25-30	Pink	RD ₂ & Tr	magnetite				0.06	
	13134	30-35	Pink/White	RD ₂ & Pyrite & magnetite					0.11	
	13135	35-40	Buff	RD ₂ & Tr	Magnetite				0.09	
	13136	40-45	"	" & Tr	Pyrite				0.24	
	13137	45-50	"	RD ₂ &	Magnetite				0.22	
	13138	50-55	Pink	RD ₂ & Magnetite	altering to hematite				0.09	
	13142	0-5	Pink	Siliceous Lithic Ss.	& Magnetite				0.01	
	13143	5-10	Pink & Yellow	"	"					
	13144	10-15	Pink	"	" & Magnetite				0.06	
	13145	15-20	Red	Red Siliceous Lithic Ss & frags. of RD ₂					0.04	
Y 2-ON	13146	0-5	Brown	Lithic Ss + Brown clay + gypsum						
	13147	5-10	Gray	Lithic Ss. Coarse, & well-rounded grains + gypsum					0.06	
	13148	10-15	Gray	Lithic Ss as above + pyrite					0.36	
	13150	15-20	Khaki	? RD ₂ + pyrite					0.41	
	13151	20-25	Buff	Lithic Ss? + 2% pyrite + chalcoite & green oxide Cu	+ Fe ₂ O ₃				0.41	
	13152	25-30	Red	RD ₂ + 2% pyrite + chalcoite + green oxide Cu					0.43	
	13153	30-35	Pink/Red	RD ₂ & magnetite & pyrite					0.20	
	13154	35-40	Buff	RD ₂ & chalcoite 1/2 pyrite + Tr. Magnetite					0.09	
	13155	40-45	Buff	RD ₂ & pyrite & magnetite					0.51	0.09 CuO
X 3-0 S	13159	15-20	Pink/Red	RD ₂ & Traces of pyrite, magnetite & chalcoite					0.03	

13121 - 13169

LAGOON

13160

to

13164

[illegible]

13 160 - 13164

480 1967
LAGOON.
13174
to
13212

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	X 0.0	X 1.0 N	X 2.0 N	X 5.0 N	W. 1	W. 2	COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY		REMARKS
													% Cu.	OXIDE	
X 0.0	13174	0-5	Red	Lithic Ss ? or R. Qz. ?											
	13175	5-10	Red.	Lithic Ss ? or R. Qz. ?											
	13176	10-15	Pink	Red Quartzite									0.18		
	13177	15-20	Buff	R. Qz + chalcocite + green oxide Cu + chalcocite & pyrite.									0.12		
	13178	20-25	Buff	R. Qz + " " "									0.08		
	13179	25-30	Pink	R. Qz + chalcocite, pyrite & magnetite traces									0.09		
	13180	30-35	Buff	R. Qz + Traces chalcocite & pyrite									0.06		
X 1.0 N	13185	20-25	Pink	R. Qz + pyrite											
	13189	10-15											0.03		
	13190	15-20											0.07		
	13191	20-25											0.06		
X 3.0 N	13192	25-30	Pink	R. Qz + Magnetite in fissures & pyrite in breccia.											
	13198	15-20	Khaki	Lithic Ss.									0.06		
	13199	20-25	Grey/Brown	Lithic Ss + minor pyrite									0.06		
	13200	25-30	Buff	Lithic Ss & R. Qz + pyrite									0.09		
	13201	30-35	Buff	R. Qz + minor Cu ₂ S & green Cu + magnetite									0.16		
	13202	35-40	Buff	R. Qz + " " " " & pyrite									0.20		
W. 1	13205	0-5	Yellow	Lithic Ss									0.03		
	13206	5-10	Pink	R. Qz + gypsum.									0.06		
	13207	10-15	Pink	As above + Tr. Pyrite											
	13208	15-20	"	" " " "											
	13209	20-25	"	" " " "											
	13210	25-30	Pink	R. Qz											
W. 2	13211	0-5	Pink	Lithic Ss & coarse & well rounded											
	13212	5-10	Yellow	Lithic Ss. Finer, less well rounded than above											

13174 - 13212

000013
REMARKS

1967
LAGOON
~~132~~
13213
to
13247

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE				COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.		REMARK
										TOTAL	OXIDE	
W.2	13213	10-15	Pink	Lithic Ss. +	RQz	E minor	green C. + chalcopyrite			0.09		
	13214	15-20	Pink-Red	RQz								
W.3	13217	0-5'	Buff	Lithic Ss.	Coarse	= well-rounded				0.03		
	13218									0.19		
	13219	10-15	Buff	Lithic Ss.	+ Pyrite					0.06		
	13220	15-20	Red/Brown	Lithic Ss + pyrite + hematite	(+ RQz?)					0.12		
	13221	20-25	Red	RQz	+ hematite					0.12		
	13221/1	35-40		RQz	+ Trace chalcopyrite, pyrite + magnetite					0.13		
W.4	13227	10-15	Grey	Lithic Ss.						0.06		
	13228	15-20	Buff	Lithic Ss + Pyrite								
	13229	20-25	Buff	Lithic Ss, RQz, Tr magnetite, Tr pyrite						0.09		
	13230	25-30	Pink	RQz, Tr Pyrite, pass. Tr magnetite								
	13231	30-35	Pink	RQz	Tr Pyrite + Tr magnetite	altering to hem				0.05		
	13232	35-40	Pink	RQz	Tr Pyrite					0.16		
	13233	40-45	White/Pink	RQz + pyrite Trace						0.09		
	13234	45-50	Grey	RQz + pyrite						0.09		
V.3	13237	0-5'	Yellow Pink	Lithic Ss.						0.06		
	13238	5-10	Pink	Lithic Ss + Red Qz.						0.06		
	13239	10-15	Pink	Red Qz						0.12		
V.4	13243	0-5'	Red	RQz + abund magnetite + Tr pyrite						0.31		
	13244	5-10	Pink/Brown	RQz + gypsum, magnetite + Tr green C.						0.19		
	13245	10-15								0.12		
	13246											
	13247											

13213 - 13247

1967
LAGOON
13279
to
13308

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.				COPPER. MINERALS	RATIO Sulph:O.Salts	ASSAY % Cu. TOTAL "OXIDE"	REMARK
L. 00	13279										
	13280										
	13281										
	13282	15-20	Rosé	Red Qz						0.27	
	13283	20-25	Rosé	Red Qz	+ Tr. chalcocite & green Cu	+ Tr. magnetite				0.36	
	13284	25-30	Rosé	R. Qz	+ pyrite + Tr. Cu, Si gran. Cu	+ Tr. magnetite				0.24	
	13285	30-35	"	As above						0.25	
	13286	35-40	Pink	As above						0.16	
L. 1.0N	13287	0-5	Brown	Lithic Ss.	Coarse, well-	rounded.					
	13288	5-10	Brown	Lithic Ss	as above +	pyrite tr.					
	13289	10-15	"	As above							
	13290	15-20	"	As above	no pyrite						
	13291	20-25	Pink	As above						0.12	
	13292										
	13293	30-35	Rosé	Lithic Ss.	coarse & well-	rounded.					
	13294	35-40	Rosé	Lithic Ss &	Red Qz chips &	? RQz contact.				0.16	
	13295	40-45	"	Lithic Ss, coarse & well-rounded,	+ RQz chips + RQz					0.09	
				Drill logs suggest 50% lithic contamination. Magnetite.							
	13296	45-50	Pink	R. Qz + 30% lithic contamination	+ Tr. green Cu + hematite					0.06	
L. 2.0N	13301										
	13302									0.35	
	13303									0.12	
	13304	35-40	Pink	RQz + Tr.	green Cu + hematite & magnetite					0.16	
	13305									0.12	
L. 3.0N	13306	0-5	Gray	Lithic Ss - silicified.	hematite & magnetite	Tr. chalcocite & green Cu				0.20	
	13307	5-10	Gray	Lithic Ss as above.	Fine-grained					0.08	
	13308	10-15	Pink	Lithic Ss	as above.					0.08	

13279 - 13308

1967

L 3.0N

M.1

G 2.0S

M.4

000016

LAGOON

13309

to

13341

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE				COPPER MINERALS	RATIO Sulph : O.Salts	ASSAY % Cu.		REMARKS
										TOTAL	% OXIDE	
L 3.0N	13310	20-25	Grey	Lithic ss, fine-grained & chalcoite & green Cu						0.48	0.38	High 'oxide'?
	13311	25-30	Buff	As above						1.30	0.28	
	13312	30-35	Buff	Lithic ss & / RD ₂ + magnetite Tr of Cu S.						1.30	0.44	Wrong sample? Cu not visible in sample
	13313	35-40	Buff	RD ₂ & chalcoite & green Cu						1.35	0.47	
	13314	40-45	Pink	RD ₂ as above						1.27	0.28	
	13315	45-50	Pink	RD ₂ as above						1.24	0.79	
	13316	50-55	Pink	RD ₂ as above + pyrite						0.68	0.47	
M.1	13317	55-60	Pink	RD ₂ + minor CuS & green Cu						0.35		
	13318	0-5	Buff	RD ₂ ? + magnetite & Tr Cu S						0.19		
	13319	5-10	Buff	RD ₂ & lithic ? + Tr Cu S & green Cu						0.12		
	13320	10-15	Yellow	RD ₂ & Tr Cu S						0.06		
	13321	15-20	Buff	RD ₂ + hematite & Tr Cu S						0.25		
	13322	20-25	Pink	RD ₂ & Tr pyrite & Tr Cu S						0.39		
	13323	25-30	Pink	RD ₂ & Tr Cu S & green Cu						0.11		
G 2.0S	13324	30-35	Pink	RD ₂						0.04		
	13326	0-5	Yellow	mostly RD ₂ -- maybe some lithic								
	13327	5-10	Red	RD ₂ & hematite colour								
	13328	10-15	Red	RD ₂ as above								
	13329	15-20	Pink/Red	RD ₂								
	13332	30-35	Pink	RD ₂						0.06		no pyrite visible
	13333	35-40	Pink	RD ₂ + magnetite						0.06		"
M.4	13334	0-5	Pink	Lithic ss (siliceous) + ? RD ₂ . Hematite						0.14		
	13336	10-15	Rosé	Lithic ss coarse well-rounded Magnetite veins						0.03		
	13338	20-25	Buff	Lithic ss fine-grained pear rounding + RD ₂ + pyrite + CuS & green Cu						0.48	0.25	
	13339	25-30	Buff	RD ₂ + CuS & green Cu + magnetite (good %)						1.56	0.98	no pyrite visible
	13340	30-35	Pink	RD ₂ + CuS & green Cu + magnetite as above						0.63	0.57	
	13341	35-40	Pink	RD ₂ + as above						0.62	0.28	(Marked N/A/N?)

13309 - 13341

1967

LAGOON

13342

to

13368

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
M. 4	13342	10-45	Pink	RQz + Cu ₂ S + green Cu + magnetite			0.27	
	13343	45-50	Buff	RQz + lithic contain. 30% + Cu ₂ S + green Cu + magnetite			0.27	
	13344	50-55	Pink	RQz + magnetite veins.			0.25	
M. 5	13345	0-5	Pink	Lithic ss w/ RQz? + Cu ₂ S + green Cu + magnetite Tr.			0.48	0.43
	13346	5-10	Rose	Lithic ss, fine & siliceous + magnetite + Cu ₂ S			0.16	
	13347	10-15	Rose	Lithic + magnetite veins + RQz			0.08	contact at 12 feet.
	13348	15-20	Rose	? Lithic (fine grain) + green Cu = magnetite or RQz?			0.13	
	13349	20-25	Pink	RQz + magnetite			0.27	
	13350						0.16	
	13351	30-35	Pink	RQz + magnetite veins + Tr. Cu oxide			0.11	
	13352	35-40	Pink	RQz + 50% lithic contain. + hematite! magnetite!			0.04	
M. 2	13353	0-5	Pink	RQz + pyrite + magnetite			0.11	
	13354	5-10	Pink	RQz + Cu ₂ S, green Cu + magnetite			3.02	0.47
	13355	10-15	Red/Yellow	RQz + magnetite + pyrite			0.09	2.12
	13356	15-20	Pink	RQz + Cu ₂ S + green Cu			1.68	0.12
	13357	20-25	Pink	RQz + ss above + magnetite			0.59	0.12
	13358	25-30	Pink	RQz ss above + more magnetite (is some of this vein material pyrrhotite?)			0.39	
	13359	30-35	Pink	RQz + minor Cu ₂ S + green Cu + vein magnetite + pyrrhotite			0.17	
	13360	35-40	Pink	RQz + magnetic veins			0.12	
H3.05	13361	0-5	white	RQz - gyp seams				Dry
	13362	5-10	Pink	ss above				Dry
	13363	10-15	Pink	RQz			0.16	Dry
	13364	15-20	Pink	RQz Many round & yellow coated grains			0.16	Dry
	13365	20-25	Pink	RQz + magnetite			0.08	Wet
N. 00	13367	0-5						
	13368	5-10	Rose	Fine lithic? + R. Qz + Cu ₂ S + green Cu + magnetite			1.08	

13342 - 13368

1967
LAGOON
13369
to
13399

		N.00	N 1-05	N 2-05	Z 2-05	F 4-0N	Z 3-0N	COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK.
HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.							
N.00	13369	0-15	Pink	RD ₂ + Cu ₂ Su green Cu + magnetite veins						0.57	Wet
	13370	15-20	Rose	RD ₂ + Cu ₂ S + " + "						0.28	Wet
	13371	20-25	"	As above						0.31	Wet
N 1-05	13372	0-5	Pink	RD ₂							Dry
	13373	5-10	Pink	RD ₂							Dry
	13374	10-15	Pink	RD ₂ + Pyrite						0.18	Dry (Test Sam)
N 2-05	13377										
	13378										
Z 2-05	13383	0-5	Pink	RD ₂ + magnetic + Cu ₂ S						0.17 0.31 0.35 0.43 0.58	Wet
	13384	5-10	Pink	RD ₂ + Cu ₂ O + green Cu						0.31	Wet
	13385	10-15	Pink	RD ₂ + abnd magnetic + Cu ₂ S + green Cu						0.25	Wet
	13386	15-20	Pink	RD ₂ + abnd magnetic						0.19 0.25	Wet
	13387	20-25	Pink	RD ₂ + abnd magnetic + Cu						0.25	Wet
	13388	25-30	Pink	RD ₂ + " " " "						0.20	Wet
F 4-0N	13389										
	13390										
	13391	10-15	Pink	Siliceous lithic Ss? at RD?						0.11	Wet
	13392										
	13393										
	13394									0.18	Wet
	13395									0.16	Wet
	13396									0.19	Wet
Z 3-0N	13397	0-5	Yellow	Lithic Ss + white clay							Dry
	13398	5-10	White	Lithic Ss - Siliceous							Dry
	13399	10-15	White	Lithic Ss? - Siliceous at top							Dry

13369-13399

1967

LAGOON

13400

to

13414

Z 3-ON

Y1-OS

000019

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	COPPER MINERALS	RATIO Sulph : O.Salts	ASSAY % Cu.	REMARK
Z 3-ON	13400	15-20	White	Lithic ss!	Cu ₂ S malach			Dry
	13401	20-25	Buff	Lithic ss! + Cu ₂ S + quartz + magnetite	Cu ₂ S malach		0.39	Wet
	13402	25-30	"	Lithic ss - Cu ₂ S + quartz + magnetite + Ti. pyrite			0.46	Wet
	13403	30-35	"	Lithic ss - coarse & well rounded + Cu ₂ S + quartz + magnetite			0.60 0.28	Wet
	13404	35-40	"	As above + frags of RD 2			0.57 0.53	Wet (no py. visible)
	13405	40-45	"	Lithic + chalcocite + minor oxide Cu + abundant pyrite + Ti. magnetite			0.47 0.22	Wet
	13406	45-50	Pink	RD ₂ some lithic, abund pyrite, minor magnetite + chalcocite	Cu ₂ S	1:0	0.51 0.06	Wet
Y1-OS	13407						0.19	Wet
	13408	5-10	Pink	RD ₂ - a lithic + magnetite veins. Ti. Cu			0.31	Wet
	13409	10-15	Pink	RD ₂ + chalcocite upper Cu + magnetite veins			0.30	Wet
	13410	15-20	Pink	RD ₂ + as above, but less so			0.07	Wet
	13411	10-15	Gray/Bk	RD ₂ + gypsum Cu ₂ S nodules. No magnetite!			0.89 0.16	Dry
	13412	15-20	Pink	RD ₂ + minor Cu ₂ S + quartz + minor pyrite			0.81	Dry
	13413	20-25	Pink	RD ₂ + Ti. Cu ₂ S			0.35	Dry
	13414	25-30	Pink	RD ₂ + minor Cu ₂ S + quartz + chalcocite + pyrite			0.25	Dry

13400 - 13414

Attachments to Accompany
Report of Exploration
in
S.M.Ls. Nos. 96 & 121
Period Ending November 30, 1966

Attachments

C.W.G & E Drwg No. 20	Pernatty Lagoon Area Geological Map
C.W.G & E Drwg No. 21	Pernatty Lagoon Area Biogeochemical Location Plan
C.W.G & E Drwg No. 18	Pernatty Lagoon Area Biogeochemical Plan - Inset 1
C.W.G & E Drwg No. 19	Pernatty Lagoon Area Biogeochemical Plan "A" - Inset 2
C.W.G & E Drwg No. 22	Pernatty Lagoon Area Induced Polarization Plan
Austminex Pty.Ltd., Drwg No. GP-5	Gunson - Main Open Cut Drill Hole Location & Assay Plan
Austminex Pty.Ltd., Drwg No. GP-6	Gunson - Pernatty Lagoon Area Drill Hole Location Plan
Section "C"	Mt. Gunson, Main Open Cut

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000021
											REMARK
H 3	154										NS.
	155	4' - 9'	Brown.	Rounded grains of quartz - fine sand. Stained brown, i.e. Fe. Few chips of white Qtz.	Quartz Fe Oxide. Clay. Gypsum Salt.			Black specs of Chalcocite			Leaching sand. i.e. L. Siliceous Stone
	156										NS.
	157										NS.
	158	19' - 24'	White.	Rounded grains of Qtz.	White Qtz Clay Gypsum Salt			As Above			L. S. Stone
	159	24' - 29'	Pink	— " —	— " —			— " —			L. S. Stone.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	GUNYOT.		COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000022 REMARK
					MINERALS.					
A4	1459	60	Off White	Well rounded grains of Qtz. matrix	Qtz	clay.	Malachite			L. S Stone.
	1461			CuCO ₃ . Clay						
	1462	5'-10'	Off White	— " —	— " —		Malachite			L. S Stone
	1463	10'-15'	Off White	As above some angular chips high % of Clay.	Qtz.	clay	Malachite			L. S Stone
	1464	15'-20'	Off White	— " — + angular chips R. Qtzite			Malachite			L. S Stone
	1465	20'-25'	Pink	Angular chips R. Qtzite.	Pink. Qtz	Mn coated grain	Not Noted.			R. Qtzite
	1466	25'-30'	Pink	— " —	— " —		— " —			R. Qtzite.
	1467	30'-35'	"	"	"					
	1468	35'-40'	"	"	"		"			"

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	Minerals				COPPER, MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000023
												REMARK
B4.	477	0 - 2'	Orange	Round grains of sand	Qtz				Malachite			Sand
	478	2' - 5'	Orange	Rounded sand. Chips of W. S. Stone. Clay. Kaolin.	Qtz. felspar. Clay Kaolin.				Surface blow Malachite.			Sand & White Sandstone
	479	5' - 10'	Pink.	Chips of R. Stone	"				Malachite			R Qtzite.
	480	10' - 15'	Pink	— " —	— " —				Malachite	1 : 10		
									Few specs of Chalcocite.			R Qtzite.
	481	15' - 20'	Pink	— " —	— " —				Not Chalcocite			
									Specs. Noted.			R Qtzite
	482	20' - 25'	Pink	— " —	— " —				As above.			R Qtzite.
	483	25' - 30'	Pink									
	484	30 - 35	Pink	— " —	— " —				— " —			R Qtzite

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000024 REMARK
D1	369	0' - 5'	Brownish	Blebs of clay, sand & chips of white sandstone with felspar + kaolin	Quartz, felspar kaolin clay			Not noted			White Sands tone 3' Sand
	370	5' - 10'	?								
	371	10' - 15'	Off white	Semiangular grains of quartz and chips of pink felspar	As above + gypsum.			Not noted			White Sst.
	372	15' - 20'	Off white	As above	As above			Not noted			W Sst
	373	20' - 25'	Off white	As above with some well rounded grains.	Less felspar.			Not noted			W Sst + some lithic S Stone
	374	25' - 30'	Yellowish	Well rounded grains of quartz clay	Quartz, clay. Fe stains.			Not noted			L S Stone
	375	30' - 35'	Pinkish	Angular to sub angular chips of red Qtzite Some well rounded grains	Pink Qtz. White Qtz. Clay + Kaolin Mn stains.			Not noted			Lithic S Stone Some Red Qtzite
	376	35' - 40'	Pinkish	As above	As above			Not noted			Lithic S Stone
	377	40' - 45'	Pink	Sub angular chips of Quartz. Kaolin	Pink Qtz. Mn stains Some Fe, Kaolin			Green Malachite ± 2%			Some R. Qtzite R Qtzite.
	378	45' - 50'	Pink green	As above	As above			Malachite & Chalcocite ± 5%	1 : 5		R. Qtzite
	379	50' - 55'	Pink	As above	As above			As above	1 : 10		R Qtzite.

Cont.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS				COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000025
												REMARKS
D1	380	55'-60'	Pink	As above					As above			R. Qtzite
	381	60'-65'	Pink	As above				Malachite				R. Qtzite
	382	65'-70'	Pink	Angular chips of Red Qtzite	Pink Qtz.				2 1/2 % Few specs. of Black min Possibly Malachite.			R. Qtzite

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000026
											REMARK
D2		0-5	?	Clay O'burden	Qtz						Top Soil Sand.
	383	5'-10'	Pinkish.	Angular & sub angular grains of White & pink Qtzite. Chips of Pink felspar	Quartz, felspar Kaolin.			Not noted.			White Sand Stone.
	384	10'-15'	Pinkish	As above	As above			Not noted			W. S Stone
	385	15'-20'	White.	As above with some well rounded grains of Qtz.	As above			Not noted			W S stone + L. S Stone.
	386	20'-25'	Off White	Rounded grains of Qtz. Clay Some angular chips.	Qtz, clay.			As above			L. S Stone.
	387	25'-30'	Yellow.	As above	As above			As above			L. S Stone.
	388	30'-35'	Off White	As above Clay & Kaolin.	As above			As above			L. S Stone
	389	35'-40'	Pink	Angular chips of red quartz.	Qtz.			As above			R. Qtzite.
	390	40'-45'	Pink.	As above Some large chips	Qtz Kaolin.			Malachite chips. $\approx 3\%$			R. Qtzite.
	391	45'-50'	Pink	As above	As above			$\approx 2\%$			R. Qtzite
	392	50'-55'	Pink.	As above	As above			$< 1\%$			R. Qtzite.
	393	55'-60'	Pink	As above	As above			$< 1\%$			R. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS				COPPER, MINERALS	RATIO Sulph: O. Salts	ASSAY % Cu.	000027
												REMARKS
D3	394	0'-5'	Orange.	Soil Clay Qtz.					Not Noted			Top soil Sand.
	395	5'-10'	Orange	Fls above + chips white Stone	Qtz. feldspar clay. 1				Not Noted			Top soil + White Sandstone
	396	10'-15'	Off White	Subrounded	Qtz. Feldspar				Not noted			W. S Stone
	397	15'-20'	---	chips of W. Qtz feldspar	Fls above				Not noted			L. S Stone
	398	20'-25'	Off White	Rounded grain of Qtz.	Qtz. clay.				Not noted			
	399	25'-30'										
	400	30'-35'	No Sample									
	251	35'-40'										
	252	40'-50'	Pink	Angular chips of R. Qtzite	Fls above				Malachite ± 2%			R. Qtzite.
	253	50'-55'	Pink	Fls above	Qtz.				± 1 1/2%			R. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000028 REMARK
D 4.	254	0'-5'	Off White	Angular to sub rounded chips of WS Stone with felspar.	Qtz. Felspar.			Not Noted			W S Stone
	255	5'-10'	Off White	As above	As above			Not noted.			W S Stone
	256	10'-15'	Off White	As above. Rounded grains of Qtz.	As above Gypsum.			Not noted.			W S Stone. 20% L. Stone 80%
	257	15'-20'	Off White	As above	As above			Not noted.			L. S Stone
	258	20'-25'	No Sample								
	259	25'-30'	Off white. Pinkish	Rounded grains of Qtz. Angular chips of Pink Qtz.	Qtz.			Not Noted			L. S Stone
	260	30'-35'	Brown	As above with Fe staining clay	Qtz. clay Fe oxide.			Not noted.			L. S Stone
	261	35'-40'	Pink	Angular chips of Pink Qtz	Qtz. kaolin			Spec. of Malachite			R. Qtzite.
	262	40'-45'	N. Sample								
	263	45'-50'	Pink	Angular chips R. Qtzite.	Qtz. kaolin			Not noted.			R. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS				COPPER, MINERALS	RATIO Sulph: O. Salts	ASSAY % Cu.	000029
												REMARKS
D5	264	2'-5'	Off White	Angular chips of Qtz. Felspar Kaolin	Qtz. Felspar Kaolin Gypsum				Not Noted			W. S Stone
	265	5'-10'	Off White	As above some rounded grains	Qtz. Felspar Kaolin				Not noted.			W S Stone Some L. Sst 10%
	266	10'-15'	Off White	Rounded grains of Qtz. some chips of R. Qtz					Not noted.			L. S Stone
	267	15'-20'	Off White									
	268	20'-25'	Pinkish	As above with Fe stain					Not noted			L. S Stone
	269	25'-30'	Yellow									
	270	30'-35'	Pink	As above + R. Quartz chips angular	Qtz. Kaolin				Not noted			L. S Stone + R. Quartz
	271	35'-40'	Pink	Angular chips of R. Quartz	Qtz.				Not noted			R Quartz
	272	40'-45'	Pink	As above	Qtz				Not noted			R Quartz

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER, MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
DG	995	0-5'	Off White	Angular to Rounded grains of White Qtz. Pink. felspar.	White Qtz Felspar Kaolin Clays.			Not noted.			Sand W. S Stone
	996	5'-10'	Off White	As above	As above			Not Noted			W S Stone
	997	10'-15'	White.	As above	As above			Not Noted			W. S Stone.
	998	15'-20'	White	As above 20% Well rounded grains. Red Qtz. chips.	As above			Not Noted			W S Stone. α L. S Stone
	999	20'-25'	White.	Well rounded grains of Qtz Small % of fines	Qtz Clay			Not noted			L. S Stone.
	1000	25'-30'	Pinkish	As above	Qtz felspar. Clay Qtz Rub & white.			Not noted			L. S Stone with R. Qtzite
	1001	30'-35'	Pink	Red. Qtz chips angular.	Pink Qtz. Kaolin felspar.			Not noted.			P. Qtzite.
	1002	35'-40'	Pink	Angular chips of red quartzite.	Pink Qtz.			Not noted.			R. Qtzite.
	1003	40'-45'	Pink	As above	As above			Not noted.			R. Qtzite.
	1004	45'-50'	Off white.	As above	As above			Malachite chips			R. Qtzite
	1005	50'-55'	Pink	As above Clayey fines	As above Kaolin			≈ 2%			R. Qtzite
								Malachite			
								≈ 1/2%			
	1006	55'-60'	Pink	As above	As above			As above			R. Qtzite.
								< 1/2%			

000031											
HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D7	1072	0'-5'	Orange.	Sand. Soil chips of WSSst.	Qtz. Clay			Not Noted			Sand. Some W. Stone.
	1073	5'-10'	White.	Subangular	Qtz			Not Noted			W. Stone.
	1074	10'-15'		To angular chips	Felspar pink			"			"
	1075	15'-20'		of W. Qtz.	Fines.			"			"
	1076	20'-25'		Felspar.				"			"
	1077	25'-30'		Fines. 30%				"			"
	1078	30'-35'	Off White	As above with Rounded grains of Qtz	"			"			W. Stone & L. Stone.
	1079	35'-40'	Off White.	Rounded Grains of Qtz. No fines.	Qtz.			Not Noted			L. Stone
	1080	40'-45'	Off White	Rounded	Qtz. Clay			Not Noted			L. Stone
	1081	45'-50'	Pinkish	Grains of Qtz							"
	1082	50'-55'		Le Stain. minor clay.							"
	1083	55'-60'									"
	1084	60'-65'	Pinkish	Angular chips of Red Qtzite with some rounded grains.	Pink Quartz.			Chips of Malachite < 1/2%			Some L. Sst 10% R. Qtzite
	1085	65'-70'	Pink.	Angular chips of Quartz.	" " "			Chalcocite Malachite chips = 1%	5:1		R. Qtzite.
	1086	70'-75'	Pink	" " "	" " "			" " 1%			R. Qtzite
	1087	75'-80	Pink	" " "	" " "			" " "			R Qtzite.
	1089	80'-85	Pink	" " "	" " "			" " = 1/2%			R Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D8	2062	0' - 5'	White.	Angular to Sub	Quartz felspar			Not Noted.			W.S. Stone
	2063	5' - 10'	..	rounded grains of							
	2064	10' - 15'	..	Quartz. and							
	2065	15' - 20'	..	felspar.							
	2066	20' - 25'	..								
	2067	25' - 30'	..								W.S. Stone.
	2068	30' - 35'	White Pink.	Angular chips and Well rounded grains of Qtz. Some felspar	— " —			Not noted.			W.S. Stone. L.S. Stone.
	2069	35' - 40'	Off White	Well rounded grains of Quartz Fe Stains Clay	Qtz. Clay Fe oxides.			Not noted			L.S. Stone
	2070	40' - 45'	Off White	— " —	— " —			— " —			— " —
	2071	45' - 50'	— " —	— " —	— " —			Few Specs of Chalocite.			L.S. Stone.
	2072	50' - 55'	Off White	— " —	— " —			Not Noted.			L.S. Stone.
	2073	55' - 60'	Pink.	Angular chips of R. Qtzite Some rounded grains of W. Qtz.	Pink Qtz. W Qtz.			Not Noted			L.S. Stone 20% 80% R. Qtzite.
	2074	60' - 65'	Pink.	Angular chips of Red Qtzite.	— " —			Not Noted			R. Qtzite
	2075	65' - 70'	Pink.	— " —	— " —			Specs of Chalocite			R. Qtzite.
	2076	70' - 75'	Pink	— " —	— " —			2 1%			R. Qtzite.
	2077	75' - 80'	Pink.	— " —	— " —			2 1%			R. Qtzite.
								1% -			

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER, MINERALS	RATIO Sulph : O. Salls	ASSAY % Cu.	REMARK
D9	1055	0' - 5'	Orange.	Angular chips of White Sandstone (Sand in fine matrix)	Quartz Kaolin Clay			Few Specs of Malachite possibly surface.			White Sandst.
	1056	5' - 10'	Pinkish	As above	As above			Not noted			White S. Stone
	1057	10' - 15'	White	— " —	— " —			— " —			— " —
	1058	15' - 20'	White	— " —	— " —			— " —			— " —
	1059	20' - 25'	White	Sub rounded grains of white quartz little felspar.	Qtz.			Not Noted			W. S. Stone
	1060	25' - 30'	White	As above	— " —			— " —			— " —
	1061	30' - 35'	Offwhite	As above	— " —			— " —			— " —
	1062	35' - 40'	Offwhite	Rounded grains of Quartz some minor chips & Kaolin.	Quartz Kaolin.			Not Noted			Lillic S. Stone
	1063	40' - 45'	Offwhite	As above	As above			Not noted			L. Sst.
	1064	45' - 50'	Offwhite	As above	— " —			— " —			L. Sst
	1065	50' - 55'	Pink	As above + angular chips of pink Qtz.	White Qtz. Pink Qtz.			Not noted			L. Sst with R. Qtzite
	1066	55' - 60'	Pink	Angular chips of R. Qtzite	Pink Qtz.			Not Noted			R. Qtzite.
	1067	60' - 65'	Pink	As above	— " —			Not Noted			R. Qtzite
	1068	65' - 70'	Pink	— " —	— " —			Few Black Specs of Chalcocite		0.12	R Qtzite
	1069	70' - 75'	Pink	As above	— " —			Chalcocite $\approx 2\%$		1.08	R Qtzite. R

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARKS
D10	1039	0'-5'	Orange	Clay Soil Sand				Not Noted			Sand Soil.
	1040	5'-10'	Pink	Qtz chips	Felspar Qtz						Weathered White Sandstone
				Angular and subrounded	Fe stains Kaolin						
	1041	10'-15'	White	As above	As above			Not noted			W. SStone.
	1042	15'-20'	"								
	1043	20'-25'	"								
	1044	25'-30'	"	As above + some well rounded grains of Qtz clay blebs				Not Noted			W SStone + L. Sandstone
	1045	30'-35'	Pinkish	Rounded grains of Qtz. Clay.	Qtz. Clay			Not Noted			L. SStone
	1046	35'-40'	Off White	As above	"			"			
	1047	40'-45'	"	"	"			"			
	1048	45'-50'	"	"	"			"			
	1049	50'-55'	"	"	"			"			L. SStone
	1050	55'-60'	Off White pinkish	As above + angular chips of R. Qtzite	Qtz white Qtz Pink Clay.			Black chips of mineral Chalocite? No Carbonates Noted		0.13	L. SStone R. Qtzite.
	1051	60'-65'	Pink	Angular chips of R. Qtzite	Qtz.			Chalocite + Malachite ~2%	1:1	1.54	R. Qtzite
	1052	65'-70'	Pink	As above	"			As Above			
									10:1	1.32	R. Qtzite
	1053	70'-75'	"	"	"			As Above	20:1	1.18	R. Qtzite.
	1054	75'-80'	"	"	"			No Malachite		0.62	R. Qtzite.
	2549	80'-80'	"	"	"			"		0.17	R. Qtzite.

000036

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D11	1023	0' - 5'	Brown.	Angular chips of Qtz. Fe Stains	Qtz. Felspar			Not Noted			Weathered White Sandstone
	1024	5' - 10'	White	Largest fine angular chips of Qtz. + GM	Qtz.			Not Noted			W. S Stone
	1025	10' - 15'	"	"	"			"			"
	1026	15' - 20'	"	"	"			"			"
	1027	20' - 25'	"	As Above + Rounded grains of Qtz.	Qtz. felspar Kaolin			Not Noted			W S Stone + L. S Stone 10%
	1028	25' - 30'	White	Rounded grains of Qtz.	Qtz. clay			Not Noted			L. S Stone.
	1029	30' - 35'	Off White	of Qtz. with clay. Kaolin.	Kaolin.			"			"
	1030	35' - 40'	"	"	Fe Stains.			"			"
	1031	40' - 45'	"	"	"			"			"
	1032	45' - 50'	"	"	"			"			"
	1033	50' - 55'	"	"	"			Not Noted		0.06	L. S Stone
	1034	55' - 60'	Greenish Pink	As above Greenish Kaolin Few angular chips of R. Qtzite.	As above			Malachite Pale green Few black specks of Min Chalocite?		1.75	L. S Stone + R Qtzite.
	1035	60' - 65'	Pink gray	Sub angular chips R Qtzite.	Qtz. Kaolin.			Chalocite + Malachite 2 5%	10 : 1	3.53	R Qtzite.
	1036	65' - 70'	Pink	As above	"			# No Malachite		2.78	R Qtzite.
	1037	70' - 75'	Pink	As above	"			" 2 2%		2.10	R Qtzite.
	1038	75' - 80'	Pink	As above	"			" 2 1/2%		3.58	R Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER, MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D12	1007	0'-5'	Orange	Soil Rockchips				Not Noted			Soil. & White Sandstone
	1008	5'-10'	White	Chips of Rock	Qtz Felspar			Not Noted.			W. SStone
	1009	10'-15'	"	+ Subangular grains of Qtz.	Kaolin & Clay						
	1010	15'-20'	White	As above + rounded grains of Qtz.				Not Noted			W. SSt + L. SSt
	1011	20'-25'	Off White	Rounded grains of Qtz.				Not Noted.			L. SStone.
	1012	25'-30'	Off White	"				Not Noted			"
	1013	30'-35'	"	"				"			"
	1014	35'-40'	"	"				"			"
	1015	40'-45'	"	"				"			L. SSt
	1016	45'-50'	Off White	As above with chips of Red. Qtzite.	Pink. Qtz.			Few specs Noted Malachite		0.03	L. SSt + R. Qtzite
	1017	50'-55'	Pink.	Angular chips of Qtz. Kaolin.				Malachite Covellite Chalcoite	1:1	1.97	R. Qtzite
	1018	55'-60'	"	"				"	2:1		R. Qtzite.
	1019	60'-65'	"	"				"	1:1		R. Qtzite
	1020	65'-70'	"	"				"	1:1		R. Qtzite.
	1021	70'-75'	"	"				Chalcoite			R. Qtzite.
	1022	75'-80'	"	"				Chalcoite Minor $\frac{1}{2}\%$			R. Qtzite R. Qtzite

000038

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D. 13	2078	0'-5'	ORANGE	Clay laterite chips				Not Noted	Not		Over burden Sand
	2079	5'-10'	White	Angular & sub angular chips of W. Qtz & S Stone	Quartz Felspar Kaolin			Not Noted			White S Stone
	2080	10'-15'		Felspar chips				As Above			White S Stone
			White					"			"
								"			"
	2081	15'-20'						"			"
	2082	20'-25'						"			"
	2083	25'-30'	"	"	"			"			"
	2084	30'-35'	White	Rounded grains of Qtz	"			"			W. S Stone
				Some as above							L. Sandstone
	2085	35'-40'	Maroon	Rounded	Qtz			As Above			L. S Stone
	2086	40'-45'		Qtz grains	Fe oxides						
	2087	45'-50'		little fines							
				Fe. Stains							
				Clay							
	2088	50'-55'		As above	"			"			L. Sst
	2089	55'-60'		As above	"			"			L. Sst
	2090	60'-65'		As above with chips of Pink Quartz	As Above, No. Fe.			Not Noted		0.08	L. Sst 50% 50% R. Qtzite
	2091	65'-70'	Pink	Angular chips of R. Qtzite	Pink Qtz			Specs of Chalcocite		0.45	R Qtzite
	2092	70'-75'		As above	As above			As above 1%		0.37	R Qtzite

REMARK

[illegible]

000040											
HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
D14	2097	0'-5'	White.	Angular Sub Ang	Qtz			Not Noted			
	2098	5'-10'		chips Qtz Felspar	Felspar			"			White S. Stone
	2099	10'-15'		some Kaolin	Kaolin			"			
	2100	15'-20'		As above fine				"			
	2101	20'-25'		grain.				"			
	2102	25'-30'						"			
	2103	30'-35'	off White.	Rounded grains of Quartz.	As above			Not Noted.			W. S. Stone.
				Some chips as above							Li. Thic S. Stone.
	2104	35'-40'	Maroon	As above	"			Not Noted			L. Sst
	2105	40'-45'	"	"	"			"			"
	2106	45'-50'	off White.	With clay	" Clay			Not Noted			L. Sst
	2107	50'-55'	"	"	"			"			L. Sst
	2108	55'-60'	"	"	"			"			L. Sst.
	2109	60'-65'	Brown	As above				Not Noted			L. Sst
				Clay Fe stains	Fe oxides.						Some R. Qtzite 10%
				Some Angular chips.							
	2110	65'-70'	Brown.	Angular chips of R. Qtzite	Pink Qtz. Kaolin, Hu stains.			Chalcosite Specs $\approx \frac{1}{2}\%$			R. Qtzite.
				clay Kaolin							"
	2111	70'-75'	Pink	"	" No Hu.			"			"
	2112	75'-80'	"	"	Fine Grained.			"			"
	2113	80'-85'	"	"	"			"			"
	2114	85'-90'	"	"	"			"			"
	2115	90'-95'	"	"	"			"			"
	2116	95'-100	"	"	"			"			P. Qtzite.

HOLE	SAMPLE	FOOTAGE	COLOUR	AGGREGATE	Minerals				COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000041
	No.											REMARK
R5	2032	0' - 5'	Orange Brown	Rounded Qtz and Angular chips of Red Silite. Koolin + Clay.	Qtz. Koolin Clay Fe + Mn Stains.				Not Noted			Lillic S. Stone or R. Qtzite.?
	2033	5' - 10'	As above.	Rounded Qtz grains. clay Soft Black mineral Decomp. Mamm.	Qtz. clay Mn & Fe minis.				Not noted.			L. Sst.
	2034	10' - 15'	Gray	Rounded grains of Qtz., Clay Angular chips of Gypsum + Black Mn oxide	High Soft Gypsum + Clay. Possibly Dolomite Koolin + Mn Hcl. + Breakup.				Not Noted			Decomposed Dolomite. + Clay bands.
	2035	15' - 20'	Orange	As above	As above				Not Noted			As above
	2036	20' - 25'	Mustard	As above Chips of Dolomite	Calcs.				Malachite ~ 1%			Dolomite + Clay
	2037	25' - 30'	Mustard	Washed sample Chips of Dolomite with Qtz grains Pink clay + thin chips	Qtz. Calcs. Mn + Fe Quartz.				Malachite ~ 2% Cu stains. Possible Cu Sulphides			Dolomite. + thin. Cu Fe

[illegible]

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	Minerals	Ratio W to R Sst.	COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000043 REMARK NAME
C1	359	5' - 10'	OFF WHITE.	Rounded to Well rounded grains Chips of Red Sst. Gypsum & Salt P. Limonite & clay blebs Fines 50%	Qtz. minor feldspar Gypsum limonite Mn		Est. < 0.1% O. Salts No Sulphides Noted Mn Scales.			LITHIC SANDSTONE
	360	10' - 15'	OFF WHITE.	Rounded grains Chips of R Sst Gyp. Fines 50%	Qtz. minor feldspar As above		Est. < 0.1% O. Salts No Sulph noted Mn Scales			LITHIC Sand Stone.
	361	15' - 20'	OFF WHITE	Rounded to Well Rounded No R Qtz chips noted Fines 20%	As Above.		Few spec. O Salts no sulph Mn Scales			LITHIC Sand Stone.
	362	20' - 25'	YELLOW + Pinkish	Rounded grains Some chips of red sandstone + Gypsum chips	Mainly Qtz.	5 : 1	Not Noted			LITHIC Sandstone = 8' 2' R. Qtz.
	363	25' - 30'	Pink	Fine angular chips. Some rounded grains. Some Coarse Red Qtz. chips.	Quartz.	1 : 5	Not Noted		Trace	R. Qtzite
	364	30' - 35'	Pink	Fine angular Qt chips Minor rounded Grains. Fe staining	Quartz	1 : 10	Few Specs.		Trace	Red Qtzite.
	365	35' - 40'	Pink	Angular chips of Qtz. Clay blebs white Minor Rounded Gr.			Not Noted.		0.25	Red Qtzite.

CUTTINGS EXAMINED UNDER BINOCULAR MICROSCOPE. by J.E. 3rd Nov 1966.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000045
											REMARK
C2	348	0'-2'	Orange	Soil, rounded grains of sand clay.	Quartz, Gypsum			Chips of Cu O Salts.			Topsoil Sand.
	349	2'-5'	Orange.	Rounded quartz blebs of clay.	Quartz gypsum			Malachite. O Salts. < 0.1%			Topsoil, sand Lilhic sandstone.
	350	5'-10'	Yellow - off white.	Well rounded white quartz. angular grains of red quartzite. Fines $\approx$ 50%	Quartz, blebs of clay			Specs Malachite (possibly from upper levels. < 0.01%			Lilhic sandstone
	351	10'-15'	Off white Pinkish.	As above Ratio White to Red Grains 1:1	Quartz, (Kaolin felspar?)			—			Lilhic sandstone Red Quartzite
	352	15'-20'	Pink.	Angular red Quartz chips.	Quartz.			—			Red Quartzite.
	353	20'-25'	Pink.	Red quartzite chips, some rounded grains	Quartz Mn staining on grains of Qtz.			Malachite Black min Cuprite $\approx$ 2-3%	1	1.00	R Qtzite
	354	25'-30'	Pink.	R. Quartzite chips	As above.			Malachite $\approx$ 3% cuprite $\approx$ 3%		1.00	R. Qtzite.
	355	30'-35'	Pink.	As Above	Qtz.			As above		1.50	R Qtzite.
	356	35'-40'	Pink.	As Above + Kaolin blebs	Qtz = Kaolin					0.25	R. Qtzite.

Cont.

[illegible]

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000047 REMARK
C 3.	340	2'-5'	Orange	Rounded grains of Quartz, clay Red Qtzite chips Fe stains	Quartz limonite			—		0.10	Lithic Sandstone + Surface sand.
	341	5'-10'	off white	Rounded grains of white quartz + Angular fragments of R Qtz 4:1 Clay Felspar.						0.05	Lithic S. Stone. + Red. Qtzite.
	342	10'-15'	Off-white	Angular chips of R. Qtzite Kaolin.	Qtz. Pink Kaolin stained green			Malachite + O. Salts of Cu $\approx 2\%$		1.53	R. Qtzite.
	343	15'-20'	Pink green	As above				As above $\approx 5\%$		2.38	R. Qtzite.
	344	20'-25'	Pink	Angular chips of R Qtzite Gypsum chips	Qtz Gypsum			Malachite O.S. $\approx 3\%$ Black min specs possibly Cuprite		0.70	R. Qtzite.
	345	25'-30'	Pink	As above + Kaolin Fe stains	— " — Limonite?			As above		0.59	R. Qtzite.
	346	30'-35'	Pink	Angular chips of red Qtzite some gypsum	Qtz.			less Cu minerals than above $\approx 1\%$		0.47	R. Qtzite.

to be assayed.

Cont.

[illegible]

2

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS.			COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
C4	324	0'-2'	Orange.	Rounded sand grains. Clay Mn stained Qtz.	Quartz Gypsum Calcium Carb			Malachite chips			Sand
	325	2'-5'	Orange Yellow.	Angular quartz chips. Red Qtz chips.	Red Yellow White Quartz. Cu stained Mn stained Felspar Kaolin.			Malachite + Cu O Salt chips. $\approx 2\%$		0.99.	Red Quartzite?
	326	5'-10'	Pink.	Red Quartzite chips. Clays.	Qtz. Kaolin			Cu Carbonates $\approx$ O Salts. $\approx 3\%$		1.01.	Red. Quartzite
	327	10'-15'	Pink	Red. Quartzite chips clay, Gypsum.	Quartz, Kaolin Gypsum			Cu CO ₃ + O Salts 5%		1.58.	Red Quartzite
	328	15'-20'	Pink	Angular to Semi R Quartz grains + chips Kaolin gypsum.	As above			Malachite + O Salts 2%		1.19	Red. Quartzite.
	329	20'-25'	Pink	As above	As above			As above		1.01	Red Quartzite
	330	25'-30'	Pink.	As above	As above			Cummins $\approx \frac{1}{2}\%$		0.64.	Red Quartzite.
	331	30-35	Pink.	As above	As above			Non observed		0.15	Red Quartzite

HOLE	SAMPLE	FOOTAGE	COLOUR	AGGREGATE	MINERALS				COPPER. MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000050
	No.											REMARK
C5	332	0'-2'	Orange.	Sand. Humus clay gypsum	Qtz. gypsum. K.				Ccarb chips			Sand Soil.
	333	2'-5'	LIGHT Orange	Semi angular grains of pink Quartz. clay. Sand grains	Gypsum Quartz Kaolin.				Few specs of Copper Carbonates			Red Quartzite Sand Soil. Weathered
	334	5'-10'	Pink.	As above	As above.				Not Noted.		0.05	Weathered Red Quartzite
	335	10'-15'	Pink.	Angular chips of R. Qtzite Fe Stains	Qtz. Felspar Kaolin. Limonite				Malachite + O. Salts.		0.74	R. Quartzite.
	336	15'-20'	Pink.	As above	As above				As above		0.80	Red Qtzite.
	337	20'-25'	Pink	Pink angular quartz chips	Quartz.				Minor an mins noted		0.25	Red. Qtzite.
	338	25'-30'	Pink	As above	As above				As above		0.13	Red Qtzite.
	339	30'-35'	Pink	As above	As above				Not Noted		0.05	Red. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE			COPPER, MINERALS	RATIO Sulph: O. Salts	ASSAY % Cu.	000051 REMARK
C6	1089	0'-5'	Light orange Yellow	Subangular to subrounded grains of white & yellow quartz; grains of felspar.	Qtz. Kaolin Felspar Gypsum.		Not noted.			White Felspathic Sandstone. Weathered
	1090	5'-10'	Yellowish - white	Quartz Gypsum As above.	As above		As above			W.F. S. St. Weathered
	1091	10'-15'	White.	Subangular to sub rounded grains & chips.	White Quartz Gypsum Kaolin Some Felspar.		As above			White S. Stone
	1092	15'-20'	White	As above.	White Qtz.		As above			White S. Stone.
	1093	20'-25'	White & Yellowish	Subangular to rounded grains fines 10% Some Red Qtz grains.	White Qtz Red. Qtz Kaolin, felspar.		As above			White S Stone possibly lithic %
	1094	25'-30'	Off White	Rounded to Well rounded grains of Qtz. Fe staining	White & Smoky Qtz grains Limonite		Not noted			Lithic S Stone
	1095	30'-35'	As above	As above	As above		As above			L. S. Stone
	1096	35'-40'	As above	Well rounded grains. Negligible fines	As above		As above			L. S. Stone
	1097	40'-45'	— " —	— " —	— " —		— " —			— " —

Cont.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER MINERALS	RATIO Sulph : O.Salts	ASSAY % Cu.	REMARK
C.6	1098	45'-50'	off-white or Yellowish	Wellrounded grains with Red Qtzite chips	Red Qtz White Qtz			Not noted			Litic S. Stone
	1099	50'-55'	Off white Pinkish	As above higher % of fines R to W 50-50	As above Kaolin Limonite			Not noted.		0.08	Litic S. Stone Red Qtzite.
	1100	55'-60'	Pink	Angular chips of Red Qtz.	R Qtz, Clay Kaolin			Black mineral Cuprite or Sulphides chalcocite		0.52	Red Qtzite.
	1101	60'-65'	Pink	As above High % of fines	As above			As above		0.35	R. Qtzite.
	1102	65'-70'	Pink.	As above.	As above No Kaolin. & Clay			Black gums Chalcocite scattered chalcocite to ? Malachite? = 3% Gums.		2.45	R. Qtzite.
	1103	70'-75'	Pink.	As above	As above			As above. = 3/4 % Gums		0.49	R Qtzite.
	1104	75'-80'	Pink.	As above	As above			= > 1/2 % Gums			R. Qtzite.

~~000052~~

REMARK

2

000053												
HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	Minerals				COPPER, MINERALS	RATIO Sulph: O. Salts	ASSAY % Cu.	REMARK
C 7.	1119	0'-5'	White	Subangular to Sub-rounded grains of Quartz, Chips of feldspar; Kaolin	Qtz. Feldspar Kaolin.				Not noted.			W. Sandstone.
	1120	5'-10'	White	As Above	As above				As above			W. S Stone.
	1121	10'-15'										
	1122	15'-20'										
	1123	20'-25'										
	1124	25'-30'	Off white	Rounded to Well-rounded grains of quartz. No fines Fe stains. Clay blebs	Qtz. Kaolin Clay limonite				As above			Litic Sandstone
	1125	30'-35'	As above	As above	As above				As above			L. Sst.
	1126	35'-40'										
	1127	40'-45'	Off white with Red Qtz. chips	As above with angular chips of R. Qtzite	White & R. Qtz.							L. Sst.
	1128	45'-50'	As above	As above with R. Qtzite fines as angular chips.	As above				As above			L. S Stone & R. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	Minerals.			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000054 REMARK
C8	1105	0'-5'	White	Sub angular grains of Qtz Coarse chips of W Sst. Clay. Felspar chips.	White Qtz. Clay. Kaolin Felspar. pink.			Not Noted			White Sand Stone
	1106	5'-10'	White	As above	As above			As above			W. Sandstone
	1107	10'-15'	Yellow	As above. Fe mineral stains	As above Limonite Gypsum			As above			W. S. Stone Weathered Ho. Mineral
	1108	15'-20'	White	Sub angular grains of quartz. some pink. felspar "Gypsum"	As above			As above			W. S Stone.
	1109	20'-25'	White	Sub rounded and some well rounded Qtz. grains. fines 30%	White Qtz Felspar			As above.			W. S Stone Some L. Sandstone
	1110	25'-30'	Off white	Well rounded grains of Qtz	Quartz some			As above			Lithic S. Stone
	1111	30'-35'		No fines	Fe. stains.						
	1112	35'-40'	Off white Pinkish	As above with fines of R. Quartz	As above			As above			Lithic SSt
	1113	40'-45'	off white Pinkish	As above	As above			As above			As Above

[illegible]

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000056 REMARK
C9	1129	0'-5'	Yellowish White	Sub angular grains of Qtz. Clay + Kaolin fine 30%	Offwhite Qtz. Kaolin. Clay			Not noted.			White Sand Stone Weathered
	1130	5'-10'	Yellow	As above Black Specs Fe Min	As above Limonite?			As above			White Sst Weathered
	1131	10'-15'	Off White	As above with some well rounded grains.	As above			As above			W Sst some L. Sst.
	1132	15'-20'	Pinkish White.	Well rounded grains of Qtz. Chips of Gypsum	R. & W Qtz Gypsum			As Above			L. Sst.
	1133	20'-25'	As above	As above	As above			As above			L. Sst.
	1134	25'-30'									
	1135	30'-35'									
	1136	35'-40'									
	1137	40'-45'	Pink.	Angular grains of Red. White, Minor rounded grains.	Qtz.			Malachite + possible cuprite / black specs with green coating $\approx 1\%$		0.39	R. Qtzite some L. Sst.
	1138	45'-50'	Pink.	As above				$\approx 1\%$		0.93	
	1139	50'-55'	Pink	As above			Very minor Carbonates noted: Chalcocite $\approx 1\%$			0.68	R. Qtzite
	1140	55'-60'	Pink	As above			As above -			0.48	R. Qtzite.

000057

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARKS
C10	1141	0' - 5'	Yellowish White	Rounded and Subangular grains of Quartz.	Quartz.			Not noted.			White S Stone or L. Sandstone
	1142	5' - 10'	Offwhite	Rounded quartz	Quartz.			As above			L. S stone
	1143	10' - 15'	Pinkish	grains & chips				As above			L. S Stone
	1144	15' - 20'	Pink.	As above	— " —			As above			L. S Stone
	1145	20' - 25'	Offwhite	As above	— " —			— " —			L. S Stone.
	1146	25' - 30'	Pink.	Rounded grains of quartz; chips of red Qtzite. fines 20%	Quartz.			No Minerals noted.			L. S stone
	1147	30' - 35'	Pink.	Angular chips of red Qtzite Minor chips of felspar. Kaolin fines 50%	Quartz. Felspar Kaolin			No Cummis noted.			R. Quartzite.
	1148	35' - 40'	Pink	As above Fe stained Qtz	As above			Chips of Malachite & Cu salts		0.12	R. Quartzites
	1149	40' - 45'	Pink (Grey Green)	As above	As above			Malachite Chalcoite ~ 6% Minor Cuprite?	M. 50. C. 50	3.84	R. Quartzite.
	1150	45' - 50'	Pink.	As above	As above			As above		0.97	
	1151	50' - 55'	Pink	As above	As above			Cummis 1 1/2 % As above Cummis 1 %	As above M 1 - C 5	0.35	R. Qtzite. R. Qtzite.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE	MINERALS			COPPER, MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARK
C. 12	2117	0' - 5'	off. white	Subangular grains of quartz, Pink feldspar, some Kaolin bebs	Quartz Feldspar Kaolin			Not Noted.			White Sandstone.
	2118	5' - 10'	off white	As above	As above			As above			W. S stone.
	2119	10' - 15'	White								
	2120	15' - 20'	White								
	2121	20' - 25'	off white	Subangular and well rounded grains. Fe stained Feldspar + Kaolin chips & blebs	Quartz Kaolin Feldspar Limonite			As above			W S stone Same L. S Stone
	2122	25' - 30'	off white Brownish	Well rounded grains of quartz Fe stained. small % of fines	As above			As above			Lillic S Stone.
	2123	30' - 35'	Maroon Brown	As above Higher % of Fe stains. Mn coatings	As above			As above			L. S Stone
	2124	35' - 40'	As above	As above	As above			As above			L. S stone
	2125	40' - 45'									
	2126	45' - 50'	Off white yellowish								
	2127	50' - 55'	As above	As above	As above			As above		0.02	L. S stone
	2128	55' - 60'	Off white	Angular chips of red. quartz and rounded white quartz grains	White Qtz. Red. Qtz. Mn. Fe			As above Not Noted Black specs possibly Chalcocite.		0.06	L. S stone R. Qtzite 50 - 50.

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.				COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	000061 REMARK
13	2133	0' - 5'	Off white	Sub. rounded White quartz. Pink felspar. Kaolin	Qtz. Felspar Kaolin			Not Noted			White Sandstone.
	2134	5' - 10'	As above	As above + Mn coated grains	As above + Mn Gypsum			As above			W. Sst.
	2135	10' - 15'									
	2136	15' - 20'									
	2137	20' - 25'	Off white yellowish	Well. Rounded grains of quartz Fe stained. Small of fines	Qtz. Limonite Kaolin			As above			L. Sstone.
	2138	25' - 30'	Maroon	As above	Rounded Qtz grains			As above			L. Sstone.
	2139	30' - 35'	Maroon	As above							
	2140	35' - 40'	Maroon.	As above + clay covered Qtz	As above			As above			L. Sstone.
	2141	40' - 45'	As above	As above	As above			As above			L. Sstone.
	2142	45' - 50'	As above	As above.	As above			As above			L. Sstone.
	2143	50' - 55'	Off white	White Qtz grains Well rounded	As above			Black specs Possibly chalcocite			L. Sstone
	2144	55' - 60'	Pink grey	As above	As above			As above		0.05	L. Sstone
	2145	60' - 65'	Pink grey	Well rounded grains of white Qtz Chips of R Qtzite High % of clay	W. Qtz. R Qtz Kaolin Clay			Specs of laminated chalcocite		0.25	L. Sstone + R. Qtzite
	2146	65' - 70'	Pink	As above less clay	As above			As above = 1%		0.46	R. Qtzite.
	2147	70' - 75'	Pink	As above fine grains angular	Red. Qtz			As above = 5%		0.25	R. Qtzite.
	2148	75' - 80'	Pink	As above	As above			Few specs noted Chalcocite		0.09	R Qtzite.

000062

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.	MINERALS			COPPER MINERALS	RATIO Sulph: O. Salts	ASSAY % Cu.	REMARK
L 1	1347	0' - 5'	Orange White	Sand chips of L. SStone Rounded grains of White Qtz Clay	Qtz, Kaolin Gypsum, Clay.			Not Noted			L. SStone
	1348	5' - 10'	Off White	Chips of L. Sst α grains well rounded	As above			Not Noted			L. SStone
	1349	10' - 15'	Off White	As above	As above			Not Noted			L. SStone
	1350	15' - 20'	Yellowish	Well rounded grains of Qtz	— " —			— " —			L. SStone
	1351	20' - 25'	Off White	— " —	— " —			— " —			L. SStone
	1352	25' - 30'	Off White	— " —	— " —			— " —			L. SStone
	1353	30' - 35'	Brownish	As above + Chips of R Qtzite α Fe Stained Clay.	— " —			— " —			L. SStone & R. Qtzite
	1354	35' - 40'	Pink.	Angular chips of R Qtz. minor clay	Qtz. clay.			Malachite α Chalcocite	1 : 4		R. Qtzite
	1355	40' - 45'	Pink.	— " —	— " —			— " —	4 : 1		R. Qtzite
	1356	45' - 50'	— " —	— " —	— " —			— " —	1 : 1		R. Qtzite
	1357	50' - 55'	— " —	— " —	— " —			— " —	4 : 1		R. Qtzite
	1358	55' - 60'	"	"	"			"	4 : 1		R. Qtzite
	1359	60' - 65'	"	"	"			"	4 : 1		"
	1360	65' - 70'	Redish	"	"			Few Specs noted	4 : 1		"
	1361	70' - 75'	Redish	"	"			— " —	— " —		R. Qtzite. R. Qtzite
	1362	75' - 80'	"								
	1363	80' - 85'	"					Not Noted.	— " —		R. Qtzite
	1364	85' - 90'	"					"	"		"

Cont

HOLE	SAMPLE No.	FOOTAGE	COLOUR	AGGREGATE.				COPPER MINERALS	RATIO Sulph : O. Salts	ASSAY % Cu.	REMARKS
L1	1365	90-95'	Pink	Angular chips				Not Noted			R. & Tzite
	1366	95-100'	"	of Quartz.				"			"
	1367	100-105'	"	Some Clay				"			"
	1368	105-110'	"	"				"			"
	1369	110-115'	"	"				"			"
	1370	115-120'	"	"				"			R. & Tzite
	1371	120-125'	"								
	1372	125-130'	"								
	1373	130-135'	"								
	1374	135-140'	"								
	1375	140-145'	"								
	1376	145-150'	"								
	1377	150-155'	"								
	1378	155-160'	"								
	1379	160-170'	"								
	13	170-180'	"	As Above				As Above			R. & Tzite