

CONTENTS ENVELOPE 6624

TENEMENT: Not Related.

TENEMENT HOLDER: Mt Gunson Mines Pty. Ltd.

<u>REPORTS</u> : Drill Logs - Western Edge of Pernatty Lagoon - Regional Scout Drilling by Pacminex in 1972, Δ 5xx-xP Series where Δ = I, J, K, L and 5xx = 505 to 520.	Pgs. 3 - 19
and D509-1P. Regional Drilling 505 to 513 D to G.	Pgs. 20 - 29
510 to 513 H to J.	Pgs. 30 - 64
Regional Scout Drilling by Pacminex in 1972.	
Δ 5xx-xP Series where Δ = F, G, H, I, J and 5xx = 505 to 513.	Pgs. 65 - 174
<u>PLANS</u> : Topo base for Geological map of Western Shore of Pernatty Lagoon. 6512000mN - 14500mN.	6624-1
Topo base for Geological map of Western Shore of Pernatty Lagoon. 6507000mN - 6509500mN.	6624-2
Topo base for Geological map of Western Shore of Pernatty Lagoon. 6509500mN - 12000mN.	6624-3
Geology and Exploratory Drilling.	6624-4

PROJECT AREA: MT. GUNSON

PROJECT No.

SPUDDER: 17-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE:

BIT SIZE:

TO

TO

TO

[illegible]

PROJECT AREA: MT. GUNSON

PROJECT No.

SPUDDER: 17-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 24 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE:

BIT SIZE:

TO

TO:

TO

[illegible]

PACMINEX PTY. LTD.

HOLE No. I 512-4

PAGE 1 OF 1

PROJECT AREA: MT. GUNSON

PROJECT No.

SPUDDER: 17-3-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE:

BIT SIZE:

TO

TO

TO

[illegible]

PROJECT AREA: *Mt. Gunson*

PROJECT No.

SPUDDER: 17 - 2 - 72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 27 m

HOLE TYPE: *PERCUSSION* DRILLING CONTRACTOR: *O'NEIL* DRILLER:

LOGGED BY: *A. TURNBULL* DATE: BIT SIZE: TO TO TO

[illegible]

PROJECT AREA: Mt. Gunson

PROJECT No.

SPUDD: 17-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERMATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: H. TURNBULL DATE: _____

BIT SIZE:

TO

TO

TO

[illegible]

[illegible]

PROJECT AREA: Mt. Gunson

PROJECT No.

SPUDDER: 16 - 2 - 72

COMPLETED: 16 - 2 - 72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: *A TURNBULL* DATE:

BIT SIZE:

TO

TO

TO

[illegible]

000010

PAGE / OF /

TO

NON - CORING

PAGE / OF /

TO

[illegible]

PROJECT AREA: *MT. GUNSON*

PROJECT No.

SPUDDER: 15-2-72

COMPLETED: 15 - 2 - 72

LOCATION: WESTERN EDGE OF PERMATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: *A. TURNER* DATE:

BIT SIZE:

TO

TO

TO

[illegible]

PACMINEX PTY. LTD.

HOLE No. I 513 - 3

PAGE / OF /

PROJECT AREA: *Mt. Gunson*

PROJECT No.

SPUDDER: 15-2-72

COMPLETED: 15-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 21

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: _____

BIT SIZE: TO

TO _____ TO _____

[illegible]

LOGGED BY: A. TURNBULL DATE: _____ BIT SIZE: _____ TO _____ TO _____ TO _____

[illegible]

PACMINEX PTY. LTD.

HOLE No. *I 513-5*

PAGE / OF /

PROJECT AREA: *Mt. Gunson*

PROJECT No.

SPUDDER: 15-2-72

COMPLETED: 15 - 2 - 72

LOCATION: WESTERN EDGE OF PERMATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 24 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE:

BIT SIZE:

TO

TO

TO

[illegible]

LOGGED BY: P. TURNBULL DATE: _____ BIT SIZE: _____ TO _____ TO _____ TO _____

[illegible]

PROJECT AREA: *Mt. Gunson*

PROJECT No.

SPUDDER: 16-2-72

COMPLETED: 16 - 2 - 72

LOCATION: WESTERN EDGE OF PERMATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 3.4 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: *A. TURNBULL* DATE:

BIT SIZE:

TO

TO

TO

[illegible]

PROJECT AREA: *Mt. Gunson*

PROJECT No.

SPUDDER: 16 - 2 - 72

COMPLETED: 16-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 31 m

HOLE TYPE: *PERCUSSION* DRILLING CONTRACTOR: *O'NEIL* DRILLER:

LOGGED BY: *A. TURNBULL* DATE: _____ BIT SIZE: _____ TO _____ TO _____ TO _____

[illegible]

TO

NON - CORING

000020

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. D 509-1PPAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 24 mDATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				
							Cu.	Ag	Pb	Zn	Co
'	0-1		Dry								
56017	1-3	RO	(56049 Hg) Dark red hematite	—		— A	23	<1	20	<10	410 170
X 8	4	"	white clay " " " "	—		— A	21				
✓ 9	5	"	red minor clay	—		—					
✓ 20	6	"	" " " "	—		—					
✓ 1	7	"	"	—		—					
✓ 2	8	"	(56048)	—		— A	28	<1	25	20	375
✓ 3	9	"	red	—		—					
✓ 4	10	"	"	Tr		A	19				
✓ 5	11	"	"	Tr		A	27				
X 6	12	"	white shale band, red	Tr		A	20				
✓ 7	13	"	(56047) red	Tr	Tr	A	27	<1	33	33	415
X 8	14	"	dark red, gritty hematite	Tr		A	25				
X 9	15	"	red	Tr		—					
X 30	16	"	pink	Tr		—					
✓ 1	17	"	"	Tr		—					
✓ 2	18	"	(56046) dark red, slightly gritty	Tr		A	27	<1	21	17	315
✓ 3	19	"	" " "	0.1	0.1	A	30				
X 4	20	"	red	Tr		—					
X 5	21	"	20.5 dark red red shale or clay	—		—					
X 6	22	"	dark red	—		—					
✓ 7	23	"	(56045) dark red	—		— A	22	<1	12	10	350
X 8	24	"	dark red	—		—					
			Hole completed								

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
✓	0-1	Rebble	Dry							
55923	1-3	RO Pink		—		—				
✓ 4	4	"		—		—				
✓ 5	5	"		—		—				
✓ 6	6	"		—		—				
X 7	7	"		—		—				
X 8	8	"		—		—				
✓ 9	9	"		—		—				
✓ 30	10	" Red		—		—				
✓ 1	11	" "		—		—				
✓ 2	12	" Pink		—		—				
X 3	13	" Buff		Tr		—				
X 4	14	" "		Tr		—				
✓ 5	15	" "		Tr		—				
✓ 6	16	" Pink		—		—				
✓ 7	17	" "		Tr		—				
✓ 8	18	" red		0.1		A 102				
✓ 9	19	" "		0.1		A 80				
✓ 40	20	" "		0.05		A 55				
✓ 1	21	" "		0.1	0.1	A 51				
✓ 2	22	" "		0.05		A 50				
✓ 3	23	" "		0.1		A 55				
✓ 4	24	" "		Tr		A 48				
Hole completed										

Mount Gunson Mines Pty. Ltd

000022

DRILL HOLE No. F 507 - 1 P

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: — DIP: 90 COLLAR R.L. _____ LENGTH: 24m

DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Mn
							Cu.	Ag	Pb	Zn	
—	0 - 1	Dol	Silicified ± Mn Dry	—							
55973	1 - 3	"	" " "	—		A 32					
X 4	4	"	E Mn	—		A 19	<1	60	105		
X 5	5	"	" "	—		A 20					
X 6	6	"	" " hit 15cm. cavity	—		A 18					
X 7	7	"	" "	—		A 23					
X 8	8	"	" "	—		A 22					
X 9	9	"	less " , some gypsum	—		A 18					
X 80	10	"	↑ " " more "	—		A 25					
1	11	"	Yellow clay, minor Mn	—		—					
2	12	"	" " " "	—		—					
X 3	13	"	" " " "	—		A 29	<1	48	81		
4	14	"	↓ " "	—		—					
5	15	"	" & white clay	—		—					
X 6	16	50% RQT 50% white clay	& Mn?	?		A 19	<1	85	39		
X 7	17	"?	very pale sandstone "	?		A 15					
X 8	18	"?	" " " E minor clay	?		A 20					
X 9	19	"	" " " " " "	?		A 15					
X 90	20	"	" " pink	?		A 23					
X 1	21	"	" "	0.1	0.1?	? A 20					Co
X 2	22	"	coarse grit then water 11/ET 0.4?			A 29	2	85	65	<10	
X 3	23	"		0.7?	0.7?	A 28	4	60	82	10	
X 4	24	"		0.3	0.3	A 19					

Mount Gunson Mines Pty. Ltd

000023

DRILL HOLE No. F 509-1

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90 COLLAR R.L. _____ LENGTH: 24m
 DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
	0-1		Qte scree over red clay, ^{dry} sand							
55995	1-3	RO	25 gyssem, qte rubble	—		—				
6	4	"	pink	—		—				
7	5	"		—		—				
8	6	"		—		—				
9	7	"		—		—				
56000	8	"		—		—				
1	9	"	ε minor white clay	—		—				
2	10	"	" " "	Tr		—				
3	11	"	ε dark red band (0.5m)	Tr		A 20				
4	12	"	red	Tr		—				
5	13	"	"	Tr		A 24				
6	14	"	"	Tr		—				
7	15	"	pink	Tr		A 29				
8	16	"	pink	Tr		—				
9	17	"	pink	—		—				
10	18	"	"	Tr		A 19				
1	19	"	2 shale bands	0.1	0.1	A 18				
2	20	"	pink	—		—				
3	21	"	"	Tr		—				
4	22	"	"	Tr		A 24				
5	23	"	ε orange shale band	Tr		—				
6	24	"	ε " " "	Fr	Tr	—				
			Hole completed							

000024

Mount Gunson Mines Pty. Ltd✓ DRILL HOLE No. G 505 - 1PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 21m
 DATE STARTED: 3-7-72 COMPLETED: 3-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Co
							Cu.	Ag	Pb	Zn	
✓	0-1	Dol									
55904	1-3	"	minor Mn	—		—					
✓ 5	4	"	" "	—		—					
✓ 6	5	"	" "	—		—	A 52				
✓ 7	6	"	" "	—		—					
✓ 8	7	"	^{6.5} 2.0 band yellow Mn clay	—		—	A 51	1	70	35	20
✓ 9	8	KG	Pale pink	Tr	Tr		A 67	<1	20	42	<10
✓ 10	9	"	" " minor yellow clay	0.2			A 55				
✓ 1	10	"	" "	0-1			A 60				
✓ 2	11	"	Red	Tr		—					
✓ 3	12	"	Pink	0.05		—					
✓ 4	13	"	"	0.15	0.15?		A 42				
✓ 5	14	"	"	0.3			A 55	<1	10	18	<10
✓ 6	15	"	"	0.2			A 63				
✓ 7	16	"	Red	0.05		—					
✓ 8	17	"	Pink	0.1			A 90				
✓ 9	18	"	"	0.05		—					
✓ 20	19	"	"	0.1		—					
✓ 1	20	"	"	0.15	0.15		A 105				
✓ 2	21	"	"	0.1	0.1	—					
			Hole completed								

Mount Gunson Mines Pty. Ltd

000025

DRILL HOLE No. G 507-1P

PAGE 1 OF 2

LOCATION: N. of Mn workings NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 30 m
 DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn
0	0-1	Rubble								
55945	1-3	"	Bit of everything	—	—					
✓ 6	4	"	Dol + qtz rubble	—	—					
✓ 7	5	"	" " " " , Red Mn clay	—	—					
X 8	6	Shale				A 59	<1	20	51	
X 9	7	DOE 6.5 RD/floaters?				A 75	1	25	45	
X 50	8	"	5% Dol fell back	0.1		A 50				
✓ 1	9	"		—	—					
✓ 2	10	"	hard, white c barytes	—	—					
✓ 3	11	"	c qtz inclusions	—	—					
✓ 4	12	"	" " " " druse green shale	—	—					
✓ 5	13	"	" " " d barytes	Tr		A 50				
✓ 6	14	"	" " " "	—	—					
✓ 7	15	"	" " " "	Tr		A 25				
✓ 8	16	"	" " " "	—	—					
✓ 9	17	"	" " " "	—	—					
✓ 60	18	"	" " " "	—	—					
✓ 1	19	"	" " " "	—	—					
X 2	20	"	" " " "	—		A 20				
X 3	21	"	20% " " "	—		A 15				
X 4	22	"	10% " , red clay " "	—		A 20				
✓ 5	23	"	" " " "	—	—					
✓ 6	24	"	" " " "	—	—					
✓ 7	25	"	" " " "	—	—					

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 507-1 P

PAGE 2 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: _____

DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn
55968	25 - 26	Dol	E larytes	—		—				
9	27	"	" "	—		—				
10	28	"	" "	—		—				
X 1	29	"		Tr			A 20			
X 2	30	"	Brown shale bands Top of RQ prob. in next 3m. Hole abandoned, no more rods, not considered worthwhile getting more from Mine.				A 20	2	35	23

Mount Gunson Mines Pty. Ltd

000027

DRILL HOLE No. LG 508-1 P

PAGE 1 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 24.7m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn Co
<u>✓</u> 0	<u>0 - 1</u>	<u>LS rubble</u>						<u>0</u>		
<u>✓</u> 56072	<u>1 - 3</u>	<u>LS</u>		<u>—</u>		<u>—</u>				
<u>✓</u> 3	<u>3-4</u>	<u>LS</u>		<u>—</u>		<u>—</u>				
<u>✓</u> 4	<u>5</u>	<u>LS</u>	<u>white clay or calcite</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 5	<u>6</u>	<u>"</u>	<u>" " " "</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 6	<u>7</u>	<u>"</u>	<u>" " " "</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 7	<u>8</u>	<u>?</u>	<u>" " black clay</u>				<u>A 21</u>	<u><1</u>	<u>65</u>	<u>32 25</u>
<u>✓</u> 8	<u>9</u>		<u>black clay Fe Mn?</u>				<u>A 18</u>	<u><1</u>	<u>65</u>	<u>50 42</u>
<u>✗</u> 9	<u>10</u>		<u>" " small sample</u>				<u>A 21</u>			
<u>✓</u> 80	<u>11</u>	<u>Dol?</u>	<u>brown " " Fe Mn?</u>				<u>A 21</u>	<u><1</u>	<u>60</u>	<u>60 42</u>
<u>✓</u> 1	<u>12</u>	<u>"?</u>	<u>" " Fe Mn?</u>				<u>A 31</u>			
<u>✓</u> 2	<u>13</u>	<u>"?</u>	<u>" " " "</u>				<u>A 39</u>	<u><1</u>	<u>82</u>	<u>102 61</u>
<u>✓</u> 3	<u>14</u>	<u>"</u>	<u>Brown " "</u>				<u>A 70</u>			
<u>✓</u> 4	<u>15</u>	<u>"</u>	<u>" " "</u>				<u>A 27</u>			
<u>✓</u> 5	<u>16</u>	<u>"</u>	<u>rods out to clear hole</u>							
<u>✓</u> 6	<u>17</u>	<u>"</u>	<u>contaminated</u>							
<u>✓</u> 67	<u>18</u>	<u>"</u>	<u>harder c Mn</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 78	<u>19</u>	<u>"</u>	<u>" " "</u>	<u>—</u>		<u>—</u>	<u>A 42</u>			
<u>✓</u> 89	<u>20</u>	<u>"</u>	<u>" " "</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 990	<u>21</u>	<u>"</u>	<u>" " "</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 90	<u>22</u>	<u>"</u>	<u>small cavity 21.8-22.0</u>	<u>—</u>		<u>—</u>	<u>A 30</u>			
<u>✓</u> 12	<u>23</u>	<u>"</u>	<u>c Mn</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 23	<u>24</u>	<u>"</u>	<u>c Mn small sample</u>	<u>—</u>		<u>—</u>				
<u>✓</u> 34	<u>25</u>	<u>"</u>	<u>c cavity 24-24.7</u>	<u>—</u>		<u>—</u>				

abandoned

Mount Gunson Mines Pty. Ltd

000028

✓ DRILL HOLE No. G 508-2P

PAGE 1 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 30m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn Co
✓	0-1									
56039	1-3	Sand & rubble (RD, Dol, Ss)		—		—				
✓ 40	4	L. Ss? c Tr. Mn		—		— A 17	<1		45	39 10
✓ 1	5	" yellow c Mn		—		— A 20				
✓ 2	6	? clay, gypsum, Mn, Fe etc		—		— A 23	<1		42	85 40
✓ 3	7	Dol weathered c clay " " etc		—		— A 31				
✓ 4	8	" c Mn, dirty brown etc		—		— A 32	2		52	55 25
56050	9	" " " " " "		—		—				
✓ 1	10	" " " " " "		—		—				
✓ 2	11	" " " " " "		—		— A 20				
✓ 3	12	" " " " " "		—		—				
✓ 4	13	" hard, white		—		—				
✓ 5	14	" " "		—		—				
✓ 6	15	" " c Mn		—		— A 30				
✓ 7	16	" " "		—		—				
✓ 8	17	" " "		Tr	Tr	A 29				
✓ 9	18	" " "		Tr	Tr	—				
✓ 60	19	" " "		0.1		A 19				
✓ 1	20	" " "		0.3		A 23	3		50	185 55
✓ 2	21	" " c minor green shale		0.2		A 31				
✓ 3	22	" c soft white clay		0.2		A 13	<1		45	140 <10
✓ 4	23	" c green shale		Tr		A 15				
✓ 5	24	" c minor white clay		Tr		A 21				
✓ 6	25	RQ 24.3 c green clay		0.1		A 28	<1		35	40 <10

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 508-2P

PAGE 2 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90 COLLAR R.L. _____ LENGTH: 30m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
56067	25-26	RQ	red	Tr		—				
8	27	"	"	Tr		—				
9	28	"	"	Tr		—				
70	29	"	deeper red	Tr		—				
1	30	"	" "	—		A 28				
			Hole completed							

(IP 170E to 177E -3.59)

IP 279S 170 E

Mount Gunson Mines Pty. LtdDRILL HOLE No. I 510 -1 PPAGE 1 OF 1
000030

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: 90 COLLAR R.L. _____ LENGTH: 24mDATE STARTED: 6-2-72 COMPLETED: 6-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Co
							Cu.	Ag	Pb	Zn	
	0 - 1	Sand & dol. rubble									
56094	3	Dol	Weathered E Mn black	—		—					
5	4	"	" " " "	—		—					
6	5	"	" " " "	—		—	A 18	<1	38	85	20
7	6	"	" " " "	—		—					
8	7	"	" " " Brown clay	—		—					
9	8	"	Brown clay	—		—					
56200	9	"	Weathered E Mn	—		—					
1	10	"	Brown, E minor yellow clay	—		—	A 20				
2	11	"	10.7 gte chips	—		—	A 15	<1	50	135	50
3	12	RQ	E minor Mn & clay	—		—	A 12				
4	13	"	pale pink 0.1 Mn	—		—	A 15				
5	14	"	" " Tr "	—		—	A 13				
6	15	"	dark red	0.1	0.1	A 10					
7	16	"	" "	0.05	0.05	A <10					
8	17	"	red	0.1	0.1	A 11					
9	18	"	"	0.15	0.15	A <10	<1	25	20	<10	
10	19	"	"	0.2	0.2	A 10					
1	20	"	"	0.3	0.3	A 12	<1	32	22	<10	
2	21	"	" soft bands	0.3	0.3	A 15					
3	22	"	Dark red soft bands	0.3	0.3	A 22	<1	100	85	<10	
4	23	"	" " " "	0.1	0.1	A 25					
5	24	"	Red, gritty	0.1	0.1	A 13	<1	42	67	10	
			Hole completed								

Bulbhead & Desayed
Feb/March 1979Steele
12

[illegible]

Mount Gunson Mines Pty. Ltd

000032

DRILL HOLE No. I. 510 - 3P

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 21m
 DATE STARTED: 6-7-72 COMPLETED: 6-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
✓	0 - 1	Rubble								
56230	1 - 3	Dol 2.0		—		—				
✓ 1	4	"	Tr Mn	—		—				
✓ 2	5	"		Tr	Tr	—				
✓ 3	6	"		—		—				
✗ 4	7	"		—		— A 80				
✓ 5	8	"		—		—				
✗ 6	9	"	minor dark red chips	Tr		— A 85				
✗ 7	10	RQ	dark red	Tr		A 70				
✓ 8	11	"	" "	Tr		—				
✗ 9	12	"	" "	0.1		A 35				
✓ 40	13	"	" "	Tr		—				
✓ 1	14	"	" "	Tr		—				
✓ 2	15	"	" "	0.1		—				
✗ 3	16	"	" "	0.1		— A 45				
✗ 4	17	"	" "	0.1		— A 43				
✓ 5	18	"	Red	0.1		—				
✓ 6	19	"	Dark red	0.1		—				
✓ 7	20	"	" "	0.05		—				
✗ 8	21	"	" "	0.1	0.1	A 52				
			Hole completed							

000033

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 511-1PAGE 1 OF 1LOCATION: I 511 NORTHING: EASTING:AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21 mDATE STARTED: 17. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: AK

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Calcareous Red Clay cemented			W					
✓ 6709	1 - 2		Dolomitic shale Red Clay floor Dolomitic sand			W					
✓ 99	2 - 3	Dolomite	Dolomite Red Clay floor 72. mm			A	25				
✓ 6710	3 - 4		Yellowish shale 72 mm			1A	40				
✓ 1	4 - 5		Clay yellowish shale 72 mm			A	110				
✓ 2	5 - 6		Yellowish shale/clay 72 mm			A	70				
✓ 3	6 - 7		Pink Shale Brown Redg.			W					
✓ 4	7 - 8		Redg. Powder.			W/A	20	140	30	<10	445
✓ 5	8 - 9		— — — —			W					
✓ 6	9 - 10		— — — —			W					
✓ 7	10 - 11		— — — —			W					
✓ 8	11 - 12		— — — —			W					
✓ 9	12 - 13	Pandauna	— — — —			W					
✓ 10	13 - 14		— — — —			W					
✓ 11	14 - 15		— — — —			W					
✓ 12	15 - 16		— — — — Brn Red Shale			W					
✓ 13	16 - 17		— — — —			W					
✓ 14	17 - 18		— — — —			W					
✓ 15	18 - 19		grit size Brn Red Shale			W					
✓ 16	19 - 20		Red Clay grit size pebbles			W					
✓ 17	20 - 21		— — — —			W/A	15				

000034

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I/511/2PAGE 1 OF 1LOCATION: I 511

NORTHING:

EASTING:

AREA CODE:

BEARING:

DIP: Vert

COLLAR R.L.:

LENGTH: 24 mDATE STARTED: 18. 2. 72COMPLETED: 18. 2. 72LOGGED BY: ABT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				N
							Cu.	Pb	Zn	Co	
-	0 - 1	Weathered Dolomite	Collar. Dune Sand Dolomite Limestone Rubble			W					
✓ 67/18	1 - 2		--- mm Fe			A.	15				
✓ 19	2 - 3		Dolomite Dark Brownish mm Fe			A.	15				
✓ 20	3 - 4		--- mm Fe			A.	20				
✓ 21	4 - 5		Dolomite Yellow Brownish? mm Fe			A.	15				
✓ 22	5 - 6		Dolomite Yellow Brown Shale mm Fe			A.	20				
✓ 23	6 - 7	Pandauna	Red Bg contact Cu? mm Fe			A.	35	75	165	30	270
✓ 24	7 - 8		--- dust Cu? Fe			A.	20	25	30	10	590
✓ 25	8 - 9		--- v small hard Fe			A.	35				
✓ 26	9 - 10		--- v small hard Fe			A.	15				
✓ 27	10 - 11		---			W					
✓ 28	11 - 12		--- Cu? Cu? Fe			T. A.	10				
✓ 29	12 - 13	Pandauna	--- Fe			2.1 A.	10				
✓ 30	13 - 14		---			W					
✓ 31	14 - 15		---			W					
✓ 32	15 - 16		--- Pyritic			2.1 A.	15				
✓ 33	16 - 17		---			W					
✓ 34	17 - 18		--- Pyritic			2.1 A.	15				
✓ 35	18 - 19	Pandauna	--- Dolomite Limestone			W					
✓ 36	19 - 20		Red Bg dust ochre grains Some heavy minerals Fe			2.1 A.	15				
✓ 37	20 - 21		Red Bg / large Blue Particulate Cu? Fe			2.1 A.	20				
✓ 38	21 - 22		Red Bg dust			W					
✓ 39	22 - 23		---			W					
✓ 40	23 - 24		Dolomite full beds			W/A.	15				

000035 ✓

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I. 511 3PAGE 1 OF 1LOCATION: I. 511 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 21DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				N
							Cu.	Pb	Zn	Co	
	0 - 1		Collar.								
			Dolomite Pinkish.			W					
67201	1 - 2		Dolomite. Pinkish - Limestone. Fe mm.			A	20				
2	2 - 3		--- Fe mm.			A	15				
3	3 - 4		Dolomite yellow brown.			A	15				
4	4 - 5		--- Fe mm			A	15				
5	5 - 6		Some white clay, Fe mm			A	20				
6	6 - 7		Dolomite brown powder MN			A	15				
7	7 - 8		--- MN			A	15				
8	8 - 9		--- Trace mm			A	20				
9	9 - 10		---			W					
10	10 - 11		to Pink dolomite Fe mm			A	15				
11	11 - 12		Dolomite Brown dust mm			A	15				
12	12 - 13		--- 1/2 Trace mm			A	15				
13	13 - 14		Some Fresh Grey dolomite mm			A	15				
14	14 - 15		Dolomite Red of contact. Trace ideally pure. < 1			A	10	40	35	10	245
15	15 - 16		Red. dust. Pyrite < 1			A	10				
16	16 - 17		--- dust			W					
17	17 - 18		---			W					
18	18 - 19		Red dust Dolomite fall back			W					
19	19 - 20		---			W					
20	20 - 21		Dolomite fall back Red + Clay			A	10				

000036 ✓

Mount Gunson Mines Pty. LtdDRILL HOLE No. I 511.4PAGE 1 OF 1

LOCATION: I 511 NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 21m
 DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
✓ 0-1		Woolallan Dolomite weathered	Collar Dolomite 4 mm			W					
67141 1-2			Dolomite (weathered) 4 mm			A.	20				
✓ 2 2-3			Dolomite Yellow Brown dust 4 mm			A.	70				
✓ 3 3-4			mm dendrites			A.	120				
✓ 4 4-5			mm 4e			A.	40				
✓ 5 5-6			mm 4e			A.	20				
✓ 6 6-7			mm 4e			A.	15				
✓ 7 7-8			Grey dolomite.			W					
✓ 8 8-9			dust & chips			W					
✓ 9 9-10			Dolomite. Trace beads Red @ contact. mineral			A.	10	50	90	10	370
✓ 50 10-11		Pandoluna	Red Qty. Brick Red shale.			W.					
✓ 1 11-12						W					
✓ 2 12-13			Trace of Red Shale.			W					
✓ 3 13-14						W					
✓ 4 14-15						W					
✓ 5 15-16						W					
✓ 6 16-17						W					
✓ 7 17-18						W					
✓ 8 18-19						W					
✓ 9 19-20						W					
✓ 60 20-21			Trace dolomite fall brick.			A.	15				

Prods out to sharpen dent

Mount Gunson Mines Pty. Ltd

000037

DRILL HOLE No. I 511 6.

PAGE 1 OF 1

LOCATION: J 511 NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 21 m

DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ABT

Sample No.	Interval <i>Meters</i>	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
<u>1</u>	<u>0 - 1</u>	<u>Weathered Woodcreek Dolomite</u>	<u>Cullen Dune Sand</u> <u>Dolomite breccia.</u>			<u>W.</u>					
<u>67161</u>	<u>1 - 2</u>		<u>Casing . 6'</u> <u>Black Sample</u> <u>Dolomite rubble.</u>			<u>A.</u>	<u>40</u>				
<u>2</u>	<u>2 - 3</u>		<u>Black Sample</u> <u>Dolomite rubble.</u>			<u>A.</u>	<u>25</u>				
<u>3</u>	<u>3 - 4</u>		<u>Black Sample.</u> <u>Dolomite dust</u>			<u>A</u>	<u>25</u>				
<u>4</u>	<u>4 - 5</u>		<u>-----</u>			<u>A.</u>	<u>30</u>				
<u>5</u>	<u>5 - 6</u>		<u>-----</u>			<u>A.</u>	<u>130</u>				
<u>X 6</u>	<u>6 - 7</u>		<u>-----</u>			<u>A.</u>	<u>155</u>				
<u>7</u>	<u>7 - 8</u>		<u>-----</u>			<u>A.</u>	<u>100</u>				
<u>8</u>	<u>8 - 9</u>		<u>Dolomite</u> <u>Red Clay.</u>			<u>A.</u>	<u>20</u>	<u>150</u>	<u>95</u>	<u>110</u>	<u>270</u>
<u>9</u>	<u>9 - 10</u>		<u>Red clay contact</u> <u>same dolomite clay Fe Cu</u>			<u>A.</u>	<u>15</u>	<u>155</u>	<u>65</u>	<u>40</u>	<u>275</u>
<u>70</u>	<u>10 - 11</u>	<u>Pandurina</u>	<u>Red clay dust</u> <u>Trace Pyrite</u>			<u>A.</u>	<u>15</u>				
<u>X 21</u>	<u>11 - 12</u>		<u>-----</u>			<u>W</u>					
<u>X 2</u>	<u>12 - 13</u>		<u>-----</u>			<u>W</u>					
<u>3</u>	<u>13 - 14</u>		<u>-----</u> <u>Pyrite.</u>		<u>L-1</u>	<u>A.</u>	<u>20</u>	<u>45</u>	<u>30</u>	<u>10</u>	
<u>4</u>	<u>14 - 15</u>		<u>-----</u>		<u>L-1</u>	<u>A.</u>	<u>15</u>	<u>50</u>	<u>25</u>	<u><10</u>	
<u>X 5</u>	<u>15 - 16</u>		<u>-----</u>			<u>W</u>					
<u>X 6</u>	<u>16 - 17</u>		<u>-----</u>			<u>W</u>					
<u>X 7</u>	<u>17 - 18</u>		<u>-----</u>			<u>W</u>					
<u>X 8</u>	<u>18 - 19</u>		<u>-----</u>			<u>W</u>					
<u>X 9</u>	<u>19 - 20</u>		<u>-----</u>			<u>W</u>					
<u>80</u>	<u>20 - 21</u>		<u>Trace</u> <u>Brick Red Shale.</u>			<u>W/A</u>	<u>20</u>				

Mount Gunson Mines Pty. Ltd

000038 ✓

DRILL HOLE No. I 511 7.

PAGE 1 OF 1

LOCATION: I 511 NORTHING: _____ EASTING: _____
 AREA CODE: I 511 BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 18
 DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: RS7

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
✓ 0 - 1			Pinelands Collon. Dolomite. Keranite.			W					
67224 ✓ 1 - 2			Dolomite Bours Fe mn.			A.	25				
✓ 2 2 - 3			— — — Fe mn.			A.	15				
✓ 3 3 - 4			— — — Fe mn.			A.	10				
✓ 4 4 - 5			— — — mn			A.	10				
✓ 5 5 - 6			— — — dendritic mn			A.	20				
✓ 6 6 - 7			— — — mn			A.	20				
✓ 7 7 - 8			— — — mn			A.	20				
✓ 8 8 - 9			— — — mn			A.	20				
✓ 9 9 - 10			— — — mn			A.	10				
✓ 30 10 - 11			— — — mn			A.	15				
✓ 1 11 - 12			— — —			W					
✓ 2 12 - 13			Dolomite Red Bt contact			A.	35	65	55	20	345
✓ 3 13 - 14			Red Bt chert-Pyrite		Tr	A.	20	25	25	40	820
✓ 4 14 - 15			— — —			W					
✓ 5 15 - 16			— — — Red ironstone			W.					
✓ 6 16 - 17			— — —			W.					
✓ 7 17 - 18			— — — (Fe ₂ O ₃)			W/A.	30				
			Dolomite Samples contained manganese. no copper seen in spec.								

000039

DRILL HOLE No. 75118

PAGE 1 OF 1

LOCATION: I 511 NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 18m

DATE STARTED: 18.2.22 COMPLETED: 19.2.22 LOGGED BY: AET

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
67238	0-1	Weathered Woodville Dolomite	Calcareous + Cassing 6'								
	1-2		Dolomite rubble } m.w. Dune Sand. } sandstone.			W.					
	2-3		Weathered Dolomite + brown dirt. m.w.			W					
	3-4		— — — — — m.w.			W/A.	25				
	4-5		— — — — — m.w.			W					
	5-6		— — — — — m.w.			W					
	6-7		— — — — — m.w.			W					
	7-8		— — — — — m.w.			W/A.	25	55	45	20	140
	8-9		Yellow Brown Powder. m.w. ?			W/A.	20	55	45	20	68
	9-10		— — — — — m.w.			W					
	10-11		— — — — — m.w.			W					
	11-12		— — — — — m.w.			W					
	12-13	Pawnee	1/2 fresh dolomite			W					
	13-14		R. G. Powder Heavy Mineral	2-1	A.	15	20	40	<10	520	
	14-15		— — — — —	2-1	A.	26	45	65	<10	740	
	15-16		— — — — —		W						
	16-17		— — — — —		W						
	17-18		— — — — —		W/A.	15					

Mount Gunson Mines Pty. Ltd

000040

DRILL HOLE No. I 511.9

PAGE 1 OF 1

LOCATION: I 511 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 18 m

DATE STARTED: 19. 2. 72 COMPLETED: 19. 2. 72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0 - 1		Collar ^{Deep Spinel} Red Qtz Host Dolomite			W				
6725	1 - 2	Red Qtz	disb + Shale			W				
62	2 - 3					W				
73	3 - 4					W				
8	4 - 5		Black heavy ^{black} Dolomite ^{crs?} Fe			A.	35	185	95	25
5	5 - 6		— — — — — crs? Fe			A.	25	55	45	20
60	6 - 7		— — — — — crs? Fe			A.	20			
1	7 - 8		— — — — — crs? Fe			A	17	110	110	30
2	8 - 9		— — — — — crs? Fe			A.	19			
3	9 - 10		Fe ₂ O ₃ Hematite Fe			A.	15			
4	10 - 11		— — — — — Fe			A.	10	125	60	13
5	11 - 12		Dolomite Hematite Fe			A.	15			
6	12 - 13		Heavy dolomite dark + chis. Fe			A.	10			
7	13 - 14		— — — — —			W				
8	14 - 15		— — — — —			W				
9	15 - 16		Water Dolomite Fe + Red Qtz chips			A.	18	90	105	20
70	16 - 17		Red Qtz Dolomite pyrite			A.	13	70	75	15
1	17 - 18		Dolomite Fe + 60% pyrite			A.	15			
The top 16 metres gave the impression of a rubble filled gully. Very little dolomite visible on surface										

Ni
425
300

Mount Gunson Mines Pty. Ltd

000041

DRILL HOLE No. J 511/1

PAGE 1 OF 1

LOCATION: J 511/1 NORTHING: EASTING:
 AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21m
 DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0-1		Collar Dolomite mm. Fe			W					
67181	1-2		Dolomite Grey mottled + Powder			A	25				
✓ 2	2-3		--- Powder Trace			A	35				
3	3-4		---			W					
✓ 4	4-5		---			W					
5	5-6		---			W					
✓ 6	6-7		---			W					
7	7-8		---			W					
✓ 8	8-9		---			W					
9	9-10		Few black specks			A	20				
✓ 90	10-11		Grey white Dolomite Powder			W					
1	11-12		---			W					
✓ 2	12-13		---			W					
3	13-14		---			W					
✓ 4	14-15		Grey dolomite cherts thin clay. water.			W					
5	15-16		Dolomite Water Red Oxy cement Cu?			<1 A	90	75	85	20	780
✓ 6	16-17		Red Oxy Water Dolomite full back 35% Cu?			.10 A	15				
7	17-18		Red Oxy Water Dolomite full back 40%			W	35				
✓ 8	18-19		Dolomite full back 40% Red Oxy water Pyrite		.15	A	60				
9	19-20		Dolomite full back 35% Pyrite		.15	A	30				
67200	20-21		Red Oxy Dolomite Pyrite		<1	A	15				
6200020			Hole closing, with full back, stopped at 21m								
			ART								

000042

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. E. 512.1PAGE 1 OF 1LOCATION: 3. 512.1 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vent COLLAR R.L. _____ LENGTH: 21mDATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0-1	Reddy	Reddy Runge, Dene Sm			W				
6707A	1-2		- - - Dolomite band.			W				
9	2-3		Reddy Rubble + dust			W				
80	3-4		Reddy dust + shale.			W				
1	4-5		- - - -			W				
2	5-6		Reddy dust			W				
3	6-7		- - - -			W				
4	7-8		- - - -			W				
5	8-9		Reddy dust + Buff shale band.			W				
6	9-10		Reddy dust.			W				
7	10-11		- - - -			W				
8	11-12		- - - -			W				
9	12-13		- - - -			W				
90	13-14		- - - -			W				
1	14-15		- - - -			W				
2	15-16		Reddy Runge, Dene Sm			A	18			
3	16-17		Reddy Runge			W	10			
4	17-18		- - - - Pyrite		2.1	A	15	30	10	10
5	18-19		- - - - Pyrite		2.1	A	13	25	35	10
6	19-20		- - - -			W				
7	20-21		- - - -			W/A	20			

Bulked & Assayed
Feb, 1979

Bulked
& Assayed

Red
Crystals

The metals are Mr Creevy's instructions

000043

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 512 3

PAGE 1 OF 1

LOCATION: I 512 3 NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 24 m
 DATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: AST

Sample No.	Interval Metres	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0 - 1	Recent	Collar. Red Oly dune Sand. Brown clay. Shale-clay			W				
67055	1 - 2	weathered	Red Oly. Heavy minerals.			A.	28	20	22	10
'6	2 - 3		Red Oly. dust			A.	11			
'7	3 - 4		— — — — —			A.	21			
'8	4 - 5		— — — — — Trace Heavy m.			A.	18	10	15	<10
X 9	5 - 6	Pandauna	Red Oly dust trace shale			W				
X 60	6 - 7		Fresh Red Oly dust.			W				
X 1	7 - 8		— — — — —			W				
X 2	8 - 9		Red Oly dust Buff shale band. Cu S/Fe.	<1	<1	A.	19			
'8	9 - 10		Red Oly dust Ochre Particls. Cu S/Fe.	<1	<1		18			
'4	10 - 11		— — — — — Very impure Cu S/Fe.	<1		A.	15			
X 5	11 - 12		— — — — — Buff shale band.			W				
'6	12 - 13		Red Oly dust Buff shale shale band. Pyrite	<1		A.	15			
X 7	13 - 14		Red Oly dust.			W				
X 8	14 - 15		— — — — — Shale in partings.			W				
'9	15 - 16		— — — — — Small trace. Pyrite.	<1		A.	20			
X 70	16 - 17		— — — — —			W				
X 1	17 - 18		— — — — —			W				
X 2	18 - 19		— — — — —			W				
X 3	19 - 20		— — — — —			W				
'4	20 - 21		Red Oly ^{mainly Red.} Hematite dust-Fe.			A.	10			
X 5	21 - 22		— — — — — no heavy minerals			W				
X 6	22 - 23		— — — — —			W				
'7	23 - 24		Red Oly. ^{grit size particles} of Hematite			A.	10			

Assayed
Feb 1979

000044

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 512 4PAGE 1 OF 1LOCATION: I 512 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vent COLLAR R.L. _____ LENGTH: 21 mDATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1	Washed Rock	Red Bt. Fine Sand								
			Collar. Dolomite chips			W.					
67035	1 - 2		Washed Dolomite dust & chips m			W.	25				
	2 - 3		clay. Trans Red Bt. m			A.	27	70	60	30	200
	3 - 4	Panda	clay Red Bt. Dust & chips			A.	10	145	35	<10	430
	4 - 5		Red Bt. - - -			W					
	5 - 6		- - - - -			W					
40	6 - 7		- - - Iron oxide Fe.			A.	10				
	7 - 8		- - - - - very small brown Fe			A.	10				
	8 - 9		Clean Red Bt.			W					
	9 - 10		- - - - - Ans Ans Fe			L.1	10	35	20	<10	
	10 - 11		- - - - - Ans Ans Fe			L.1	10				
	11 - 12		- - - - - Ans Ans Fe.			L.1	<10				
	12 - 13		- - - - - Ans Ans Fe.			.10	<10	15	15	10	
	13 - 14		- - - - - Ans Ans Fe.			.10	<10				
	14 - 15		- - - - - Ans Pyrite			L.1	L.1	10			
	15 - 16		- - - - - Pyrite			L.1	A	<10	20	30	<10
X 50	16 - 17		- - - - -			W					
X 1	17 - 18		- - - - -			W					
X 2	18 - 19		- - - - -			W					
X 3	19 - 20		- - - - -			W					
	20 - 21		- - - - -			W/A. 10					

Arranged Feb 1979
 Bulbhead
 & Stored
 Stored
 Stored

000045

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 512. 5.PAGE 1 OF 2LOCATION: I 512. NORTHING: EASTING:AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 27mDATE STARTED: 17. 2. 72 COMPLETED: 17-2-72 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
	0-1	<i>Bank</i>	Red Qtz chert cont. collar. + Dolomite nodules			W.				
67009	1-2	<i>Woodcreek all weathered</i>	Black dirt (min) Fe Cu?			A.				
			Dolomite chips + Rusty Mn ore			A.				
10	2-3		Black sample (75% Fe)			A.				
			Dolomite + Red Qtz Fe Mn Cu?			A.				
11	3-4		Black sample			A.				
			Dolomite Fe Mn Cu?			A.				
12	4-5		— — — — —			A.				
			Pyrite dark Red clay.			A.				
13	5-6		Pyrite clay Fe Mn Cu			A.				
			Dolomite clay dirt + Dolomite.			A.				
14	6-7		Very weathered Fe Mn Cu?			A.				
			Dolomite dirt			A.				
15	7-8	<i>Woodcreek Fe3O4</i>	Red Qtz dirt Fe Cu?		20	A.				
16	8-9		— — — — — dirt. Fe Cu?		20	A.				
			clay bands			A.				
17	9-10		Red Qtz Red Iron oxide Fe.		T	A.				
18	10-11		Red Qtz Red Iron oxide Fe		T	A.				
			— — — — — Fe		T	A.				
19	11-12		— — — — — Fe		T	A.				
20	12-13		— — — — — Fe		T	A.				
21	13-14		— — — — — no Fe, Mn, Cu			W				
22	14-15		— — — — — Red Iron oxide Fe		T	A.				
23	15-16	<i>Woodcreek</i>	— — — — — Pyrite		15	A.				
24	16-17		— — — — — Pyrite		10	A.				
25	17-18		— — — — — Pyrite		2.1	A.				
			+ trace Red clay			A.				
26	18-19		— — — — — Pyrite		15	A.				
27	19-20		Red Qtz Red Iron oxide Pyrite		2.1	A.				
28	20-21		trace of Red clay Pyrite		2.1	A.				
29	21-22		Red Qtz Red Iron oxide Pyrite		10	A.				
30	22-23		— — — — — Pyrite		15	A.				
31	23-24		— — — — — Pyrite		2.1	A.				

*Red
Cauldron quartz
pyrite
weathered
Hornblende*

*Bulkhead of
Revised Feb 1979*

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 5, 2, 5

PAGE 2 OF 2

LOCATION: I. 512 NORTHING: ✓ EASTING: ✓

AREA CODE: _____ BEARING: N 25° E DIP: 15° COLLAR R.L. _____ LENGTH: 27m

DATE STARTED: _____ COMPLETED: 12. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
670032	24. 25	Pondura	Reddy ^{Red} low oxide Pyrite		<1	A.	14			
33	25 26		---		<1	A.	12			
34	26 27		---		<1	A.	17	70	110	<10
			not enough air pressure to go further samples very small.							

Mount Gunson Mines Pty. Ltd

000047

DRILL HOLE No. J / 512 / 1

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21 m

DATE STARTED: 17. 2. 72 COMPLETED: 19. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Calcareous. Red Rubber.								
	1 - 2	Recent Drift	Dune Sand. Dolomite. Weathered dolomite (mm pieces) some Red float some numerals.		T	A.	70				
✓ 989	2 - 3		— — — — —			A.	15				
✓ 902	3 - 4		Weathered Dolomite mm			A.	10	65	35	30	
✓ 13	4 - 5		— — — — — mm			A.	20				
✓ 24	5 - 6		Weathered Dolomite Buff shale nodules mm			A.	15	75	60	35	
✓ 35	6 - 7		Weathered Dolomite Fresh Dolomite mm			A.	15				
✓ 46	7 - 8		Grey Dolomite			W					
✓ 57	8 - 9		Grey dolomite some buff shale			W					
✓ 68	9 - 10		Grey Dolomite dust + chips some grits			W					
✓ 79	10 - 11		Grey dolomite Cus Fe Red Clay Contam			A.	30	10			
✓ 810	11 - 12		Red Clay Rust Fe? Cus			.50	15	35	30	10	250
✓ 67000	12 - 13		Red Clay Iron oxide Fe/Cus			T.	10				
✓ 113	13 - 14		Red Clay Cus/Fe			.30 .30	10	40	110	<10	
✓ 214	14 - 15		— — — — — Cus/Fe			.25 .25	20				
✓ 315	15 - 16		— — — — — + Iron oxide Cus/Fe			.25 .25	15	80	195	<10	
✓ 416	16 - 17		— — — — — Fe			.15 A.	10				
✓ 517	17 - 18		— — — — — Fe			.10 A.	10	25	20	10	
✓ 618	18 - 19		— — — — — Fe			.10 A.	10				
✓ 719	19 - 20		Red Clay. Red Clay. Pyrite Water. Dolomite Yellowish.			T. A.	15	50	90	10	
✓ 820	20 - 21		Red Clay. Red Clay. — — — — —			.25 A.	15				
			Role stepped								
			ART								

~~Landrova and Selouette~~
~~keys missing to other vehicle~~
Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J. 512 2

PAGE 4 OF 7

LOCATION: ST 512 NORTHING: EASTING:

AREA CODE: _____ BEARING: _____ DIP: *12°* COLLAR R.L. _____ LENGTH: *21m*

DATE STARTED: 16. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: Aet

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0 - 1	Recent Drift - Clay + woodchips	Collar. ^{Red Clay Buried.} ^{Dolomite} One Curd.			W				
66969	1 - 2		— — — —			W				
70	2 - 3		Brick Red Sand + Red Clay.			W				
1	3 - 4		Clay, Brown dirt. Heavy mass dolomite. chert. Red Clay chips. dolomite fall back .			A.	35			
2	4 - 5	Woodchips	Red Clay + dirt. Chert? Dolomite. Chert? Red Clay. Buff shale in patches.		T. T. A.	85				
3	5 - 6			T. A.	90					
4	6 - 7		Dolomite grey.	W	75	60	20	15		
5	7 - 8		— — — — Chert? Pyrite?	T. T. A.	75	60	20	15		
6	8 - 9	Woodchips	— — — — Chert? Pyrite? Buff shale in patches.		T. T. A.	25	60	30	20	
7	9 - 10		— — — — Pyrite.	T. T. A.	15	85	30	20		
8	10 - 11		Dolomite Powder. Pyrite.	T. T. A.	30	85	25	20		
9	11 - 12		— — — —		W					
80	12 - 13	Woodchips	Dolomite + Red Clay flint.			W				
1	13 - 14		Dolomite. Clay (brown) Shale. Trace Red Clay chips. Water. Chert.			W.				
2	14 - 15		Dolomite + trace of brown clay.			A.	20	80	60	30
3	15 - 16		Dolomite. Chert. Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			.20.				
4	16 - 17	Woodchips	Dolomite fall back 50% chert. Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			.20.	25	75	75	25
5	17 - 18		Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			.25	20	70	40	20
6	18 - 19		Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			T.	25	80	65	25
7	19 - 20		Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			.35	25	45	40	10
8	20 - 21	Woodchips	Red Clay. Chert. Red Clay. Dolomite fall back 50% chert. Red Clay.			T.	15			
			Dolomite fall back 50% chert. Red Clay.							

Wet hole from 66982.
(No value in going further fall back)
succeeding sample material

N.

250

Mount Gunson Mines Pty. Ltd

000049

DRILL HOLE No. J 512 3

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING: 21 m.

AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH:

DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Zn
							Cu.	Mn	Ni	Co	
	0-1		Dark Sand Dolomite			W					
✓ 66949	1-2		Dolomite / sandstone			W					
✓ 50	2-3		Grey dolomite			W					
✓ {	3-4		Buff. Shale in parting			W					
✓ {	4-5		Grey dolomite			W					
✓ {	5-6		--- dust			W					
✓ {	6-7		Pink & Grey dolomite			W					
✓ {	7-8		--- mtn			A.	15	1.10?			
✓ {	8-9		Grey dolomite mtn			A.	10	1.25?			
✓ {	9-10		Grey dolomite			W					
✓ {	10-11		---			W					
✓ {	11-12		---			W					
✓ 60	12-13		Green shale Grey Dolomite			A.	15				
✓ 1	13-14		Trans Red City		Fe 0.11	A.	10	1600	80	<10	<10 15
✓ 2	14-15		Red City green shale		Fe 0.12	A.	10	480	1200	<10	15 70
✓ {	15-16		Red City Trans Ham Hamal			A.	10				
✓ {	16-17		Red Red Green onide			W					
✓ {	17-18		--- Pyrite		15	A.	10				
✓ {	18-19		Red Argand Pyrite		10	A.	15				
✓ {	19-20		--- Baryte? Pyrite		T.	A.	10				
✓ {	20-21		dolomite - full end Pyrite		T	A.	10				

Mount Gunson Mines Pty. Ltd

000050

DRILL HOLE No. J-4SD-4

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING:

AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH: 21.0m

DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AET

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Zn
							Cu.	Mn.	Ni.	Co	
	0-1		dune sand			W					
✓ 6929	1-2		Collins + dolomite rubble.			W					
	2-3		Weathered dolomite			W					
✓ 30	3-4		Dolomite grey			W					
✓ 1	4-5		— — —			W					
✓ 2	5-6		— — —			W					
✓ 3	6-7		Shale in parting			W					
✓ 4	7-8		Grey dolomite			W/A	15	0.47			
✓ 5	8-9		Grey dolomite			W					
✓ 6	9-10		— — —			W					
✓ 7	10-11		— — —			A	15	0.88			
✓ 8	11-12		— — —			W					
✓ 9	12-13		— — —			W					
✓ 10	13-14		Green shale.			A	30				
✓ 11	14-15		Grey dolomite			A	15				
✓ 12	15-16		Green shale			A	20	1.35	100	30	40 40
✓ 13	16-17		Reddy dolomite			A	15	0.41	290	10	20 50
✓ 14	17-18		unit a above fall back			TA	15				
✓ 15	18-19		Reddy dolomite fall back			TA	15				
✓ 16	19-20		— — —			A	15				
✓ 17	20-21		— — —			A	30				

000051

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J 512 SPAGE 1 OF LOCATION: J 512 NORTHING: EASTING: AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH: 24 mDATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: ALT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Zn
							Cu.	Mn	Ni	Co	
	0 - 1	Fenite	Lagoon Surface clay + dolomite			W					
66P91	1 - 2		Dolomite chips & waler			W	15			10	30 25
✓ 2	2 - 3		Dolomite powder dry			W					
3	3 - 4		— no heavy minerals			W	10			10	35 25
4	4 - 5		— — — — —			W					
✓ 5	5 - 6		— — — — —			W					
6	6 - 7		several black grains ^{mn} Fe?			A.	15	0.85		10	65 60
7	7 - 8		Dark grey Dolomite			W					
✓ 8	8 - 9		Grey to Pink Dolomite			W					
9	9 - 10		— — — — — ^{mn}			A.	10	1.20		15	45 20
✓ 66P915	10 - 12	Dolomite	Grey dolomite powder			W					
16	11 - 12		— — — — —			W	75			15	35 30
17	12 - 13		— — — — —			W					
18	13 - 14		— — — — —			W					
19	14 - 15		— — — — —			A.	10				
20	15 - 16		— — — — — ^{Fe}			A.	20				
21	16 - 17		grey dolomite green shale	Fe 0.33		A.	10	0.30	260	<10	20
22	17 - 18		Red clay at top of sample	Fe 0.18		A.	15	520	700	<10	20 180
23	18 - 19		Clean Red Clay dust no heavy minerals			W.					
24	19 - 20		Very small trace pyrite	wt.		A.	10				
25	20 - 21	Pyrite	— — — — —		10	A.	10				
26	21 - 22		— — — — —		10	A.	10				
27	22 - 23		— — — — —		10	A.	10				
28	23 - 24		— — — — — ^{1/8} Trace Pyrite		7	A.	15				

3 1/4 hours travelling from South West Area
 1/2 hour walking between holes
 no casing

Mount Gunson Mines Pty. Ltd

000052

1-513-1

DRILL HOLE No. 513-1

PAGE 1 OF 1

LOCATION: 1/513-1 NORTHING: _____ EASTING: _____
 AREA CODE: 513 BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 21 m
 DATE STARTED: 15.2.72 COMPLETED: 15.2.72 LOGGED BY: Rest

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Fe
							Cu.	Pb	Zn	Co	
1	0 - 1	Pebbles	Dune Sand + Collars			W					
6025	1 - 2		--- Rubble.			W					
6	2 - 3		Qty. Dust - Same as above			W					
7	3 - 4		---			W					
8	4 - 5		---			W					
9	5 - 6		---	Brnch. Red Brnch. ^{Fe}	0.5	A.	15				
30	6 - 7		---			W					
1	7 - 8		---	Brnch Shale		W					
2	8 - 9		---	Red Qz-dust-		W					
3	9 - 10		Pebbles	---		W					
4	10 - 11	---			W						
X 5	11 - 12	--- Brnch Red Shale ^{in partings}			W	15	<10	10	<10	0.22?	
6	12 - 13	---			W						
7	13 - 14	---			W						
8	14 - 15	---		Thick Bands		W					
9	15 - 16	---				W	15	25	30	<10	0.32?
40	16 - 17	---		^{Fe? Lns.}	0.2	A.	15	10	10	<10	0.32?
41	17 - 18	---		Red Shale sands, ^{Fe? Lns.}	0.15	A.	10	15	10	10	0.34?
42	18 - 19	---		Red Shale Lns. some fine size pebbles		A.	10				
43	19 - 20	---		Trace Red Shale		W					
44	20 - 21	---		Red Shale very thick band at end of hole		A.					
(Brnch Red Shales? could be red iron oxide within quartz rocks)											

Bulked & Assayed
 Feb 1979

Bulked & Assayed

000053

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I/513/3PAGE 1 OF 1LOCATION: I - 513. NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 21 mDATE STARTED: 15. 2. 72 COMPLETED: 15. 2. 72 LOGGED BY: AR

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Co
							Cu.	Fe	Pb	Zn	
✓ 66745	0.1	Pencil	Dune sand + Rly rubble			W					
✓ 46	1-2		Rly rubble hematite			W					
✓ 47	2-3		Rly - - - - - Dust Fe			W					
✓ 48	3-4		- - - - -			W					
✓ 49	4-5		Best Rly dust			W					
✓ 50	5-6		- - - - -			W					
✓ 51	6-7		- - - - - Some fine size particles			W					
✓ 52	7-8		- - - - - Trace heavy mineral Fe			A	10	0.18?			
✓ 53	8-9		- - - - - Red shale in Partings			A	10	0.39?			
✓ 54	9-10		- - - - - Fe? Cu? Fe			W	15	0.32?			
✓ 55	10-11		+ Red Shale.			W	15	0.36?			
✓ 56	11-12		+ Red Shale. Fe.			W	15	0.36?			
✓ 57	12-13		+ Red Shale. Fe.			W	15	0.36?			
✓ 58	13-14		+ Red Shale. Fe.			W	15	0.36?			
✓ 59	14-15		+ Red Shale. Fe.			W	15	0.36?			
✓ 60	15-16		+ Red Shale. Fe.			W	15	0.36?			
✓ 61	16-17		+ Red Shale. Fe.			W	15	0.36?			
✓ 62	17-18		+ Red Shale. Fe.			W	15	0.36?			
✓ 63	18-19		+ Red Shale. Fe.			W	15	0.36?			
✓ 64	19-20		+ Red Shale. Fe.			W	15	0.36?			
✓ 65	20-21		+ Red Shale. Fe.			W	15	0.36?			
(Don't see 513/1)											

Burkhead's Assay
Feb 1979

000054

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I - 513.4PAGE 1 OF 1LOCATION: I - 513. NORTHING: EASTING:AREA CODE: BEARING: DIP: Vert. COLLAR R.L. LENGTH: 21 m.DATE STARTED: 15.2.72 COMPLETED: 15.2.72 LOGGED BY: AET.

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Fe
							Cu.	Pb	Zn	Co	
66765	0 - 1	Wentworth	Dense Sand & Rubble			W					
	1 - 2		Weighted Red Clay Rubble.			W					
	2 - 3		Red Clay. Limonite.			A	10				0.34?
	3 - 4		Small clay powder Gypsum			W					
	4 - 5		Red Clay & Rubble & Limonite.			W					
	5 - 6	Parramatta	Gypsum.			W					
	6 - 7		Red Clay. Brackish Red Shale.			W					
	7 - 8		Red Clay. Gypsum.			W					
	8 - 9		Red Clay. Brackish Red Shale.			W					
	9 - 10		Red Clay. Brackish Red Shale.			W					
	10 - 11		Red Clay. Brackish Red Shale.			W					
	11 - 12		Red Clay. Brackish Red Shale.			W					
	12 - 13		Red Clay. Brackish Red Shale.			W					
	13 - 14		Red Clay. Brackish Red Shale.			W					
	14 - 15		Red Clay. Brackish Red Shale.			W					
	15 - 16		Red Clay. Brackish Red Shale.			W					
	16 - 17		Red Clay. Brackish Red Shale.			W					
	17 - 18		Red Clay. Brackish Red Shale.			W					
	18 - 19		Red Clay. Brackish Red Shale.			W					
	19 - 20		Red Clay. Brackish Red Shale.			W					
	20 - 21		Red Clay. Brackish Red Shale.			A	10				
		Note: (Shale bands followed by grit. size portions then fine gravel clust.)									

Bullock v. Hargrave
Feb 1979

Mount Gunson Mines Pty. Ltd

000055

DRILL HOLE No. 7 513/5

PAGE 1 OF 1

LOCATION: 513/5 NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: Var COLLAR R.L. _____ LENGTH: 24m
 DATE STARTED: 15 2 78 COMPLETED: 15 2 72 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY		
							Cu.	Fe	Co
	0 - 1	Recent	Dune Sand & Rubble.			W			
66785	1 - 2		Dune Sand & Rubble. Red Og + Rubble.			W			
16	2 - 3		Red Clay + Rubble			W			
7	3 - 4		Brick Red Shale + Red Og. dust.			W			
18	4 - 5		— — — — —			W	10	0.41	<10
19	5 - 6		— — — — —			W			
190	6 - 7		Red Og / Clay			A	10	0.55	<10
191	7 - 8		Red Og. Iron Red ^{oxide} shale			W			
192	8 - 9		Red Og. — — —			W	10	0.40 [?] 0.28	<10
193	9 - 10		— — — — —			W			
194	10 - 11		— — — — —			W	10	0.23 [?]	<10
195	11 - 12		— — — — —			W			
196	12 - 13		Red Shale sand			W	10	0.27 [?]	<10
197	13 - 14		Red Og. Brick Red Iron oxide			A	10	0.34	<10
198	14 - 15		— — — — —			W	10	0.21 [?]	<10
199	15 - 16		— — — — —			W			
66800	16 - 17		— — — — —			W	10	0.20 [?]	<10
1	17 - 18		— — — — —			W			
2	18 - 19		— — — — —			W	10	0.19 [?]	<10
3	19 - 20		Brick Red Shale 7' thick. Red Og. Red Iron oxide. Shale Bands.			W			
X 4	20 - 21		— — — — —			A	10	0.21	<10
5	21 - 22		Red Og + Red Iron oxide			W			
6	22 - 23		— — — — —			W			
7	23 - 24		— — — — —			A	10	0.25	<10

Bulked & Assayed
Feb 1979

000056

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I. 513. 6PAGE 1 OF 1LOCATION: I. 513. NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: _____ COLLAR R.L. _____ LENGTH: 18mDATE STARTED: 15. 2. 72 COMPLETED: 15. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Fe
							Cu.	Pb	Zn	Co	
	0 75	Red	Dune sand white sand			W					
6680P	75-180	Weathered dolomite	White. Pseudo Weathered Dolomite			W					
9180	225					A	25	20	30	<10	0.22
810	225 300		Weathered dolomite Red Gty. Pseudo & Pseudo			A	25	10	20	<10	0.70
11	300 375		Red Gty. Red oxide iron			W					
12	375 450					W					
13	450 525					W	10			<10	0.30?
14	525 600					W					
15	600 675					W					
16	675 750					W	15			<10	0.38?
17	750 825		Large gray granules Red Gty			W					
18	825 900					W					
19	9 - 10		Grain size particles Red Gty Red oxide iron			W	10			<10	0.26
20	10 - 11					W					
21	11 12	Barren shale	Weathered			W					
22	12 13		Red Gty & grey hard shale			A	30	10			
23	13 14					W					
24	14 15		Greenish shale			A	10	10	10	<10	
25	15 16		Grey sandy shale			A	15	10	15	<10	
26	16 17					A	10	10	10	<10	
27	17 18					A	15	10	15	<10	

(white ARG)
 Last 6 samples had grey material not white dolomite, this would not be fall back, but was contained within the red gty. no heavy material visible in pan.

ART

000057

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J. 513. 91PAGE 1 OF 1

LOCATION: J. 513 NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 24 m.
 DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Zn
							Cu.	Mn	Ni	Co	
	0 - 1	Woolly Dolomite	Collar One Limit dolomite			W					
66828	1 - 2		Dolomite (weathered)			W					
✓ 9	2 - 3		Pink & Grey Dolomite			W					
30	3 - 4		— — — Mn			A	10	1.35?			
✓ 1	4 - 5		Grey brown Mn			A	15	1.70?			
2	5 - 6		Pink & Grey brown			W					
✓ 3	6 - 7	Woolly Dolomite + Macematite	Pink & Grey dolomite Red clay dust.		Fe 0.38?	A	10		650	<10	25 20
4	7 - 8		Red clay Red iron oxide dust		Fe 0.27?	A	10			<10	10 15
✓ 5	8 - 9		— — —			W					
6	9 - 10		— — —			W					
✓ 7	10 - 11		— — —			W					
8	11 - 12		— — —			W					
✓ 9	12 - 13		— — — Iron oxide nodules			W					
40	13 - 14		— — —			W					
✓ 1	14 - 15		— — — Trans iron Red oxide			W					
2	15 - 16		— — —			W					
✓ 3	16 - 17	Pansoluna Red Clay + Macematite	Transition of pale green shale			A	15			<10	15 30
4	17 - 18		Red clay dust Trans Red iron oxide			W					
✓ 5	18 - 19		— — —			W					
6	19 - 20		— — —			W					
✓ 7	20 - 21		— — — Red iron oxide			W					
8	21 - 22		— — —			W					
9	22 - 23		+ Red shale band			W					
66876	23 - 24		— — —			A	10				

Mount Gunson Mines Pty. Ltd

000058

DRILL HOLE No. J. 513. 3.

PAGE 1 OF 1

LOCATION: J 513. NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21m

DATE STARTED: 16. 2. 72. COMPLETED: 16. 2. 72. LOGGED BY: AET,

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	NA _n	N _i	Co
	0 - 1		Dune Sand & weathered Dolomite. Collar.			W				
66851	1 - 2	Woolacka Dolomite	un weathered Grey dolomite. Rusty. Dist m & dolomite			W				
✓ 2	2 - 3		Pure Grey dolomite			A/W	15	0.90?		
3	3 - 4		Grey dolomite. Mn. Dendritic			A/W	15	0.95?		
✓ 4	4 - 5		— . . . —			A/W	20	1.05?		
5	5 - 6		— . . . —			A/W	15	1.20?		
✓ 6	6 - 7		Grey dolomite chips & dust			W				
7	7 - 8	Panderina Red Oly. Hematite bands.	Very thin band of green to brown shale			A	10	1.35?		
✓ 8	8 - 9		Grey dolomite. Dust & chips			W				
9	9 - 10		Grey to green Dolomite							
✓ 60	10 - 11		Red Oly. contact nodules. Dolomite full back with Red Oly. Red iron oxide	Fe 1.30?		A	15		70	20 40 110
1	11 - 12		Red Oly. Red iron oxide & clay	Fe 0.49?		A	10		410	<10 10 30
✓ 2	12 - 13		Red Oly. Red iron oxide			W				
3	13 - 14		— . . . — red iron			W				
✓ 4	14 - 15		— . . . —			W				
5	15 - 16		Red Oly. Red iron oxide & Red shale band.			W				
✓ 6	16 - 17		Red Oly. Red iron oxide & Red shale.			W				
7	17 - 18		Red Oly. Red iron oxide banding in Red Oly.			W				
✓ 8	18 - 19		— . . . —			W				
9	19 - 20		thin brown clay band.			W				
✓ 70	20 - 21		Red Oly. Red iron oxide grit bands.			A	10			

PAGE 1 OF

DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AS7

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Zn
							Cu.	Mn	Ni	Co	
✓ 66871	0 - 1	Woodville Dolomite	Waters at 3' Lagoon Surface. Dolomite large volume of water.			W					
	1 - 2		Dolomite chert.			W					
2 - 3	Dolomite chert water + Mn. Siderite.				A/W	20	0.95?		10	30 20	
✓ 3 3 - 4	— Water				A/W	20	1.0?			30 20	
4 4 - 5	Grey Dolomite rubble + chert.				W	20			10	30 20	
✓ 5 5 - 6	—				W					30 20	
6 6 - 7	—				W	20			10	30 20	
✓ 7 7 - 8	—				W					30 20	
8 8 - 9	Transition.				A/W	20	1.20		15	30 20	
✓ 80 9 - 10	Grey Dolomite chert water.				W						
10 - 11	—			W							
1 11 - 12	Buff partings. Green sandstone.			A.	100			15	35 20		
✓ 2 12 - 13	Buff shale Grey Dolomite (Bosmina) Fe.			A.	35						
3 13 - 14	— Fe.			A.	30			20	50 20		
✓ 4 14 - 15	Thin green shale.			A.	50						
5 15 - 16	Green shale grey dolomite. Rdy contact. Fe Cu.			Fe 1.40 A	40	0.4	220	<10	50 120		
6 16 - 17	— Fe? Cu Spe.			Fe 0.48 A	25	1900	340	<10	15 40		
✓ 7 17 - 18	Rdy chert dirt. Green shale. Fe Pyrite.			.10 A.	30						
8 18 - 19	— Haematite - Pyrite.			.10 A.	20			<10	10 10		
✓ 9 19 - 20	— Haematite - Pyrite.			vs/T A.	20						
✓ 90 20 - 21	— Green shale Pyrite.			T A.	20						
			West Bosmina contains Haematite + Bosmina pyrites.								

Collared 0.3m below lagoon surface

GUNYAH or N. PERNATTY A.

000060

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J520 - 1P

PAGE 1 OF 1

LOCATION: PERNATTY LAGOON NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 21 mDATE STARTED: 30-8-72 COMPLETED: 30-8-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ag
							Cu.	Pb	Zn	Co	
58030	0-1.5	RQ	Dry	Tr	*		50	<20	20	<5	<2
31	3	"	"	Tr			60	20	30	<5	<2
32	4	"	Wet	0.1			60	<20	30	<5	<2
33	5	"		-			20	<20	20	20	
34	6	"		-			20				
35	7	"	with grey shale	Tr			15	25	15	<5	<2
36	8	"	trace grey shale	Tr			10	<20	10	<5	<2
37	9	"		-			10				
38	10	"		-			15				
39	11	"		-			20				
40	12	"		-			15				
41	13	"		Tr			15	30	35	<5	<2
42	14	"	Dark red	Tr			10	20	15	<5	<2
43	15	"	" "	-			20	<20	15	<5	<2
44	16	"	Probably brecciated	<0.1	*		20	<20	20	<5	<2
45	17	"	Dark red	-			5	<20	10	<5	<2
46	18	"	" "	Tr			10	<20	20	<5	<2
47	19	"	" "	<0.1			40	30	75	<5	<2
48	20	"	" "	<0.1			120	<20	30	<5	<2
49	21	"	" "	-			20				

N. Perna's Lagoon ✓
000061

000061

DRILL HOLE No. *L520 - 1P*

PAGE / OF /

LOCATION: PERNATTY LAGOON NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 27 m

DATE STARTED: 31 - 8 - 72 COMPLETED: 31 - 8 - 72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ag
							Cu.	Pb	Zn	Cc	
58050	0-1.5	LSS?	with minor shale Dry	?			160	20	50	10	<2
51	2.5	LSS	" 2-3 m	?			540	35	65	20	<2
52	4.5	Dol	Weathered for 1 1/2 m. Wet	-			480	30	60	20	<2
✓ 53	6.0	"		-							
✓ 54	7.5	"		-							
✓ 55	9.0	"		-			50				
✓ 56	10.5	"		-							
57	12.0	"		-			25				
✓ 58	13.5	"	With pale green clay. Damp	-			40				
✓ 59	15.0	"	Wet	-							
60	16.5	"		-			25				
61	18.0	"	Some Mn dendrites	Tr?			80				
✓ 62	19.5	"		Tr			30	20	30	15	<2
63	21.0	"		Tr			30	<20	40	15	<2
64	22.5	"		Tr			25	20	60	15	<2
65	24.0	"	With minor RQ	0.1			20	20	30	15	<2
66	25.5	"	20% RQ	0.15			15	20	25	5	<2
67	27.0	RQ	26 m	0.1			25	<20	20	<5	<2

N. Pernally L.
000062
o. 4520 - 2P

DRILL HOLE No. 4520 - 2P

PAGE / OF /

LOCATION: PERNATTY LAGOON NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 27 m
 DATE STARTED: 31-8-72 COMPLETED: 31-8-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ag
							Cu.	Pb	Zn	Co	
58068	0 - 1	LSS?	Dry	?			20	< 20	25	< 5	< 2
69	3	LSS?	3.0 m	?			30	< 20	50	< 5	< 2
✓70	4.5	Dol		-			130	20	45	5	< 2
71	6.0	"		-			270	35	30	20	< 2
72	7.5	"		Tr			100	40	25	15	< 2
73	9.0	"	Large sample, fall back?	Tr?			70	< 20	25	20	< 2
✓74	10.5	"	Small sample, venturi blocked	-							
✓75	12.0	"		-							
✓76	13.5	"		-							
✓77	15.0	"		-							
✓78	16.5	"		-							
79	18.0	"	Softer 17.5 - 18.0 m	-			15				
80	19.5	"		Tr			15				
✓81	21.0	"		-			20				
82	22.5	"	20% RQ	Tr			10	< 20	25	5	< 2
83	24.0	"	50% RQ Green shale band at 23.5 m	-			15	< 20	20	5	< 2
84	25.5	"	30% RQ	Tr			10	< 20	20	15	< 2
85	27.0	RQ	26m	-			15	20	20	10	< 2

Mount Gunson Mines Pty. Ltd

N. Pannathil h.
000063

DRILL HOLE No. *L520 - 3P*

PAGE / OF /

LOCATION: PERNATTY LAGOON NORTHING: EASTING:

AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 21 m

DATE STARTED: 31-8-72 COMPLETED: 31-8-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ag
							Cu.	Pb	Zn	Co	
58086	0-1	Del	Weathered Dry	-			180	40	120	40	<2
87	3.0	"	Weathered	-			90	35	55	5	<2
88	4.5	"		-							
89	6.0	"		-							
90	7.5	"	Soft, brown 7-8	0.15			140	30	140	15	<2
91	9.0	"	0.3 Mn or Fe Wet	-			480				
92	10.5	"	0.2 " "	-			510				
93	12.0	"	0.5 " "	-			380	<20	95	35	<2
94	13.5	"	0.3 " "	-			460				
95	15.0	RQ	RQ fragments; ^{some} green shale	Tr			170	<20	85	15	<2
96	16.5	"		0.3			320				
97	18.0	"		0.2			95	20	55	<5	<2
98	19.5	"		0.1			170				
99	21.0	"		<0.1			75	<20	25	<5	<2

Collared 0.3 m below lagoon surface

N. PERNATTY LAGOON

000064

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. L520 - 4P

PAGE 1 OF 1

LOCATION: PERNATTY LAGOON NORTHING: EASTING:

AREA CODE: BEARING: DIP: 90° COLLAR R.L. LENGTH: 30 m

DATE STARTED: 31-8-72 COMPLETED: 31-8-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ag
							Cu.	Pb	Zn	Co	
58100	0-1	Dol	Weathered, with clay & Mn Dry	—			110	20	40	40	< 2
01	3.0	"	" , mostly clay	—			450	20	210	55	< 2
02	4.5	"	"	—			390	35	190	40	
03	6.0	"		—							
04	7.5	"		—							
05	9.0	"		—							
06	10.5	"	RQ fragments	—			90				
07	12.0	"	" "	—			100				
08	13.5	"	" "	—			60	20	70	5	< 2
09	15.0	"	" " WET	—			70				
10	16.5	"		Tr			60	< 20	95	15	< 2
11	18.0	"		Tr			35				
12	19.5	"	RQ + green shale fragments	0.2			40	< 20	65	15	< 2
13	21.0	RQ		0.3			40	< 20	40	< 5	< 2
14	22.5	"		0.6			35	< 20	70	5	< 2
15	24.0	"		0.4			30	< 20	30	< 5	< 2
16	25.5	"		0.65			45	< 20	40	< 5	< 2
17	27.0	"		0.5			40	< 20	30	5	< 2
18	28.5	"		0.3			35	< 20	35	5	< 2
19	30.0	"		0.3			40	< 20	45	< 5	< 2

HOLE No. F 505 - 1 P

PAGE 1 OF 1

000065

PROJECT AREA: GUNSON

PROJECT No. 831

000065

SPUDDER: 3 - 7 - 72

COMPLETED: 3 - 7 - 72

LOCATION: Western edge of lagoon

CO-ORDS: X: _____ Y: _____

ELEVATION: _____ DIRECTION: _____

INCLINATION: ☒

TOTAL DEPTH: 24 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

ReLOGGED BY: G.K.A. 1979 DATE:

BIT SIZE:

TO

TO

TO

[illegible]

HOLE No. G 505 - 11

PAGE 1 OF 1

000068

PROJECT AREA: GUNSON

PROJECT No. 831

000066

SPUDDER: 3 - 7 - 72

COMPLETED: 3 - 7 - 72

LOCATION: western edge of lagoon

CO-ORDS: X: Y:

ELEVATION: DIRECTION: F INCLINATION: ✓ TOTAL DEPTH: 21 m

HOLE TYPE: AIRTAC

DRILLING CONTRACTOR:

DRILLER:

ReLOGGED BY: G.K.A. 1979 DATE:

BIT SIZE: _____ TO _____ TO _____

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	Assayed length	A.C.S.L., 1979 ASSAY VALUE P.P.M.					
							Cu	Pb	Zn	Ag	Mn	Fe
	0	TAPLEY HILL DOLOMITE: 0-7m 1-6.5: Lgt. brn. to greyish brn. weathered dolomite. Fractured & containing Mn & possibly ? hematite. Minor wht. dol. & wht clay 4.0-6.0. 6.5-7.0: Lgt. brn. soft clay From shale layer.		0								
	5	PANDURRA 7-21m			55905	3	10	60	30		9400 1.6%	
				5	55907	2	10	100	50		8300 2.3%	
					55909	2	10	80	30		4400 17.8%	
	10	Pink & mauish-pink massive Fresh g'te. Possibly sl. fractured - trace of yellowish brn. clay 10.0-12.0.		10	55911	2	10	40	30		370 2.1%	
					55912	2	10	20	20		190 600	
					55915	2	10	40	20		170 620	
	15	Minor lgt. yellowish brn. clay 14.0-16.0.		15	55917	2	<2	20	20		170 680	
					55919	2	<2	40	10		130 540	
				20	55922	3	10	20	10		170 440	
	21	END OF HOLE		21								

PACMINEX PTY. LTD.

HOLE No. G 507-1P

PAGE 1 OF 1

PROJECT AREA: GUNSON

PROJECT No. 831

000068

SUDDDED: 4-7-72

COMPLETED: 4-7-72

LOCATION: Western edge of lagoon

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION: V

TOTAL DEPTH: 30 m

HOLE TYPE: AIRTAAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C. DATE: 4.7.72 BIT SIZE:

TO

TO

TO

Relog: GKA 26.8.79

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	Assayed length	A.C.S.C., 1979 ASSAY VALUE p.p.m.					
							Cu	Pb	Zn	Ag	Mn	Fe
	0	CAMP 201C: 0-4.0 Rounded gte. & lithic granules, red gte., Mniferous dol. & wht. silcrete.			55946	3	30	<20	30		1100	2.49
	5	TAPLEY HILL FM. 4.0-30.0. 4.0-5.0: weathered & fractured dolomite. Wht. & red-brn. dol. & dendritic Mn. staining. Crisp dk. brn. clay. Minor coarse sub-rounded gte. granules & minor grnish-wht. clay.			55947	1	20	60	50		2600	3.29
					* 55948		59	20	51			
					* 55949		75	25	45			
					* 55950		50					
	10	8.0-12.0: Fresh, hard grnish-grey to grey dol. & minor red-brn. dol. & blk. Mniferous dol.			55952	2	20	60	40		5300	1060
					55954	2	10	100	40		7800	980
					55956	2	10	120	30		7500	780
	15	13.0-14.0: Fresh, hard grey dol. & red-brn. Fe-stained dol., crisp brn. grn. laminated clay, blk Mniferous dol.			55958	2	10	120	40		7900	920
					55960	2	10	100	30		8000	720
					55961	1	20	100	40		8000	820
	20				* 55962		20					
					* 55963		15					
					* 55964		20					
					55966	2	10	80	20		7700	940
	25	22.0-28.0: Fresh, hard dol. & red-brn. Fe-stained dol., bright grn. crisp clay & blk. Mniferous dol.			55968	2	10	100	40		8600	7400
					55970	2	20	120	40		8600	720
					* 55971		20					
	30	END OF HOLE			* 55972		20	35	23	2		

* MAM, 1972 ASSAYS

PACMINEX PTY. LTD.

HOLE No. G 508-1P

PAGE 1 OF 1

000069

PROJECT AREA: GUNSON

PROJECT No. 831

SPUDED: 5-7-72

COMPLETED: 5-7-72

LOCATION: Western edge of lagoon

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION: V

TOTAL DEPTH: 24.7 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C.

DATE: 5.7.72

BIT SIZE:

TO

TO

TO

Relog: GKA. 26.8.79

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	Assayed length	A.C.S.A., 1979 ASSAY VALUE P.P.M.					
							Cu	Pb	Zn	Mn	Fe	
	0	CAIN 0201C : 0 - 7.5										
		0-3.7 : wht. & brn. silcrete & minor dolomite & rounded qtz. & lithic granules.			56073	2.7	10	40	20	10	440	
	5	3.7-7.5 : wht. & pinkish wht. clay & fine grned. to med. grned. rounded qtz. & lithic granules. Minor blk. Fe. (hematite) frags. [TAPLEY HILL FM.			56075	2.3	10	40	20	140	920	
		7.5-8.75 : blk. Mn & Fe rich clay.			56077	2.0	10	40	100	280	1160	
					56078	1.0	20	80	70	9.5%	3.6%	
	10	8.75-16.0 : brn. dol. & Mn. staining, blk. Mn. & Fe rich clay & blk. hem. & lim. frags. Minor wht. clay 14.0-18.0.			56079		21					
					56081	2.0	20	100	110	15.5%	28.5%	
					56083	2.0	20	140	110	3.4%	24.5%	
	15	16.0-24.7 : brn. dol. & abund. Mn. staining & less abund. Mn. & Fe rich clay. Dark red-brn. Fe. stned. dol. 18.0-24.7.			56085	2.0	30	100	140	2.8%	23.5%	
					56086	2.0	20	60	70	2.2%	1840	
	20				56088	2.0	10	80	60	2.3%	1280	
					56090	2.0	10	40	60	2.4%	1280	
					56093	2.7	10	140	80	1.5%	1580	
	24.7	END OF HOLE										

* MGM, 1972 ASSAY

HOLE No. *G 508-2P*

PAGE 1 OF 1

000070

000070

PROJECT AREA: *GUNSON*

PROJECT No. 831

SPUDDER: 5-7-72

COMPLETED: 5.7.72

LOCATION: Western edge of lagoon

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION: *Vert.*

TOTAL DEPTH: 30.0 m

HOLE TYPE: *Airtrac*

DRILLING CONTRACTOR:

DRILLER:

Re LOGGED BY: G.K.A. DATE: 1979

BIT SIZE: TO

TO _____ TO _____

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	A.C.S.L., 1979 ASSAY VALUE P.P.M.
							Cu Pb Zn Mn Fe
0	0 - 6.0	CRINOZOIC : 0 - 6.0. Rounded wht. & clear qtz. sst.; pinkish-red & festined. qtzite; minor dolomite, Mn, & brown clay.		0			
				1	56040	3	30 40 50 370 27%
5	TAPLEY HILL FM : 6.0 - 24.3			5	56042	2	10 20 80 3200 42%
	6.0 - 20.0 : Dolomite.				56044	2	10 60 160 20% 6.4%
	6.0 - 10.0 : brnsh-grey weathered dolomite c Mn, festined. to hematitic dol. & flakes of clear gypsum to 8.0.			10	56051	2	10 120 80 9800 32%
					56053	2	10 100 50 9000 19.4%
	10.0 - 20.0 : Light grey to wht. fresh massive dolomite. Some weathered & festined dol. to 16.0. Pinkish-mauve dolomite 12.0-14.0. Minor dendritic Mn throughout - more abund. 18.0-20.0.			15	56055	2	<2 100 40 7900 1.8%
					56057	2	10 100 50 8500 2.2%
					56059	2	10 80 50 1.6% 2000
	20.0 - 24.3 : Shale			20	56061	2	10 100 90 1.4% 1.8%
	Pale green crisp clay c crisp red-brn. clay & mottled variations between. Abund. Mn. to 22.0.				56063	2	30 40 150 3300 1780
					56065	2	20 20 40 310 720
25	PANDURRA FM. : 24.3 - 30.0			25	56067	2	10 40 60 350 460
	Pink to reddish-pink grading to red- brn. massive fresh qtzite. Minor pale grn. crisp clay - more abund. in fractures 28.0-30.0				56069	2	10 40 30 230 780
				30	56071	2	10 100 40 1.8% 1140
30	E.O.H.						

PACMINEX PTY. LTD.

HOLE No. **F 509-1P**

PAGE **1** OF **1**

000072

PROJECT AREA: **GUNSON**

PROJECT No. **831**

SUDDDED: **4-7-72**

COMPLETED: **4-7-72**

LOCATION: **Western edge of lagoon**

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION: **✓**

TOTAL DEPTH: **24 m**

HOLE TYPE: **AIRTRAC**

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: **P.C.**

DATE: **1972**

BIT SIZE:

TO

TO

TO

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	Assayed length	ASSAY VALUE p.p.m.				
							Cu	Pb	Zn	Mn	Fe
		Not resampled in 1979									
	0	CAN2010 : 0-2.5m	C2	0							
		PANDURRA FM. 2.5-24m									
	5			5							
	10			10	* 56003	20					
					* 56005	24					
	15			15	* 56007	29					
					* 56010	19					
					* 56011	18					
	20			20							
					* 56014	24					
	24	END OF HOLE		24							

PACMINEX PTY. LTD.—FIELD DRILL LOG

000073

HOLE No. **IS10-1P**

PAGE **1** OF **2**

PROJECT: **Gunson 831**

DATE STARTED: **6.7.72**

TYPE OF DRILL: **AIRTRAC**

AREA: **W. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **22.8.79**

DEPTH: **24 m.**

LOGGED BY: **P.C./Releg. GKA.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Bmn. weathered & fractured dol. ± abund. blk. Mniferous dol; minor wht. ?barite frags.	3095	3	30	<20	145	1.45	47.0
4	Darker khaki bmn. fractured & weathered dol. ± more abund. blk. Mniferous dol & abund. blk. hem / lim frags. Minor bmn. clay.	96	1	18	38	85	(MGM 1972)	
5	Bmn. dk. khaki bmn & blk Mniferous dol. ± red festred dol. Also blk hem / lim frags & minor bmn. clay.	98	2	35	20	120	2.85	60.0
7	Dk. khaki bmn & blk Mniferous dol. ± red festred dol & minor blk hem / lim frags.	200	"	35	40	120	2.5	61.0
9	Predom. red & pinkish-red fractured gkts ± Mn spiraling along fracture surfaces. Abund. yellow clay & minor blk. Mniferous dol. Minor blk hem / lim frags.	9.25m 2	"	15	40	90	7700	21.0
11	Red, pinkish red & pinkish wht. fractured gkts. Abund. yellow clay, minor blk hem / lim frags & minor bmn. & blk Mniferous dol. as fallback.	4	"	10	<20	30	2400	5.5
13	Red & pinkish wht. fractured gkts. ± minor yellow & bmn. clay, trace of blk hem / lim frags & minor blk & bmn. dol as fallback.	6	"	15	20	25	1800	2.1
15	Red to brick-red fractured gkts. ± minor yellow & wht. clay & minor bmn & blk dol. as fallback.	8	"	5	30	35	1200	3.7
17	Red & pink slightly fractured gkts. ± soft yellow & creep grn. clay, trace of blk hem / lim frags & minor bmn. & blk dol. as fallback.	10	"	10	20	30	1600	3.1
19	As above.	12	"	10	30	60	1400	2.5

PAGE 2 OF 2

PROJECT:..... DATE STARTED: TYPE OF DRILL:
 AREA:..... HOLE SIZE:
 LOCATION:..... COORDINATES: CONTRACTOR:
 STARTED:..... ELEVATION:..... DRILLER:
 COMPLETED:..... DEPTH: 24 m LOGGED BY:

[illegible]

PACMINEX PTY. LTD.—FIELD DRILL LOG

000075

HOLE No. **I510-2P**

PAGE **1** OF **1**

PROJECT: **Gurson 831**

DATE STARTED: **6.7.72**

TYPE OF DRILL: **AIRTRAC**

AREA: **N. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **22.8.79**

DEPTH: **16 m.**

LOGGED BY: **P.C./Relog. C.K.A.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Wht, brn & blk weathered & fractured dol. E abund. Mn & trace of blk. hem / lim. frags. Wht & brn. dol. is laminated.	56217	3	10	50	70	1.7	13.5
4	PANDURRA Fm. 4 - 16 m.	56218 + 56219	2	50				*
6	Red quartzite	56220	1	48	55	90		*
7	Samples unavailable for relogging or re-assay from 4m to 7m. Assays opposite are from original log sheets and have been averaged where assay length is greater than 1m.	56221	1	28				*
8		56222	1	35	40	39		*
9		56223 + 56224 + 56225	3	78				*
12		56226	1	80	35	45		*
13		56227 + 56228	2	57				*
15		56229	1	62	60	70		*
16	END HOLE							

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

HOLE No. **I 510-3P**

000078

PAGE 1 OF 1

PROJECT: **GUNSON 831**

DATE STARTED: **6.7.72**

TYPE OF DRILL: **AIRTRAC**

AREA: **W. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED:

DEPTH: **21 m**

Re LOGGED BY: **G.K.A. (1979)**

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS				
					Cu	Pb	Zn	Mn	Fe%
0	Rubble								
		C ₂	—	1					
1	Light grey fresh dol. ± brn. + black weathered mangiferous dol. Minor red slate + gypsum fallback from overlying recent sed.	/ / /	56231	3	10	20	40	1.75%	2.4%
4	Predom. fresh light grey fractured dol. ± brn. + blk. Mn dol. & red slate as fallback.	/ / /	56233	2	5	20	25	1.8%	2.5%
6		/ / /	56234	1 *	80				
7	Dk. brn. weathered & slightly fractured dol. ± minor Mn staining.	/ / /	56235	1	5	40	35	1.3%	3.1%
8		/ / /	56236	1 *	85				
9		/ / /	56237	1 *	70				
10	Bright red. slightly fractured slate. ± minor brick red clay.	/ / /	56238	1	<2	30	75	2600	3.2%
11		/ / /	56239	1 *	35				
12	Red sl. fractured slate. ± minor white dol. as fallback.	/ / /	56242	3	5	20	30	1200	1.74%
15		/ / /	56243	1 *	45				
16		/ / /	56244	1 *	43				
17	Massive pinkish red slate.	/ / /	56247	3	10	20	30	400	1.86%
20		/ / /	56248	1 *	52				

CSR/0035

21

END OF HOLE

* MGM 1972 ASSAYS

PACMINEX PTY. LTD.—FIELD DRILL LOG

000077

HOLE No. **I 511-1P**

PAGE **1** OF **1**

PROJECT: **GUN SON 831**

DATE STARTED: **17.2.72**

TYPE OF DRILL: **Airtac**

AREA: **N. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **22.8.79**

DEPTH: **21 m**

LOGGED BY: **AGT / Relog GKA**

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS				
					Cu	Pb	Zn	Mn	Fe
1	Recent material consisting of gypsum flakes, brn. & blk. Mniferous dol., red & pink gte & brn. clay.	C2	67099	2	20	310	95	6500	
3	Pale greenish brn. clay & wht. dol., blk. Mniferous dol., gypsum, red & pink gte & trace of rounded gte sst.	Reworked Tapley Hill Shale	101	"	10	200	90	900	2.0
5	Predom. pale brn. clay & pale grn. & yellow clay & traces of dol. & gypsum.		3	"	<2	80	50	175	1.62
7	Sl. fractured red gte. & pink & pale grn. clay.	Ranolurra Fm.	5	"	10	140	40	200	1.86
9	Sl. fractured red gte. & minor pale grn. & pink clay.		7	"	10	140	25	500	
11	As above.		9	"	5	50	35	230	1.92
13	Red & pinkish-red sl. fractured gte. & minor red & pale yellow clay.		11	"	<2	30	55	170	1.4
15	Red, pinkish-red & pink sl. fractured gte. & minor pale grn. conc. clay & gypsum (?fallback)		13	"	5	80	120	170	1.64
17	Red, pinkish-red & pink fractured gte. & minor pale grn. conc. clay.		15	"	10	40	95	180	1.78
19	As above.		17	"	<2	40	45	180	1.12

CSR/0035

21

E.O.H. at 21.0m.

PACMINEX PTY. LTD.—FIELD DRILL LOG

000078

HOLE No. **I 511-2P**

PAGE **1** OF **2**

PROJECT: **Runson 831**

DATE STARTED: **18.2.72**

TYPE OF DRILL: **Airtac**

AREA: **W. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION: **6**

CONTRACTOR:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **20.8.79**

DEPTH: **24 m**

LOGGED BY: **A.G.T./Rebg. GKA**

Metres	0-1 = C2. DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Pinkish-red fractured weathered dol. with dol. & brn & blk Mniferous dol. Also possibly int. calcareous.	67119	2	10	20	70	2.75	6.4
3	Yellow-brn. weathered dol, brn. & blk Mniferous dol & wht & pink-red fractured dol. Also abund. gypsum, and yellow-brn. clay.	21	2	10	40	85	1.5	8.9
5	Brn & dk khaki-brn dol, dk. reddish-brn. hematitic dol, blk. Mniferous dol. Also gypsum	22	1	10	60	130	1.25	7.3
6	Predom. red sl. fractured gts. & pale grn. crisp clay, & minor wht & brn weathered dol & gypsum.	67123	1	35	75	165	} MGM 1972.	
		67124	1	20	25	30		
8	Pinkish-red massive & poss. sl. fractured gts. & blk. Mniferous brn & wht weathered dol. as fallback.	26	2	5	20	30	1900	1.5
10	Pinkish-red massive gts. & minor brn & wht. dol, & gypsum as fallback.	28	2	10	40	30	1700	1.44
12	As above.	30	2	10	20	25	900	1.7
14	As above.	32	2	5	60	40	1300	1.48
16	As above.	34	2	10	20	55	400	1.36
18	rust Pinkish-red gts. & brn/dol & blk Mniferous dol. as fallback & minor brn. yellow clay.	36	2	25	40	40	1700	1.78

Topley Hill Dolomite

Pandurra Fm.

000079

PAGE 2 OF 2

COMPLETED: DEPTH: 24 m. LOGGED BY:

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000080

HOLE No. **I 511-3P**

PAGE **1** OF **1**

PROJECT: **GUNSON 831**

DATE STARTED: **18.2.72**

TYPE OF DRILL: **Airline**

AREA: **W. Edge Kagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **22.8.79**

DEPTH: **21 m.**

LOGGED BY: **A.G.T./Rebg. GKA.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Brown-grey, brn & blk. Mniferous, & pinkish-wht. weathered & fractured dol.	67202	2	10	40	20	8700	1.36
3	Dk. greyish brn & blk. Mniferous fresher. Coarsely fractured dol. & pinkish-wht. somewhat fractured fractured dol.	4	"	10	20	20	9900	2.1
5	As above.	6	"	10	40	20	1.3	2.1
7	Grey & brn & blk. Mniferous fresh sl. fractured dol.	8	"	10	40	20	1.2	1.8
9	As above & minor wht, pink & yellow clay.	10	"	10	60	40	2.6	2.4
11	Grey & brn & blk. Mniferous dol. & wht & pink clay & pinkish brn weathered dol. as fallback.	12	"	10	50	45	1.8	3.5
13	Predom. pink gste. beneath brn & blk. Mniferous dol. Abund. crisp pale grn. & soft pale yellow clay assoc. & gste. at contact.	14	"	10	20	60	4400	2.2
14.25								
15	Pink massive & por. sl. fractured gste. & minor brn. & blk. dol. as fallback.	16	"	10	20	45	1400	0.8
17	Pink to red massive & sl. fractured dol. & abund. pinkish-brn weathered dol. as fallback. Also minor crisp pale grn & soft wht. clay assoc. & gste.	18	"	5	20	30	600	1.04
19	Red fractured gste. & minor crisp pale grn. clay. Pale pinkish brn & brn. & blk. dol. fallback.	20	"	10	20	30	500	1.02

Topley Hill Dolomite

Pandura Fr.

CSR/0035

21 F.O.H. at 21.0m.

PACMINEX PTY. LTD.—FIELD DRILL LOG

000081

HOLE No. **I 511-4P**

PAGE **1** OF **1**

PROJECT: **GUNSON 831**

DATE STARTED: **18.2.72**

TYPE OF DRILL: **Airtac**

AREA: **W. Edge Lagoon**

COORDINATES:

HOLE SIZE:

LOCATION:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **22.8.79**

DEPTH: **21 m**

LOGGED BY: **AGT./Rebg. GKA.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Dk. grey brn, red Ferricred & blk Mniferous dol. - weathered & fractured. Also wht. leached dol.	67142	2	10	40	25	1.5	3.1
3	As above.	4	"	5	20	30	1.95	7.5
5	Lighter brn. fresher fractured dol. & dk brn & blk Mniferous dol.	6	"	10	40	45	1.7	5.2
7	Pale brn. dol. & minor dk. brn. & blk dol. Abund. crisp pale grn. & soft wht. clay assoc. & contact & minor red gts.	8	"	10	40	115	1.4	7.5
8.75								
9	Red sl. fractured gts. & pale greenish-wht soft clay. Minor brn. dol. as fallback.	50	"	10	30	60	1300	1.44
11	Dk. red massive gts. & minor red & greenish-wht. soft clay.	2	"	10	70	40	1200	1.92
13	Dk. red massive gts. & trace of brn & blk Mniferous dol. as fallback.	4	"	10	20	25	900	1.52
15	As above & minor red clay.	6	"	10	<20	35	600	1.16
17	Massive red gts.	8	"	<2	80	35	600	1.44
19	As above.	60	"	<2	30	20	380	1.06

CSR/0035

21

E.O.H. at 21.0 m.

PACMINEX PTY. LTD.—FIELD DRILL LOG

HOLE No. **I 511-6P**

000082

PAGE **1** OF **1**

PROJECT: **GUNSON 831**

DATE STARTED: **18.2.72**

TYPE OF DRILL: **Air-Mc**

AREA: **I 511**

COORDINATES:

HOLE SIZE:

LOCATION: **W. Edge Lagoon**

CONTRACTOR:

CONTRACTOR:

STARTED:

ELEVATION:

DRILLER:

COMPLETED: **Relogged 26.8.79**

DEPTH: **21.0 m.**

LOGGED BY: **AGT/Relog. GKA.**

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS				
					Cu	Pb	Zn	Mn	Fe
1	Pinkish-brn. weathered & fractured dolomite. Rhomb. blk. rich Mniferous dol.		67162	2	30	40	50	9.0	7.6
3	Predom. blk. rich Mniferous dol. & minor brn. dol. & trace of red hem. dol.	Topley Hill Dolomite	4	2	28	80	80	15.5	21.5
5	As above.		5	1	20	100	70	15.0	23.0
6 7/4	Predom. brn., grey-brn & pink clay & blk Mniferous dol. & brn. dol.	Shale	8	2	10	200	130	12.0	13.5
9	Predom. red & pink sl. fractured gtsite, & brn. clay, brn. & blk Mniferous dol. & pinkish-brn. weathered dol (fallback). Also minor crisp pale grn. clay.		70	2	20	140	50	1.4	2.7
11 1/3	Red & pink sl. fractured gtsite & minor crisp pale grn. clay & minor brn. dol. (fallback).		73	1	30	60	40	3900	1.38
14	As above.	Pandurina Fm.	74	1	30	60	30	2700	1.38
15 1/20	Red massive & possibly sl. fractured gtsite & crisp pale grn. clay.		80	1	10	80	40	1000	1.56
21									
	E.O.H. at 21.0m.								

000083

PAGE 1 OF 1

TYPE OF DRILL: Airtac

HOLE SIZE:

CONTRACTOR:

DRILLER:

LOGGED BY: AGT/Reloq G.K.A.

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000084

HOLE No. **I-511-8P**

PAGE **1** OF **1**

PROJECT: DATE STARTED: **18.2.72** TYPE OF DRILL:
 AREA: **I.511** COORDINATES: HOLE SIZE:
 LOCATION: CONTRACTOR:
 STARTED: ELEVATION: DRILLER:
 COMPLETED: **Relayed 26.8.79** DEPTH: **18.0m** LOGGED BY: **A.G.T./Relg. G.K.A.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Predom. fractured & weathered brn & blk Mniferous dol (Mn dendritic). Also pinkish-brn weathered, leached & Fe-stained dol.	67239	2	10	60	30	9800	1.04
3	Fractured brn & blk Mniferous dol. (Mn dendritic) & minor greyish wht. dol. Also dk. greyish brn. clay.	41	"	20	80	30	1.1	1.2
5	Less fractured brn. & blk. Mniferous dol. & minor greyish wht. dol.	43	"	10	80	30	1.2	1.64
7	Fairly massive lighter brn. dol. Minor blk. Mniferous dol. Traces of red gte. frags.	45	"	20	60	50	1.1	2.3
9	Light brn dol. & dk. greyish brn to blk Mniferous dol. Minor red Fe-stained dol.	47	"	10	80	90	1.9	5.2
11	Brn. dol. & dk. brn & blk. Mniferous dol. & abund. soft pinkish wht clay & pale grn. crisp clay assoc. & contact of minor red gte.	49	"	10	100	200	4200	18.5
13	Red & pink sl. fractured gte. & abund. crisp grn. clay Also minor brn. dol. fallback.	51	"	20	40	60	3500	1.82
15	Sl. fractured red gte. & minor crisp grn. clay & minor brn. dol. fallback.	54	3	20	80	60	950	1.56
18	E.O.H. at 18.0m.							

Tapley Hill Dolomite

Shale

Pandurua Fm.

PACMINEX PTY. LTD.—FIELD DRILL LOG

000085

HOLE No. **I.511-9P**

PAGE **1** OF **1**

PROJECT:

DATE STARTED: **19.2.72**

TYPE OF DRILL:

AREA: **I.511**

COORDINATES:

HOLE SIZE:

LOCATION:

ELEVATION:

CONTRACTOR:

STARTED:

DEPTH: **18.0m**

DRILLER:

COMPLETED: **Relogged 26.8.79**

LOGGED BY: **A.G.T./Rebg. G.K.A.**

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS				
				Cu	Pb	Zn	Mn	Fe
1	Angular red gble frags.-size ranging from fine to pebbles Minor brn. weathered gble, brn. clay, gypsum & blk. Mn or Fe rich frags.	67256	2	30	20	30	800	1.1
3	As above & minor wht. clay.	57	1	30	60	20	2700	1.12
4	Predom. blk. Mn rich dol. & minor	58	1	80	620	170	16.5	15.5
5	brnish. wht. weathered dol., gypsum, red hematitic dol & red gble. fallback.	60	2	40	800	270	4.5	22.0
7	Massive blk. Mn. rich dol & abund. red hematitic dol. & minor weathered brn. to wht. dol.	62	2	20	500	220	18.0	22.5
9	Predom. blk. khaki-brn., reddish-brn & red Fe rich limonitic & hematitic dol. & blk. Mniferous dol.	64	"	20	1240	390	2.0	>50.0
11	Predom. yellowish brn. limonitic dol. & reddish brn. red and blk. hematitic & Mniferous dol.	66	"	20	600	500	1.1	44.5
13	As above & minor pink gble. & gypsum.	68	"	10	540	500	1.1	20.0
15	Predom. pinkish brn, pink & red fractured gble. & yellow-brn limonitic dol. & blk. Mniferous dol & minor gypsum.	71	3	10	300	210	1.1	23.0
15.75								
18								
	E.O.H. at 18.0m.							

C2

Tapley Hill Dolomite

Pandurra Fm.

PACMINEX PTY. LTD.

HOLE No. J 511-1

PAGE 1 OF 1

PROJECT AREA: Gunson

PROJECT No. 401 / 831

000086

SPUDDER: 18.2 - 72

COMPLETED: 18. 2. 72

LOCATION: W. Edge Lagoon

CO-ORDS: X: Y:

ELEVATION: **DIRECTION:**

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: / DATE: BIT SIZE: TO TO TO

Relogged: GKA 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn		Mn	% Fe
	0	TAPLEY HALL DOLOMITE 0-15.0			0							
		1.0 - 3.0 : greyish-brn.	/		1							
		weathered dolomite c md-pink ferrug.	/		3	67182	2	10	40	30	6400 1.1	
		dol. Minor Mn o blk. limonite?	/								%	
	5	3.0 - 15.0 : light-grey to wht.	/		5	67184	2	10	50	25	2.1 1.6	
		massive dolomite. Sl. fractured c	/		7	67186	2	10	60	20	2.05 1.5	
		Mn to 5.0.	/		9	67188	2	15	40	35	2.25 1.5	
			/		10	67190	2	20	60	40	2.8 2.0	
			/		11						%	
			/		13	67192	2	10	80	35	4.2 1.7	
			/		15	67194	2	10	40	40	1.3 2.4	
	15	PANDURRA FM. 15.0-21 m	.		17	67196	2	20	40	50	5000 1.0	
		15.0-17.0 : lgt. pink clean	.		19	67198	2	40	40	30	2200 1.7	
		massive gtzle c wht clay-pass.	.		20							
		Pract. Pilling.	.		21	67200	2	30	30	50	1180 1.2	
	20	17.0-21.0 : pink-red gtzle c	.									
		brick-red-brn. gtzle.	.									
		END OF HOLE										

PACMINEX PTY. LTD.

HOLE No. I 512-3

PAGE 1 OF 1

000088

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDED: 17-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 24 m

HOLE TYPE: PERCUSSION AIRRAAL

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL

DATE: BIT SIZE: TO TO TO

Relogged: G. Alexander 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	% Fe
NON - CORING	0	SAND, CLAY, ROCK RUBBLE 0 - 5	C ₂									
		Qzite, silcrete, gypsum, dolomite			1 67055							
		PANDURRA FORMATION 5 - 24			3 67056	2	20	40	20		300	2.1
		Red quartzite & minor shale										
		Massive, fine - red.			5 67058	2	10	<20	20		180	1.02
					8							
					9* 062	1	19					
	10				10 67063	1	10	10	20		70	0.72
					11 67064	1	10	10	25		110	1.18
					12 065	1						
					13 67066	1	10	10	20		205	3.0
					14 067	1						
					15 068	1						
					16 67069	1	<2	<20	30		160	2.0
		Trace pyrite? at 16 m (or heavy mineral)										
	20				20							
					21 67074	1	5	<20	30		450	5.7
					23							
					24 67077	1	10	<20	20		270	2.3
		END OF HOLE										

HOLE No. I 512-4

PAGE 1 OF 1

PAGE 1 OF 1

000089

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDDER: 17-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: A. TURNBULL DATE:

BIT SIZE:

[illegible]

PACMINEX PTY. LTD.

HOLE No. J 512-2

PAGE 1 OF 1

PROJECT AREA: MT. GUNSON

PROJECT No. 831

000092

SPUDDED: 16-2-72

COMPLETED: 17-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X:

Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE:

TO

TO

TO

Relogged: G.K.A. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:300	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	% Fe
NON-CORING	0	UNCONSOLIDATED SEDIMENTS 0-4.5		0								
		Sand, gravel of predom. round med. to coarse gtz. & red GRV granules, pink & red glaze & yellow & blk. limonitic & hematitic fragments + gypsum.	C ₂	1	66969	2	10	30	20		3500	1.7
				3	66970	2	30	30	20		3600	1.6
	5			5	66971	2	40	50	25		7800	1.2
		WOODALLA DOLOMITE 4.5 - 19		7	972	2	75	60	20	15		
		Grey dolomite & minor pyrite from 5m. Minor weathered dol 4.5-5m.		8	973	1*	25	60	30	20		
		Brown clay towards base? From 15m. increasing fallback of fine to coarse round gtz. & GRV granules & brn. weathered dol.		9	974	1*	15	85	30	20		
	10			10	975	1*	30	85	25	20		
				11	976	1*	42	60	50		9500	0.78
				14	977	1*	20	80	60	30		
	15	PANDURRA FORMATION 19 - 21		15	978	1	10	80	65		1400	1.7
		Red quartzite - fresh red & pink. From 20-20.5m: shale band of crisp brn. & pale green clays.		16	979	1*	25	75	75	25		
				17	980	1*	20	70	40	20		
				18	981	1*	25	80	65	25		
	20			19	982	1*	25	45	40	10		
	21			20	983	1	5	40	60		1400	2.9
		END OF HOLE		21	984							
					985							
					986							
					987							
					988							

* M&M 1972 ASSAYS

PACMINEX PTY. LTD.

HOLE No. J512-3

PAGE 1 OF 1

000093

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDDED: 16-2-72

COMPLETED: 16-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X:

Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: P. TURNBULL DATE: 1972

BIT SIZE:

TO

TO

TO

Relogged: G.K.A. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	Fe%
NON-CORING	0	WOODALLA DOLOMITE 0-12.5		0								
		Grey dolomite & sl. pinkish-grey dol.		1								
		- weathered & Festrod. to 5.0. Fractured to 3.0.		3	66950	2	<2	50	20		7500	0.66
		3.0-7.0: mauve & pale greenish dol		5	66952	2	10	40	20		7400	0.54
		- massive.		7	66954	2	<2	50	20		8900	0.54
		Mn 7-9 m		9	66956	2	10	40	20		9600	0.50
		7.0-12.5: massive lgt. grey to wht. Fresh dolomite & minor Mn along fracture planes.		11	66958	2	<2	60	35		1.65	0.70
	10	Green shale at base: 12.5-14.0:		13	66960	2	5	50	40		1.85	0.80
		Pale gm., reddish-brn & pink clay from shale layer		14	66961	1*	10	<10	15	<10		
		PANDURRA FORMATION 14-21		15	66962	1*	10	15	70	<10		
		Red quartzite		17	66964	2	<2	40	40		540	1.0
		Pyrite below 17m		19	66966	2	10	50	55		320	0.72
		Reddish-brn. & pink massive gte. Fract. filling gm. clay to 15.0.		21	66968	2	5	20	5		180	0.64
	20	Trace of heavy min. 17.0-21.0.										
	21	END OF HOLE										

* MGM 1972 ASSAYS.

PACMINEX PTY. LTD.

HOLE No. JS12-4

PAGE 1 OF 1

000094

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDED: 16-2-72

COMPLETED: 16-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X:

Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE:

TO

TO

TO

Re-logged: D.G.T. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1: 2000	SAMPLE No.	Assayed length	ASSAY VALUE						
							Cu	Pb	Zn	Co	% Mn Fe		
NON - CORING	0	CAINOZOIC 0-1		0									
		WOOCALLA DOLOMITE 1 - 16.5	C2	1									
		Grey dolomite ± Mn in places	/ /										
		Fairly fresh throughout.	/ /	3	66930	2	5	40	20		7000	0.44	
			/ /										
			/ /	5	66932	2	5	40	20		8000	0.48	
			/ /										
			/ /	7	66934	2	42	40	20		5300	0.30	
			/ /										
			/ /	9	66936	2	10	50	20		6900	0.38	
			/ /										
	10		/ /	11	66938	2	5	10	40		9800	0.48	
			/ /										
			/ /	13	66940	2	10	50	20		125	0.52	
		green	/ /										
		Brown shale at base; 15.75 - 16.50 m	/ /	15	66942	2	10	40	25		115	0.46	
			/ /										
			/ /	16	943	1*	20	40	40	30	100	1.35	
		PANDURRA FORMATION 16.5- 21	3	17	66944	1*	15	20	50	10	290	0.41	
		Red quartzite Minor green clay fracture fill at top.	•••	19	66946	2	10	30	20		3200	1.3	
	20												
					21	66948	2	15	30	20		1020	1.2
		END OF HOLE											

* MGM 1972 ASSAYS

PACMINEX PTY. LTD.

HOLE No. JS12 - 5

PAGE / OF /

PROJECT AREA: Mt. Gunson

PROJECT No. 831

000095

SPUDDER: 16-2-72

COMPLETED: 16-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 24 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A TURNBULL DATE: 1972 BIT SIZE: TO TO TO

Relogged: D.G.T. 1979

[illegible]

* MGM 1972 ASSAY

PACMINEX PTY. LTD.

HOLE No. I 513 - 1

PAGE / OF /

PROJECT AREA: MT. GUNSON

PROJECT No. 831

000096

SPUDDER: 15-2-72

COMPLETED: 15 - 2 - 72

LOCATION: WESTERN EDGE OF PERATTY LAGOON

CO-ORDS: X:

Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH:

21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR:

O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE:

TO:

TO

TO

Re logged: G.K.A. 1979

[illegible]

* MAM 1972 ASSAY

PACMINEX PTY. LTD.

HOLE No. I 513 - 3

PAGE 1 OF 1

000097

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDED: 15-2-72

COMPLETED: 15-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL

DATE: 1972

BIT SIZE: TO TO TO

Relogged: G.K.A. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	% Fe
Non - CORING	0	CAINOZOIC 0-2			0							
		PANDURRA FORMATION 2 - 21			1							
	2	Red quartzite	C ₂		3	66746 2	15	20	25		65	0.68
					5	48 2	5	40	20		60	1.06
					7	50 2	5	20	20		60	0.84
					9	66751 2	10	40	20		100	1.44
	10				10	753 1	15					
					12	754 2	10					
					14	66755 2	20	20			90	2.4
					16	756 2	10	40	20		85	2.0
					18	758 2	10	20	20		75	1.24
	20				20	66761 2	5	30	15		70	1.32
	21				21	66764 3	5	40	30		40	1.52
		END OF HOLE										

PACMINEX PTY. LTD.

HOLE No. *IS13-4*

PAGE 1 OF 1

PROJECT AREA: *Mt. Gunson*

PROJECT No. 831

000098

SPUDDER: 15-2-72

COMPLETED: 15-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE:

TO:

TO

TO

Relogged: G.K.A. (1979)

[illegible]

PACMINEX PTY. LTD.

HOLE No. I 513-5

PAGE / OF /

000099

PROJECT AREA: MT. GUNSON

PROJECT No. 831

SPUDED: 15-2-72

COMPLETED: 15-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 24 m

HOLE TYPE: PERCUSSION DRILLING CONTRACTOR: O'NEIL DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972 BIT SIZE: TO TO TO

Relogged: G.K.A. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1: 200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	Fe %
NON-CORING	0	PANDURRA FORMATION 1.5 - 24	C2	0								
		Red quartzite ± minor shale		1								
				3	66786	2	10	30	20		80	0.98
				5	88	2	5	<20	30		80	2.1
				7	90	2	<2	30	20		90	2.0
				9	92	2	10	20	15		50	2.3
				11	94	2	15	30	25		120	2.0
				13	96	2	<2	30	30		50	1.38
				15	98	2	10	30	25		65	1.78
				17	800	2	10	20	15		70	1.5
				20	803	3	10	20	15		90	1.64
				21	804	1*	10		<10			
				24	807	3	10	<20	20		60	1.1
	24	END OF HOLE										

* MGS 1972 ASSAY

PACMINEX PTY. LTD.

HOLE No. I 513 - 6
PAGE / OF /

PROJECT AREA: Mt. Gunson

PROJECT No. 831

SPUDED: 15-2-72

COMPLETED: 15-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 18 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL

DATE: 1972

BIT SIZE: TO TO TO

Relogged: G.K.A. 1979

CORE RECOVER	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	ASSAY VALUE						
							Cu	Pb	Zn	Co	Mn	Fe	
NON-CORING	0	CAINOZOIC : 0-2.5	C ₂	0									
	0.75												
	1.5	66808		0.75	10	<20	40		195	0.64			
	2.25	66809		0.75	25	20	30	<10	-	0.22			
	3	66810		0.75	25	10	20	<10	-	0.7			
	4.5	812		1.5	<2	<20	30		150	2.1			
	6	814		1.5	<2	20	20		75	1.24			
	7.5	816		1.5	20	20	45		85	2.2			
	9	818		1.5	5	70	50		60	1.82			
	9.0												
	10	12 - 18: Samples represent fallback from interval 0-3 m.		10	820	2	<2	20	20		80		
				11									
				12									
				14	823	3	10	20	20		50	1.7	
				15	66824	1 *	10	10	10	<10			
				16	66825	1 *	15	10	15	<10			
					66826	1 *	10	10	10	<10			
				18	66827	1 *	15	10	15	<10			
	20	END OF HOLE											

* MGM 1972 ASSAYS

PACMINEX PTY. LTD.

HOLE No. JS13 - 1

PAGE 1 OF 1

000101

PROJECT AREA: *Mt. Gunson*

PROJECT No. 831

SPUDDER: 16-2-72

COMPLETED: 16 - 2 - 72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X: Y:

ELEVATION: _____ DIRECTION: _____

INCLINATION:

TOTAL DEPTH: 34 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: *A. TURNBULL* DATE: *1972*

BIT SIZE:

TO

TO

TO

Re logged: G.K.A. 1979

[illegible]

PACMINEX PTY. LTD.

HOLE No. J 513- 3

PAGE / OF /

000102

PROJECT AREA: *Mt. Gunson*

PROJECT No. 831

SPUDDER: 16 - 2 - 72

COMPLETED: 16-2-72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON CO-ORDS: X:

Y:

ELEVATION: DIRECTION: INCLINATION: TOTAL DEPTH: 21 m

HOLE TYPE: *PERCUSSION*

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE: TO

TO _____ TO _____

Relogged: G.K.A. 1979

[illegible]

PACMINEX PTY. LTD.

HOLE No. J513 - 4

PAGE 1 OF 1

PROJECT AREA: MT. GUNSON

PROJECT No. 831

000103

SPUDDED: 16 - 2 - 72

COMPLETED: 16 - 2 - 72

LOCATION: WESTERN EDGE OF PERNATTY LAGOON

CO-ORDS: X:

Y:

ELEVATION:

DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: PERCUSSION

DRILLING CONTRACTOR: O'NEIL

DRILLER:

LOGGED BY: A. TURNBULL DATE: 1972

BIT SIZE:

TO

TO

TO

Relogged: D.G.T. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1 : 200	SAMPLE No.	Assayed length	ASSAY VALUE					
							Cu	Pb	Zn	Co	Mn	% Fe
NON - CORING	0	CARNOZIOIC: 0 - 0.25 lagoon mud			0							
		WOOCALLA DOLOMITE 0 - 16			1							
		Grey dolomite	1/1		2	66871 (1	10	40	20		8700	0.78
		Minor Mn in places	1/1		3	66872 (1*	20	30	20	10		
		Greenish shale towards base	1/1		4	873 (1	5	40	15		8300	0.60
		Fairly fresh to 15m. Some	1/1		5	874 (1*	20	30	20	10		
		oxidation at base, & segregations of	1/1		6	875 (1	10	40	10		8200	0.44
		Mn in khaki-grey dolomite.	1/1		7	876 (1*	20	30	20	10		
			1/1		8	877 (1	10	50	10		1.25	0.56
			1/1		9	878 (1*	20	30	20	15		
	10		1/1			879 2	45	40	15		1.2	0.5
			1/1		11	880						
		15.25 - 16.0 : Red-brown and green	1/1		12	881 (1*	100	35	20	15		
		crisp claystone.	1/1		13	882 (1	25	40	20		1.35	0.48
			1/1		14	883 (1*	30	50	20	20		
			1/1		15	884 (1	130	80	65		1.6	1.4
			1/1		16	885 (1*	40	50	120	<10	0.4	1.4
		PANDURRA FORMATION 16 - 21	1/1		17	886 (1*	25	15	40	<10	1400	0.48
		Red quartzite, oxidized & & minor	1/1		18	887 (1	30	30	25		1740	1.5
		Pyrite below 18m green clay at top	1/1		19	888 (1*	20	10	10	<10		
	20		1/1			889 2	10	40	20		1480	1.9
	21	END OF HOLE			21	890						

* MGM 1972 ASSAYS

PACMINEX PTY. LTD.

HOLE No. J 520 - 1P

PAGE 1 OF 1

000104

PROJECT AREA: Gunson

PROJECT No. 831

SPUDED: 30.8.72

COMPLETED: 30.8.72

LOCATION: Pernatty Lagoon

CO-ORDS: X: Y:

ELEVATION: 58.2 m DIRECTION: INCLINATION: V. TOTAL DEPTH: 21 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C. DATE: 1972 BIT SIZE: TO TO TO

Relogged: D.G.T. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	1972 ASSAY VALUE 1979						
						Cu	Pb	Zn	Co	Ag	Mn	Fe%
		Collared 0.3 m below lagoon surface										
		PANDURRA fm. : 0 - 21 m.			0							
		Oxidized, ± yellow, ochreous clay filling to 5 m.			1.5	58030*	50	<20	20	<5	<2	
		Pink clay filling from 5 m.			3.0	58031*	60	20	30	<5	<2	
		Fresh red quartzite from about 5 m.			4.0	58032*	60	<20	30	<5	<2	
					5.0	58033						
					6.0	58034	35	<20	20			90 1.16
					7.0	58035*	15	25	15	<5	<2	
					8.0	58036*	10	<20	10	<5	<2	
					9.0	58037						
					10.0	58038	35	<20	15			80 0.84
					11.0	58039						
					12.0	58040	20	<20	10			100 1.08
					13.0	58041*	15	30	35	<5	<2	
					14.0	58042*	10	20	15	<5	<2	
					15.0	58043*	20	<20	15	<5	<2	
					16.0	58044*	20	<20	20	<5	<2	
					17.0	58045*	5	<20	10	<5	<2	
					18.0	58046*	10	<20	20	<5	<2	
					19.0	58047*	40	30	75	<5	<2	
					20.0	58048*	120	<20	20	<5	<2	
					21.0	58049	30	<20	10			100 1.2
		END OF HOLE										

ACSL 1979 ASSAYS

* MAM 1972 ASSAYS.

PACMINEX PTY. LTD.

HOLE No. L 520 - 1P

PAGE 1 OF 1

PROJECT AREA: GUNSON

PROJECT No. 831

000105

SPUDED: 31-8-72

COMPLETED: 31-8-72

LOCATION: Pennally Lagoon

CO-ORDS: X: Y:

ELEVATION: 58.0 m DIRECTION:

INCLINATION: ✓

TOTAL DEPTH: 27 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C. DATE: 1972

BIT SIZE: TO

TO TO

Re-log: D.G.T. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	ASSAY VALUE						
						Cu	Pb	Zn	Co	Ag	Mn	Fe %
		Collared 0.5 m below lagoon surface.										
	0	? WHAYAKA SANDSTONE: 0 - 2.3 m		0	58050*	160	20	50	10	<2		
	1.5			1.5	58051*	540	35	65	20	<2		
	2.5			2.5	58052*	480	30	60	20	<2		
	4.5	TADLEY HILL DOLOMITE: 2.3 - 26m		4.5	58053							
	5	Massive dolomite. Minor oxid. brown dol., & mostly pinkish-mauve dolomite. Minor fresh white dolomite		5	58054	190	<20	35			8200	1.58
	7.5			7.5	58055							
	10			10	58056	60	20	30			9800	1.04
	10.5			10.5	58057*	25						
	12.0			12.0	58058							
	15			15	58059	30	30	30			8500	0.66
	15.0			15.0	58060*	25						
	16.5			16.5	58061*	80						
	18.0			18.0	58062*	30	20	30	15	<2		
	19.5			19.5	58063*	30	<20	40	15	<2		
	21.0			21.0	58064*	25	20	60	15	<2		
	22.5			22.5	58065*	20	20	30	15	<2		
	24.0			24.0	58066*	15	20	25	5	<2		
	25	PANDURRA FM: 26 - 27 m		25.5	58067*	25	<20	20	<5	<2		
	27	END OF HOLE		27.0								

* MGM 1972 ASSAYS.

PACMINEX PTY. LTD.

HOLE No. L 520 - 2P

PAGE 1 OF 1

PROJECT AREA: GUNSON

PROJECT No. 831

000108

SPUDED: 31 - 8 - 72

COMPLETED: 31 - 8 - 72

LOCATION: Pennally Lagoon

CO-ORDS: X: Y:

ELEVATION: 58.2 m DIRECTION:

INCLINATION: V

TOTAL DEPTH: 27 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C. DATE: 1972

BIT SIZE: TO

TO TO

Relog: D.G.T. 1979

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	1972 ASSAY VALUE 1979							
						Cu	Pb	Zn	Co	Ag	Mn	%	%
	0	? WHYALLA SANDSTONE: 0 - 3.0 m	/	0	58068*	20	<20	25	<5	<2			
			/	1	58069*	30	<20	50	<5	<2			
			/	3	58070*	130	20	45	5	<2			
	5	TAPLEY HILL DOLOMITE: 3.0 - 26 m	/	4.5	58071*	270	35	30	20	<2			
		Massive dolomite. Oxidised red-brown to ~ 5 m.	/	6.0	58072*	100	40	25	15	<2			
			/	7.5	58073*	70	<20	25	20	<2			
	10	Fairly fresh pinkish-mauve to very fresh pink-white dolomite from 10 m.	/	9.0	58074	50	20	25			1.1	0.86	
			/		58075								
			/	12.0	58076								
			/		58077	15	40	60			1.2	0.52	
	15		/	15.0									
			/	16.5	58078	15	<20	30			1.15	0.62	
			/	18.0	58079*	15							
		17.5 - 18.0: Softer	/	19.5	58080*	15							
	20		/		58081	5	20	30			1.25	0.60	
			/	21.0	58082*	10	<20	25	5	<2			
			/	22.5	58083*	15	<20	20	5	<2			
	25	23.5m: Green shale band.	/	24.0	58084*	10	<20	20	15	<2			
		22.5m - 26m: RQ chips 20-50%	/	25.5	58085*	15	20	20	10	<2			
	27	PANDURRA FM. 26 - 27 m	/	27.0									
		END OF HOLE											

* MGM 1972 ASSAYS.

PACMINEX PTY. LTD.

HOLE No. L 520 - 3P

PAGE 1 OF 1

00000

PROJECT AREA: GUNSON

PROJECT No. 831

SPUDDER: 31-8-72

COMPLETED: 31-8-72

LOCATION: Pernathy Lagoon

CO-ORDS: X: Y:

ELEVATION: 58.0 m DIRECTION:

INCLINATION:

TOTAL DEPTH: 21 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P.C. DATE: 1972

BIT SIZE: TO

TO _____ TO _____

Relog : D.G.T. 1979

[illegible]

* MGM 1972 45544.

PACMINEX PTY. LTD.

HOLE No. L 520 - 4 P

PAGE / OF /

000108

PROJECT AREA: GUNSON

PROJECT No. 831

SPUDDER: 31. 8. 72

COMPLETED: 31. 8.72

LOCATION: Pernatty Lagoon

CO-ORDS: X: Y:

ELEVATION: 58.2 m DIRECTION:

INCLINATION: $\checkmark$.

TOTAL DEPTH: 30 m

HOLE TYPE: AIRTRAC

DRILLING CONTRACTOR:

DRILLER:

LOGGED BY: P. Creedy DATE: 1972

BIT SIZE: TO

TO _____ TO _____

CORE RECOVERY	METRAGE	DESCRIPTION	Core bedd'g angle and joint spacing	LOG SCALE: 1:200	SAMPLE No.	ASSAY VALUE					
						Cu	Pb	Zn	Co	Ag	
		Collared 0.3 m below lagoon surface									
	0	TAPLEY HILL DOLOMITE: 0 - 19.5 m			58100*	110	20	40	40	<2	
		0 - 4.5 m: Weathered, i clay + Mn			58101	450	20	210	55	<2	
					58102	390	35	190	40		
	5				58103						
					58104						
					58105						
	10	9.0 - 15.0 m: Red quartzite fragments			58106*	90					
		Wet from 13.5 m			58107*	100					
					58108*	60	20	70	5	<2	
	15		14.20		58109*	70					
					58110*	60	<20	95	15	<2	
		18.0 - 19.5: Rq + green shale fragments			58111*	35					
	20	PANDURRA FM. 19.5 - 30.0 m			58112*	40	<20	65	15	<2	
		Red quartzite			58113*	40	<20	40	<5	<2	
					58114*	35	<20	70	5	<2	
					58115*	30	<20	30	<5	<2	
	25				58116*	45	<20	40	<5	<2	
					58117*	40	<20	30	5	<2	
					58118*	35	<20	35	5	<2	
	30	END OF HOLE			58119*	40	<20	45	<5	<2	

* MGM 1972 ASSAYS

000109

PAGE 1 OF 1

COMPLETED: DEPTH: LOGGED BY:

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000110

HOLE No. IS12-4P
PAGE 1 OF 1

PROJECT:..... DATE STARTED: TYPE OF DRILL:
AREA:..... COORDINATES: HOLE SIZE:
LOCATION:..... CONTRACTOR:
STARTED:..... ELEVATION:..... DRILLER:
COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Predom. light brn. & blk Mniferous dol. & red gts & minor wht. clay	Tapley Hill	67035	1						
1.75										
2	Predom. fractured red gts. & abund. wht. & pale yellow soft clay. Also brn. & blk Mniferous dol. (possibly mostly fallback) & gypsum.		37	2						
4 1/6	Sl. fractured red gts. & minor wht. & pale yellow soft clay. Also minor brn. dol. chips as fallback.		41	2						
8 1/9	Massive pink & red gts & minor wht. & pale yellow soft clay. Also minor gypsum, & dol. chips.		43	1						
10	As above.	Pandurina Fm.	45	2						
12	As above.		46	1						
13	Massive pink & red gts. & minor wht. soft clay		48	2						
15	Dk. red massive & possibly sl. fractured gts		49	1						
16 1/20	Dk. red massive gts & minor brn. & blk dol. fallback.		54	1						
21										
	F.O.H. at 21.0m.									

PACMINEX PTY. LTD.—FIELD DRILL LOG

000111

HOLE No. IS12-SP

PAGE 1 OF 2

PROJECT:..... DATE STARTED: TYPE OF DRILL:
 AREA:..... COORDINATES: HOLE SIZE:
 LOCATION:..... CONTRACTOR:
 STARTED:..... ELEVATION:..... DRILLER:
 COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Pinkish-brn dol & dk brn & blk		67010	2						
1.5	Miniferous dol. & less abund. red gts - poro. derived from recent surface material									
3	Predom. blk. Miniferous dol. & pinkish-brn dol. red-brn & red & blk. hematitic dol., minor grey-brn. clay & minor gypsum.	Top of Hill Dolomite	12	"						
5	Predom. thick clay of various colours - mainly greenish brn. clay & blue-grey, blue-white & yellow. Only minor frags. of dol.	State	14	"						
7	Predom. fractured red gts. & bluish-grey clay, dk greenish brn. to blk. clay & less abund. pinkish-brn. dol.		16	"						
7.25										
9	Red fractured gts. & abund. bluish grey clay, red-brn. clay & minor dol. in fallback		18	"						
11	Red & pink sl. fractured gts. & red clay & minor wht. clay.		20	"						
13	Massive red gts. & red clay.		22	"						
15	Massive pink & red gts. & red clay.	Pandura FM	24	"						
17	As above.		26	"						
19	Massive pink gts. & red clay & wht. clay. Minor brn. & blk. dolomite fallback.		28	"						

000112

PAGE 2 OF 2

[illegible]

PROJECT:..... DATE STARTED: TYPE OF DRILL:
 AREA:..... COORDINATES: HOLE SIZE:
 LOCATION:..... CONTRACTOR:
 STARTED:..... ELEVATION:..... DRILLER:
 COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Predom. greyish-brn. & blk. weathered Mniferous dol. & pinkish brn. Fractured weathered dol.	1	66990	2						
3	Paler greyish-brn. fresher sl. Mniferous dol. Minor pinkish-brn. Fractured weathered dol.	1	91	1						
		1	92	1						
5	Pale brn. & blk. sl. Mniferous dol.	1	93	1						
6	Pale brn. & blk. weathered & sl. Mniferous dol. over greyish wht. fresh dol.	1	95	2						
8	Predom. greyish wht. fresh dol. Trace of Mniferous dol.	1	98	3						
11	Sl. fractured red gste below shale layers consisting of dk. brn. crisp clay, & pale grn. crisp & soft clay. Minor wht. dol. fallback.	1	99	1						
11.5		1	67000	1						
13	Massive pink & red gste. & crisp pale grn. clay & minor dk. brn. clay & dol. as fallback.	1	1	1						
		1	2	1						
15	Massive & sl. fractured pink & red gste. & dol. fallback.	1	3	1						
		1	4	1						
17	Massive & sl. fractured pink & red gste. & pale grn. crisp clay & trace of dol. fallback.	1	5	1						
		1	6	1						
19	Predom. coarsely pulverised sample consisting mostly of fallback; pink & red gste, brn. & blk. weathered Mniferous dol. & pale grn. crisp clay	1	7	1						
		1	8	1						

PACMINEX PTY. LTD.—FIELD DRILL LOG

000114

HOLE No. J512-2P
PAGE 1 OF 1

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
AREA:..... COORDINATES:..... HOLE SIZE:.....
LOCATION:..... CONTRACTOR:.....
STARTED:..... ELEVATION:..... DRILLER:.....
COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Predom. rounded med. to coarse grmed gtz & lithic (red GRV) granules, pink & red gtz & yellow & blk. limonitic & ferratitic frags. Also gypsum.	C2	66970	2						
3	Predom. rounded fine to med. grmed gtz & lithic granules & pink gtz, above greyish wht. fresh dol. & pale brn. weathered dol.		72	2						
4.5										
5	Predom. greyish wht. fresh dol. & pale brn. weathered dol. & minor fallback of med. grmed rounded gtz & lithic (red GRV) granules.		74	2						
7	As above. & minor pinkish grey dol.		75	1						
			76	1						
9	As above.		77	1						
			78	1						
11	Greyish-whit. fresh dol. & minor dk. grey & pale brn. weathered dol. & minor fresh pink gtz.	Topley Hill Fm Wacailla Dolomite	81	3						
14	Greyish-whit. fresh dol. & more increasingly abund. fallback of fine grmed. to coarse grmed rounded gtz & lithic (red GRV) granules. Also brn. weathered dol. & pink fresh gtz.		82	1						
			83	1						
16	As above.		84	1						
			85	1						
18	Greyish-whit. fresh dol. over abund. fresh red & pink gtz. Abund. fallback of rounded gtz & lithic granules.		86	1						
19		P.F.	87	1						
20	Predom. shale layer consisting of crisp brn. & pale gm. clays over pink fresh gtz. Fallback of rounded med. grmed. gtz & lithic (red GRV) granules.	Shale P.F.	88	1						

CSR/0035

21

E.O.H. at 21.0m.

PACMINEX PTY. LTD.—FIELD DRILL LOG

000115

HOLE No. 1513-1P
PAGE 1 OF 1

PROJECT:..... DATE STARTED: TYPE OF DRILL:
AREA:..... COORDINATES: HOLE SIZE:
LOCATION:..... CONTRACTOR:
STARTED:..... ELEVATION:..... DRILLER:
COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Red & pink sl. fractured gte.		66726	2						
1.5	minor brn. clay & trace of dol.									
3	Pinkish-red sl. fractured gte. & minor yellow limonitic frage		28	"						
5	Red & pink sl. fractured gte. & minor pink & wht. clay.		30	"						
7	Massive pink & red gte. & minor weathered gte. faulted. Rounded blue gte. granules.		32	"						
9	As above.		34	"						
11 1/2	Dk. red massive gte. & rounded blue gte. grm. & trace weathered gte.		37	"						
14	Red massive & sl. fractured gte.		38	1						
15	Dk. red sl. fractured gte. & minor red-brn. clay & rounded blue gte. granules		41	3						
18	Massive dk red gte. & trace of red-brn. clay.		44	3						
21										
	E.O.H. at 21.0m.									

PACMINEX PTY. LTD.—FIELD DRILL LOG

000118

HOLE No. ISB-3P

PAGE 1 OF 1

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
 AREA:..... COORDINATES:..... HOLE SIZE:.....
 LOCATION:..... CONTRACTOR:.....
 STARTED:..... ELEVATION:..... DRILLER:.....
 COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Red & pink weathered & fractured gte & reddish-brown clay & minor gypsum.	P. Δ C2 P. Δ	66746							
2										
3	Red & pink sl. fractured gte & minor weathered gte.		48							
5	Massive pinkish red gte & trace of wht. clay & minor yellow limonitic frage		50							
7	Red & pink sl. fractured gte.	Pandura	52							
9 1/10	Massive red gte.		55							
12	Massive dk. red gte.	Fr.	57							
14	Red & pink massive & possibly sl. fractured gte. Minor weathered gte. fallback.		59							
16	Red sl. fractured gte.		61							
16	Massive red gte. & rounded wht. gte granules.		64							
21	E.O.H. at 21.0m.									

PACMINEX PTY. LTD.—FIELD DRILL LOG

000117

HOLE No. *I 513.4P*
PAGE *1* OF *1*

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
AREA:..... COORDINATES:..... HOLE SIZE:.....
LOCATION:..... CONTRACTOR:.....
STARTED:..... ELEVATION:..... DRILLER:.....
COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Fractured & weathered red gkls. ± some red-brn. clay.	<i>Pandurna Fm.</i>	66766	2						
3	Red sl. fractured gkls. ± abund. gypsum.		68	"						
5	Massive & sl. fractured red gkls. ± blue & wh. sub-rounded & fractured med. grmed. gk. granules ± trace of fine grmed. hematite		70	"						
7	Sl. fractured pinkish-red gkls. ± abund. pale gm. crisp clay.		72	"						
9	Sl. fractured red gkls. ± pale gm. crisp clay.		74	"						
11	Massive red gkls.		76	"						
13	Massive & sl. fractured red gkls. ± minor orange-brn. clay.		78	"						
15	As above.		80	"						
17	Massive & sl. fractured red gkls.		82	"						
19	Massive red gkls. ± poss. weathered gkls. fall back.		84	"						

PACMINEX PTY. LTD.—FIELD DRILL LOG

000118

HOLE No. I513-5P
PAGE 1 OF 1

PROJECT:..... DATE STARTED: TYPE OF DRILL:
AREA:..... COORDINATES: HOLE SIZE:
LOCATION:..... CONTRACTOR:
STARTED:..... ELEVATION:..... DRILLER:
COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Wht, pink & red weathered & fractured gñte & abund. gypsum & orange-brn clay. Minor greyish-wht. clay.	Pandurna Fm.	66786	2						
3	Sl. fractured dark reddish-brn gñte & gypsum & minor dark red-brn. clay.		88							
5	Sl. fractured dark reddish-brn gñte & abund. dark reddish-brn. clay.		90							
7	Massive & sl. fractured dark red gñte. & minor wht. clay & brick red clay.		92							
9	Massive red gñte.		94							
11	Massive & sl. fractured red gñte & minor crisp pale grn. clay.		96							
13	Massive & sl. fractured pinkish-red gñte.		98							
15	As above.		800							
17	Massive red gñte.		803							
20/21	As above.		807							

PACMINEX PTY. LTD.—FIELD DRILL LOG

HOLE No. **I 513-6P**

000119

PAGE **1** OF **1**

PROJECT:..... DATE STARTED: TYPE OF DRILL:
 AREA:..... COORDINATES: HOLE SIZE:
 LOCATION:..... CONTRACTOR:
 STARTED:..... ELEVATION:..... DRILLER:
 COMPLETED:..... DEPTH: LOGGED BY:

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
0.75	lgt. brn. & chl weathered dol & orange-brn. clayey dense sand.	C2	66808	0.75						
1.5	Pink & red fractured & weathered gdt. & wlt. weathered dol. & abundant. Pale yellow, wlt. & pink clays. No gypsum.		10	1.5						
2.5		Pandura Fm.	12	"						
3	Red & pink fractured gdt. & pale brn. weathered dol. minor gypsum & trace pale yellow & wlt. clay		14	"						
4.5			16	"						
6	No above.		18	"						
7.5	Massive & sl. fractured pink-red & red-brn. gdt.	Pandura Fm.	20	2						
9	Massive pinkish-red gdt. & minor crisp brn. clay.		23	3						
11	Sl. fractured pinkish-red & red gdt. & pale yellow & pale grn. clay & & weathered gdt., minor weathered dol. & gypsum as fallback.		25	2						
14	Pale greyish pink & red gdt. & weathered gdt., gypsum & weathered dol in the fallback.		27	2						
16	Greyish pink & red gdt. & crisp green clay & abund. wlt. dol. fallback.									

CSR/0035

18

F.O.H. at 18.0m.

PACMINEX PTY. LTD.—FIELD DRILL LOG

HOLE No. **J513/P**

000120

PAGE **1** OF **1**

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
 AREA:..... COORDINATES:..... HOLE SIZE:.....
 LOCATION:..... CONTRACTOR:.....
 STARTED:..... ELEVATION:..... DRILLER:.....
 COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1										
1.5	Grey & blk weathered & fractured Mniferous dol. beneath recent material of pinkish brn. Fractured weathered sub-ang. dol. & sub-ang. to sub-rounded red glt. Very coarse size fraction	Ca	66829	2						
3	Greyish-brn & blk weathered & Mniferous dol. & abund pink & wht soft clay.	Topley Hill Dolomite	31	2						
5	Greyish-brn & blk Mniferous dol. & pale gm. & wht. soft & crisp clay & red glt.		33	"						
6.5										
7	St. fractured pink & red glt. & minor dol. fallback.		35	"						
9	St. fractured red glt. & minor crisp brn. clay & minor dol. fallback.		37	"						
11	St. fractured pink & red glt. & minor crisp pale gm. clay.		39	"						
13	Massive red & pink glt. & trace of crisp pale gm. clay & minor dol. fallback.	Pandurna Fr.	41	"						
15	As above.		43	"						
17	As above.		45	"						
19	As above.		47	2						
			50	3						

000121

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. D 509-1PPAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 24 m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn
'	0-1		Dry							
56017	1-3	RO	(56049 Hg) Dark red c hematite	—		A 23	<1		20	<10
8	4	"	white clay " " "	—		A 21				
9	5	"	red c minor clay	—						
20	6	"	" " " "	—						
1	7	"	"	—						
2	8	"	(56048)	—		A 28	<1		25	20
3	9	"	red	—						
4	10	"	"	Tr		A 19				
5	11	"	"	Tr		A 27				
6	12	"	white shale band, red	Tr		A 20				
7	13	"	(56047) red	Tr	Tr	A 27	<1		33	33
8	14	"	dark red, gritty, hematite	Tr		A 25				
9	15	"	red	Tr						
30	16	"	pink	Tr						
1	17	"	"	Tr						
2	18	"	(56046) dark red, slightly gritty	Tr		A 27	<1		21	17
3	19	"	" "	0.1	0.1	A 30				
4	20	"	red	Tr						
5	21	"	dark red - 20.5 red shale & clay	—						
6	22	"	dark red	—						
7	23	"	(56045) dark red	—		A 22	<1		12	10
8	24	"	dark red	—						
			Hole completed							

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. F 505-1

PAGE 7 OF 7

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: _____ DIP: 90 COLLAR R.L. _____ LENGTH: 24 m

DATE STARTED: 3-7-72 COMPLETED: 3-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
✓	0-1	Rubble	Dry							
55923	1-3	RQ Pink		—		—				
4	4	"		—		—				
5	5	"		—		—				
6	6	"		—		—				
7	7	"		—		—				
8	8	"		—		—				
9	9	"		—		—				
30	10	" Red		—		—				
1	11	" "		—		—				
2	12	" Pink		—		—				
3	13	" Buff		Tr		—				
4	14	" "		Tr		—				
5	15	" "		Tr		—				
6	16	" Pink		—		—				
7	17	" "		Tr		—				
8	18	" Red		0.1		A 102				
9	19	" "		0.1		A 80				
40	20	" "		0.05		A 55				
1	21	" "		0.1	0.1	A 51				
2	22	" "		0.05		A 50				
3	23	" "		0.1		A 55				
4	24	" "		Tr		A 48				
			Hole completed							

Mount Gunson Mines Pty. Ltd

000123

DRILL HOLE No. F 507 - 1 F

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____

AREA CODE: _____ BEARING: — DIP: 90 COLLAR R.L. _____ LENGTH: 24m

DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				
							Cu.	Ag	Pb	Zn	Mn
—	0-1	Del	Silicified & Mn Day	—							
55973	1-3	"	" " "	—		A 32					
4	4	"	E Mn	—		A 19	<1	60	105		
5	5	"	" "	—		A 20					
6	6	"	" " hit 15cm cavity	—		A 18					
7	7	"	" "	—		A 23					
8	8	"	" "	—		A 22					
9	9	"	less " , some gypsum	—		A 18					
80	10	"	↑ " " more "	—		A 25					
1	11	"	↑ Yellow clay, minor Mn	—		—					
2	12	"	" " " "	—		—					
3	13	"	" " " "	—		A 29	<1	48	81		
4	14	"	↑ " "	—		—					
5	15	"	" & white clay	—		—					
6	16	50% white clay	& Mn	?		A 19	<1	85	39		
7	17	"?	very pale sandstone "	?		A 15					
8	18	"?	" " " E minor clay	?		A 20					
9	19	"	" " " " " "	?		A 15					
90	20	"	" " pink	?		A 23					
1	21	"	" "	0.1	0.1?	A 20					Co
2	22	"	coarse grit then water WET 0.4?			A 29	2	85	65	<10	
3	23	"		0.7?	0.7?	A 28	4	60	82	10	
4	24	"		0.3	0.3	A 19					

000124

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. F 509-1

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90 COLLAR R.L. _____ LENGTH: 24m
 DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
	0-1		Qte scree over red clay, ^{dry} sand,							
55995	1-3	RC	25 gypsem, qtz rubble	—		—				
6	4	"	pink	—		—				
7	5	"		—		—				
8	6	"		—		—				
9	7	"		—		—				
56000	8	"		—		—				
1	9	"	± minor white clay	—		—				
2	10	"	" " "	Tr		—				
3	11	"	± dark red band (0.5m)	Tr		A 20				
4	12	"	red	Tr		—				
5	13	"	"	Tr		A 24				
6	14	"	"	Tr		—				
7	15	"	pink	Tr		A 29				
8	16	"	pink	Tr		—				
9	17	"	pink	—		—				
10	18	"	"	Tr		A 19				
1	19	"	2 shale bands	0.1	0.1	A 18				
2	20	"	pink	—		—				
3	21	"	"	Tr		—				
4	22	"	"	Tr		A 24				
5	23	"	± orange shale band	Tr		—				
6	24	"	± " " "	Fr	Tr	—				
			Hole completed							

000125

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 505 - 1PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: — DIP: 90° COLLAR R.L. _____ LENGTH: 21m
 DATE STARTED: 3-7-72 COMPLETED: 3-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				
							Cu.	Ag	Pb	Zn	Co
<u>—</u>	<u>0-1</u>	<u>Dol</u>									
<u>55904</u>	<u>1-3</u>	<u>"</u>	<u>minor Mn</u>	<u>—</u>		<u>—</u>					
<u>5</u>	<u>4</u>	<u>"</u>	<u>" "</u>	<u>—</u>		<u>—</u>					
<u>6</u>	<u>5</u>	<u>"</u>	<u>" "</u>	<u>—</u>		<u>—</u>	<u>A 52</u>				
<u>7</u>	<u>6</u>	<u>"</u>	<u>" "</u>	<u>—</u>		<u>—</u>					
<u>8</u>	<u>7</u>	<u>"</u>	<u>6.5 band yellow Mn clay</u>	<u>—</u>		<u>—</u>	<u>A 51</u>	<u>1</u>	<u>70</u>	<u>35</u>	<u>20</u>
<u>9</u>	<u>8</u>	<u>RQ</u>	<u>Pale pink</u>	<u>Tr</u>	<u>Tr</u>		<u>A 67</u>	<u><1</u>	<u>20</u>	<u>42</u>	<u><10</u>
<u>10</u>	<u>9</u>	<u>"</u>	<u>" " E minor yellow clay</u>	<u>0.2</u>			<u>A 55</u>				
<u>1</u>	<u>10</u>	<u>"</u>	<u>" "</u>	<u>0-1</u>			<u>A 60</u>				
<u>2</u>	<u>11</u>	<u>"</u>	<u>Red</u>	<u>Tr</u>		<u>—</u>					
<u>3</u>	<u>12</u>	<u>"</u>	<u>Pink</u>	<u>0.05</u>		<u>—</u>					
<u>4</u>	<u>13</u>	<u>"</u>	<u>"</u>	<u>0.15</u>	<u>0.15</u>		<u>A 42</u>				
<u>5</u>	<u>14</u>	<u>"</u>	<u>"</u>	<u>0.3</u>			<u>A 55</u>	<u><1</u>	<u>10</u>	<u>18</u>	<u><10</u>
<u>6</u>	<u>15</u>	<u>"</u>	<u>"</u>	<u>0.2</u>			<u>A 63</u>				
<u>7</u>	<u>16</u>	<u>"</u>	<u>Red</u>	<u>0.05</u>		<u>—</u>					
<u>8</u>	<u>17</u>	<u>"</u>	<u>Pink</u>	<u>0.1</u>			<u>A 90</u>				
<u>9</u>	<u>18</u>	<u>"</u>	<u>"</u>	<u>0.05</u>		<u>—</u>					
<u>20</u>	<u>19</u>	<u>"</u>	<u>"</u>	<u>0.1</u>		<u>—</u>					
<u>1</u>	<u>20</u>	<u>"</u>	<u>"</u>	<u>0.15</u>	<u>0.15</u>		<u>A 105</u>				
<u>2</u>	<u>21</u>	<u>"</u>	<u>"</u>	<u>0.1</u>	<u>0.1</u>	<u>—</u>					
			<u>Hole completed</u>								

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 507-1P

PAGE 1 OF 2

LOCATION: N. of M. Workings NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: -- DIP: 90° COLLAR R.L. _____ LENGTH: 30 m
 DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn
55945	0-1	Rubble	Dry							
55945	1-3	"	Bit of everything	—		—				
6	4	"	Dol + qtz rubble	—		—				
7	5	"	" " " , Red Mn clay	—		—				
8	6	Shale				A 59	59	21	20	51
9	7	Dol	6.5 RD hosters?			A 75	75	1	25	45
50	8	"	5% Dol fell back	0.1		A 50	50			
1	9	"		—		—				
2	10	"	hard, white & barytes	—		—				
3	11	"	& qtz inclusions	—		—				
4	12	"	" " " laminar green shale	—		—				
5	13	"	" " " & barytes	Tr		A 50	50			
6	14	"	" " "	—		—				
7	15	"	" " " " "	Tr		A 25	25			
8	16	"	" " "	—		—				
9	17	"	" " "	—		—				
60	18	"	" " "	—		—				
1	19	"	" " "	—		—				
2	20	"	" " "	—		A 20	20			
3	21	"	20% " " "	—		A 15	15			
4	22	"	10% " , red clay " "	—		A 20	20			
5	23	"	" " "	—		—				
6	24	"	" " "	—		—				
7	25	"	" " "	—		—				

000127

PAGE 2 OF 2

DATE STARTED: 4-7-72 COMPLETED: 4-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn
55968	25 - 26	Dol	E larytes	—		—				
9	27	"	" "	—		—				
70	28	"	" "	—		—				
1	29	"		T _u		A 20				
2	30	"	Brown shale bands			A 20				
			Top of RQ prob. in next 3m.							
			Hole abandoned, no more rocks,							
			not considered worthwhile							
			getting more from Mine.							

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 508-1 P

PAGE 1 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 24.7m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Ag	Pb	Zn Co
✓	0 - 1	LS rubble						0		
56072	1 - 3	L SS		—		—				
3	3-4	S LS		—		—				
4	5	L SS	white clay of calcareo	—		—				
5	6	"	" " " " "	—		—				
6	7	"	" " " " "	—		—				
7	8	?	" " ^{My Fe} black clay				A 21	<1	65	32 25
8	9		black clay Fe Mn?				A 18	<1	65	50 42
9	10		" " small sample ^{Mn³} Fe				A 21			
80	11	Dol?	brown " Fe Mn?				A 21	<1	60	60 42
1	12	"?	" " Fe Mn?				A 31			
2	13	"?	" " " "				A 39	<1	82	102 61
3	14	"	Brown " "				A 70			
4	15	"	" " " "				A 27			
5	16	"	rods out to clear hole contaminated							
6	17	"								
67	18	"	harder c Mn	—		—				
78	19	"	" " "	—		—	A 42			
89	20	"	" " "	—		—				
990	21	"	" " "	—		—				
90	22	"	small cavity 21.8-22.0	—		—	A 30			
12	23	"	c Mn	—		—				
23	24	"	c My small sample	—		—				
34	25	"	c cavity 24-24.7	—		—				

abandoned

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. G 508-2PPAGE 1 OF 2

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: DIP: 90° COLLAR R.L. _____ LENGTH: 30m
 DATE STARTED: 5-7-72 COMPLETED: 5-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Co
							Cu.	Ag	Pb	Zn	
—	0-1										
56039	1-3	Sand & rubble (RD, Dol, Ss.)		—		—					
40	4	L.Ss? $\bar{c}$ Tr. Mn		—		—	A 17	<1	45	39	10
1	5	" yellow $\bar{c}$ Mn		—		—	A 20				
2	6	? clay, gypsum, Mn, Fe etc		—		—	A 23	<1	42	85	40
3	7	Dol weathered $\bar{c}$ clay " " etc		—		—	A 31				
4	8	" $\bar{c}$ Mn, dirty brown etc		—		—	A 32	2	52	55	25
56050	9	" " " " " "		—		—					
1	10	" " " " " "		—		—					
2	11	" " " " " "		—		—	A 20				
3	12	" " " " " "		—		—					
4	13	" hard, white		—		—					
5	14	" " "		—		—					
6	15	" " $\bar{c}$ Mn		—		—	A 30				
7	16	" " "		—		—					
8	17	" " "		Tr	Tr		A 29				
9	18	" " "		Tr	Tr		—				
60	19	" " "		0.1			A 19				
1	20	" " "		0.3			A 23	3	50	185	55
2	21	" " $\bar{c}$ minor green shale		0.2			A 31				
3	22	" $\bar{c}$ soft white clay		0.2			A 13	<1	45	140	<10
4	23	" $\bar{c}$ green shale		Tr			A 15				
5	24	" $\bar{c}$ minor white clay		Tr			A 21				
6	25	RD 24.3 $\bar{c}$ green clay		0.1			A 28	<1	35	40	<10

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
56067	25-26	RQ	red	Tr		—				
8	27	"	"	Tr		—				
9	28	"	"	Tr		—				
70	29	"	deeper red	Tr		—				
1	30	"	" "	—		A 28				
			Hole completed							

Mount Gunson Mines Pty. Ltd

IP 2795 170 E
DRILL HOLE No. I 510 -1 P

PAGE 1 OF 1
000131

LOCATION: _____ NORTHING: _____ EASTING: _____
AREA CODE: _____ BEARING: _____ DIP: 90 COLLAR R.L. _____ LENGTH: 24m
DATE STARTED: 6-7-72 COMPLETED: 6-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				
							Cu.	Ag	Pb	Zn	Co
	0 - 1	Sand & D.L. Rattle									
56094	3	Dol	Weathered E Mn Black	—		—	10			40	
5	4	"	" " " "	—		—	10			40	
6	5	"	" " " "	—		— A	18	<1	38	85	20
7	6	"	" " " "	—		—	10			35	
8	7	"	" " " Brown clay	—		—	10			50	
9	8	"	Brown clay	—		—	10			45	
56200	9	"	Weathered E Mn	—		—	10			35	
1	10	"	Brown, E minor yellow clay	—		— A	20				
2	11	"?	10.7 gte chips	—		— A	15	<1	50	135	50
3	12	RQ	E minor Mn & clay	—		— A	12				
4	13	"	pale pink 0.1 Mn	—		— A	15				
5	14	"	" " Tr "	—		— A	13				
6	15	"	dark red	0.1	0.1	A	10				
7	16	"	" "	0.05	0.05	A	<10				
8	17	"	red	0.1	0.1	A	11				
9	18	"	"	0.15	0.15	A	<10	<1	25	20	<10
10	19	"	"	0.2	0.2	A	10				
1	20	"	"	0.3	0.3	A	12	<1	32	22	<10
2	21	"	" soft bands	0.3	0.3	A	15				
3	22	"	Dark red soft bands	0.3	0.3	A	22	<1	100	85	<10
4	23	"	" " " "	0.1	0.1	A	25				
5	24	"	Red, gritty	0.1	0.1	A	13	<1	42	67	10
			Hole completed								

[illegible]

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I. 510 - 3P

PAGE 1 OF 1

LOCATION: _____ NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: 90° COLLAR R.L. _____ LENGTH: 21m
 DATE STARTED: 6-7-72 COMPLETED: 6-7-72 LOGGED BY: PC

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			Zn
	0 - 1	Rubble								
56230	1 - 3	Dol	2.0	—		—	10			25
1	4	"	Tr Mn	—		—	10			30
2	5	"		Tr	Tr	—	10			20
3	6	"		—		—	10			35
4	7	"		—		—	4 80			
5	8	"		—		—	10			30
6	9	"	minor white & gte chips	Tr		—	A 85			
7	10	RQ	dark red	Tr		—	A 70			
8	11	"	" "	Tr		—	10			100
9	12	"	" "	0.1		—	A 35			
40	13	"	" "	Tr		—	10			100
1	14	"	" "	Tr		—	30			35
2	15	"	" "	0.1		—	10			50
3	16	"	" "	0.1		—	A 45			
4	17	"	" "	0.1		—	A 43			
5	18	"	Red	0.1		—	20			45
6	19	"	Dark red	0.1		—	10			40
7	20	"	" "	0.05		—	10			30
8	21	"	" "	0.1	0.1	—	A 52			
			Hole completed							

000134

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 511 1PAGE 1 OF 1LOCATION: I 511 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: V. 10 COLLAR R.L. _____ LENGTH: 21 mDATE STARTED: 17. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: AK

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Green Red Clay cemented			W					
670	1 - 2		Delonade shale Red Clay floor Delonade sand			W					
9	2 - 3		Delonade R. Clay floor			A	25				
6710	3 - 4		Yellow shale Delonade sand			A	40				
1	4 - 5		Clay yellow shale Delonade			A	110				
2	5 - 6		Yellow shale/clay Delonade			A	70				
3	6 - 7		Pink Shale Green R. Clay			W					
4	7 - 8		R. Clay Powder			W/A	20	140	30	<10	445
5	8 - 9		— — — —			W					
6	9 - 10		— — — —			W					
7	10 - 11		— — — —			W					
8	11 - 12		— — — —			W					
9	12 - 13		— — — —			W					
10	13 - 14		— — — —			W					
11	14 - 15		— — — —			W					
12	15 - 16		— — — — Brick Red Shale			W					
13	16 - 17		— — — —			W					
14	17 - 18		— — — —			W					
15	18 - 19		greenish Brick Red Shale			W					
16	19 - 20		Red Clay part size particles			W					
17	20 - 21		— — — —			W/A	15				

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I/511/2PAGE 1 OF 1LOCATION: I 511 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 24 mDATE STARTED: 18.2.72 COMPLETED: 18.2.72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				N
							Cu.	Pb	Zn	Co	
-	0 - 1	Weathered Dolomite	Collar. Fine Sand dolomite hemerite. Rubble			W					
67118	1 - 2		— — — — — mm Fe			A.	15				
19	2 - 3		Dolomite Dark Brown dirt mm Fe			A.	15				
20	3 - 4		— — — — — mm Fe			A.	20				
21	4 - 5		Dolomite Yellow Brown dirt? mm Fe			A.	15 38				
22	5 - 6		Dolomite Yellow Brown Shale mm Fe			A.	20				
23	6 - 7	Panda	Red Clay contact Cu? mm Fe			A.	35	75	165	30	270
24	7 - 8		— — — — — dust Cu? Fe			A.	20	25	30	10	590
25	8 - 9		— — — — — v small hard Fe			A.	35				
26	9 - 10		— — — — — v small hard Fe			A.	15				
27	10 - 11		— — — — —			W					
28	11 - 12		— — — — — CuS CuS Fe		T.	A.	10				
29	12 - 13		— — — — — Fe		L-1	A.	10				
30	13 - 14		— — — — —			W					
31	14 - 15		— — — — —			W					
32	15 - 16		— — — — — Pyrite		L-1	A.	15				
33	16 - 17	Panda	— — — — —			W					
34	17 - 18		— — — — — Pyrite		L-1	A.	15				
35	18 - 19		— — — — — Fine dolomite sandstone			W					
36	19 - 20		Red Clay dust ochre grains some heavy minerals Fe			L-1 A	15				
37	20 - 21		Red Clay large Blue particles Cu? Fe			L-1 A	20				
38	21 - 22		Red Clay dust			W					
39	22 - 23		— — — — —			W					
40	23 - 24		— — — — — Dolomite full beds			W/A	15				

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I. 511 3.

PAGE 1 OF 1

LOCATION: I. 511 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert. COLLAR R.L. LENGTH: 21.

DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0 - 1		Collar.							
			Dolomite Rubble.			W				
67201	1 - 2		Dolomite Rubble - limonite. Fe mm			A	20			
2	2 - 3		— — — — — 4 mm			A	15			
3	3 - 4		Dolomite yellow brown.			A	15			
4	4 - 5		— — — — — 4 mm			A	15			
5	5 - 6		Some white clay, 4 mm			A	20			
6	6 - 7		Dolomite brown powder MN			A	15			
7	7 - 8		— — — — — mm			A	15			
8	8 - 9		— — — — — Trace mm			A	20			
9	9 - 10		— — — — —			W				
10	10 - 11		to Pink dolomite 4 mm			A	15			
11	11 - 12		Dolomite Brown dust mm			A	15			
12	12 - 13		— — — — — 1/5 trace mm			A	15			
13	13 - 14		Some Fresh Grey dolomite mm			A	15			
14	14 - 15		Dolomite Red of contact. Trace			A	10	40	35	10
15	15 - 16		Red of contact. Pyrite			A	10			
16	16 - 17		— — — — — dust			W				
17	17 - 18		— — — — —			W				
18	18 - 19		Red dust Dolomite fall back			W				
19	19 - 20		— — — — —			W				
20	20 - 21		Dolomite fall back Red + Clay			A	10			

Mount Gurson Mines Pty. Ltd

000137

DRILL HOLE No. I 511.4

PAGE 1 OF 1

LOCATION: I 511 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert. COLLAR R.L. LENGTH: 21m

DATE STARTED: 18.2.72 COMPLETED: 18.2.72 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				N:
							Cu.	Pb	Zn	Co	
	0-1	Weathered Dolomite	Collar Dolomite 4cm			W					
67(41)	1-2		Dolomite (Weathered) 4cm			A.	20				
2	2-3		Dolomite - - - - - 4cm			A.	70				
3	3-4		Yellow Brown dust 4cm			A.	120				
4	4-5		- - - - - mm dolomite			A.	40				
5	5-6		- - - - - mm 4cm			A.	20				
6	6-7		- - - - - mm 4cm			A.	15				
7	7-8		Grey dolomite			W.					
8	8-9		- - - - - dust & chips			W.					
9	9-10		Dolomite - Trace (seen) Red @ contact - - - - -			A.	10	50	90	10	370
50	10-11	Paralime	Red Qty. Fresh Red shale.			W.					
1	11-12		- - - - -			W					
2	12-13		- - - - - Trace of Red shale			W					
3	13-14		- - - - -			W					
4	14-15		- - - - -			W					
5	15-16		- - - - -			W					
6	16-17		- - - - -			W.					
7	17-18		- - - - -			W					
8	18-19		- - - - -			W					
9	19-20		- - - - -			W					
60	20-21		Trace dolomite fall back			A.	15				

Produce and to sharpen bit

Mount Gunson Mines Pty. Ltd

DRILL HOLE No.

000138

J 511 G.

PAGE 1 OF 1

LOCATION: J 511 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert. COLLAR R.L. LENGTH: 21m

DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Coarse Blue Sand } Dolomite fragments }			W.					
67161	1 - 2		Casing. 6'			A.	40				
	2 - 3	Weathered Woodall Dolomite	Black Sample Cu? } Dolomite rubble. Fe Mn }			A.	25				
	3 - 4		Black Sample } Dolomite dust }			A.	25				
	4 - 5		— — — — —			A.	30				
	5 - 6		— — — — —			A.	130				
	6 - 7		— — — — —			A.	155				
	7 - 8		— — — — —			A.	100				
	8 - 9		Dolomite } Red Clay. — — }			A.	20	150	95	110	270
	9 - 10		Red Clay contact } some dolomite clay Fe Cu }			A.	15	155	65	40	275
	10 - 11		Red Clay dust } Trace (Mn) }			A.	15				
	11 - 12		— — — — —			W					
	12 - 13		— — — — —			W					
	13 - 14	Pandurra	— — — — — Pyrite.			L.1	A.	20	45	30	10
	14 - 15		— — — — —			L.1	A.	15	50	25	<10
	15 - 16		— — — — —			W					
	16 - 17		— — — — —			W					
	17 - 18		— — — — —			W					
	18 - 19		— — — — —			W					
	19 - 20		— — — — —			W					
	20 - 21		— — — — — Trace } Brist Red Shale. }			W/A	20				

000139

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 511 7.PAGE 1 OF 1LOCATION: I 511 NORTHING: EASTING:AREA CODE: I 511 BEARING: DIP: Vert. COLLAR R.L. LENGTH: 18DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: AKT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Blue Sand Collom. Dolomite. Limestone.			W					
6722	1 - 2		Dolomite Bows Fe mn.			A.	25				
	2 - 3		— — — Fe mn.			A.	15				
	3 - 4		— — — Fe mn.			A.	10				
	4 - 5		— — — mn.			A.	10				
	5 - 6		— — — dendritic mn.			A.	20				
	6 - 7		— — — mn.			A.	20				
	7 - 8		— — — mn.			A.	20				
	8 - 9		— — — mn.			A.	20				
	9 - 10		— — — mn.			A.	10				
30	10 - 11		— — — mn.			A.	15				
	11 - 12		— — —			W					
	12 - 13		Dolomite Red Bt contact			A.	35	65	55	20	345
	13 - 14		Red Bt chert-Pyrite		Tr.	A.	20	25	25	40	826
	14 - 15		— — —			W					
	15 - 16		— — — Red ironstone			W.					
	16 - 17		— — —			W.					
	17 - 18		— — — <u>Fe₂O₃</u>			W/A.	30				
			Dolomite Samples contained manganese. no copper seen in same.								

Mount Gunson Mines Pty. Ltd

000141

DRILL HOLE No. I 511.9

PAGE 1 OF 1

LOCATION: I 511 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 18m

DATE STARTED: 19.2.72 COMPLETED: 19.2.72 LOGGED BY: HST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				
							Cu.	Pb	Zn	Co	
	0 - 1		Yellow clay sand Reddish black lignite			W					
67255	1 - 2		Reddy disc + shale			W					
	2 - 3		---			W					
	3 - 4		---			W					
	4 - 5		Black heavy lignite, thin Reddish black lignite			A	35	185	95	25	
	5 - 16		--- lignite? Fe			A	25	55	45	25	
60	6 - 7		--- lignite? Fe			A	20				
	7 - 8		--- lignite? Fe			A	17	110	110	30	
	8 - 9		--- lignite? Fe			A	19				
	9 - 10		Fe ₂ O ₃ Haematite			A	15				
	10 - 11		--- Fe			A	10	125	60	13	
	11 - 12		Dolomite Haematite			A	15				
	12 - 13		Reddish dolomite shale + lignite			A	10				
	13 - 14		---			W					
	14 - 15		---			W					
	15 - 16		Water Dolomite Reddish black lignite			A	18	90	105	20	
70	16 - 17		Reddish dolomite lignite			A	13	70	75	15	
	17 - 18		Dolomite lignite			A	15				
The top 16 metres gave the impression of a rubble filled gully. Very little dolomite lignite on surface											

Black lignite?

100

100

Ni

425

300

1007

Mount Gunson Mines Pty. Ltd

000142

DRILL HOLE No. I. 572.1

PAGE (OF 1

LOCATION: 3. 512.1. NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vent COLLAR R.L. LENGTH: 21m

DATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0-1	Reddy	Reddy Runge. Dene Sand			W				
6707P	1-2		- - - - -			W				
9	2-3		Reddy Rubble + dust			W				
80	3-4		Reddy dust + shale.			W				
1	4-5		- - - - -			W				
2	5-6		Reddy dust			W				
3	6-7		- - - - -			W				
4	7-8		- - - - -			W				
5	8-9		Reddy dust + Buff shale band.			W				
6	9-10		Reddy dust.			W				
7	10-11		- - - - -			W				
8	11-12		- - - - -			W				
9	12-13		- - - - -			W				
90	13-14		- - - - -			W				
1	14-15		- - - - -			W				
2	15-16		Reddy Runge. Dene Sand			A.	18			
3	16-17		Reddy Runge. Dene Sand			W	10			
4	17-18		- - - - -			A.	15	30	10	10
5	18-19		- - - - -			A.	13	25	35	10
6	19-20		- - - - -			W				
7	20-21		- - - - -			W/A	20			

Reddy
Crystals

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 512 3PAGE 1 OF 1LOCATION: I 512 3 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Vert COLLAR R.L. _____ LENGTH: 24 mDATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: AST

Sample No.	Interval metres	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Pb	Zn	Co
	0 - 1	Recent	Collar. Red Ogy dune sand, Brown clay.			W				1
67055	1 - 2		Shale-clay Red Ogy. 7 Hematite.			A.	28	20	22	10
6	2 - 3		Red Ogy. dust			A.	11			
7	3 - 4		— — — — —			A.	21			
8	4 - 5		— — — — — Trace Hematite			A.	18	10	15	<10
9	5 - 6		Red Ogy dust trace shale.			W				
60	6 - 7		Fresh Red Ogy dust.			W				
1	7 - 8		— — — — —			W				
2	8 - 9		Red Ogy dust Buff shale band. CuS/Fe	<1	<1	A.	19			
8	9 - 10		Red Ogy dust CuS/Fe Oolitic Particulate	<1	<1		18			
4	10 - 11		— — — — — Very much more CuS/Fe	<1		A.	15			
5	11 - 12		— — — — — Buff shale band.			W				
6	12 - 13		Red Ogy dust Buff shale band. Pyrite	<1		A.	15			
7	13 - 14		Red Ogy dust.			W				
8	14 - 15		— — — — — Shale in partings.			W				
9	15 - 16		— — — — — Small trace Pyrite.	<1		A.	20			
70	16 - 17		— — — — —			W				
1	17 - 18		— — — — —			W				
2	18 - 19		— — — — —			W				
3	19 - 20		— — — — —			W				
4	20 - 21		Red Ogy manganese/Red. Hematite dust-Fe.			A.	10			
5	21 - 22		— — — — — no shiny material			W				
6	22 - 23		— — — — —			W				
7	23 - 24		Red Ogy. $\text{grit size particles}$ of Hematite			A.	10			

Mount Gunson Mines Pty. Ltd

DRILL HOLE No.

000144

PAGE 1 OF 1

LOCATION: I 512

NORTHING:

EASTING:

AREA CODE:

BEARING:

DIP: V. t

COLLAR R.L.

LENGTH: 21m

DATE STARTED: 17. 2. 72

COMPLETED: 17. 2. 72

LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
67035	0 - 1	Washed Core	Red Bt. Blue Sand			W.					
	1 - 2		Collar. Dolomite chips w/ scattered Dolomite dust & chips m			A	25				
	2 - 3		clay. Trans Red Bt. m			A	27	70	60	30	200
	3 - 4		clay Red Bt. Dust & chips			A W	10	145	35	<10	430
	4 - 5	Ponded Core	Red Bt. - - -			W					
	5 - 6		- - - - -			W					
40	6 - 7		- - - Iron oxide Fe			A	10				
	7 - 8		- - - - - Very much brown Fe			A	10				
	8 - 9		Clean Red Bt.			W					
	9 - 10		- - - - - Ans Ansfe			<1	10	35	20	<10	
	10 - 11		- - - - - Ans Ansfe			<1	10				
	11 - 12		- - - - - Ans Ansfe.			<1	<10				
	12 - 13		- - - - - Ans Ansfe.			.10	<10	15	15	10	
	13 - 14		- - - - - Ans Ansfe.			.10	<10				
	14 - 15		- - - - - Ans Pyrite			<1	<1	10			
	15 - 16		- - - - - Pyrite			<1	A	<10	20	30	<10
50	16 - 17		- - - - -			W					
	17 - 18		- - - - -			W					
	18 - 19		- - - - -			W					
	19 - 20		- - - - -			W					
	20 - 21		- - - - -			W/A. 10					

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I 512. 5.PAGE 1 OF 2LOCATION: I 512. NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: vert COLLAR R.L. _____ LENGTH: 27mDATE STARTED: 17. 2. 72 COMPLETED: 17-2-72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.			
	0-1	Red	Red Qtz chert and. Collar: + Dolomite rubble			W.				
67009	1-2		Black dirt (m.m) Fe Cu?			A.				
10	2-3		Dolomite chert + Rusty Mn ss			A.				
			Black sample (75% Mn)			A.				
11	3-4		Dolomite + Red Qtz Fe Mn Cu?			A.				
			Black dense Dolomite Fe Mn Cu?			A.				
12	4-5		-----			A.				
13	5-6		Gypsum dark Red clay, Grey brown clay Fe Mn Cu			A.				
			clay dirt + Dolomite. Very weathered Fe Mn Cu?			A.				
14	6-7		Dolomite dust			A.				
15	7-8		Red Qtz dust Fe Cu?		20	A.				
16	8-9		----- dust. Fe Cu?		20	T A.				
			clay dirt			T A.				
17	9-10		Red Qtz Red Iron oxide Fe.			T A.				
18	10-11		Red Qtz Red Iron oxide Fe			T A.				
			----- Fe			T A.				
19	11-12		----- Fe			T A.				
20	12-13		----- Fe			T A.				
21	13-14		----- no Fe, Mn, Cu			W				
22	14-15		----- Red Iron oxide Fe			T A.				
23	15-16		----- Pyrite		15	A				
24	16-17		----- Pyrite		10	A.				
25	17-18		----- Pyrite + trace Red clay		2.1	A.				
26	18-19		----- Pyrite		15	A.				
27	19-20		Red Qtz. Red Iron oxide, Pyrite		2.1	A.				
28	20-21		trace of Red clay, Pyrite		2.1	A.				
29	21-22		Red Qtz. Red Iron oxide Pyrite		10	A.				
30	22-23		----- Pyrite		15	A.				
31	23-24		----- Pyrite		2.1	A.				

from
washed
Hume

Woodcote
all weathered

Idemite banding Fe2O3
Pyrite

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	P ₂	Zn	Co
670032	24. 25	Ponding	Red ^{Red} of low oxide pyrite	<1	A.	14				
33	25 26		---	<1	A.	12				
34	26 27		---	<1	A.	17	70	110	<10	
			not enough air pressure to go further samples very small.							

000147
1 - 513 - 1

DRILL HOLE No. 5

PAGE 1 OF 1

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Fe	
							Cu.	Pb	Zn	Co		
	0 - 1	Paved	Quartz Sand + Collons			W						
66725	1 - 2		--- Rubble.			W						
6	2 - 3		Clay. Sand + Some coarse			W						
7	3 - 4		---			W						
8	4 - 5		---			W						
9	5 - 6		---	Brick Red ^{Fe} Sand	0.5	A.	15					
30	6 - 7		---			W						
1	7 - 8		---	Brick Shale			W					
2	8 - 9		---	Red Clay-dust-			W					
3	9 - 10		---			W						
4	10 - 11		---			W						
5	11 - 12		Paved	--- ^{in parting} Brick Red Shale			W	15	<10	10	<10	0-22
6	12 - 13			---			W					
7	13 - 14			---			W					
8	14 - 15			---	Black Bands			W				
9	15 - 16			---			W	15	25	30	<10	0-32
40	16 - 17	---		Fe? Cons.	0.2	A.	15	10	10	<10	0-3	
41	17 - 18	---		Red Shale cons. if 2? Cons.	0.15	A.	10	15	10	10	0-3	
42	18 - 19	---		Red Shale Some pit. size particles.			A.	10				
43	19 - 20	---		Trace Red Shale			W					
44	20 - 21	---		Red Shale very Chalk band at end of hole			A					
(Brick Red Shales? could be red iron oxide within quartz rock)												

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Co
							Cu.	Fe	Pb	Zn	
	0 - 1	Barren	Dark blue + Rhyolite			W					
66745	1 - 2		Rhyolite breccia			W					
46	2 - 3		Rhyolite - - - - -			W					
47	3 - 4		- - - - -			W					
48	4 - 5		Rest of dust			W					
49	5 - 6		- - - - -			W					
50	6 - 7		- - - - - Some fine size particles			W					
51	7 - 8		- - - - - Trace heavy mineral Fe			A	10	0.18?			
52	8 - 9		- - - - - " " "			A	10	0.39?			
53	9 - 10		- - - - - Red shale in partings			W	15	0.32?			
54	10 - 11		- - - - - Fe? C. Fe		0.15	A.					
55	11 - 12		- - - - - + Red Shale			W	15	0.36?			
56	12 - 13		- - - - - + Red Shale Fe		0.10	A.					
57	13 - 14		- - - - - + Red Shale Fe		0.10	A	10	0.25?	10	15	<10
58	14 - 15		- - - - - + Red Shale (thick bed)			W	10	0.20?			
59	15 - 16		- - - - - + Red Shale			W					
60	16 - 17		- - - - -			W					
61	17 - 18		- - - - -			W					
62	18 - 19		- - - - -			W					
63	19 - 20		- - - - -			W					
64	20 - 21		- - - - -			A	10				
(Iron oxide see 513/1)											

PAGE 1 OF 7

DATE STARTED: 15. 2. 72		COMPLETED: 7. 5. 72		ASSAY								Fe
Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	Cu.	Pb	Zn	Co		
	0 - 1	Weathered	Dark Sand & Rubble			W						
66765	1 - 2		Red Clay Rubble			W						
6	2 - 3		Red Clay. Limestone			A	10				0.34?	
7	3 - 4		Brick Red Shale & Limestone			W						
8	4 - 5		Brick Red Shale			W						
9	5 - 6		Brick Red Shale			W						
70	6 - 7		Brick Red Shale			W						
71	7 - 8		Heavy Mineral Yr.		10	A	<10	<10	<10	<10	0.25	
72	8 - 9		Brick Red Shale			W						
73	9 - 10		Partly	Small dark grey			W					
74	10 - 11	Small dark grey				W						
75	11 - 12	Dark Red Shale				W						
76	12 - 13	Dark Red Shale				A	20	15	30	<10	0.25	
77	13 - 14	Red Shale				W						
78	14 - 15	Red Shale				W						
79	15 - 16	Trace of Red Shale				W						
80	16 - 17	Red Clay. Parosite & grit				W						
1	17 - 18	Small clay band				W						
2	18 - 19	Red Clay. Parosite & grit				W						
3	19 - 20	Brick Red Shale			W							
4	20 - 21					A	10					

note (Shale bands followed by grit size portions then fine gravel clast.)

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. 7 513/5PAGE 1 OF 1LOCATION: 513/5 NORTHING: _____ EASTING: _____AREA CODE: _____ BEARING: _____ DIP: Ver COLLAR R.L. _____ LENGTH: 24mDATE STARTED: 15 2 78 COMPLETED: 15 2 78 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY		
							Cu.	Fe	Co
	0 - 1	Reef	Dune Sand & Rubble.			W			
66785	1 - 2		Dune Sand & Rubble. Red Cg. & Rubble.			W			
6	2 - 3		Red Cg. Rubble & Dune			W			
7	3 - 4		Bracte Red Shale + Red Cg. dune.			W			
8	4 - 5	Pondara	— . . . —			W	10	0.41?	<10
9	5 - 6		— . . . —			W			
90	6 - 7		Red Cg. / Clay			A	10	0.55	<10
91	7 - 8		Red Cg. and Red Shale			W			
92	8 - 9		Red Cg. — . . . —			W	10	0.40? 0.28	<10
93	9 - 10		— . . . —			W			
94	10 - 11		— . . . —			W	10	0.23?	<10
95	11 - 12		— . . . —			W			
96	12 - 13		Red Shale and			W	10	0.27?	<10
97	13 - 14		Red Cg. Break Red Iron oxide			A	10	0.34	<10
98	14 - 15		— . . . —			W	10	0.21?	<10
99	15 - 16		— . . . —			W			
66800	16 - 17		— . . . —			W	10	0.26?	<10
1	17 - 18		— . . . —			W			
2	18 - 19		— . . . —			W	10	0.19?	<10
3	19 - 20		Brack Red Shale 1' thick. Red Cg. Red Iron oxide. Shale Bands.			W			
4	20 - 21		— . . . —			A	10	0.21	<10
5	21 - 22		Red Cg. + Red Iron oxide			W			
6	22 - 23		— . . . —			W			
7	23 - 24		— . . . —			A	10	0.25	<10

000151

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. I. 513. 6PAGE 1 OF 1LOCATION: I. 513. NORTHING: EASTING:AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH: 18mDATE STARTED: 8. 2. 72 COMPLETED: 15. 2. 72 LOGGED BY: ABT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Fe
							Cu.	Pb	Zn	Co	
	0 75	Dune sand white sand	Dune sand white sand			W					
6680P	75-180		White Pseudo Weathered Polite			W					
9180	225		— — — — —			A	25	20	30	<10	0.22
810	225 300		weathered dolomite Red Gty. Reddish brown			A	25	10	20	<10	0.76
11	300 375		Red Gty. Reddish brown			W					
12	375 450		— — — — —			W					
13	450 525		— — — — —			W	10			<10	0.30
14	525 600		— — — — —			W					
15	600 675		— — — — —			W					
16	675 750		— — — — —			W	15			<10	0.38
17	750 825	Reddish fine size particles Red Gty Reddish brown	large quartz grains Reddish			W					
18	825 900		— — — — —			W					
19	9 - 10		fine size particles Red Gty Reddish brown			W	10			<10	0.26
20	10 - 11		— — — — —			W					
21	11 12		Brown shale — — — — —			W					
22	12 13		Red Gty + grey hard shale			A	30	10			
23	13 14		— — — — —			W					
24	14 15		— — — — —			A	10	10	10	<10	
25	15 16	— — — — —			A	15	10	15	<10		
26	16 17	— — — — —			A	10	10	10	<10		
27	17 18	— — — — —			A	15	10	15	<10		
Last 6 samples had grey material not unlike dolomite, this would not be full basin, but was contained within the red gty. no heavy material visible											

ABT

Mount Gunson Mines Pty. Ltd

DRILL HOLE No.

000152
J 511/1

PAGE 1 OF 1

LOCATION: J 511/1 NORTHING: EASTING:
AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21m
DATE STARTED: 18. 2. 72 COMPLETED: 18. 2. 72 LOGGED BY: ART

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0-1		Collar Dolomite								
67181	1-2		Dolomite Grey mottled + Powdery			A	25				
2	2-3		--- Powdery			A	35				
3	3-4		---			W					
4	4-5		---			W					
5	5-6		---			W					
6	6-7		---			W					
7	7-8		---			W					
8	8-9		---			W					
9	9-10		Few black specks			A	20				
90	10-11		Grey white Dolomite Powdery			W					
1	11-12		---			W					
2	12-13		---			W					
3	13-14		---			W					
4	14-15		Grey dolomite white clay water			W					
5	15-16		Dolomite Water Red of silica Cu?			1.1 A	90	75	85	20	780
6	16-17		Dolomite Water Red of silica Cu? Dolomite full back 35% Cu?			1.0 A	15				
7	17-18		Dolomite Water Red of silica Cu? Dolomite full back 40%			W	35				
8	18-19		Dolomite Water Red of silica Cu? Dolomite full back 40%			1.5 A	60				
9	19-20		Dolomite Water Red of silica Cu? Dolomite full back 35%			1.5 A	30				
67200	20-21		Reg. Dolomite Pyrite			1.1 A	15				
			Hole closing with full back								
			stopped at 21m								
			ART								

000153

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J / 512 / 1

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21 m

DATE STARTED: 17. 2. 72 COMPLETED: 17. 2. 72 LOGGED BY: AET

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1	Recent Drill - Weathered Dolomite	Collar. Rb. Rubble. Dense Sand. Dolomite								
66989	1 - 2		Weathered dolomite (mm grains) some Rb. float some minerals.		T	A.	70				
	2 - 3		— . . . —			A.	15				
	3 - 4		Weathered Dolomite mm. ^{Ans Fe}			A.	10	65	35	30	
	4 - 5		— . . . — mm			A.	20				
	5 - 6		Weathered Dolomite Buff shale nodules. mm			A.	15	75	60	35	
	6 - 7		Weathered Dolomite Fus. Dolomite mm			A.	15				
	7 - 8		Grey Dolomite			W.					
	8 - 9		Grey dolomite some buff shale.			W.					
	9 - 10		Grey Dolomite dust + chips some grits.			W.					
	10 - 11	Weathered Pandaemia	Grey dolomite ^{Ans Fe} Rb. Contact ^{Ans}			A.	30	10			
	11 - 12		Red Qty. Rust. ^{Ans Fe} ^{Ans}			.80	15	35	30	10	250
67000	12 - 13		Red Qty. Iron oxide. ^{Ans Fe}			T.	10				
	13 - 14		Red Qty. ^{Ans Fe}		.30	.30	10	40	110	<10	
	14 - 15		— . . . — ^{Ans Fe}		.25	.25	20				
	15 - 16		— . . . — + Iron oxide. ^{Ans Fe}		.25	.25	15	80	175	<10	
	16 - 17		— . . . — — . . . — Fe.		.15	A.	10				
	17 - 18		— . . . — — . . . — Fe		.10	A.	10	25	20	10	
	18 - 19		— . . . — — . . . — Fe.		.10	A.	10				
	19 - 20		Red Qty. Red Clay. Pyrite. Water. (blow) fine sand.		T.	A.	15	50	90	10	
8	20 - 21		Red Qty. Red clay. — . . . —		.25	A.	15				
			hole stopped AET								

1 1/2 hours waiting time

000154

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J 512 2

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING:

AREA CODE: BEARING: DIP: 1° 21' COLLAR R.L. LENGTH: 21m

DATE STARTED: 16 2 72 COMPLETED: 17 2 72 LOGGED BY: Aest

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Ni
							Cu.	Pb	Zn	Co	
	0 - 1		Collar. Red clay pebbles, dolomite powder, brown sand.			W					
66969	1 - 2		— — — —			W					
70	2 - 3		Brown Red Sand + R.C. clay.			W					
1	3 - 4		Clay, brown chert, brown sand, dolomite chips, Red Clay dip.			A.	35				
2	4 - 5		Red Clay + chert. Dolomite powder. In dolomite. Chert? Red Clay buff shale in patches.		T	T.A.	85				
3	5 - 6		Red Clay buff shale in patches.			T.A.	90				
4	6 - 7		Dolomite grey.			W	75	60	20	15	
5	7 - 8		— — — — chert? Pyrite?		T	T.A.	75	60	20	15	
6	8 - 9		— — — — chert? Pyrite?		T	T.A.	25	60	30	20	
7	9 - 10		Buff shale in patches. Pyrite.		T	T.A.	15	85	30	20	
8	10 - 11		Dolomite powder. Pyrite.		T	T.A.	30	85	25	20	
9	11 - 12		— — — —			W					
80	12 - 13		Dolomite + chert fragments.			W					
1	13 - 14		Dolomite. Clay (brown) shale. Trace clay chips. Water. Chert.			W.					
2	14 - 15		Dolomite + chert fragments. Brown clay.			A.	20	80	60	30	250
3	15 - 16		Dolomite. Red Clay. chert. Ans.			.20.					
4	16 - 17		Red Clay. Dolomite fall back 50% chert. Ans.			.20.	25	75	75	25	
5	17 - 18		Red Clay. 25% chert. Ans.			.25	20	70	40	20	
6	18 - 19		Red Clay. 60% chert. Ans.			T.	25	80	65	25	
7	19 - 20		Red Clay. Dolomite fall back 40% chert. Ans.			.35	25	45	40	10	
8	20 - 21		Red Clay. Dolomite fall back. Ans.			T.	15				

Wet hole from 166982
(No value in going further fall back)
exceeding sample required

actual contact not
seen with
of fall back.

17/2/72

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J 512 3

PAGE 1 OF 1

LOCATION: J 512 NORthing: EASTING: 21 m.
 AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH:
 DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AET

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb 2
							Cu.	Mn	Ni	Co	
	0-1		Dune Sand Dolomite			W					
6694	1-2		Dolomite / shale			W					
50	2-3		Grey dolomite			W					
1	3-4		Buff Shale in part			W					
2	4-5		Grey dolomite			W					
3	5-6		--- chert			W					
4	6-7		Pink & Grey dolomite			W					
5	7-8		--- Mn			A.	15	1.10?			
6	8-9		Grey dolomite MTN			A.	10	1.25?			
7	9-10		Grey dolomite			W					
8	10-11		---			W					
9	11-12		---			W					
60	12-13		Green shale Grey Dolomite			A.	15				
1	13-14		← Green Red City	Fe 0.11	A.	10	1600	80	<10	<10	15
2	14-15		Red City green shale	Fe 0.12	A.	10	480	1200	<10	15	70
3	15-16		Red City trace Ham Wane		A.	10					
4	16-17		Red Red Iron oxide			W					
5	17-18		--- Pyrite	15	A.	10					
6	18-19		Red Argand Pyrite	10	A.	15					
7	19-20		--- Pyrite? Pyrite	T.	A.	10					
8	20-21		Dolomite Fe and Pyrite	T	A.	10					

Mount Gunson Mines Pty. Ltd

000156

DRILL HOLE No. J-4512-4

PAGE 1 OF 1

LOCATION: J 512 NORTHING: EASTING:
 AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH: 21.0m
 DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: JST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb
							Cu.	Mn	Ni	Co	
	0-1	Dolomite	Thin sandstone								
66.929	1-2		Collins + dolomite rock.								
			Weathered Dolomite								
30	2-3		Dolomite grey								
1	3-4		— — —								
2	4-5		— — —								
3	5-6		— — —								
4	6-7		Shale in parting								
5	7-8		Grey dolomite								
6	8-9		Grey dolomite								
7	9-10	Dolomite	— 1st part of Mn								
8	10-11		— — — Mn								
9	11-12		— — —								
40	12-13		— — —								
1	13-14		Green shale								
2	14-15		Grey dolomite								
3	15-16		Green shale								
4	16-17		Reddy dolomite								
5	17-18		— — —								
6	18-19		— — —								
7	19-20	Dolomite	— — —								
8	20-21		— — —								

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J 512 S

PAGE 1 OF

LOCATION: J 512 NORTHING: EASTING:

AREA CODE: BEARING: DIP: COLLAR R.L. LENGTH: 24 m

DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: A.G.T.

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb
							Cu.	Mn	Ni	Co	
	0 - 1	ferr Dolomite	Lagoon Simpson Clay + dolomite			W					
66891	1 - 2		Dolomite cherts + waler			W	15			10	30 2
2	2 - 3		Dolomite powder dry			W					
3	3 - 4		— in long runnel			W	10			10	35 2
4	4 - 5		— — — — —			W					
5	5 - 6		— — — — —			W					
6	6 - 7		Several black panes ^{new} Fe?			A.	15	0.85		10	65
7	7 - 8		Dark grey Dolomite			W					
8	8 - 9		Grey to Pink Dolomite			W					
9	9 - 10		— — — — — ^{new}			A.	10	1.20		15	45 2
66895	10 - 12	Dolomite	Grey dolomite powder			W					
16	11 - 12		— — — — —			W	75			15	35 3
17	12 - 13		— — — — —			W					
18	13 - 14		— — — — —			W					
19	14 - 15		— — — — —			A.	10				
20	15 - 16		— — — — — ^{Fe}			A.	20				
21	16 - 17		Grey dolomite Green shale Red Chert ^{Fe}	Fe 0.33		A.	10	0.30	260	<10	20
22	17 - 18		Red Chert ^{Fe} at top of sample	Fe 0.18		A.	15	520	700	<10	20
23	18 - 19		Clean Red Chert dust no heavy minerals			W.					
24	19 - 20		Very small black pyrite	15.1		A.	10				
25	20 - 21	Pyrite	— — — — — Pyrite		10	A.	10				
26	21 - 22		— — — — — Pyrite		10	A.	10				
27	22 - 23		— — — — — Pyrite		10	A.	10				
28	23 - 24		— — — — — ^{1/3} Trace Pyrite		7	A.	15				

000158

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J. 513. 71PAGE 1 OF 1

LOCATION: J. 513 NORTHING: _____ EASTING: _____
 AREA CODE: _____ BEARING: _____ DIP: Vert. COLLAR R.L. _____ LENGTH: 24 m.
 DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AST

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY				Pb Z
							Cu.	Mn	Ni	Co	
	0 - 1	Woolly Subunit	Collar Fine Sand dolomite			W					
66828	1 - 2		Dolomite (weathered)			W					
9	2 - 3		Pink & Grey Dolomite			W					
30	3 - 4		— — — Mn			A	10	1.35?			
1	4 - 5		Grey Brown Mn			A	15	1.70?			
2	5 - 6		Pink & Grey Brown			W					
3	6 - 7	Woolly Subunit	Pink & Grey dolomite Red clay dust.	Fe ²⁺ 0.38?		A	10		650	<10	25 26
4	7 - 8		Red clay Red iron oxide dust	Fe ²⁺ 0.27?		A	10			<10	10 11
5	8 - 9		— — —			W					
6	9 - 10		— — —			W					
7	10 - 11		— — —			W					
8	11 - 12		— — —			W					
9	12 - 13		— — — Iron oxide nodules			W					
40	13 - 14		— — —			W					
1	14 - 15		Trace iron Red oxide			W					
2	15 - 16		— — —			W					
3	16 - 17		Trace of pale green shale			A	15			<10	15
4	17 - 18		Red clay Dust Iron oxide			W					
5	18 - 19		— — —			W					
6	19 - 20		— — —			W					
7	20 - 21		— — — Red iron oxide			W					
8	21 - 22		— — —			W					
9	22 - 23		+ Red shale nod.			W					
66826	23 - 24		— — —			W/A	10				

000159

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J 513. 3.

PAGE 1 OF 1

LOCATION: J 513. NORTHING: EASTING:

AREA CODE: BEARING: DIP: Vert COLLAR R.L. LENGTH: 21m

DATE STARTED: 16. 2. 72. COMPLETED: 16. 2. 72. LOGGED BY: A.G.T.

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Al ₂ O ₃	SiO ₂	Co
	0 - 1	Woodstock Colomile	Dark Sand & unweathered Colomile. Collar.			W				
66851	1 - 2		un weathered Grey dolomite. Rotten & Dist m & dendrites			W				
2	2 - 3		Pure Grey dolomite			A/W	15	0.90?		
3	3 - 4		Grey dolomite Mn dendrites			A/W	15	0.95?		
4	4 - 5		— . . . —			A/W	20	1.05?		
5	5 - 6		— . . . —			A/W	15	1.20?		
6	6 - 7		Grey dolomite chips & dust			W				
7	7 - 8		Very thin band of green to brown shale			A.	10	1.35?		
8	8 - 9		Grey dolomite Dust & chips			W				
9	9 - 10		Grey to green Colomile			A.	15		70	20
		Pantane Red Ols Hargreaves	Red clay contact nodules		Fe 1.30?					40 11
60	10 - 11		Dolomite full rock with Red clay. Red iron oxide		Fe 0.49?	A.	10		410	<10
1	11 - 12		Red clay. Red iron oxide & clay			W				
2	12 - 13		Red clay. Red iron oxide			W				
3	13 - 14		— . . . — nodules			W				
4	14 - 15		— . . . —			W				
5	15 - 16		Red clay. Red iron oxide & Red shale band.			W				
6	16 - 17		Red clay. Red iron oxide & Red shale.			W				
7	17 - 18		Red clay. Red iron oxide & Red shale in Red clay.			W				
8	18 - 19		— . . . —			W				
9	19 - 20		thin brown clay band.			W				
70	20 - 21		Red clay. Red iron oxide & Red shale.			A.	10			

Mount Gunson Mines Pty. Ltd

DRILL HOLE No. J. 513.4.

PAGE 7 OF 10

LOCATION: J. 5, 3. NORTHING: EASTING:

AREA CODE: _____ BEARING: _____ DIP: _____ COLLAR R.L. _____ LENGTH: 21 m

DATE STARTED: 16. 2. 72 COMPLETED: 16. 2. 72 LOGGED BY: AGT

Sample No.	Interval	Lithology	COMMENTS	Est. Sulph.	Est. Py.	Est. Cu.	ASSAY			
							Cu.	Mn	Ni	Co
	0 - 1		Water at 3' Lagoon surface. Dolomite under column of water.			W				
66871	1 - 2		Dolomite chert			W				
2	2 - 3		Dolomite chert water + Mn dendrites			A/W	20	0.95?		10
3	3 - 4		Water			A/W	20	1.0?		
4	4 - 5		Grey Dolomite nodules + chert water			W	20			10
5	5 - 6					W				
6	6 - 7					W	20			10
7	7 - 8					W				
8	8 - 9		Trans. Mn.			A/W	20	1.20		15
9	9 - 10		Grey Dolomite chert water			W				
80	10 - 11					W				
1	11 - 12		Buff partings. Green porous chert			A.	100			15
2	12 - 13		Buff shale Grey Dolomite (Banded zone) Fe.			A.	35			
3	13 - 14		Fe.			A.	30			20
4	14 - 15		Trans. green shale			A.	50			
5	15 - 16		Green shale buff dolomite Rdy contact Fe chert	Fe 1.40	A	40	0.4	220	<10	50
6	16 - 17		Fe? chert	Fe 0.48	A	25	1900	340	<10	15
7	17 - 18		Rdy chert dust green shale Fe Pyrite	.10	A.	30				
8	18 - 19		Hammett - Pyrite	.10	A.	20			<10	10
9	19 - 20		Hammett - Pyrite	vs/t	A.	20				
90	20 - 21		Hammett Pyrite	T.	A.	20				
			West Greenham contact Hammett + porous pyrite							

PACMINEX PTY. LTD. - FIELD DRILL LOG

000161

HOLE No. JS13/3

PAGE 1 OF 1

PROJECT: DATE STARTED: TYPE OF DRILL:
 AREA: COORDINATES: HOLE SIZE:
 LOCATION: CONTRACTOR:
 STARTED: ELEVATION: DRILLER:
 COMPLETED: DEPTH: LOGGED BY:

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Grey weathered dol. & Mn as dendrites along fract surface. Also festred dol. Lge frags (up to 0.025m) denoting fractured surface	66852	2						
3	Grey sl. weathered dol. Mn less evident along fract. planes. Minor pinkish dol. Minor festred. dol. Frags. smaller - more pulverised - rt less fractured.	54	2						
5	Grey to lgt. grey fresher dol. More abundant pinkish dol. Mn as dendrites & fract. filling assoc. & festred weathered dol.	56	2						
7	Lgt. grey to wht. fresh dol. Minor pale mauve dol.; minor pale grn. clay; trace Mn assoc. & festred dol. (ballback?)	58	2						
9	Fresh wht. dol. & red-brn & reddish pink gtd. Minor pale grn. clay & more abund. dk. red-brn clay.	60	2						
10.5									
11	Pinkish-red fresh gtd. Minor wht. dol. & trace of grn. clay (contam?) Predom. fine frags. Or grn. clay in fine frags?	62	2						
13	As above.	64	2						
15	Pinkish-red fresh gtd. Minor pale grn. & wht. clay. Some pale grn. clay & gtd. frag. Some lger frags. denoting fracturing. Some mottled pale grn. & red brn. clays.	66	2						
17	Predom. pinkish-red fresh gtd. Frags. finely pulverised.	68	2						
19	As above.	70	2						

PACMINEX PTY. LTD.—FIELD DRILL LOG

000162

HOLE No. J5/2/3
PAGE 1 OF 2

PROJECT: DATE STARTED: TYPE OF DRILL:
AREA: COORDINATES: HOLE SIZE:
LOCATION: CONTRACTOR:
STARTED: ELEVATION: DRILLER:
COMPLETED: DEPTH: LOGGED BY:

Whitten up

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Grey dol. & reddish brn. weathered dol. Chips up to 1.5 cm - ie fractured surface	66950	2						
3	Grey & sl pinkish grey dol & some slightly FeOx weathered dol. Manganese coloured dolomite - well pulverised chips - ie. hard & brittle	52	2						
5	As above. Manganese & pale greenish dolomite	54	2						
7	Lighter grey to white fresher dol. Minor pinkish dol. Minor ? Mn along fract surfaces.	56	2						
9	Lgt. grey to wht. fresh dol. Minor Mn along fract. surfaces	58	2						
11	Lgt. grey to wht. fresh dol. & lgt. green soft clay. Minor blk. ? Mn along fract. surfaces	60	2						
13	Lgt. grn. shale clay & pink & reddish brn. gts & minor wht. dol (faintly) Pale green clay + pink clay (shale) + minor white dol. chips (contam?).	61	1						
14	Reddish-brn. & pink gts. & brn. grn. shale. Green clay patches filling fractures in granite.	62	1						
15	Reddish-brn. & pink gts. Minor lgt. grn. shale (faintly)	64	2						
17	Red-brn. & pink-red gts. Only minor trace of heavy min.	66	2						

000163

PAGE 2 OF 2.

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000164

HOLE No. D509/1P

PAGE 1 OF 1

PROJECT: DATE STARTED: TYPE OF DRILL: *Whitten up.*
 AREA: COORDINATES: HOLE SIZE:
 LOCATION: CONTRACTOR:
 STARTED: ELEVATION: DRILLER:
 COMPLETED: DEPTH: LOGGED BY:

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Dk. red-brn. gte. Weathered & 5 lgr. frags indicating fractured surface. Rounded wht. gte. grains	56017	2						
3/4	Pink-red fairly fresh gte. Some lgr. frags (up to 0.01m) indicating fracturing. Minor dker. red-brn. possibly more weathered gte.	20	2						
6	Pinkish red fairly fresh gte.	22	2						
8	As above. Gte. finer frags. More pulverised sample than more massive gte.	24	2						
10	Pink fresh gte. & minor wht. clay; finely pulverised.	25	1						
11/12	Pinkish-red gte - v. minor wht. clay.	27	1						
13/16	Pinkish-red gte - finely pulverised	32	2						
18	Dker red-brn. gte. & pinkish red gte. Minor lgr. frags - mostly finely pulverised. Minor Mn chip.	33	1						
19/22	Dredom dk. red-brn gte; finely pulverised.	37	1						
23									

PACMINEX PTY. LTD. - FIELD DRILL LOG

000165

HOLE No. G 508 2P
PAGE 7 OF 2

PROJECT: DATE STARTED: TYPE OF DRILL:
AREA: COORDINATES: HOLE SIZE:
LOCATION: CONTRACTOR:
STARTED: ELEVATION: DRILLER:
COMPLETED: DEPTH: LOGGED BY:

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Pinkish-red gte, rounded gte sst grms. minor dol. & brick red clay.	58040	3						
4	Predom. rounded wht. & clear gte. sst. grms. Festred ? gte frags, blk. Mn chips & brn. clay.	42	2						
6	Predom. brownish-grey weathered dol. & blk. Mn. frags, Festred - hematitic frags, flake of clear gypsum.	44	2						
8	No above - no gypsum.	51	2						
10	Lgt. grey dol; some wht. dol grey weathered dol. & dendritic Mn & minor wht. dol. Also red-brn. Festred. dol.	53	2						
12	Predom. lgt. grey to wht. dol. & weathered Festred. Dol. & pinkish mauve dol. Bitings uniform fine size so well pulverised.	55	2						
14	Lgt. grey to wht. fresh dol. Lgt. brn. & red Festred. dol. weathered dol. Minor dendritic Mn.	57	2						
16	Predom. lgt. grey fresh dol; minor wht. dol. & minor Mn.	59	2						
18	Lgt. grey fresh dol. & more abund. Mn. Minor Festred weathered dol. Trace of pale gm. clay.	61	2						
20	Predom. pale gm. crisp clay; some crisp red-brn. clay & mottled variations between Rbund. blk Mn chips & only trace of weathered dol.	63	2						

000166

PAGE 2 OF 2

[illegible]CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000167

HOLE No. J311/1
PAGE 1 OF 1

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
AREA:..... COORDINATES:..... HOLE SIZE:.....
LOCATION:..... CONTRACTOR:.....
STARTED:..... ELEVATION:..... DRILLER:.....
COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Medan. greyish brn. weathered dol.; some wht. dol & red/pink ferrug. dol. Some Mn; partic. i ferrug. dol. Also blk. lim.	67182							
30	Lgt. greyish wht. dol - lge. frags. so dol. possibly fractured some lightly fractured frags. Minor Mn. on fract. planes.	84							
50	Lgt. greyish wht to wht. dol. Finer frag. so dol. less fractured	86							
70	Dol. as above.	88							
90	Dol. as above.	90							
110	Dol. as above c. v. minor Fe string.	92							
130	Lgt. gray dol.	94							
150	Medan lgt. clean pink gble. Wht. dol. frags (possibly fall back) & heavy wht. dol - possibly in frags.	96							
170	Brick red-brn & pink-red gble. Minor wht. dol. fallback.	98							
190	more abund. pink-red gble. c. brick red-brn gble. Minor wht & grey dol. fallback.	67/200							

000168

PAGE 1 OF 1

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000169

HOLE No. *FSDS/1P*

PAGE *1* OF *1*

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:..... *Written up.*
 AREA:..... COORDINATES:..... HOLE SIZE:.....
 LOCATION:..... CONTRACTOR:.....
 STARTED:..... ELEVATION:..... DRILLER:.....
 COMPLETED:..... DEPTH:..... LOGGED BY:.....

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
	<i>Mauve-pink fairly fresh fractured gte. Also weathered gte, brick red soft clay & minor yellowish brn. clay adhering to gte frags.</i>	<i>55924</i>							
	<i>Predom. pink-mauve pink-red massive gte - possibly minor fracturing & minor yellow clay adhering to gte frags.</i>	<i>26</i>							
	<i>More massive reddish-pink gte - minor yellow clay.</i>	<i>30</i>							
	<i>As above & minor blk. mn.</i>	<i>32</i>							
	<i>Massive pink-reddish pink gte.</i>	<i>36</i>							
	<i>As above.</i>	<i>38</i>							
	<i>As above.</i>	<i>40</i>							
	<i>Massive pink to mauvish pink gte.</i>	<i>42</i>							
	<i>As above - possibly slightly fractured.</i>	<i>44</i>							

PACMINEX PTY. LTD. - FIELD DRILL LOG

000179

HOLE No. I512-1P

PAGE 1 OF 1

PROJECT: DATE STARTED: TYPE OF DRILL:
 AREA: COORDINATES: HOLE SIZE:
 LOCATION: CONTRACTOR: *Whitten up*
 STARTED: ELEVATION: DRILLER:
 COMPLETED: DEPTH: LOGGED BY:

Metres	DESCRIPTION	SAMPLE No.	Assay Length	ASSAYS					
1	Very fractured & weathered pink & red gte - some gte in line along banding. Reddish-brn clay & minor brn. silicate.	67079	2						
3	Sl. fractured pink & red gte & trace of yellow clay clinging to gte. frags.	81	"						
5	Massive & possibly sl. fractured pink & red gte & trace of soft wht. clay.	83	"						
7	Massive pink & red gte & minor weathered gte fallback.	85	"						
9	Massive red gte & minor brn. clay & minor weathered gte fallback.	87	"						
11	Massive pink & red gte & minor weathered gte fallback.	89	"						
13	As above.	91	"						
15	Massive pink & red gte & abund. red-brn. clay.	93	"						
17	As above.	95	"						
19	Massive red & pink gte & less abund. red-brn. clay.	97	"						

Pandurra Fm.

PACMINEX PTY. LTD.—FIELD DRILL LOG

HOLE No. 9508-1P

000171

PAGE 1 OF 2

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
 AREA:..... COORDINATES:..... HOLE SIZE:.....
 LOCATION:..... CONTRACTOR:.....
 STARTED:..... ELEVATION:..... DRILLER:.....
 COMPLETED:..... DEPTH:..... LOGGED BY:.....

Whitten-up

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
0	Predom recent material of predom. wht & brn silcrete & minor dol & rounded qtz lithic sst	Cz (Silcrete)	5073	3.7						
3.7	Predom wht. & pinkish-wht. clay & cementing fine grmed to med grmed rounded qtz lithic sst. Minor blk. Mn or Fe frags.	Cz Clay	75	2.3						
6	Wht. clay & minor fine grmed. rounded qtz lithic sst. over blk. Mn or Fe rich clay.		77	2						
8	Blk. Mn/Fe rich clay & minor brn. dol chips.	Tapley Hill	78	1						
9/10	Brn. dol. & blk. Mn +/or Fe rich clay and blk. hem. & yellow lim frags. Also wht. clay.		81	2						
12	Brn. dol. & Mn staining, hem/lim. frags. & less abund. blk Mn & Fe rich clay.		83	"						
14	Brn. dol. & Mn staining, Fe hem/lim frags and blk. Mn + Fe rich clay, red-brn Fe-rich clay & wht clay.	Tapley Hill Dolomite	85	"						
16	Predom. brn. dol. & abund Mn staining, & less abund. blk. Mn & Fe rich clay. Minor wht clay.		86	"						
18	Brn. dol. & abund. Mn staining & dark red-brn dol. & Fe staining.		88	"						
20	As above.		90	"						

PAGE 2 OF 2

CSR/0035

PACMINEX PTY. LTD.—FIELD DRILL LOG

000173

HOLE No. G507-1P
PAGE 1 OF 1

PROJECT:..... DATE STARTED:..... TYPE OF DRILL:.....
AREA:..... COORDINATES:..... HOLE SIZE:.....
LOCATION:..... CONTRACTOR:.....
STARTED:..... ELEVATION:..... DRILLER:.....
COMPLETED:..... DEPTH:..... LOGGED BY:.....

Written up

Metres	DESCRIPTION		SAMPLE No.	Assay Length	ASSAYS					
1	Recent material consisting of rounded gte lithic art, red gte, Mniferous dol, & wht siltstone.	Ca	55946	3						
4	Weathered & fractured dol. Wht & red-brn dol & dendritic Mn staining. Crisp dk. brn. clay. Minor coarse frags of sub-rounded gte & minor greenish wht clay.		47	1						
5/8	Fresh, hard greenish-grey dol & weathered red-brn. dol & testred. bright red-brn. dol.		52	2						
10	Grey fresh hard dol., & minor red-brn. dol. & blk Mniferous dol. Minor wht bleached dol, sub-rounded gte & weathered dol. as fallback		54	2						
12/13	Grey fresh hard dol., & red brn. weathered & testred dol, crisp brn. laminated clay (minor gm. laminations), blk. Mniferous dol & sub-rounded gte (fallback?)	Tapley Hill	56	1						
14/15	Grey fresh hard dol. & minor red-brn. testred. dol & minor blk Mniferous dol.	Dobrite	58	1						
16	As above.		60	2						
18	As above.		61	1						
19/22	Grey & reddish grey fresh hard dol & red brn. testred dol., bright grn. crisp clay & minor sub-rounded gte. as fallback		66	2						
24	Pale greyish-brn. fresh hard massive dol. & testred dol, blk Mniferous dol., & clay.		68	2						
26	As above.		70	2						

CSR/0035

28


E.O.H. at 30 m.

000174

PAGE 1 OF 1

Waiter up

CSR/0035



GEOSCIENCE I.P. 156 S.

14000 N

13500

13000


12500

12000 N

GEOSCIENCE I.P. 216 S.


MOUNT GUNSON MINES PTY. LTD.		
TOP SHEET FOR		
GEOLOGICAL MAP OF WESTERN SHORE		
OF PERNATTY LAGOON		
65 12000m.N - 14500m.N.		
SCALE: 1:5000	GEOLOGY: P.C.	DWS N°
SURVEYED:	DRAWN:	
	CHECKED:	
	DATE:	

6624-1




MOUNT GUNSON MINES PTY LTD.		
TOPOGRAPHIC MAP OF THE WESTERN SHORE OF PERNATTY LAGOON		
6507000m. N. to 6509500m. N.		
SCALE: 1:5000	GEOLOGY: PC	DWG. NO.
SURVEYED: PC	DRAWN: PC	
CHECKED: PC		
DATE:		

6624-2



MOUNT GUNSON MINES PTY. LTD.		
TOPOGRAPHIC MAP		
GEOLOGICAL MAP OF WESTERN SHORE		
OF PERVATTY LAGOON		
6509500m. N. to 12000m N.		
SCALE: 1:5000 approx	GEOLOGY: P.C.	DWG. NO.
SURVEYED:	DRAWN:	
	CHECKED:	
	DATE:	

DATE: 6624-3



MOUNT GUNSON MINES PTY. LTD.			
GEOLOGY AND FUNDAMENTAL DRILLING			
SCALE: 1:5000	GEOLOGY: R.C.	DWG. NO.	
SURVEYED: Aerial photos. SVY 1222	DRAWN: R.C.		
	CHECKED:		
	DATE: 11/11/72		

6624-4