

038

N A T I V E

Eriococcus azaleae

Azalea Bark Scale

Field Recognition

Body dark red to purple. Eggs and immature crawler stages pink. Body approximately 3-4 mm long, ovisac produced and is a shiny white (almost silvery). Generally found in nodal areas or “forks” of twigs and branches.

Known Southeastern Distribution

Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Texas, and Virginia.

Common Hosts

Wide host range but most commonly collected on *Azalea*.

Azalea Bark Scale
Eriococcus azaleae



038

N A T I V E

Eriococcus azaleae

Azalea Bark Scale

Field Recognition

Body dark red to purple in color. Eggs and immature crawler stages pink. Body approximately 3-4 mm long, ovisac produced and is a shiny white (almost silvery). Generally found in nodal areas or “forks” of twigs and branches.

Known Southeastern Distribution

Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Texas, and Virginia.

Common Hosts

Wide host range but most commonly collected on *Azalea*.

Azalea Bark Scale
Eriococcus azaleae



Pink Immatures

Adult Female

Adult Female