> [] (/) # RegexOne (/)

Tutorial (/lesson/introduction_abcs)

References (/problem/matching_decimal_numbers)

Lesson 5: Character ranges

We just learned how to create a pattern that matches or excludes specific characters -- but what if we want to match a character that can be in a sequential range characters? Do we have no choice but to list them all out?

Luckily, when using the square bracket notation, there is a shorthand for matching a character in list of **sequential characters** by using the **dash** to indicate a character range. For example, the pattern **[0-6]** will only match any single digit character from zero to six, and nothing else. And likewise, **[^n-p]** will only match any single character **except** for letters n to p.

Multiple character ranges can also be used in the same set of brackets, along with individual characters. An example of this is the alphanumeric **\w** metacharacter which is equivalent to the character range **[A-Za-z0-9_]** and often used to match characters in English text.

In the exercise below, notice how all the match and skip lines have a pattern, and use the bracket notation to match or skip each character from each line. Be aware that patterns are **case sensitive** and **a-z differs** from **A-Z** in terms of the characters it matches (lower vs upper case).

Exercise 5: Matching Character Ranges

Task	Text	
Match	Ana	✓
Match	Bob	✓
Match	Cpc	✓
Skip	aax	
Skip	bby	
Skip	ccz	

```
[A-C]
```

Continue ›

Solve the above task to continue on to the next problem, or read the Solution.

Next – Lesson 6: Catching some zzz's (/lesson/repeating_characters)
Previous – Lesson 4: Excluding specific characters (/lesson/excluding_characters)

Find RegexOne useful? Please consider
Donating ($4) via Paypal to support our site.

Tweet

2019 © RegexOne
Email (mailto:regexone@gmail.com) | Twitter (http://twitter.com/regexone)

Additional Courses
Interactive SQL Lessons (https://sqlbolt.com)