

Lesson 6:  
Conditional Probability

Text: Summary

SEARCH

RESOURCES

CONCEPTS

6. Quiz: Medical Example 5

7. Quiz: Medical Example 6

8. Quiz: Medical Example 7

9. Quiz: Medical Example 8

10. Total Probability

11. Quiz: Two Coins 1

12. Quiz: Two Coins 2

13. Quiz: Two Coins 3

14. Quiz: Two Coins 4

15. Summary

16. Text: Summary

Mentor Help

Ask a mentor on our Q&A platform

Peer Chat 4

Chat with peers and alumni

Conditional Probability

In this lesson you learned about conditional probability. Often events are not independent, like coin flips and dice rolling. Instead, the outcome of one event depends on an event that has already occurred.

For example, the probability of obtaining a positive test result is dependent on whether or not you have a particular condition. If you have a condition, it is more likely that a test will return a positive result. We can formulate conditional probabilities for any two events in the following way:

$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

In this case, we could have this as:

$$P(\text{positive}|\text{disease}) = \frac{P(\text{positive} \cap \text{disease})}{P(\text{disease})}$$

where  $|$  represents "given" and  $\cap$  represents "and".

Looking Ahead

You will get more practice with conditional probability using Bayes rule in the next lesson. If you're comfortable with the examples here, the next lesson should be a breeze. And if you're uncomfortable with these ideas, the next lesson should be good practice to reinforce with some more examples.