




FTC Rev Robotics Differential Claw



Jezza Lonzo

[VIEW IN BROWSER](#)

updated 17. 3. 2025 | published 17. 3. 2025

Summary

More info in description || FTC team 16932 Wildcats || Like if you find it cool or useful, it took a long time to make

[Learning](#) > [Engineering](#)

Tags: [robot](#) [robotics](#) [claw](#) [differential](#) [ftc](#) [rev](#) [diffy](#)

Please leave a like if this was useful, this too a long time to make

For use with REV Robotics servos and parts, attaches to Studica linear slides

Gears attach to servos and ball bearings

Top bevel gear can attach using ball bearing or not

Uses M3 x 4mm deep threaded inserts to attach parts

Also includes mount for logitech C270 on claw for OpenCV

Attaches using M3 screws

Non-3d-printed parts used linked below

6703ZZBallBearing x 1

REVFlangedBallBearing x 2

REVServoHornV2 x2

REVSmartServo x 3

REVServoGearAdapter x 1

StudicaLinearSlides x 1
M3HeatSetInserts x 1

Model files



top-bevel-gear-cap-x1.3mf



camera-case-cover-x1.3mf



claw-gear-solo-x1.3mf



wrist-attachment-x1.3mf



side-bevel-gear-x2.3mf



top-bevel-gear-x1.3mf



middle-junction-x1.3mf



claw-head-x1.3mf



claw-gear-servo-x1.3mf



top-bevel-gear-for-no-bearing-x1.3mf

License

This work is licensed under a
[Creative Commons \(4.0 International License\)](https://creativecommons.org/licenses/by-sa/4.0/)



Attribution-ShareAlike

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✓ | Commercial Use
 - ✓ | Free Cultural Works
 - ✓ | Meets Open Definition