


Configurazione fisica



Configurazione sulla stessa rete

PC0

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.1.1

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::201:43FF:FE60:EEB6

Default Gateway:

DNS Server:

PC1

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.1.2

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static


IPv6 Address: /

Link Local Address: FE80::290:21FF:FE52:E30D

Default Gateway:

DNS Server:

Verifica di comunicazione sulla stessa rete tramite comando ping



The screenshot shows a Cisco Packet Tracer interface with a PC named PC0. The 'Desktop' tab is selected, displaying a 'Command Prompt' window. The command prompt shows the execution of the 'ping 192.168.1.6' command, which successfully pings the destination IP address with 32 bytes of data. The output shows four successful replies with varying round trip times (1ms, 4ms, 1ms, 1ms) and a TTL of 128. The ping statistics indicate that all four packets were sent and received, with 0% loss. The approximate round trip times are: Minimum = 0ms, Maximum = 4ms, Average = 1ms.

```
PC0
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.6

Pinging 192.168.1.6 with 32 bytes of data:

Reply from 192.168.1.6: bytes=32 time<1ms TTL=128
Reply from 192.168.1.6: bytes=32 time=4ms TTL=128
Reply from 192.168.1.6: bytes=32 time<1ms TTL=128
Reply from 192.168.1.6: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.6:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 4ms, Average = 1ms

C:\>
```