


PARO: Warsztat zwinnego programisty

<Document ID: change ID in footer or remove>
Agenda

- ATDD
- Code review
- Build system- how it works
- Clang-format & clang-tidy

<Document ID: change ID in footer or remove> ATDD — Acceptance test driven development



User scenarios are transformed to acceptance tests Feature is ready when the test passes

As a USER, I can add books to my collection

GIVEN: User is logged in

AND User's collection is empty

AND book#1 is avaliable in database

WHEN: User selects the book#1

THEN: It is added to his collection

AND Collection view contains newly added book

<Document ID: change ID in footer or remove> Code review

When do we do it?

Why do we even do it?

- IT IS NOT ABOUT YOU, IT IS ABOUT THE CODE
- maintain architecture of the system and code readibility
- different point of view
- get to know with each other
- knowledge spread
- bugs are everywhere
- performance issues
- soft skill training, cope with criticism

What do we check?

Who checks the code?

- <Document ID: change ID in footer or remove>
 Code review what to look for
 - Needle in the haystack
 - Divide your commits
 - How many files?
 - Tests tests tests...
 - Cultural differences

<Document ID: change ID in footer or remove> Code review - what makes it bad

- feeding me ego
- rat race
- metrics are bad (seriosuly)
- fast and furious
- design patterns hell
- lack of trust

<Document ID: change ID in footer or remove>

The Ten Commandments of Egoless Programming

- 1. Understand and accept that you will make mistakes.
- 2. You are not your code.
- 3. No matter how much "karate" you know, someone else will always know more
- 4. Don't rewrite code without consultation.
- 5. Treat people who know less than you with respect, deference, and patience.
- 6. The only constant in the world is change.
- 7. The only true authority stems from knowledge, not from position.
- 8. Fight for what you believe, but gracefully accept defeat.
- 9. Don't be "the guy in the room".
- 10. Critique code instead of people be kind to the coder, not to the code.

https://blog.codinghorror.com/the-ten-commandments-of-egoless-programming/

<Document ID: change ID in footer or remove>
Clang-Tidy and Clang-Format

https://clang.llvm.org/docs/ClangFormat.html https://clang.llvm.org/docs/ClangFormatStyleOptions.html

https://clang.llvm.org/extra/clang-tidy/
https://clang.llvm.org/extra/clang-tidy/checks/list.html

NOKIA