Cucumber Report


16 sept de 2024, 5:08:34 a.m. Start: sept 16, 5:08:27.422 a.m. End: sept 16, 5:08:33.887 a.m. **Duration**: 6.465 s Scenarios **Features** Steps PASSED - 0 PASSED - 6 PASSED - 22 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 23 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 95 % 85 % 100

Feature		Scenario		Step					
Name	Duration	T	P	F	S	T	P	F	S
Booking endpoint	6.465 s	7	6	1	0	23	22	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Booking endpoint	/booking should not create an employee with incomplete data

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration	
1	Booking endpoint	7	6	1	0	6.465 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking endpoint	/booking/{id} should return an specific booking	3	3	0	0	2.161 s
2		/booking/{id} should not return an specific booking if id does no exist	2	2	0	0	0.634 s
3		/booking should create an employee	4	4	0	0	0.849 s
4		/booking should create an employee	4	4	0	0	0.672 s
5		/booking should create an employee	4	4	0	0	0.741 s
6		/booking should not create an employee with incomplete data	2	1	1	0	0.652 s
7		/booking should create an employee even with data with additional info	4	4	0	0	0.733 s

Booking endpoint


al - 23	
s - 22 23	
o - O	•
	ss - 22 II - 1 ip - 0

/booking/{id} should return an specific booking




#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint with id "2"	PASSED	1.813 s
2	Then I verify that the status code is 200	PASSED	0.011 s
3	And I verify that the body does not have size 0	PASSED	0.323 s

/booking/{id} should not return an specific booking if id does no exist




#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint with id "10000000000"	PASSED	0.632 s
2	Then I verify that the status code is 404	PASSED	0.002 s

/booking should create an employee



#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	0.785 s
	James Bond 007 true 2024-10-10 2025-01-01 No		
2	Then I verify that the status code is 200	PASSED	0.000 s
3	And I verify that the body does not have size 0	PASSED	0.009 s
4	And I verify the following data in the body response	PASSED	0.054 s
	James Bond 007 true 2024-10-10 2025-01-01 No		


/booking should create an employee



#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	0.619 s


#	Step / Hook Details	Status	Duration
	Anne White 1000 false 2024-10-10 2034-12-12 Dinner		
2	Then I verify that the status code is 200	PASSED	0.001 s
3	And I verify that the body does not have size 0	PASSED	0.005 s
4	And I verify the following data in the body response	PASSED	0.046 s
	Anne White 1000 false 2024-10-10 2034-12-12 Dinner		

/booking should create an employee



#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data	PASSED	0.693 s
	Robin Banks 222 true 2024-10-10 2024-12-12 Lunch		
2	Then I verify that the status code is 200	PASSED	0.001 s
3	And I verify that the body does not have size 0	PASSED	0.006 s
4	And I verify the following data in the body response	PASSED	0.041 s
	Robin Banks 222 true 2024-10-10 2024-12-12 Lunch		

/booking should not create an employee with incomplete data




DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following incomplete data	PASSED	0.640 s
	Alejandro 111 true 2018-01-01 2019-01-01 Breakfast		
2	Then I verify that the status code is 400	FAILED	0.012 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:32)		
	at ?.I verify that the status code is 400(file:///C:/Users/Alejandro/Documents/2024%20-%20II/Certificacion%20II%20-%20Proyecto%20Final/		
	RestfulBooker/src/test/resources/booking.feature:31)		
	* Not displayable characters are replaced by '?'.		

/booking should create an employee even with data with additional info

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create endpoint with the following data with additional info	PASSED	0.686 s
	Alejandro Uriarte 111 true 2018-01-01 2019-01-01 Breakfast alejandro@gmail.com		
2	Then I verify that the status code is 200	PASSED	0.001 s
3	And I verify that the body does not have size 0	PASSED	0.006 s
4	And I verify the following data in the body response	PASSED	0.040 s
	Alejandro Uriarte 111 true 2018-01-01 2019-01-01 Breakfast		