


Adaptive Reading Game · Complete UI/UX Reference

Design states, not a functional application. Sample content/data. Georgia requested; Times New Roman used locally as fallback.

Adaptive Reading Game · Player flow

Proposed complete flow. Screen numbers refer to the reference package.



In-session menu · 26-35, 38-39

Story / Reading Check → pause → Save / Load / Settings / Main Menu / Quit
Return → restore the exact caller; cancellation → no state change
Save occupied slot → confirm overwrite → success or failure; Load empty slot → disabled
Logout → clear account session → Welcome; Quit → application closes (36)

Narrative choices never determine the score. Model failure must not block continuing.

01 · Welcome - Existing base



LOG IN

SIGN UP

Adaptive Reading Game

Players choose whether to log in or create an account. This preserves the original simple welcome screen and provides the entry point for personalized progress.

Interaction: LOG IN → 06; SIGN UP → 02.

02 · Sign up - Existing base

WELCOME



SIGN UP

Name

Password

Show

Use your account name and password.

SIGN UP

BACK

Design sample only - no credentials are entered or stored in this preview.

Players supply an account name and password. A successful signup takes them to login rather than entering the game automatically.

Interaction: SIGN UP → 05 (sample success); BACK → 01. Validation variants: 03 and 04.

03 · Signup · missing fields - Existing code state

WELCOME



SIGN UP

Name

Password

Show

Please enter your name and password.

SIGN UP

BACK

Design sample only - no credentials are entered or stored in this preview.

An inline message explains that the required fields are missing. The form stays available so the player can correct the problem without losing context.

Interaction: Keep the same form; do not create an account until valid. Preview SIGN UP follows the corrected path.

04 · Signup · duplicate name - Existing code state

WELCOME



SIGN UP

Name

Player1

Password

.....

Show

Account name already exists. Please choose another.

SIGN UP

BACK

Design sample only - no credentials are entered or stored in this preview.

An inline message explains that the account name already exists. Players can choose another name or return to login.

Interaction: Keep credentials masked; do not reveal another account's details.

05 · Signup success → login - Existing code state

WELCOME



LOG IN

Name

Password

Show

Account created successfully! Please log in.

LOG IN

BACK

Design sample only - no credentials are entered or stored in this preview.

A success message confirms account creation on the login form. The player then logs in to reach the main menu.

Interaction: LOG IN → 08 (new-player example). Real code must read actual account progress.

06 · Log in - Existing base

WELCOME



LOG IN

Name

Password

Show

Use your account name and password.

LOG IN

BACK

Design sample only - no credentials are entered or stored in this preview.

Players enter their account name and password to access their saved progress. The preview is a visual route demonstration and does not authenticate or collect credentials.

Interaction: LOG IN → 08 (sample success); BACK → 01; error variant → 07.

07 · Login · invalid credentials - Existing code state

WELCOME



LOG IN

Name

Password

••••••••

Show

Invalid name or password.

LOG IN

BACK

Design sample only - no credentials are entered or stored in this preview.

A neutral error message says the name or password is invalid. Players can correct their entries and retry without disclosing which credential was wrong.

Interaction: Stay on login; LOG IN previews a successful corrected attempt.

08 · Main menu · no progress - Existing base + additions

Player1

ADAPTIVE READING GAME



NEW GAME

CONTINUE

SAVE / LOAD

SETTINGS

QUIT

LOG OUT

No saved progress yet. Start a new game to begin.

New players can start a game, open load/settings, or quit. Continue is disabled and explained because no resumable checkpoint exists.

Interaction: NEW GAME → 11; LOAD → 30; SETTINGS → 32; LOG OUT → 34; QUIT → 35. Account name and Logout are additions.

Player1

ADAPTIVE READING GAME



NEW GAME

CONTINUE

SAVE / LOAD

SETTINGS

QUIT

LOG OUT

Continue resumes your most recent checkpoint.

Returning players can continue their latest checkpoint or start a new game. This gives Continue a clear purpose and protects existing progress before a restart.

Interaction: CONTINUE → 13 (sample checkpoint); NEW GAME → 10.

10 · New game confirmation - Proposed addition



A returning player confirms starting a new playthrough. The message distinguishes restarting current progress from deleting manual saves.

Interaction: START NEW → 11; CANCEL → 09. Keep manual saves unless the player explicitly deletes them.

11 · How to play - Existing base + clarified copy

HOW TO PLAY?



Click NEXT or press Space to advance the story.
Press Esc to open the game menu and save your progress.

Story choices change the narrative.
Reading Checks measure comprehension; only first answers count.

BACK

NEXT

Players learn the story controls before playing. The explanation clearly distinguishes narrative choices from scored Reading Checks.

Interaction: NEXT → 12; BACK → 08. Space advances narrative only, never submits an assessment answer.

12 · Introduction - Existing base

INTRODUCTION



You are a servant....

BACK

PLAY


The introduction establishes the player's role before Chapter 1 begins. It preserves the existing brief servant premise, with final story copy still to be supplied by the team.

Interaction: PLAY → 13; BACK → 11. Text is source placeholder, not an approved final script.

13 · Story · dialogue - Existing base

Chapter 1: Beginning

MENU



Click NEXT or press Space to continue. Esc opens the game menu.


The player reads a character's dialogue in the existing burgundy-and-gold panel. NEXT advances the conversation, while MENU opens navigation without advancing the story.

Interaction: NEXT / Space → 14; MENU / Esc → 26. Restore the exact scene when returning from a menu.

14 · Story · thoughts - Existing base

Chapter 1: Beginning

MENU



Click NEXT or press Space to continue. Esc opens the game menu.


The lighter panel and italic text distinguish the player's private thoughts from spoken dialogue. Players advance when they finish reading.

Interaction: NEXT / Space → 15; MENU / Esc → 26.

15 · Story · narrative choice - Existing base + sample copy

Chapter 1: Beginning

MENU



Story choice - changes narrative, not your reading score.


The player chooses how to respond to the character. These choices affect story branches and relationships, not comprehension score or difficulty.

Interaction: All three preview choices → 16; real game must restore the chosen branch. Story choice text is illustrative.

16 · Story · branch continuation - Proposed state

Chapter 1: Beginning

MENU



Click NEXT or press Space to continue. Esc opens the game menu.

The story acknowledges the chosen narrative action before the Reading Check. This prevents a story choice from jumping directly to a fabricated comprehension result.

Interaction: NEXT → 17. Branch-specific dialogue is sample content; author each actual branch separately.

17 · Reading Check · unanswered - Proposed addition

Chapter 1: Reading Check

MENU

Question 1 of 5 · Easy

Read the passage:
Mara slipped the letter into her apron before the visitor entered.
She did not want anyone else to see the message.

Why does Mara hide the letter?

- ☐ A. She wants to throw it away.
- ☐ B. She wants to keep the message private.
- ☐ C. She has forgotten how to read.

Choose one answer, then submit.

SUBMIT

No timed answering. Only your first submitted answer counts toward the score.

A separate passage and question measure comprehension. Submit stays disabled until an answer is selected, and the player can read at their own pace.

Interaction: B → 18; A or C → 19. MENU pauses; no time limit or autoplay submission.

18 · Reading Check · selected B - Proposed addition

Chapter 1: Reading Check

MENU

Question 1 of 5 · Easy

Read the passage:
Mara slipped the letter into her apron before the visitor entered.
She did not want anyone else to see the message.

Why does Mara hide the letter?

- ☐ A. She wants to throw it away.
- ☒ B. She wants to keep the message private.
- ☐ C. She has forgotten how to read.

Selected answer - you can change it before submitting.

SUBMIT

No timed answering. Only your first submitted answer counts toward the score.

The selected answer is visibly highlighted before submission. Players can change their selection until Submit records their first attempt.

Interaction: SUBMIT → 20; A/C → 19. Selection alone must not score or advance the question.

19 · Reading Check · selected A - Proposed addition

Chapter 1: Reading Check

MENU

Question 1 of 5 · Easy

Read the passage:

Mara slipped the letter into her apron before the visitor entered.
She did not want anyone else to see the message.

Why does Mara hide the letter?

- ☒ A. She wants to throw it away.
- ☐ B. She wants to keep the message private.
- ☐ C. She has forgotten how to read.

Selected answer - you can change it before submitting.

SUBMIT


No timed answering. Only your first submitted answer counts toward the score.

This variant shows a selected incorrect answer before submission. It demonstrates the wrong-answer route without disclosing correctness before the player submits.

Interaction: SUBMIT → 21; B → 18. The example groups A/C into the incorrect selection route.

20 · Reading Check · correct feedback - Proposed addition

Chapter 1: Reading Check




Feedback teaches the reading skill. Do not let the player resubmit for a higher score.

The player sees confirmation and a passage-based explanation. The first submitted answer is locked, and the next action advances to another question.

Interaction: NEXT QUESTION → 22 (representative final-question jump); the actual game must show questions 2-4.

21 · Reading Check · incorrect feedback - Proposed addition

Chapter 1: Reading Check



Feedback teaches the reading skill. Do not let the player resubmit for a higher score.

The player receives a supportive explanation of the correct reasoning. The incorrect first attempt remains recorded; feedback does not offer a score-changing retry.

Interaction: NEXT QUESTION → 22 (representative final-question jump). No resubmission for this scored question.

22 · Reading Check · final question - Proposed state

Chapter 1: Reading Check

MENU

Question 5 of 5 · Easy

Read the passage:

Mara slipped the letter into her apron before the visitor entered.
She did not want anyone else to see the message.

Why does Mara hide the letter?

- ☐ A. She wants to throw it away.
- ☒ B. She wants to keep the message private.
- ☐ C. She has forgotten how to read.

Selected answer - you can change it before submitting.

SUBMIT


No timed answering. Only your first submitted answer counts toward the score.

The final-question state marks the end of a five-question check. It reuses the same question layout so the team can implement one reusable assessment view.

Interaction: SUBMIT → 22b after first-attempt recording. This is a fixed selected-state preview; sample passage repeats for layout only.

22b · Reading Check · final feedback - Proposed state

Chapter 1: Reading Check




Feedback teaches the reading skill. Do not let the player resubmit for a higher score.

The final submitted answer receives the same explanatory feedback as earlier questions. View Results then moves to difficulty analysis rather than presenting another question.

Interaction: VIEW RESULTS → 23. Reuse the feedback component with a final-question action variant; incorrect final feedback follows the same route.


23 · Preparing the next challenge - Proposed addition



A brief status panel tells the player that the completed answers are being analyzed. Progress is recorded before optional model analysis so a timeout does not lose the completed check.

Interaction: NEXT (preview success) → 24; MODEL UNAVAILABLE (preview test route) → 25. Real Java code should transition automatically with a bounded timeout.


24 · Chapter results · normal - Existing base + real-data design



The result combines a comprehension score, first-answer count, and the next difficulty. Java validates any model recommendation before the player continues.

Interaction: CONTINUE → 40. 80% / Medium is illustrative, not a fixed rule or a model guarantee.


25 · Chapter results · model fallback - Proposed addition



The result remains usable when the optional model fails or times out. Java applies its deterministic fallback policy and explains the outcome without alarming the player.

Interaction: CONTINUE → 40. Easy is an example outcome; use actual validated policy output.


26 · Game menu / pause - Proposed addition



This menu pauses narrative progression and exposes save, load, settings, and exit actions. Return restores the exact prior scene or assessment state instead of restarting it.

Interaction: SAVE → 27; LOAD → 30; SETTINGS → 32; MAIN MENU → 33; RETURN → captured previous scene in the preview.


27 · Save · occupied and empty slots - Existing base + populated states



Players can identify saves by chapter, scene, difficulty, and timestamp. Empty slots accept new saves, while occupied slots require overwrite confirmation.

Interaction: Slot 1 → 29; empty Slot 2-6 → 28. Preserve the original six-slot page visually; finalize count with backend team.

28 · Save · success - Proposed addition



A visible confirmation appears only after persistence succeeds. The player stays on Save and can return to the held scene without losing their place.

Interaction: RETURN → previous screen. Example shows a newly populated Slot 2; overwrite instead updates the chosen occupied slot.

29 · Save · overwrite confirmation - Proposed addition



The player confirms replacing an occupied slot before data is changed. Cancel preserves the existing save and returns to the slot list.

Interaction: OVERWRITE → 28 after successful write; CANCEL → 27. Failure route is 39.

30 · Load · occupied and empty slots - Existing base + populated states

SAVE

LOAD

QUIT

SETTINGS

MAIN MENU

RETURN

LOAD

Choose a saved checkpoint to resume.

Chapter 1: Beginning

Scene 4 · Easy

Reading check 0 / 5

Saved just now

EMPTY

No saved checkpoint

EMPTY

No saved checkpoint

SLOT 1

SLOT 2

SLOT 3

EMPTY

No saved checkpoint

EMPTY

No saved checkpoint

EMPTY

No saved checkpoint

SLOT 4

SLOT 5

SLOT 6

AUTO < 1 2 3 4 5 6 7 8 9 10 >


Page 1 layout retained from the UI. Slot count and pagination need a shared backend contract.

Players select a saved checkpoint using meaningful metadata. Empty slots are disabled, so the interface does not pretend to load nonexistent progress.

Interaction: Slot 1 → 31 if current state is unsaved, otherwise resume immediately. If called from main menu with no active game, skip discard confirmation.

Adaptive Reading Game - UI/UX Reference | 32 / 41

31 · Load · unsaved progress warning - Proposed addition



The player confirms discarding unsaved session progress before loading a checkpoint. Cancel returns to Load without changing the current session.

Interaction: LOAD SAVE → 13 only after validation and successful restore; CANCEL → 30. Invalid save route is 38.

32 · Settings - Existing base + text-size addition

SAVE

LOAD

QUIT

SETTINGS

MAIN MENU

RETURN

SETTINGS

Audio

Music Volume80%

Sound Volume65%

Voice Volume90%

Reading

Text Speed70%

Autoplay Speed40%

Text size

A−

A+


Autoplay pauses during Reading Checks.

Control appearance reference only. Settings should persist per player; Return restores the prior screen.

The existing audio and reading-speed controls retain their two-column layout. Text-size controls are a proposed accessibility addition, and autoplay pauses whenever a Reading Check is active.

Interaction: RETURN restores caller. Preview sliders/text-size are appearance specifications, not working controls.

33 · Return to main menu confirmation - Proposed addition



The player confirms leaving an active session before unsaved changes are discarded. This distinguishes Main Menu from Return, which resumes the held game.

Interaction: MAIN MENU → 09; CANCEL → previous screen. Saved checkpoints remain available.


34 · Logout confirmation - Proposed addition



The player confirms ending their authenticated session. Logout clears session access, but keeps saved progress associated with the account.

Interaction: LOG OUT → 01; CANCEL → 09. If active unsaved play exists, use the same loss warning and allow cancel.

35 · Quit confirmation - Existing base



The existing quit card warns that unsaved progress will be lost. Players can cancel without navigating or changing game state.

Interaction: QUIT → 36 (terminal-state representation); CANCEL restores caller. Real app closes its window only on confirmation.

37 · Story complete - Proposed addition

STORY COMPLETE




You have completed all available chapters.
Your reading progress has been recorded.

MAIN MENU

The player receives a clear endpoint after the last available chapter is completed. They can return to the main menu without a Continue button pointing to nonexistent content.

Interaction: MAIN MENU → 09 with story-complete metadata. Continue should replay or be disabled only if the team explicitly specifies that behavior.

38 · Load · unreadable save - Proposed addition



An error explains that the selected checkpoint could not be loaded. The current session and save data are preserved so the player can choose another slot.

Interaction: BACK TO LOAD → 30. Do not partially restore or silently delete a damaged save.

39 · Save · persistence failed - Proposed addition



The player is told that the save did not succeed and the session remains unsaved. Retry attempts persistence again; cancel restores the session without claiming progress was saved.

Interaction: RETRY → 28 is the successful retry example; CANCEL → previous screen. Keep the old slot intact on failure.

NEXT CHAPTER



Loading the next reading challenge...
Your difficulty and checkpoint have been recorded.

NEXT CHAPTER

STORY FINISHED

The player sees a transition while the next chapter and validated difficulty are loaded. If there is no next chapter, the game shows Story Complete instead of entering an empty scene.

Interaction: NEXT CHAPTER → 13 is a reusable-layout sample; STORY FINISHED → 37 is a reviewer test route. Real application chooses automatically.