



WEB SMS API DOCUMENTATION

www.speedamobile.com

OVERVIEW

This document is intended for technical audience, such as developers, system analysts and architects. It's generally intended for all those intending to implement technical integration between their systems and the Speed Mobile SMS Gateway.

Speeda Mobile Limited
Global Messaging Partner



Document Version Control

Version	Date	Author	Comments
1.0	May 2016	Speeda	
1.11	Jan. 2017	Speeda	
1.12	Feb. 2022	Speeda	

Client Notice

The information contained in documentation shall not, in whole or in part be disclosed, duplicated or used for any purpose without consent from Speeda Mobile Ltd. If a contract is awarded to or as a result of or in connection with the submission of this documentation, the client or prospective client shall have the right to duplicate, use or disclose this document to the extent provided for in the contract. The names of actual companies and products mentioned herein may be trademarks of their respective owners.

Web SMS API - Version: 1.12

1. Sending SMS Through API

1.1 Parameters

1.2 Calling API using GET Request

1.2.1 Method-1: Using Get Request

1.2.2 Method-2: Using POST Request

1.2.3 Response Details

1.3 Enquiring Delivery Status

1.3.1 Parameters

1.3.2 Calling Delivery Report API Using, Method-1 Get Request

1.3.3 Calling Delivery Report API Using, Method-2 Post Request

1.3.4 Response Format for Both GET AND POST

1.3.5 Response Details

2 Managing Contact Lists through API

2.1 Add Number to Contact List through API

2.1.1 Parameters List

2.1.2 How to Get Contact List ID

2.1.3 Calling Contact List API using Method 1 (GET REQUEST)

2.1.4 Calling Contact List API using Method 2 (POST REQUEST)

2.1.5 Response Format for Both GET AND POST

2.1.6 Response Details

2.2 Deleting Number from Contact List using API

2.2.1 Parameters List

2.2.2 Calling Delete Contact Using API, Method 1, Get Request

2.2.3 Calling Delete Contact Using API, Method 2, POST Request

2.2.4 Response Format for Both GET AND POST

2.2.5 Response Details

3 Speedamobile Verify API - Sending OTP Verification SMS

3.1 Sending Verification SMS

3.1.1 Calling the Speedamobile Verify API using Get Request

3.1.2 Calling the Speedamobile Verify API using POST Request

3.1.3 Response Format for Both GET AND POST

- 3.1.4 [Response Details](#)
 - 3.2 [Checking Verification Status](#)
 - 3.2.1 [Checking the verification Status Using Get Request](#)
 - 3.2.2 [Checking the verification Status Using Get Request](#)
 - 3.2.3 [Response Format for Both GET AND POST](#)
 - 3.2.4 [Response Details](#)
 - 4 [SenderIDRequest \(API\)](#)
 - 5 [GetSenderIDList \(API\)](#)
 - 6 [Check Balance](#)
 - 7 [Register Reseller Customer](#)

1.0 Sending SMS Through Web API

Send SMS to URL:<http://apidocs.speedamobile.com>

1.1 Parameters

Parameter Name	Required	Description	Example
api_id	Yes	Your API ID Sent in Email	API43404236
api_password	Yes	Your API Password Sent in Email	password
sms_type	Yes	SMS Type Promotional / Transactional	P for Promotional T for Transactional
encoding	Yes	SMS Encoding Text, Unicode etc.	T for Text U for Unicode FS for Flash Message UFS for Unicode Flash Message
sender_id	Yes	Your Sender ID	Your Registered Sender ID
phonenumber	Yes	Recipient Phone Number	Phone Number Should No Contain + Sign Phone Number Format is Country Code + Phone Number Example: 256772123456
templateid	Optional	Required If You Want to Send Existing Template. Check Template ID in Customer Panel	Template ID from Customer Panel Example: 10
textmessage	Conditional	If Template ID is provided text message is not required	Text of SMS Message to Send
V1	Optional	Variable 1 To Replace in Template	Any Data for Variable 1 You Want to Replace
V2	Optional	Variable 2 To Replace in Template	Any Data for Variable 2 You Want to Replace
V3	Optional	Variable 3 To Replace in Template	Any Data for Variable 3 You Want to Replace
V4	Optional	Variable 4 To Replace in Template	Any Data for Variable 4 You Want to Replace
V5	Optional	Variable 5 To Replace in Template	Any Data for Variable 5 You Want to Replace

1.2 Calling The API

1.2.1 Method-1: Using Get Request

Example:http://apidocs.speedamobile.com/api/SendSMS?api_id=API4623444906&api_password=password@123&sms_type=P&encoding=T&sender_id=speedamobile&phonenumbe r=256772123456&textmessage=test

1.2.2 Method-2: Using POST Request

Post Request JSON Format

```
{
  "api_id": yourapiid,
  "api_password": yourapipassword,
  "sms_type": T,
  "encoding": T,
  "sender_id": speedamobile,
  "phonenumbe r": 256772123456,
  "templateid": null,
  "textmessage":test message,
  "V1": null,
  "V2": null,
  "V3": null,
  "V4": null,
  "V5": null
}
```

Response Format for Both GET AND POST

```
{
  "message_id": 4125,
  "status": "S",
  "remarks": "Message Submitted Successfully"
}
```

Response Details.

message_id	System Generated Message ID
status	S = Submitted F = Failed to Submit
remarks	Description of the status

1.2.3 Method-2: Get Request Multiple Phone Numbers Single Request

Example:

http://apidocs.speedamobile.com/api/SendSMSMulti?api_id=API4623444906&api_password=password@123&sms_type=P&encoding=T&sender_id=speedamobile&phonenumbers=256772123456,256773123456&textmessage=test

1.3 Query Delivery Report / Message Status

URL: <http://apidocs.speedamobile.com/api/GetDeliveryStatus>

1.3.1 Parameters

Parameter Name	Required	Description	Example
message_id	Yes	Message ID You Received at The Time of Submit	4134

1.3.2 Calling Delivery Report API Using, Method-1 Get Request

Example:

http://apidocs.speedamobile.com/api/GetDeliveryStatus?message_id=2323

1.3.3 Calling Delivery Report API Using, Method-2 Post Request

Post Request JSON Format

```
{
    "message_id": 32423
}
```

1.3.4 Response Format for Both GET AND POST

```
{
    "message_id": 32,
    "PhoneNumber": "256772123456",
    "SMSMessage": "Test Message",
    "MessageType": "Default",
    "MessageLength": 159,
    "MessageParts": 1,
    "ClientCost": 1,
    "DLRStatus": "Delivered",
    "SMSID": "9cbd20a1-0cd8-420e-b384-5767b7df7a87",
    "ErrorCode": 0,
    "ErrorDescription": "000",
    "SentDateUTC": "2017-05-05T10:16:39.523",
    "Remarks": "OK"
}
```

}

1.3.5 Response Details

message_id	Message ID of the request
PhoneNumber	Phone Number to which message was sent
SMSMessage	Text of the SMS message
MessageType	Message Encoding
MessageLength	Length of Message
MessageParts	No of Message parts
ClientCost	Amount Deducted from account
DLRStatus	Delivery Status Can Be One Of the following 1. Pending 2. Delivered 3. Undeliverable 4. Acknowledged 5. Expired 6. Accepted 7. Rejected 8. Unknown 9. Failed 10. DND
SMSID	Carrier Generated SMS ID
ErrorCode	Error Code If Any
ErrorDescription	Error Description If Any
SentDateUTC	SMS Sent Date Time in UTC+3 (Universal Time Coordinate)
Remarks	Remarks for the Request

2.0 Managing Contact Lists through API

2.1 Add Number to Contact List through API

2.1.1 Parameters List

Parameter Name Required		Description	Example
api_id	Yes	Your API ID Received in the email or you can get it from your customer panel	API0896731286


api_password	Yes	Your API Password Received in the email or can change API password from customer panel	password
contact_list_id	Yes	Create Contact List in Customer Panel and Get the ID from There See Image Below for Detailed Explanation	1
contact_name	Yes	Name of the person you want to save	John
contact_number	Yes	Contact Number of the person you want to save	256772123456

2.1.2 How to Get Contact List ID

Step 1. Login in your Customer Panel At <https://portal.speedamobile.com/>

Step 2. Go to Contact List in The Left Side Menu Bar

Step 3. Click on Add New Contact List Button & Create a new Contact List



Step 4. Enter Contact List Name and Click Create New Contact List

Step 5 : Once Created You Will Find Contact List ID in the Grid Below

Export to Excel	
Drag a column header and drop it here to group by that column	
#	Name
1	Personal Numbers

Yellow Color Highlighted Is Your Contact List ID

2.1.3 Calling Contact List API using Method 1 (GET REQUEST)

Example:

http://apidocs.speedamobile.com/api/AddContact?api_id=API3434144906&api_password=password&contact_list_id=1&contact_name=Test&contact_number=256772123456

2.1.4 Calling Contact List API using Method 2 (POST REQUEST)

URL: <http://apidocs.speedamobile.com/api/AddContact>

Post Request JSON Format

```
{
  "api_id": yourapiid,
  "api_password": yourapipassword,
  "contact_list_id": 1,
  "contact_name": Test,
  "contact_number": 256772123456,
}
```

2.1.5 Response Format for Both GET AND POST

```
{
  "contact_id": 4,
  "status": "S",
  "remarks": "Contact Created Successfully"
}
```

2.1.6 Response Details

contact_id	System generated id of your contact save it for future deletion of this contact via api.
-------------------	--

status	S = Contact Created Successfully F = Failed to create contact
remarks	Description of the status

2.2 Deleting Number from Contact List using API

2.2.1 Parameters List

Parameter Name	Required	Description	Example
api_id	Yes	Your API ID Received in the email or you can get it from your customer panel	API0896731286
api_password	Yes	Your API Password Received in the email or can change API password from customer panel	password
contact_id	Yes	Contact ID You Have Get While Creating the contact from api	123

2.2.2 Calling Delete Contact Using API, Method 1, Get Request

Example:

http://apidocs.speedamobile.com/api/DeleteContact?api_id=API4das62144906&api_password=password&contact_id=4

2.2.3 Calling Delete Contact Using API, Method 2, POST Request

URL: <http://apidocs.speedamobile.com/api/DeleteContact>

Post Request JSON Format

```
{
  "api_id": yourapiid,
  "api_password": yourapipassword,
  "contact_id ": 1,
}
```

2.2.4 Response Format for Both GET AND POST

```
{
    "contact_id": 0,
    "status": "S",
    "remarks": "Contact Created Successfully"
}
```

2.2.5 Response Details

contact_id	Value Will Always Be Zero
status	S = Contact Deleted Successfully F = Failed to delete contact
remarks	Description of the status

3.0 Speedamobile Verify API - Sending OTP Verification SMS

This API helps you to verify user phone number using OTP (One Time Password).

3.1 Sending Verification SMS

3.1.1 Calling the Speedamobile Verify

API using Get Request Example:

http://apidocs.speedamobile.com/api/Verfiy?api_id=API651344002&api_password=password&brand=your_brand_name&phonenumber=256772123456&sender_id=S MS ALA

3.1.2 Calling the Speedamobile Verify API using POST Request

URL: <http://apidocs.speedamobile.com/api/Verify>

Post Request JSON Format

```
{
    "api_id": yourapiid,
    "api_password": yourapipassword,
    "brand": Your_Brand_Name,
    "phonenumber": 256772123456,
    "sender_id": SMSONE,
}
```

3.1.3 Response Format for Both GET AND POST

```
{
    "verification_id": 4,
    "status": "S",
    "remarks": "Verification Code Sent Successfully"
}
```

3.1.4 Response Details

verification_id	System generated id of your verification request save it to check the verification status
status	S = Verification SMS Sent Successfully F = Failed to send verification SMS
remarks	Description of the status

3.2 Checking Verification Status

3.2.1 Checking the verification Status Using Get Request.

Example: http://apidocs.speedamobile.com/api/VerifyStatus?verification_id=2&verification_code=4022

3.2.2 Checking the verification Status Using Get Request.

URL: <http://apidocs.speedamobile.com/api/VerifyStatus>

Post Request JSON Format

```
{
    "verification_id": 2,
    "verification_code": 4022,
}
```

3.2.3 Response Format for Both GET AND POST

```
{
    "verification_id": 2,
    "status": "F",
    "remarks": "Verification Code is Not Verified"
}
```

3.2.4 Response Details

verification_id	Verification ID You Sent in the Request
status	V = Verification Successfully F = Verification Failed
remarks	Description of the status

4.0 SenderIDRequest (API)

URL: <http://apidocs.speedamobile.com/api/SenderIDRequest>

Methods Supported : GET & POST

Parameters List : For POST JSON : -

```
{
  "api_id" : "Your API ID",
  "api_password" : "Your API Password",
  "sender_id": "Desired Sender ID",
  "country" : "Desired Country Name",
  "remarks" : "Remarks Related To Sender ID"
}
```

For Get Request :

http://apidocs.speedamobile.com/api/SenderIDRequest?api_id=youapiid&api_password=yourapipassword&sender_id=yoursenderid&country=yourcountryname&remarks=remarks

Reponse JSON

```
{
  "status": "S",
  "remarks": "Sender ID Request Created Successfully"
}
```

status = S (Successful)

status = F (Failed)

5.0 GetSenderIDList (API)

URL : <http://apidocs.speedamobile.com/api/GetSenderIDList>

Methods Supported : GET & POST

Parameters List : For POST JSON : -

```
{
```

```

        "api_id" : "Your API ID",
        "api_password" : "Your API Password",
    }

```

For Get Request :

http://apidocs.speedamobile.com/api/GetSenderIDList?api_id=youapiid&api_password=yourapipassword

Reponse JSON

```

{
    {
        "sender_id": "SMSONE",
        "country": "Uganda"
    },
    {
        "sender_id": "SMSONE",
        "country": "Uganda"
    }
}

```

6.0 Check Balance

URI: <http://apidocs.speedamobile.com/api/CheckBalance>

Input Parameters :

Input Parameters	Required
1. api_id	Yes
2. api_password	yes

a) Method-1: Using Get Request

http://apidocs.speedamobile.com/api/CheckBalance?api_id=yourapiid&api_password=yourapipassword

b) Method-2: Using Post Request

Post Request Json Format

```

{
    "api_id ": your api id,
    "api_password": your api password
}

```

Response Details:

BalanceAmount: balance amount in decimal
CurrencyCode : amount currency code

7.0. Register Reseller Customer

URL: <http://apidocs.speedamobile.com/api/RegisterResellerCustomer>

Input Parameters :

Input Parameters	Required
1. api_id	Yes
2. api_password	yes

a) Method-1: Using Get Request

<http://apidocs.speedamobile.com/api/RegisterResellerCustomer?Username=Reselleraccountusername&Password=Reselleraccountpassword&CompanyName=clientscompanyname&CompanyEmail=companyname&BillingEmail=Billingemail&Phone=phonenumber&CustomerPlanID=planid&DefaultSMSPrice=defaultsmsprice&CurrencyID=currencyid&BalanceAmount=balanceamount&TimeZoneID=timezoneid&TemplateLocked=false&CountryID=countryid&SenderID=senderid>

b) Method-2: Using Post Request

Post Request Json Format

```
{
  "Username": Reseller account username,
  "Password": Reseller account password,
  "CompanyName": Reseller clients company name,
  "CompanyEmail": Reseller clients company name ,
  "BillingEmail": Reseller clients billing email,
  "Phone": Reseller clients phone number,
  "CustomerPlanID": customers plan id ,
  "DefaultSMSPrice": customers default price,
  "CurrencyID": currency id,
  "BalanceAmount": default balance amount,
  "TimeZoneID": time zone ,
  "TemplateLocked": true or false,
  "CountryID": country id of customer,
  "SenderID": sender id
}
```

Response Details:

UserRegistered: 1 for success, 0 for fail
Remarks : Description of the status

