# Cucumber Report

| Start : Dec 21, 8:18:53.268 PM | End : Dec 21, 8:19:32.260 PM | Duration : 38.992 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 12 FAILED - 1 SKIPPED - 1 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Add New Client Feature | 1 | 0 | 1 | 0 | 38.992 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Add New Client Feature | Add New Client | 14 | 12 | 1 | 1 | 38.986 s |

## (F)- Add New Client Feature

| FAILED | DURATION - 38.992 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 8:18:53.268 PM // 8:19:32.260 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 14<br>Pass - 12<br>Fail - 1<br>Skip - 1 | 14 |

## (S)- Add New Client

| FAILED | DURATION - 38.986 s | | Steps | |
|---|---|---|---|---|
| / 8:18:53.274 PM // 8:19:32.260 PM / | | | Total - 14 | |
| Add New Client Feature | | | Pass - 12<br>Fail - 1 | 14 |
| @test1 | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User has already logged in to Imagine Time<br><br>| Email Address | Password |<br>| paul.napadao@narrasoft.com | Pnnwfh2021! | | PASSED | 11.236 s |
| 2 | When User gets the title of the page | PASSED | 2.020 s |
| 3 | Then Title page should be "Select Your Account" | PASSED | 2.009 s |
| 4 | And User Select a firm "Paul QA Test Firm" | PASSED | 1.375 s |
| 5 | Then Profile firm should be "Paul QA Test Firm" | PASSED | 0.094 s |
| 6 | Given User is on Client Settings page | PASSED | 0.220 s |
| 7 | When User clicks new client button | PASSED | 0.127 s |
| 8 | And Clicks Create new client | PASSED | 0.130 s |
| 9 | Then A modal should be displayed with header message "New client" | PASSED | 2.082 s |
| 10 | When User enters client information<br><br>| Name | Client Identifier | Assign Staff | Engagement Types |<br>| Thomas Shelby | Peaky Blinders | Paul Napadao | 1040 | | PASSED | 4.678 s |
| 11 | And Click Next | PASSED | 0.051 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 12 | Then Staff Notification should be displayed | PASSED | 7.216 s |

Upload a file
View a file you uploaded
Download a file you uploaded
Comment on a file
Complete a signature request
View a signature request
Send a message
Weekly reminder for incomplete signature requests

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 13 | And Client should be added on the client list | FAILED | 0.750 s |

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //a[contains(text(),'Walker D'Amore')] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//a[contains(text(),'Walker D'Amore')]' is not a valid XPath expression.   (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/invalid_selector_exception.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PAR-OCC-084', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\PAULNA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50491}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 170cb26d15c469842e69b36ca415fa43 *** Element info: {Using=xpath, value=//a[contains(text(),'Walker D'Amore')]}
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	at com.qa.util.FileFinderUtil.clickClientName(FileFinderUtil.java:184)
	at com.page.AddNewClientPage.isClientAddedSuccessfully(AddNewClientPage.java:140)
	at stepScenarios.AddNewClientSteps.client_should_be_added_on_the_client_list(AddNewClientSteps.java:84)
	at ?.Client should be added on the client list(file:///C:/Users/Paul%20Napadao/eclipse-workspace/ImagineShareTestAutomation/src/test/resources/stepScenarios/AddNewClient.feature:31)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | * Not displayable characters are replaced by '?'. | | |
| 14 | And Clients Overview should be correct | SKIPPED | 0.001 s |
| | AFTER - stepScenarios.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.309 s |
| | Add_New_Client | | |
| |  | | |

(Step) AFTER - stepScenarios.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Add New Client

(F) Add New Client Feature