

Objects – What We Have vs What We Need (v2 Parser Era)

What we have (typical legacy):

- id, name, description, category (enum)
- optional consumable/equipment properties

What we need (to power v2 intents, puzzles, NPCs):

1) Affordances (capabilities) as booleans:

- openable, closable, lockable, unlockable
- usable, readable, scannable
- portable, container(capacity), stackable

2) State fields (if applicable):

- is_open (true/false), is_locked (true/false)
- requires_key_id (for lock/unlock)
- durability (for repair/upgrade systems later)

3) Interaction text:

- examine_text (for LOOK target)
- read_text / scan_text (if readable/scannable)
- use_text (default feedback)

4) Aliases & synonyms:

- aliases: ['datapad', 'pad', 'data pad'] to help NLP

5) Cross-refs & tags:

- key_for_exit_id (if this object unlocks a door)
- puzzle_tags: [tag] (step targeting)
- npc_allowed (who may carry/equip)

6) Containers:

- container: { capacity, contents: [object_id] }
- openable+is_open to gate access

Object checklist (add without breaking legacy):

- [] affordances: openable/lockable/usable/readable/scannable/portable/container/stackable
- [] state: is_open/is_locked/requires_key_id
- [] text: examine_text/read_text/scan_text/use_text
- [] aliases: [...]
- [] cross-refs: key_for_exit_id/puzzle_tags/npc_allowed
- [] container fields if applicable