

Week 2 Exercise: Local Diversity

Z620: Quantitative Biodiversity, Indiana University

January 23, 2015

Overview

In this exercise, we will explore aspects of local or site-specific diversity, also known as alpha (α) diversity. After introducing one of the primary ecological data structures – the **site-by-species matrix** – we will quantify two of the fundamental components of (α) diversity: **richness** and **evenness**. From there, we will then discuss ways to integrate richness and evenness, which will include univariate metrics of “diversity” along with an investigation of **species abundance distributions (SAD)**.

1.) Setup

Retrieve and Set Your Working Directory

```
rm(list=ls()) # removes all variables from your workspace
getwd() # prints the working directory
setwd("~/GitHub/QuantitativeBiodiversity/Assignments/Week2") # sets the working directory
```

Install Packages

In this exercise, we will rely heavily on a **contributed R package** called **vegan**, which contains tools commonly used in ecological research, including analyses of α -diversity. Jari Oksanen has created an excellent tutorial that provides an overview of the **vegan** package: <http://cc.oulu.fi/~jarioksa/opetus/metodi/vegantutor.pdf>

Let's install the **vegan** package and its dependencies:

```
#install.packages("vegan") # use this if running for the first time
require("vegan") # otherwise, use this command
```

```
## Loading required package: vegan
## Loading required package: permute
## Loading required package: lattice
## This is vegan 2.0-10
```

2.) Loading Data

We will start by using the tropical forest dataset from **Barro-Colorado Island (BCI)**. BCI is a 1,560-hectare island in the center of the Panama Canal that is administered by the Smithsonian Tropical Research Institution (http://www.stri.si.edu/english/research/facilities/terrestrial/barro_colorado/). Conveniently, the **vegan** library contains a version of the BCI dataset. The dataset is a census of all trees of at least 10cm in diameter at breast height (DBH) that occur in 50 one-hectare plots. More information on the BCI forest dataset can be found elsewhere (<http://ctfs.arnarb.harvard.edu/webatlas/datasets/bci/>). You can also learn more about the BCI dataset associated with the ‘vegan’ package by typing **help(BCI)** in the command line. Let's load the BCI data using the **data** function:

```
data(BCI)
```

3.) Exploring The Site-By-Species Matrix

The **site-by-species matrix** is a primary ecological data structure that contains abundances, relative abundances, or the presence of species (or other taxonomic units) observed at different sampling sites.

I'm thinking we need a toy example as follows, but with Mario's LaTeX bad-assery -Ken

```
Species1 Species2 Species3 Species4 ...  
  
Site1 90 76 1 0  
Site2 86 47 0 123  
Site3 23 89 0 46  
...
```

Each site corresponds to a row in the site-by-species matrix, while each species corresponds to a column. Throughout the course, we will draw inferences about aspects of diversity from the site-by-species matrix.

The version of the BCI site-by-species matrix provided in **vegan** contains the abundances of 225 tree species (i.e. 225 columns) for each of 50 sites (i.e. 50 rows). While it is conventional to refer to a matrix or table by its rows and then by its columns, each row could just as easily be a species and each column could be a site, i.e., a species by site matrix. Some programs that you encounter will prefer data to be in one format or the other. Recall that that transpose function (`t()`) can be used to easily modify the the site-by-species matrix for you.

Let's verify the structure of the BCI site-by-species matrix using the `dim` function, which was introduced last week:

```
dim(BCI) # Prints the dimensions of the site (row) by species (column) data frame
```

```
## [1] 50 225
```

With the BCI site-by-species matrix now loaded, let's print the abundances of four species found in the first eight sites using the indexing tools that were introduced last week.

```
BCI[1:8, 14:17] # print abundances for sites (rows) 1 to 8 and for species (columns) 14 to 17
```

Here, we can see that Cabbage Bark (*Andira inermis*) is absent from six of the eight sites and is only found as a single individual in two sites (sites 5 and 6). On the other hand, *Apeiba aspera* (locally known as Monkey Comb) is found at all eight sites and is relatively much more abundant than any of the other three species that we indexed in the data frame.

Question 1: Makes some additional observations about the occurrence and abundance of species in the samples you've indexed.

Answer 5:

4) Species Richness

Species richness (S) is simply the number of species in a system or the number of species observed in a sample. Species richness is the most basic aspect of diversity. In fact, it is usually what most people are referring to when they talk about α -diversity. Calculating species richness for a sample is often straightforward, i.e., count the number of species present in a sample. However, estimating species richness for a community from an incomplete sample requires assumptions about the nature of the sampling effort (e.g. biases, coverage). Consequently, estimating richness is an area of active research and, as you'll see, there are several ways to estimate richness that attempt to account for the number of species that were not detected.

Observed Richness

The simplest way to calculate species richness is to just add up the number of species that were detected in a sample of a site. Let's calculate species richness using this approach for one of the BCI sites. Using some of the R basics from last week, let's: 1. assign the first row to a variable called "site1", and 2. check the dimensions of this new vector

```
site1 <- BCI[1,] # assign the first row (site) to the variable site1
dim(site1) # print the dimensions of site1 to the screen
```

```
## [1] 1 225
```

While there are 225 species in the BCI dataset, and hence, 225 columns in the BCI site-by-species matrix, each of the 225 species was not likely present at each site. Consequently, it is important to note that site-by-species matrices account for absences (i.e., zero occurrences). Let's write a function that calculates observed species richness of a site, i.e. a row in the site-by-species matrix, but ignore the 0's, i.e. absences.

```
S.obs <- function(x){
  rowSums(x>0)*1
}
```

The writing and use of functions is central to programming. The basic concept behind functions is to define a piece of code that operates on one or more variables. So, instead of repeatedly rewriting code to calculate richness, we define a function called `S.obs` that calculates richness of a given vector (i.e., `x`). We can then call the function by typing `S.obs()` and placing our vector within the parentheses. There is also a function in the `vegan` package called `specnumber` that also calculate observed richness.

Question 2: Does `vegan` return the same value for observed richness of `site1` as our function `S.obs`?

Answer 2:

But How Well Did You Sample Your Site?

Accurate estimates of richness are influenced by sampling effort and biases. Even when the sampling effort is un-biased, the more individuals that are censused, the more likely you are to encounter new species. One index that provides an estimate of how well a site is sampled is known as **Good's Coverage (C)**: $C = 1 - \frac{n_1}{N}$. Here, n_1 is the number of singleton species (species only detected once) and N is the total number of individuals in the sample. Examining the equation for Good's C reveals that the fraction is simply the portion of N represented by singleton species. Subtracting this from 1 give the portion of N belonging to species sampled more than once. By this formulation, Good's C assumes that no species in the sampled environment can actually be represented by a single individual, i.e., singletons reflect a sampling artifact and Good's C reveals the magnitude of the sampling artifact.

Question 3: What would we conclude if n_1 equaled N ?

Answer 3:

Let's write a function and estimate Good's Coverage for site1 of BCI:

```
C <- function(x){  
  1 - (sum(x==1)/rowSums(x))  
}
```

Question 4: a.) Have the researchers at BCI done a good job of sampling site1? b.) What is the range of values that can be generated by Good's Coverage? c.) What portion of taxa in site1 were represented as singletons?

Answer 4a:

Answer 4b:

Answer 4c:

```
"1. Sure maybe? 2. from negative sideways 8 to positive sideways 8? 3. 100% of those with only one indi
```

```
## [1] "1. Sure maybe? 2. from negative sideways 8 to positive sideways 8? 3. 100% of those with only o
```

Richness Estimators

There are few systems on earth that have been better surveyed than the trees at BCI. For most ecological systems, sample size is much smaller than N and many taxa can easily go undetected. To address this question, we are going to introduce a new data set. This dataset is derived from bacterial 16S rRNA gene sequences, which were collected from multiple plots at the KBS Long-Term Ecological Site(<http://lter.kbs.msu.edu/>). Even though we obtained a fair number of sequences from each sample, soil bacteria are abundant and thought to be some of the most diverse communities on earth.

Let's load this microbial dataset and print the abundances of operational taxonomic units (OTU's) recovered from the first plot.

```
soilbac <- read.table("data/soilbac.txt", sep = "\t", header = TRUE) # read in the data  
soilbac <- as.matrix(t(soilbac), mode='numeric') # transform the data to a matrix and transpose, using  
soilbac <- matrix(soilbac, ncol= ncol(soilbac), nrow=nrow(soilbac), dimnames = NULL) # remove row and c  
soilbac1 <- soilbac[2,] # row 1 is a sample taken from an agricultural site  
soilbac1
```

```
##      [1] 31 11  2 25 124  5  4  0  1  2  0 28  0  0  4  0 13  
##     [18]  1  0  1  8  0  2  2  2  4 11  4  1  0  1  6  4  0  
##     [35] 14  0 13 22 10  3  0  2  0  8  1  2  3  2  2  7 12  
##     [52]  2  0 10  6  1  8  6  0  7  0  1 11  4  3  6  4  0  
##     [69]  0  1  2  2  0  4  2  1  6  0  1  2  0  0  1  2  0  
##     [86]  0  0  0  2  2  0  0  0  2  0  0 11  1  1  0  0  0  
##    [103]  0  0  0  1 18  0  0  0  0  6 12  4  3  0  0  0  3  
##    [120]  0  2  0  0  9  0  0  0  0  0  0  0  0  0  0  0  0  
##    [137]  1  1  0  2  0  0  0  4  1  0  0  0 14  1  0  0  2  
##    [154]  2 14  4  7  1  0 13  1  5  0  1  0  0  4  0 11  0  
##    [171]  2  6  0  0  1  0  4  4  4  0  0  0  1  0  2  1  0  
##    [188]  7 13  0  0  2  5  2  0  0  0  2  0  0  2  2  0  2  
##    [205]  0  0  1  0  0  0  4  0  0  1  0  0  0  1  0  0 10  
##    [222]  3  0  0  3  0  0  4  0  1  7  1  1  0  8  1  0  0
```

##	[239]	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[256]	1	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	2
##	[273]	0	0	0	0	1	0	0	7	1	0	0	0	0	2	9	0	0
##	[290]	1	0	0	0	0	0	0	1	0	0	1	2	2	0	0	0	0
##	[307]	0	4	1	0	0	0	0	2	1	0	7	1	1	0	0	0	0
##	[324]	0	0	0	0	0	0	2	1	0	5	0	0	0	5	0	0	0
##	[341]	6	0	0	0	2	6	1	0	0	0	0	0	0	0	1	1	2
##	[358]	0	3	0	2	1	1	4	1	0	1	0	0	0	0	0	2	2
##	[375]	0	1	0	7	0	1	2	0	10	0	0	0	0	0	0	0	2
##	[392]	0	3	0	0	1	0	0	0	0	0	0	2	0	0	0	0	2
##	[409]	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0
##	[426]	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0
##	[443]	0	0	0	0	0	1	0	0	7	0	0	0	0	1	0	0	1
##	[460]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	0
##	[477]	0	0	0	0	0	1	0	0	0	3	0	1	2	0	0	0	0
##	[494]	1	0	0	0	0	0	4	0	0	0	1	0	0	7	0	0	0
##	[511]	0	0	0	0	0	0	0	2	0	3	4	0	0	0	0	2	0
##	[528]	0	0	2	0	4	0	0	0	2	0	0	0	1	3	0	3	0
##	[545]	0	0	0	0	0	0	0	1	0	0	2	0	2	1	0	1	0
##	[562]	0	0	2	2	2	0	0	0	0	0	0	0	2	0	1	1	3
##	[579]	4	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
##	[596]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0
##	[613]	0	0	0	0	0	1	0	0	2	0	0	0	0	1	0	0	0
##	[630]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[647]	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
##	[664]	1	0	0	0	0	0	0	0	0	0	0	4	0	0	5	0	0
##	[681]	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0	2	0
##	[698]	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
##	[715]	0	0	0	0	4	2	0	0	0	0	2	0	0	2	0	0	0
##	[732]	4	2	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
##	[749]	1	0	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0
##	[766]	0	0	1	0	0	3	0	0	0	0	0	0	0	1	0	0	2
##	[783]	0	0	4	1	0	0	0	0	0	4	0	0	3	1	1	0	0
##	[800]	0	0	0	0	0	0	0	0	0	0	0	3	2	1	0	2	0
##	[817]	0	0	0	2	0	0	0	0	0	0	0	2	0	0	0	0	0
##	[834]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[851]	1	0	0	0	1	0	0	0	0	0	1	7	0	0	0	0	0
##	[868]	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	1
##	[885]	1	0	0	0	0	0	0	1	1	0	1	0	2	0	0	0	7
##	[902]	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
##	[919]	0	0	1	0	0	0	0	0	0	0	0	0	4	1	1	0	1
##	[936]	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0	0	1
##	[953]	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
##	[970]	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
##	[987]	0	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	2
##	[1004]	3	1	1	0	0	0	0	0	1	0	0	0	0	0	3	0	0
##	[1021]	0	0	0	2	0	0	0	0	0	0	3	0	0	0	0	0	2
##	[1038]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[1055]	1	0	0	0	1	0	0	0	0	0	0	0	4	0	0	0	0
##	[1072]	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0
##	[1089]	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0
##	[1106]	0	0	0	0	0	0	0	0	0	0	0	5	2	0	0	0	1
##	[1123]	1	0	0	0	1	0	3	1	0	0	2	0	0	0	0	0	0
##	[1140]	0	1	0	0	0	0	0	0	0	1	0	0	0	1	3	0	0

##	[1157]	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0
##	[1174]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
##	[1191]	0	0	0	0	0	0	1	1	0	0	0	0	2	1	0	1	3
##	[1208]	0	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[1225]	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
##	[1242]	2	1	0	1	0	0	0	1	0	0	0	0	0	0	3	0	0
##	[1259]	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
##	[1276]	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
##	[1293]	0	0	0	2	0	0	0	4	0	0	0	0	0	0	0	0	0
##	[1310]	0	0	0	0	0	2	0	2	0	0	0	2	0	0	0	0	1
##	[1327]	0	2	0	0	0	0	0	0	1	0	0	5	0	0	0	0	0
##	[1344]	0	1	0	0	0	0	0	0	0	2	0	0	3	1	0	0	0
##	[1361]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
##	[1378]	0	0	0	0	0	0	2	1	0	0	0	0	0	1	0	1	0
##	[1395]	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[1412]	0	1	0	0	0	0	0	0	0	1	0	0	5	0	0	0	0
##	[1429]	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[1446]	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	1
##	[1463]	0	0	0	1	0	2	2	1	0	1	0	0	4	0	0	0	0
##	[1480]	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	1	0
##	[1497]	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[1514]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[1531]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1548]	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[1565]	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[1582]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[1599]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0
##	[1616]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	1
##	[1633]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
##	[1650]	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[1667]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
##	[1684]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[1701]	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
##	[1718]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1735]	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
##	[1752]	0	0	0	0	0	0	0	0	0	10	0	0	0	1	0	0	0
##	[1769]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[1786]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1803]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1820]	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0
##	[1837]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1854]	0	0	0	3	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[1871]	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	0	0
##	[1888]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
##	[1905]	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0
##	[1922]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1939]	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[1956]	0	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0	0
##	[1973]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
##	[1990]	0	0	0	0	0	0	0	3	0	0	0	0	0	0	1	1	0
##	[2007]	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
##	[2024]	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
##	[2041]	0	2	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[2058]	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0

##	[2075]	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
##	[2092]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[2109]	0	0	0	0	0	0	0	0	0	3	0	0	0	0	1	0
##	[2126]	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0
##	[2143]	0	0	0	0	0	1	0	0	5	0	0	0	0	0	0	0
##	[2160]	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0
##	[2177]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2194]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2211]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2228]	0	0	0	0	0	3	0	0	1	0	0	0	0	0	0	0
##	[2245]	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2262]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
##	[2279]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
##	[2296]	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
##	[2313]	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0
##	[2330]	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	3
##	[2347]	0	0	2	0	0	0	0	0	0	2	0	0	0	3	0	0
##	[2364]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[2381]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[2398]	0	0	0	0	0	2	1	0	0	0	0	0	0	0	1	0
##	[2415]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
##	[2432]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2449]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0
##	[2466]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[2483]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[2500]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[2517]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[2534]	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2551]	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
##	[2568]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0
##	[2585]	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[2602]	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
##	[2619]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
##	[2636]	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	0
##	[2653]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[2670]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
##	[2687]	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
##	[2704]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[2721]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[2738]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[2755]	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[2772]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[2789]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[2806]	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1
##	[2823]	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0
##	[2840]	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
##	[2857]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2874]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2891]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[2908]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2925]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[2942]	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0
##	[2959]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[2976]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1

##	[2993]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[3010]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[3027]	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
##	[3044]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
##	[3061]	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
##	[3078]	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
##	[3095]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
##	[3112]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3129]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3146]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3163]	0	2	0	0	0	0	0	0	2	0	0	0	0	0	1	1
##	[3180]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[3197]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[3214]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[3231]	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[3248]	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	1
##	[3265]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3282]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3299]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3316]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3333]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3350]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3367]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[3384]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[3401]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
##	[3418]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[3435]	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
##	[3452]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
##	[3469]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[3486]	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[3503]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[3520]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
##	[3537]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3554]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3571]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3588]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[3605]	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
##	[3622]	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0
##	[3639]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
##	[3656]	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
##	[3673]	0	0	0	1	0	3	0	0	0	0	2	0	0	0	0	0
##	[3690]	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
##	[3707]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3724]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3741]	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
##	[3758]	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1
##	[3775]	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
##	[3792]	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
##	[3809]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[3826]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3843]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[3860]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3877]	0	0	0	4	0	0	0	0	0	0	0	0	0	1	0	0
##	[3894]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

##	[3911]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[3928]	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[3945]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[3962]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[3979]	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0
##	[3996]	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[4013]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4030]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
##	[4047]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[4064]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[4081]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
##	[4098]	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0
##	[4115]	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4132]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4149]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[4166]	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
##	[4183]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4200]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4217]	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
##	[4234]	1	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
##	[4251]	0	0	0	0	3	0	0	0	0	0	0	0	0	4	0	0
##	[4268]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0
##	[4285]	0	0	2	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[4302]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
##	[4319]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4336]	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
##	[4353]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4370]	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
##	[4387]	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
##	[4404]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4421]	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
##	[4438]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
##	[4455]	0	0	2	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[4472]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4489]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
##	[4506]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[4523]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4540]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4557]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[4574]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4591]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4608]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4625]	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
##	[4642]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4659]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[4676]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[4693]	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0
##	[4710]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[4727]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[4744]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4761]	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[4778]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[4795]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4812]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

##	[4829]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4846]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4863]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4880]	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
##	[4897]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4914]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
##	[4931]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4948]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4965]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4982]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[4999]	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5016]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
##	[5033]	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[5050]	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[5067]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[5084]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5101]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5118]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5135]	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0
##	[5152]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5169]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5186]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
##	[5203]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5220]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5237]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[5254]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5271]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5288]	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
##	[5305]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[5322]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5339]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
##	[5356]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[5373]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5390]	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
##	[5407]	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[5424]	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
##	[5441]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[5458]	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[5475]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5492]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5509]	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[5526]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[5543]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[5560]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5577]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5594]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[5611]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[5628]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5645]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[5662]	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5679]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5696]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5713]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5730]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

##	[5747]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[5764]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5781]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[5798]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[5815]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[5832]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5849]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5866]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5883]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[5900]	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
##	[5917]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[5934]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[5951]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[5968]	0	1	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0
##	[5985]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6002]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6019]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[6036]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6053]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[6070]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[6087]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6104]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6121]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6138]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6155]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[6172]	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
##	[6189]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6206]	0	0	0	0	1	0	0	0	0	0	0	1	1	0	1	1	0
##	[6223]	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
##	[6240]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[6257]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[6274]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6291]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[6308]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[6325]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
##	[6342]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6359]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[6376]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[6393]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6410]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6427]	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[6444]	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[6461]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6478]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6495]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[6512]	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
##	[6529]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6546]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6563]	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
##	[6580]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6597]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6614]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6631]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6648]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

##	[6665]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6682]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
##	[6699]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6716]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6733]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[6750]	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[6767]	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
##	[6784]	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6801]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[6818]	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
##	[6835]	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1
##	[6852]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[6869]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6886]	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[6903]	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[6920]	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0
##	[6937]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[6954]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[6971]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[6988]	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
##	[7005]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7022]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7039]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7056]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[7073]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[7090]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[7107]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7124]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[7141]	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
##	[7158]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[7175]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7192]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7209]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[7226]	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0
##	[7243]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7260]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7277]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[7294]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[7311]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7328]	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
##	[7345]	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	0
##	[7362]	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
##	[7379]	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
##	[7396]	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
##	[7413]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[7430]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[7447]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7464]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[7481]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7498]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
##	[7515]	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0
##	[7532]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[7549]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7566]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

##	[7583]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[7600]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7617]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[7634]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7651]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[7668]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
##	[7685]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[7702]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7719]	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
##	[7736]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7753]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[7770]	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
##	[7787]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7804]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[7821]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
##	[7838]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7855]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[7872]	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
##	[7889]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[7906]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[7923]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7940]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7957]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[7974]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[7991]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
##	[8008]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[8025]	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
##	[8042]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[8059]	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1
##	[8076]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[8093]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8110]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[8127]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8144]	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
##	[8161]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8178]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[8195]	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
##	[8212]	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[8229]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8246]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8263]	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[8280]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8297]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8314]	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
##	[8331]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[8348]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8365]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8382]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
##	[8399]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8416]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8433]	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
##	[8450]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8467]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8484]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

##	[8501]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[8518]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8535]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8552]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8569]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8586]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8603]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[8620]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8637]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8654]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8671]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8688]	0	1	0	0	1	0	0	1	0	1	1	1	0	0	0	0	0
##	[8705]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8722]	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
##	[8739]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[8756]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[8773]	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
##	[8790]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8807]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[8824]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8841]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8858]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8875]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8892]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[8909]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[8926]	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
##	[8943]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[8960]	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	1
##	[8977]	1	0	0	0	0	0	0	3	0	0	0	0	1	0	0	1	0
##	[8994]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9011]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
##	[9028]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9045]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9062]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[9079]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
##	[9096]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9113]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9130]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[9147]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
##	[9164]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[9181]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[9198]	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[9215]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[9232]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9249]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
##	[9266]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
##	[9283]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9300]	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
##	[9317]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9334]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9351]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
##	[9368]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[9385]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[9402]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

##	[9419]	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
##	[9436]	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
##	[9453]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
##	[9470]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[9487]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
##	[9504]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9521]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9538]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9555]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9572]	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
##	[9589]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9606]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9623]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9640]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9657]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9674]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9691]	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
##	[9708]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[9725]	0	0	0	0	1	1	0	0	0	0	0	1	0	0	1	0	0
##	[9742]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9759]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[9776]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9793]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[9810]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9827]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[9844]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[9861]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
##	[9878]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
##	[9895]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9912]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9929]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9946]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9963]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9980]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[9997]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10014]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10031]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10048]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10065]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10082]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10099]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10116]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10133]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
##	[10150]	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
##	[10167]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10184]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10201]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
##	[10218]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10235]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10252]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
##	[10269]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10286]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10303]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
##	[10320]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

## [10337]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
## [10354]	0	0	0	0	2	0	0	0	0	1	0	1	0	0	0	0
## [10371]	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10388]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10405]	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	1
## [10422]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
## [10439]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10456]	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
## [10473]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
## [10490]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
## [10507]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10524]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10541]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10558]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [10575]	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
## [10592]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [10609]	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
## [10626]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10643]	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
## [10660]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10677]	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
## [10694]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10711]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10728]	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0
## [10745]	0	0	0	2	1	0	0	0	1	0	0	0	1	1	1	0
## [10762]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10779]	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10796]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
## [10813]	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1
## [10830]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10847]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10864]	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
## [10881]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [10898]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10915]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10932]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10949]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10966]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [10983]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11000]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11017]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11034]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11051]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11068]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11085]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11102]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11119]	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11136]	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
## [11153]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
## [11170]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
## [11187]	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
## [11204]	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
## [11221]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11238]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

## [11255]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11272]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11289]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11306]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
## [11323]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11340]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11357]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11374]	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11391]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
## [11408]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11425]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11442]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11459]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11476]	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
## [11493]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1
## [11510]	0	0	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0
## [11527]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11544]	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
## [11561]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11578]	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0
## [11595]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
## [11612]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11629]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11646]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11663]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11680]	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [11697]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11714]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11731]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [11748]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
## [11765]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11782]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
## [11799]	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
## [11816]	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
## [11833]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
## [11850]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
## [11867]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [11884]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11901]	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
## [11918]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11935]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11952]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [11969]	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
## [11986]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12003]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12020]	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
## [12037]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12054]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12071]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12088]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12105]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [12122]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12139]	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12156]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

## [12173]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
## [12190]	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
## [12207]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
## [12224]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [12241]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
## [12258]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12275]	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
## [12292]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
## [12309]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12326]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12343]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12360]	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
## [12377]	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12394]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
## [12411]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
## [12428]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12445]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12462]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12479]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12496]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
## [12513]	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12530]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12547]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12564]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [12581]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12598]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12615]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12632]	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
## [12649]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12666]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12683]	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
## [12700]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12717]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12734]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12751]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12768]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [12785]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
## [12802]	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
## [12819]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [12836]	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12853]	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12870]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12887]	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
## [12904]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12921]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12938]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12955]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12972]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [12989]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
## [13006]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13023]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13040]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
## [13057]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13074]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

## [13091]	1	1	1	0	0	0	0	0	0	0	0	1	1	2	0	0	0
## [13108]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13125]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13142]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13159]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
## [13176]	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
## [13193]	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
## [13210]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13227]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
## [13244]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13261]	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
## [13278]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
## [13295]	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0

Questions:

3. How many sequences did we recover from the sample `soilbac1`, i.e. the row total?
4. What is the observed richness of `soilbac1`?
5. How does coverage compare between the BCI sample (`site1`) and the KBS sample (`soilbac1`)?

There are number of techniques that have been developed by ecologists to estimate species richness based on the coverage of species in a sample (e.g., Hughes et al. 2001 – <http://aem.asm.org/content/67/10/4399>). Here, we will highlight one of these, which is a non-parametric diversity estimator called **Chao1**. By non-parametric we mean that it isn't based on an underlying distribution (e.g. Normal distribution, Student's t-distribution) and makes few, if any, statistical assumptions about the underlying nature of the true 'population'.

Chao1 is calculated using observed richness (`S.obs`) and the number of **singletons** (species with an observed abundance of 1) and **doubletons** (species with observed abundance of 2). This estimator cannot be used on relative abundance and tends to be used in communities with many low-abundance taxa. Let's write a function for Chao1:

```
S.chao <- function(x){
  S.obs(x) + (sum(x==1)^2)/(2*sum(x==2)) ### should we use which() and length() here?
}
```

Note that estimated richness must be greater than observed richness.

Rarefaction

Often researchers want to compare the richness of two or more samples. Ideally, we would sample all of our sites with equal effort, all sites would have equal densities, and all individuals would have equal probability of detection. However, these conditions are often not met in real systems and in most studies. Likewise, sites with greater abundance generally have greater species richness, which means that differences in richness may largely be due to differences in sample size.

A common way to reduce the bias associated with different N and to compare sites with both different N and different S , is to **rarify** samples down to a "lowest common denominator". For example, if there are 2 sites, one with $N=100$ and one with $N=50$, we could randomly sample (without replacement) 50 individuals from the site with greater N . Generating many random samples (each of 50 individuals) from the larger site will allow us to calculate the mean (i.e. expected S) and standard error. Likewise, we'll be able to tell whether the S of the smaller sample falls within the confidence-intervals for expected S of the larger sample and hence, whether the difference in S between the two sites is simply due to difference in N .

Let's look at the richness of soil bacteria for all 11 of the KBS sites, where T1 = agriculture, T7 = grassland, DF = deciduous forest, and CF = coniferous forest.

```
soilbac.S <- S.obs(soilbac)           # observed richness
min.N <- min(rowSums(soilbac))       # sample with fewest sequences
#S.rarefy <- rarefy(soilbac, min.N, se = TRUE) # richness when rarefied to sample with fewest sequences
#rarecurve(soilbac, step = 20, sample = min.N, col = "blue", cex = 0.6, las=1) # vertical line = min.N;
#abline(0, 1, col = 'red')           # 1:1 line for reference
#text(1500, 1500, "1:1", pos = 2, col = 'red')
```

Question 5 (or possibly homework): how would our interpretation of diversity in different land uses be affected if we used observed vs. rarefied richness?

how about species accumulation curves using specaccum()? -Jay(?)

Redundant with rarefy? -Jay(?)

Not really: Species accumulation curves show the rate at which new species are found within a community and can be extrapolated to provide an estimate of species richness. -Ken

Clarification; A big literature on SACs and collector's curve. -Ken

We discussed this briefly in office; question is whether we *need* to introduce given time constraints and other things we want to get across.

5) Species evenness

There is more to (α) diversity than just the number of species in a plot. Specifically, it is important to consider how abundance varies among species, that is, **species evenness**. Many important biodiversity issues – species coexistence, community stability, the detection of rare taxa, the observation of compositional change and turnover due to disturbance, invasion, and random population fluctuations – relate to variation in the abundance of taxa.

Visualizing Evenness: The Rank Abundance Curve (RAC)


One of the most common ways to visualize evenness is to rank the species from most abundant to least abundant without respect to species labels (and hence no worries about 'ties' in abundance). This **rank-abundance curve (RAC)** is also referred to as a rank-abundance distribution and as a Whittaker plot.

Let's construct an RAC using `site1` of the BCI data set. First, we will remove species that had zero occurrences in `site1`.

```
site1.ab <- site1[site1>0] # Remove all zeros from Site1 and reassign the new vector
```

Now we will order the species according to their abundance, create a rank vector, and then create a RAC plot.

```
site1.ab.ranked <- site1.ab[order(site1.ab, decreasing = TRUE)] # Use `order` function and "decreasing
ranks <- as.vector(seq(1, length(site1.ab)))                  # Create a sequence of S ranks
plot(ranks, log(site1.ab.ranked), type = 'p', las = 1,       # Plot the RAC
     xlab = "Rank", ylab = "log(abundance)")                 # "type = 'p'" = points; "las = 1" horizontal
```



It is clear from looking at the RAC for `site1` that abundance among species is unequally distributed. This is true even when abundances are log-transformed (note the plotting options above), which deemphasizes the influence of the few most abundant species. This sort of uneven distribution of abundance among species is one of the most ubiquitous patterns in ecology and has provoked a long history of study, theories, and explanations [McGill et al. 2007](#).

Species Evenness

Now that we have visualized unevenness, it is now time to quantify it. There are important features that evenness measures should strive for:

1. We want to be able to intuit the values of our metric.
2. We want our metric to be bounded between a minimum evenness (i.e. 0.0) and a maximum evenness (i.e. 1.0).
3. We also want intermediate values of our metric (e.g. 0.5) to represent an intuitive intermediate evenness.## as stand alone statement, not sure I really get this##
4. We want evenness to be independent of S
5. Adding a singleton species should decrease the value of evenness. ## again, maybe I'm reading into this too much, but this seems either really obvious or a very nuanced point##

aren't the really key points above 2 and 4?

Here, we will introduce two metrics of evenness that meet the above criteria: Simpson's evenness and Smith and Wilson's evenness index

Simpson's evenness, $E_{1/D}$

Simpson's evenness metric essentially reflects the sample variance of the SAD, and is calculated as $E_{1/D} = \frac{1}{S} \sum \frac{N(N-1)}{n_i(n_i-1)}$, where S is species richness, N is total abundance, i is the i th species.

The **vegan** package has no function for Simpson's evenness. But we can derive Simpson's evenness from Simpson's diversity, i.e., the probability that the next sampled individual belongs to a different species:

```
D <- diversity(site1.ab, "simp") # Simpson's diversity (D) via `vegan`
S <- specnumber(site1.ab) ## would like to stick with our S.obs function, but doesn't seem to work..str
E <- (1/D)/S # Simpson's evenness (E)
```

Returning to the BCI tropical forest dataset, we can see that Simpson's evenness reveals that species evenness for site1 is quite low, i.e., < 0.1 . However, Simpson's evenness has been criticized for being biased towards the most abundant taxa, i.e., revealing differences in abundances among the first few ranks and is less influenced by the many similarly abundant but rarer species. Let's examine the value of evenness for **site1** using a different evenness metric that is less biased in this way, i.e., E_{var} .

Smith and Wilson's evenness index, E_{var}

After reviewing existing metrics, Smith and Wilson (1996) attempted to derive a more robust measure of evenness, which they called (E_{var}). This metric is a measure of the sample variance of logarithmic abundances, standardized to take values between 0 (no evenness) and 1 (perfect evenness). Abundances are transformed to their natural logarithms to decrease bias towards the most abundant species, that is, the potential for a metric's value to be influenced more by large numbers than small ones. E_{var} , like all desirable measures of evenness, is independent of richness S . The metric is calculated as:
$$E_{var} = 1 - \frac{2}{\pi \cdot \arctan\left(\frac{\sum_{i=1}^S \ln(n_i) - \sum_{j=1}^S \ln(n_j)/S}{S}\right)}$$

While seemingly more involved to calculate, E_{var} simply reduces to finding the sample variance of the log-transformed species abundances and then standardizing it to take values between 0 and 1 by using elementary trigonometry.

```
Evar <- function(x){
  1 - (2/pi)*atan(var(log(x)))
}
```

Notes on E_{var} :

E_{var} uses the arctangent, which varies between $-\pi/2$ and $\pi/2$ and without being periodic like waves of the sine and cosine functions. Multiplying the arctangent by $2/\pi$ forces the result to take values between 0 and 1. Finally, subtracting this from one allows low evenness to be associated with values near 0 and high evenness to be associated with values near 1. We can confirm this with a more explicit R chunk:

I'm not sure the chunk below is necessary; perhaps we should include in the Supplementary file?

```
P <- log(log(site1.ab)) # log-transform the abundances of the RAC and assign them to a vector P
AvgAb <- mean(P) # find the average of the log abundances
X <- 0 # assign zero to variable X
Evar <- 0 # declare a scalar variable Evar
```

```
for (x in P) { # making use of a 'for' loop. for loops are an elementary control structure in all progr
  X = X + (x - AvgAb)^2 / (S - 1)
}
```

```
Evar = 1 - (2/pi)*atan(X) # these operations make the value of Evar range between 0 and 1
Evar # print Evar for Site1
```

```
## [1] NaN
```

As you can see, the value of E_{var} suggests an intermediate value of species evenness. Likewise, you can see that different evenness metrics, even when bound between 0 and 1 still return very different values. This is not because each is inaccurate but because each metric emphasizes different aspects of the RAC. Where Simpson's evenness focuses more greatly on dominant species, E_{var} gives nearly equal weight to dominant, intermediately abundant, and rare species.

How about asking them to compare the two evenness metrics and explain???

6) Integrating richness and evenness: “diversity metrics”

Metrics developed from information theory. Commonly used. Rarely understood.

7) Integrating richness and evenness: Species Abundance Distributions (SAD)

Be careful not to confuse “diversity metrics” with the SAD as so-called ‘integrations’ of richness and evenness. -Ken

I guess I'm trying to convey that diversity metrics and the SAD are looking at richness and evenness at the same time, but in different ways. Again, there's a thread or theme that I would like to try and get across: alpha diversity consists of richness and evenness. Looking at one vs. the other doesn't give a complete picture of alpha diversity. Diversity metric attempt to do this, but have some limitations. The SAD is perhaps a better and more “integrative” way of handling the data that you get from a sample.

—> JTL stopped here.

Species Diversity

You saw in the derivation of Simpson's evenness that we called the R diversity function, and then specified “simp”. In effect, in estimating Simpson's evenness we first estimated Simpson's diversity (D). Species diversity is commonly defined as a relationship between species richness and species evenness, often of a form similar to $Diversity = \frac{Evenness}{Richness}$. Here, we will estimate popular indices of diversity using our own derivation and then check this against vegan's estimates.

For the purpose of..." is the learning objective to just check vegan to make sure it's right?
-Jay

No. The purpose is to instruct students in the ways of understanding that packages like vegan don't do anything special. -Ken

Not only is there no magic, but even us normal folk can code up the functions we see in papers, books, and usually leave to super-geeks to develop. -Ken

It's about being empowered and non-phobic through comprehending. -Ken

Shannon's diversity (or entropy)

Shannon's diversity metric is really just Shannon's information entropy, a measure of uncertainty. This metric is calculated as $H' = -\sum p_i \ln(p_i)$. Let's calculate Shannon's diversity for Site1 and then compare it to vegan's estimate:

```
RAC <- site1.ab ranked
H <- 0
for (sp in RAC){
  p = sp / sum(RAC)
  H = H - p*log(p)
}
H
```

```
## [1] 4.018412
```

```
diversity(RAC, index="shannon")
```

```
## [1] 4.018412
```

Are they the same? -Mario

Unless you have a Ph.D. in Statistical physics or Information theory and can actually geek out on various forms of entropy, Yes. -Ken

[Claude Shannon's original paper](#) -Ken

Simpson's diversity (or dominance)

Simpson's diversity is a straightforward metric and is calculated as $D = \sum p_i^2$ where p_i is the proportion of individuals found in the i th species. Simpson's index is often expressed as $1/D$ or $1-D$, so that diversity naturally increases with $1/D$. Let's calculate Simpson's diversity for Site1 and then compare it to vegan's estimate:

```
D <- 0.0
N <- sum(RAC)
for (ni in RAC){
  D = D + (ni*ni)/(N*N)
}

invD <- 1/D # using the 1/D variation
invD
```



```
## [1] 39.41555
```

```
invD <- diversity(RAC, "inv") # using vegan
invD
```

```
## [1] 39.41555
```

```
D <- 1 - D # using the 1 - D variation
D
```

```
## [1] 0.9746293
```

```
D <- diversity(RAC, "simp") # using vegan
D
```

```
## [1] 0.9746293
```

Fisher's α

R.A. Fisher (1943) derived one of the first and most successful models for how abundance varies among species, i.e., the log-series distribution. This model has only a single fitted parameter, i.e., α , which is implicitly defined by the log-series model: $S = \alpha * \ln(1 + n/\alpha)$. However, this does not tell us exactly how to estimate α , and this is because α is a fitted parameter. Later, we will explore the log-series. For now, let's concentrate on the Fisher's α , which has often been used as a diversity metric and is the root of 'alpha' diversity. Fisher's α , according to the authors of the vegan package is asymptotically similar to inverse Simpson's. Let's compare using Site1.

```
invD <- diversity(RAC, "inv")
invD
```

```
## [1] 39.41555
```

```
Fisher <- fisher.alpha(BCI)
Fisher
```

```
##      1      2      3      4      5      6      7      8
## 35.67297 30.99091 33.32033 33.92209 37.96423 32.49374 30.58383 33.44981
##      9     10     11     12     13     14     15     16
## 35.67236 34.82320 34.20590 34.12041 37.56974 39.21837 35.07926 36.16927
##     17     18     19     20     21     22     23     24
## 39.21057 38.71442 46.85170 40.99634 41.58728 35.84847 46.92764 39.87658
##     25     26     27     28     29     30     31     32
## 43.53983 36.40222 41.03649 33.65451 35.54363 36.87417 27.62298 32.34465
##     33     34     35     36     37     38     39     40
## 32.08718 35.12348 26.11065 35.88775 33.28235 29.46136 31.41425 27.17138
##     41     42     43     44     45     46     47     48
## 44.06386 33.59822 33.31374 30.28666 29.02041 32.32598 42.56011 35.99618
##     49     50
## 35.41942 36.40426
```

As we can see, the two measurements are somewhat similar. They would converge if our community was much greater in total abundance and richness. However, discussion of Fisher's α introduces a new concept, that is, of estimating diversity instead of just calculating a diversity metric. The difference being that an estimate of diversity implicitly or explicitly accounts for sampling error, that is, the fact that when sampling most ecological communities that we are not observing every single individual.

Species abundance models

Recall that the species rank-abundance curve RAC is simply the abundance of species ranked from most-to-least abundant. The RAC is a simple data structure that is both a vector of abundances and a row in the site-by-species matrix (minus the zeros, i.e., absences). Despite its simplicity the RAC contains a lot of information. For example, the sum of the abundances in the RAC is commonly referred to as the observed **total abundance** and denoted as **N** while the length of the RAC (the number of ranks) is simply the observed **species richness**, denoted as **S**. The RAC also contains the information needed to estimate richness and calculate evenness and diversity. Moreover, the RAC represents a type of species-abundance distribution (SAD), the form of which has been intensively studied and modeled. Species abundance models attempt to predict the form of the SAD (e.g. as an RAC) according to mechanisms and processes that underpin general ecological and biodiversity theory.

Let's use the `radfit()` function in the `vegan` package to fit the predictions of various species abundance models to the RAC of site1 in BCI

```
RACresults <- radfit(RAC)
RACresults
```

```
##
## RAD models, family poisson
## No. of species 93, total abundance 448
##
##           par1      par2      par3      Deviance AIC      BIC
## Null                39.5261 315.4362 315.4362
## Preemption 0.042797      21.8939 299.8041 302.3367
## Lognormal  1.0687    1.0186      25.1528 305.0629 310.1281
## Zipf        0.11033 -0.74705      61.0465 340.9567 346.0219
## Mandelbrot 100.52    -2.312    24.084    4.2271 286.1372 293.7350
```

Homework

- 1) As stated by Magurran (2004) the $D = \sum p_i^2$ derivation of Simpson's D really only applies to communities of infinite size. #For anything but an infinitely large community, Simpson's index is calculated as $D = \sum \frac{n_i(n_i-1)}{N(N-1)}$. Calculate Simpson's D, 1 - D, and Simpson's inverse (i.e. 1/D) for Site1.
- 2) ...
- 3) use knitr to create a pdf, push it to GitHub, and create a pull request