VOC CWEB OUTPUT 1

# Voc

# A vocal tract physical model implementation.

### By Paul Batchelor

Git Hash: aba8c68f14e4928d85ce287ff398599c20882681



2 CWEB OUTPUT VOC

### Introduction

The following document describes Voc, an implementation of a vocal tract physical model.

#### **Motivations and Goals**

The human voice is a powerful tool for any composer, second only to silence. Even an approximation of the voice can tap into the entire range of human emotion. This is why the wind howls, floorboards moan, or R2D2 pouts. For computer musicians and sound designers alike, creating sonic elements with vocal qualities can give cold digital sounds a human-like relatable quality; an excellent tool for engaging an audience.

The goal of *Voc* is to provide a low level model for producing utterances and phonemes. It will neither attempt to sing or talk, but it will babble and chatter. A program which is closely aligned with Voc's scope is Neil Thapen's web application *Pink Trombone*. [pinktrombone] In this program, vocal phonemes are generated through directly manipulating a virtual vocal tract in continuous time.

### Literate Programming

As an experiment, the author has decided to use *literate programming* for this project. Literate programming, created by Donald Knuth [knuth1992literate], is the concept of melting documentation and code together. What you are reading is also a program!

The biggest advantage of using literate programming for this project is the ability to use mathematical notation to describe concepts that are implemented. The C-language does not lend itself well for comprehensibility when it comes to DSP, even with comments. Nobody ever learned about DSP from C code alone! A very successful example of literate programming is the book *Physically Based Rendering* [pharr2016physically], which is both a textbook and software implementation of a physically accurate ray tracer.

The underlying technology used here is CWEB[knuth1994cweb], the definitive literate programming tool developed by Donald Knuth, with some minor macro adjustments for formatting.

§1 VOC OVERVIEW 3

### Overview (1)

In a literate program, it is customary (and somewhat mandatory) to provide an "overview" section. This section serves as the entry point in generating the C amalgamation file *voc.c.* Complying with the constraints of CWEB, the corresponding sections will appear at the bottom of this section.

### The Core Voc Components

(Headers 3) is the header section of the C file (not be confused with the separate header file (voc.h 63). This is where all the system includes, macros, global data, and structs are declared.

(The Glottis 31) is the component of Voc concerned with producing the glottal excitation signal.

(The Vocal Tract 43) is implementation of the physical waveguide of the vocal tract.

 $\langle$  Top Level Functions 11 $\rangle$  is the section consisting of all public functions for controlling Voc, from instantiation to parametric control.

### Supplementary Files

In addition to the main C amalgamation, there are a few other files that this literate program generates: \langle debug.c 65 \rangle is the debug utility used extensively through out the development of Voc, used to debug and test out features.

(voc.h 63) is the user-facing header file that goes along with the C amalgamation. Anyone wishing to use this program will need this header file along with the C file.

⟨plot.c 66⟩ is a program that generates dat files, which can then be fed into gnuplot for plotting. It is used to generate the plots you see in this document.

⟨ugen.c 67⟩ provides an implementation of Voc as a Sporth unit generator, offering 5 dimensions of control. In addition the main Sporth plugin, there are also smaller unit generators implementing portions of Voc, such as the vocal tract filter.

voc.lua (not generated but included with the source code) contains metadata needed to implement Voc as a Soundpipe module.

```
⟨ex_voc.c 76⟩ Is a small C program that uses Voc, written in the style of a classic Soundpipe example.
⟨t_voc.c 77⟩ Is a small C program written for the Soundpipe testing utility.
⟨p_voc.c 78⟩ Is a small C program written for the Soundpipe perfomance measurement utility.
⟨Headers 3⟩
⟨The Glottis 31⟩
⟨The Vocal Tract 43⟩
⟨Top Level Functions 11⟩
```

# Header Inclusion, Structs, and Macros (2)

3.

#### Header of File

The header section consists of header inclusion, and definition of C-structs. The system-wide header files include stdlib.h for things like malloc(). Standard math library functions from math.h are used. Soundpipe/Sporth specific header files are soundpipe.h and sporth.h. It should be noted that due to the implementation of Sporth, the Soundpipe header file must be included before the Sporth header file.

ANSI C doesn't have the constant M\_PI, so it has to be explicitly defined.

Both MIN and MAX macros are defined.

The header file *string.h* is included so that *memset* can be used to zero arrays.

There is exactly one local header file called voc.h, which is generated by CTANGLE. For more information about this header file, see  $\langle voc.h | 63 \rangle$ 

The macro MAX\_TRANSIENTS is the maximum number of transients at a given time.

```
\langle \text{ Headers } 3 \rangle \equiv
#include <stdlib.h>
#include <math.h>
#include <string.h>
#include "soundpipe.h"
#ifndef M_PI
#define M_PI 3.14159265358979323846
#endif
#include "voc.h"
#ifndef MIN
#define MIN(A, B) ((A) < (B) ? (A) : (B))
#endif
#ifndef MAX
#define MAX(A, B) ((A) > (B) ? (A) : (B))
#endif
#define EPSILON 1.0 \cdot 10^{-38}
#define MAX_TRANSIENTS 4
  (Data Structures and C Structs 4)
This code is cited in section 1.
This code is used in section 1.
```

#### 4.

#### Structs

This subsection contains all the data structs needed by Voc.

```
\langle Data Structures and C Structs 4\rangle \equiv \langle Glottis Data Structure 6\rangle \langle Transient Data 7\rangle \langle Tract Data 10\rangle \langle Voc Main Data Struct 5\rangle This code is used in section 3.
```

The top-most data structure is  $sp\_voc$ , designed to be an opaque struct containing all the variables needed for Voc to work. Like all Soundpipe modules, this struct has the prefix "sp".

```
\langle \text{Voc Main Data Struct 5} \rangle \equiv
  struct sp_voc {
     glottis glot;
                        /* The Glottis */
                    /* The Vocal Tract */
     tract tr;
     SPFLOAT buf[512];
     int counter;
  };
This code is used in section 4.
```

- The glottis data structure contains all the variables used by the glottis. See  $\langle$  The Glottis 31 $\rangle$  to see the implementation of the glottal sound source.
- freq is the frequency
- tenseness is the tenseness of the glottis (more or less looks like a cross fade between voiced and unvoiced sound). It is a value in the range [0, 1].
- Rd
- waveform\_length provides the period length (in seconds) of the fundamental frequency, in seconds.
- The waveform position is kept track of in time\_in\_waveform, in seconds.
- alpha
- E0
- epsilon
- shift
- $\bullet$  delta
- Te
- omega
- T

```
\langle Glottis Data Structure _{6}\rangle \equiv
  typedef struct {
     SPFLOAT freq;
     SPFLOAT tenseness;
     SPFLOAT Rd;
     SPFLOAT waveform_length;
     SPFLOAT time_in_waveform;
     SPFLOAT alpha;
     SPFLOAT EO;
     SPFLOAT epsilon;
     SPFLOAT shift;
     SPFLOAT delta;
     SPFLOAT Te;
     SPFLOAT omega;
     SPFLOAT T;
  } glottis;
This code is used in section 4.
7.
\langle \text{Transient Data } 7 \rangle \equiv
  (A Single Transient 8)
  ⟨The Transient Pool 9⟩
```

This code is used in section 4.

**8.** This data struct outlines the data for a single transient. A transient will act as a single entry in a linked list implementation, so there exists a *next* pointer along with the SPFLOAT parameters.

```
⟨ A Single Transient 8⟩ ≡
  typedef struct transient {
   int position;
   SPFLOAT time_alive;
   SPFLOAT lifetime;
   SPFLOAT strength;
   SPFLOAT exponent;
   char is_free;
   unsigned int id;
   struct transient *next;
  } transient;
```

**9.** A pre-allocated set of transients and other parameters are used in what will be known as a *transient pool*. A memory pool is an ideal choice for realtime systems instead of dynamic memory. Calls to *malloc* are discouraged because it adds performance overhead and possible blocking behavior, and there is a greater chance of memory leaks or segfaults if not handled properly.

```
⟨The Transient Pool 9⟩ ≡
typedef struct {
   transient pool[MAX_TRANSIENTS];
   transient *root;
   int size;
   int next_free;
} transient_pool;
This code is used in section 7.
```

} tract;

This code is used in section 4.

The Tract C struct contains all the data needed for the vocal tract filter.  $\langle \text{Tract Data } 10 \rangle \equiv$ typedef struct { int n; n is the size, set to 44. SPFLOAT diameter [44]; SPFLOAT rest\_diameter [44]; SPFLOAT target\_diameter [44]; SPFLOAT  $new\_diameter[44]$ ; SPFLOAT R[44]; component going right SPFLOAT L[44]; component going left SPFLOAT reflection [45]; SPFLOAT new\_reflection [45]; SPFLOAT junction\_outL[45]; SPFLOAT  $junction\_outR[45]$ ; SPFLOAT A[44]; int nose\_length; The original code here has it at floor(28\*n/44), and since n=44, it should be 28. int  $nose\_start$ ;  $n - nose\_length + 1$ , or 17 tip\_start is a constant set to 32 int tip\_start; SPFLOAT noseL[28]; SPFLOAT noseR[28]; SPFLOAT nose\_junc\_outL[29]; SPFLOAT  $nose\_junc\_outR[29]$ ; SPFLOAT nose\_reflection[29]; SPFLOAT nose\_diameter [28]; SPFLOAT noseA[28]; SPFLOAT reflection\_left; SPFLOAT reflection\_right; SPFLOAT reflection\_nose; SPFLOAT new\_reflection\_left; SPFLOAT new\_reflection\_right; SPFLOAT new\_reflection\_nose; SPFLOAT velum\_target; SPFLOAT glottal\_reflection; SPFLOAT lip\_reflection; int last\_obstruction; SPFLOAT fade; SPFLOAT movement\_speed; 15 cm/s SPFLOAT lip\_output; SPFLOAT nose\_output; SPFLOAT block\_time; transient\_pool tpool; SPFLOAT T;

8 TOP-LEVEL FUNCTIONS VOC §11

# **Top-level Functions** (11)

Broadly speaking, the top-level functions are in charge of computing samples for the DSP inner-loop before, after, and during runtime. They get their name from the fact that they are the top level of abstraction in the program. These are the functions that get called in the Sporth Unit Generator implementation  $\langle ugen.c$  67 $\rangle$ .

```
\langle \text{Top Level Functions } 11 \rangle \equiv
   (Voc Create 12)
    Voc Destroy 13
    Voc Initialization 14)
    Voc Compute 15
   \langle \text{ Voc Tract Compute } 16 \rangle
   Voc Set Frequency 17
   \langle \text{ Voc Get Frequency } 18 \rangle
   ⟨ Voc Get Tract Diameters 19⟩
   ⟨ Voc Get Current Tract Diameters 20⟩
    Voc Get Tract Size 21
    Voc Get Nose Diameters 22 >
    Voc Get Nose Size 23
   \langle \text{ Voc Set Diameters } 24 \rangle
   Voc Set Tongue Shape 25
   ⟨ Voc Get Counter 26⟩
   \langle \text{ Voc Set Tenseness } 27 \rangle
   \langle \text{ Voc Get Tenseness 28} \rangle
    Voc Set Velum 29
   \langle \text{ Voc Get Velum } 30 \rangle
This code is cited in sections 1 and 65.
This code is used in section 1.
12. In the function sp\_voc\_create, an instance of Voc is created via malloc.
\langle \text{ Voc Create } 12 \rangle \equiv
  int sp\_voc\_create(\mathbf{sp\_voc} **voc)
     *voc = malloc(\mathbf{sizeof}(\mathbf{sp\_voc}));
     return SP_OK;
This code is cited in sections 49 and 68.
This code is used in section 11.
       As a counterpart to sp\_voc\_compute, sp\_voc\_destroy frees all data previous allocated.
\langle \text{ Voc Destroy } 13 \rangle \equiv
  int sp\_voc\_destroy(\mathbf{sp\_voc} **voc)
  {
     free(*voc);
     return SP_OK;
This code is cited in section 71.
This code is used in section 11.
```

§14 VOC TOP-LEVEL FUNCTIONS

9

14. After data has been allocated with  $sp\_voc\_create$ , it must be initialized with  $sp\_voc\_init$ .

```
 \begin{array}{l} \langle \operatorname{Voc\ Initialization\ 14} \rangle \equiv \\ & \operatorname{int\ } sp\_voc\_init(sp\_data*sp, \operatorname{sp\_voc}*voc) \\ \{ & glottis\_init(\&voc\lnot glot, sp\lnot sr); \quad /* \text{ initialize glottis } */\\ & tract\_init(sp, \&voc\lnot tr); \quad /* \text{ initialize vocal tract } */\\ & voc\lnot counter = 0;\\ & \operatorname{return\ SP\_OK;}\\ \} \\ & \operatorname{This\ code\ is\ cited\ in\ section\ 69.} \\ & \operatorname{This\ code\ is\ used\ in\ section\ 11.} \end{array}
```

15. The function  $sp\_voc\_compute$  is called during runtime to generate audio. This computation function will generate a single sample of audio and store it in the SPFLOAT pointer \*out.

```
\langle \text{Voc Compute 15} \rangle \equiv
  int sp\_voc\_compute(sp\_data * sp, \mathbf{sp\_voc} * voc, \mathtt{SPFLOAT} * out)
     SPFLOAT vocal_output, glot;
     SPFLOAT \ lambda1, lambda2;
     int i;
     if (voc \neg counter \equiv 0) {
        tract\_reshape(\&voc \neg tr);
        tract\_calculate\_reflections(\&voc \neg tr);
        for (i = 0; i < 512; i++) {
           vocal\_output = 0;
           lambda1 = (SPFLOAT)i/512;
           lambda2 = (SPFLOAT)(i + 0.5)/512;
           glot = glottis\_compute(sp, \&voc \neg glot, lambda1);
           tract\_compute(sp, \&voc \neg tr, glot, lambda1);
           vocal\_output += voc \neg tr.lip\_output + voc \neg tr.nose\_output;
           tract\_compute(sp, \&voc \neg tr, glot, lambda2);
           vocal\_output += voc \neg tr.lip\_output + voc \neg tr.nose\_output;
           voc \rightarrow buf[i] = vocal\_output * 0.125;
     *out = voc \rightarrow buf[voc \rightarrow counter];
     voc \neg counter = (voc \neg counter + 1) \% 512;
     return SP_OK;
This code is cited in sections 16, 26, and 70.
This code is used in section 11.
```

16. The function  $sp\_voc\_compute\_tract$  computes the vocal tract component of Voc separately from the glottis. This provides the ability to use any input signal as an glottal excitation, turning the model into a formant filter. Compared to the main implementation in  $\langle Voc Compute 15 \rangle$ , this function does not have the 512 sample delay.

```
\langle \text{ Voc Tract Compute } 16 \rangle \equiv
  int sp\_voc\_tract\_compute(sp\_data * sp\_voc *voc, SPFLOAT * in, SPFLOAT * out)
     SPFLOAT vocal_output;
     SPFLOAT lambda1, lambda2;
     if (voc \neg counter \equiv 0) {
        tract\_reshape(\&voc \neg tr);
        tract\_calculate\_reflections(\&voc \neg tr);
     vocal\_output = 0;
     lambda1 = (SPFLOAT)voc \neg counter/512;
     lambda2 = (SPFLOAT)(voc \neg counter + 0.5)/512;
     tract\_compute(sp, \&voc \neg tr, *in, lambda1);
     vocal\_output += voc \neg tr.lip\_output + voc \neg tr.nose\_output;
     tract\_compute(sp, \&voc \rightarrow tr, *in, lambda2);
     vocal\_output += voc \neg tr.lip\_output + voc \neg tr.nose\_output;
     *out = vocal\_output * 0.125;
     voc \neg counter = (voc \neg counter + 1) \% 512;
     return SP_OK;
This code is used in section 11.
      The function sp\_voc\_set\_frequency sets the fundamental frequency for the glottal wave.
\langle \text{Voc Set Frequency } 17 \rangle \equiv
  void sp_voc_set_frequency(sp_voc *voc, SPFLOAT freq)
     voc \neg glot.freq = freq;
This code is used in section 11.
```

18. The function  $sp\_voc\_get\_frequency\_ptr$  returns a pointer to the variable holding the frequency. This allows values to be set and read directly without. The use of a helper function. This function was notably created for use in a demo using the GUI library Nuklear.

§19 VOC

```
This getter function returns the cylindrical diameters representing tract.
\langle \text{Voc Get Tract Diameters } 19 \rangle \equiv
  SPFLOAT * sp\_voc\_get\_tract\_diameters(sp\_voc *voc)
     return voc-tr.target_diameter;
This code is cited in section 20.
This code is used in section 11.
      Similar to sp\_voc\_get\_tract\_diameters in \langle Voc Get Tract Diameters 19 \rangle, the function sp\_voc\_get\_current\_tract\_diameter
returns the diameters of the tract. The difference is that this function returns the actual slewed diameters
used in (Reshape Vocal Tract 57), rather than the target diameters.
\langle \text{Voc Get Current Tract Diameters 20} \rangle \equiv
  SPFLOAT * sp\_voc\_get\_current\_tract\_diameters(\mathbf{sp\_voc} * voc)
     return voc→tr.diameter;
This code is used in section 11.
21. This getter function returns the size of the vocal tract.
\langle \text{Voc Get Tract Size 21} \rangle \equiv
  int sp\_voc\_get\_tract\_size(\mathbf{sp\_voc} *voc)
     return voc \rightarrow tr.n;
This code is used in section 11.
22. This function returns the cylindrical diameters of the nasal cavity.
\langle \text{Voc Get Nose Diameters } 22 \rangle \equiv
  {\tt SPFLOAT}*sp\_voc\_get\_nose\_diameters(\mathbf{sp\_voc}\;*voc)
     \textbf{return} \ \textit{voc} \neg tr. nose\_diameter;
This code is used in section 11.
23. This function returns the nose size.
\langle \text{Voc Get Nose Size } 23 \rangle \equiv
  int sp\_voc\_get\_nose\_size(\mathbf{sp\_voc} *voc)
     return voc→tr.nose_length;
This code is used in section 11.
```

12 TOP-LEVEL FUNCTIONS VOC  $\S 24$ 

**24.** The function  $sp\_voc\_set\_diameter()$  is a function adopted from Neil Thapen's Pink Trombone in a function he called setRestDiameter. It is the main function in charge of the "tongue position" XY control. Modifications to the original function have been made in an attempt to make the function more generalized. Instead of relying on internal state, all variables used are parameters in the function. Because of this fact, there are quite a few function parameters:

- voc. the core Voc data struct
- blade\_start, index where the blade (?) starts. this is set to 10 in pink trombone
- lip\_start, index where lip starts. this constant is set to 39.
- tip\_start, this is set to 32.

This code is used in section 11.


- tongue\_index
- tongue\_diameter
- diameters, the floating point array to write to

For practical use cases, it is not ideal to call this function directly. Instead, it can be indirectly called using a more sane function  $sp\_voc\_set\_tongue\_shape()$ , found in the section  $\langle Voc Set Tongue Shape 25 \rangle$ .

```
\langle \text{Voc Set Diameters 24} \rangle \equiv
  void sp_voc_set_diameters(sp_voc *voc,
  int blade_start,
  \mathbf{int}\ lip\_start\,,
  int tip\_start,
  SPFLOAT tongue_index,
  SPFLOAT tongue_diameter,
  SPFLOAT * diameters)
     int i;
     SPFLOATt:
     SPFLOAT fixed_tongue_diameter;
     SPFLOAT curve;
     int grid\_offset = 0;
     for (i = blade\_start; i < lip\_start; i \leftrightarrow) {
        t = 1.1 * M_PI * (SPFLOAT)(tongue\_index - i)/(tip\_start - blade\_start);
        fixed\_tongue\_diameter = 2 + (tongue\_diameter - 2)/1.5;
        curve = (1.5 - fixed\_tongue\_diameter + grid\_offset) * cos(t);
        if (i \equiv blade\_start - 2 \lor i \equiv lip\_start - 1) curve *= 0.8;
        if (i \equiv blade\_start \lor i \equiv lip\_start - 2) curve *= 0.94;
        diameters[i] = 1.5 - curve;
This code is cited in section 25.
```

**25.** The function  $sp\_voc\_set\_tongue\_shape()$  will set the shape of the tongue using the two primary arguments  $tongue\_index$  and  $tongue\_diameter$ . It is a wrapper around the function described in  $\langle Voc Set Diameters 24 \rangle$ , filling in the constants used, and thereby making it simpler to work with.

A few tract shapes shaped using this function have been generated below:



```
 \begin{array}{l} \langle \operatorname{Voc} \; \operatorname{Set} \; \operatorname{Tongue} \; \operatorname{Shape} \; 25 \rangle \equiv \\ \mathbf{void} \; sp\_voc\_set\_tongue\_shape (\mathbf{sp\_voc} \; *voc, \operatorname{SPFLOAT} \; tongue\_index, \\ \operatorname{SPFLOAT} \; tongue\_diameter) \\ \{ \\ \operatorname{SPFLOAT} \; * \; diameters; \\ \; diameters = \; sp\_voc\_get\_tract\_diameters (voc); \\ \; sp\_voc\_set\_diameters (voc, 10, 39, 32, tongue\_index, tongue\_diameter, diameters); \\ \} \\ \operatorname{This} \; \operatorname{code} \; \operatorname{is} \; \operatorname{cited} \; \operatorname{in} \; \operatorname{sections} \; 24 \; \operatorname{and} \; 76. \\ \operatorname{This} \; \operatorname{code} \; \operatorname{is} \; \operatorname{used} \; \operatorname{in} \; \operatorname{section} \; 11. \\ \end{array}
```

**26.** Voc keeps an internal counter for control rate operations called inside of the audio-rate compute function in  $\langle \text{Voc Compute 15} \rangle$ . The function  $sp\_voc\_get\_counter()$  gets the current counter position. When the counter is 0, the next call to  $sp\_voc\_compute$  will compute another block of audio. Getting the counter position before the call allows control-rate variables to be set before then.

```
⟨ Voc Get Counter 26⟩ ≡
  int sp_voc_get_counter(sp_voc *voc)
  {
    return voc¬counter;
  }
This code is used in section 11.
```

**27.** The function  $sp\_voc\_set\_tenseness$  is used to set the tenseness variable, used when calculating glottal time coefficients in  $\langle$  Set up Glottis Waveform  $34\rangle$ , and is the main factor in calculating aspiration noise in  $\langle$  Glottis Computation  $33\rangle$ . Typically this is a value between 0 and 1. A value of 1 gives a full vocal sound, while a value of 0 is all breathy. It is ideal to have a little bit of aspiration noise. Empirically good values tend to be in the range of [0.6, 0.9].

```
⟨ Voc Set Tenseness 27⟩ ≡
  void sp_voc_set_tenseness(sp_voc *voc, SPFLOAT tenseness)
{
    voc¬glot.tenseness = tenseness;
}
This code is used in section 11.
```

28. The function  $sp\_voc\_get\_tenseness\_ptr$  returns an SPFLOAT pointer to the parameter value directly controlling tenseness. This function is useful for GUI frontends that use direct pointer manipulation like Nuklear, the cross-platform UI framework used to make a demo for Voc.

```
⟨ Voc Get Tenseness 28⟩ ≡
SPFLOAT * sp_voc_get_tenseness_ptr(sp_voc *voc)
{
    return &voc¬glot.tenseness;
}
This code is used in section 11.
```

**29.** The function  $sp\_voc\_set\_velum$  sets the velum, or soft pallette of tract model. In the original implementation, the default value is 0.01, and set to a value of 0.04 to get a nasally sound.

```
 \langle \text{Voc Set Velum 29} \rangle \equiv \\ \textbf{void } sp\_voc\_set\_velum (\textbf{sp\_voc} *voc, \texttt{SPFLOAT} velum) \\ \{ \\ voc\neg tr.velum\_target = velum; \\ \}  This code is used in section 11.
```

**30.** The function  $sp\_voc\_get\_velum\_ptr$  returns the pointer associated with the velum, allowing direct control of the velum parameter. This function was created for use with a demo requiring direct access.

```
⟨ Voc Get Velum 30⟩ ≡
   SPFLOAT * sp_voc_get_velum_ptr(sp_voc *voc)
   {
      return &voc→tr.velum_target;
   }
This code is used in section 11.
```

 $\S31$  Voc The glottis 15

# The Glottis (31)

This code is used in section 31.

This is where the synthesis of the glottal source signal will be created.

While the implementation comes directly from Pink Trombone's JavaScript code, it should be noted that the glottal model is based on a modified LF-model[lu2000glottal].

```
\langle The Glottis 31 \rangle \equiv
   \langle Set up Glottis Waveform 34\rangle
    Glottis Initialization 32 >
   ⟨ Glottis Computation 33⟩
This code is cited in sections 1 and 6.
This code is used in section 1.
     Initialization of the glottis is done inside of glottis_init.
\langle Glottis Initialization 32\rangle \equiv
  static void glottis_init(glottis *glot, SPFLOATsr)
     glot \rightarrow freq = 140;
                             /* 140Hz frequency by default */
     glot \rightarrow tenseness = 0.6;
                                 /* value between 0 and 1 */
                              /* big T */
     glot \rightarrow T = 1.0/sr;
     glot \rightarrow time\_in\_waveform = 0;
     glottis\_setup\_waveform(glot, 0);
```

16 THE GLOTTIS VOC §33

```
This is where a single sample of audio is computed for the glottis
\langle Glottis Computation 33\rangle \equiv
  static SPFLOAT glottis\_compute(sp\_data * sp, glottis * glot, SPFLOAT lambda)
     SPFLOAT out;
     SPFLOAT aspiration;
     SPFLOAT noise;
     SPFLOATt;
     SPFLOAT intensity;
     out = 0;
     intensity = 1.0;
     glot \neg time\_in\_waveform += glot \neg T;
     if (glot \neg time\_in\_waveform > glot \neg waveform\_length) {
        glot \neg time\_in\_waveform -= glot \neg waveform\_length;
        glottis\_setup\_waveform(glot, lambda);
     t = (glot \neg time\_in\_waveform/glot \neg waveform\_length);
     if (t > glot \neg Te) {
        out = (-exp(-glot \neg epsilon * (t - glot \neg Te)) + glot \neg shift)/glot \neg delta;
     else {
        out = glot \neg EO * exp(glot \neg alpha * t) * sin(glot \neg omega * t);
     noise = 2.0 * ((SPFLOAT)sp\_rand(sp)/SP\_RANDMAX) - 1;
     aspiration = intensity * (1 - sqrt(glot \neg tenseness)) * 0.3 * noise;
     aspiration \ *= 0.2;
     out += aspiration;
     return out;
This code is cited in sections 27 and 36.
This code is used in section 31.
      The function qlottis_setup_waveform is tasked with setting the variables needed to create the glottis
waveform. The glottal model used here is known as the LF-model, as described in Lu and Smith[1u2000glottal].
\langle Set up Glottis Waveform 34\rangle \equiv
  static void glottis\_setup\_waveform(glottis *glot, SPFLOAT lambda) \{\langle Set up local variables 35 \rangle\}
        \langle \text{ Derive } waveform\_length \text{ and } R_d \text{ 36} \rangle
        \langle \text{ Derive } R_a, R_k, \text{ and } R_g \text{ 37} \rangle
        \langle \text{ Derive } T_a, T_p, \text{ and } T_e | 38 \rangle
        (Calculate epsilon, shift, and delta 39)
         Calculate Integrals 40 >
         Calculate E_0 41 \rangle
        \langle \text{Update variables in glottis data structure } 42 \rangle \}
This code is cited in section 27.
This code is used in section 31.
```

 $\S35$  VOC THE GLOTTIS 17

35. A number of local variables are used for intermediate calculations. They are described below.

```
\langle \text{ Set up local variables } 35 \rangle \equiv
  SPFLOAT Rd;
  SPFLOAT Ra;
  SPFLOAT Rk;
  SPFLOAT Rq;
  SPFLOAT Ta;
  SPFLOAT Tp;
  SPFLOAT Te;
  {\tt SPFLOAT}\,epsilon;
  SPFLOAT shift;
  SPFLOAT delta;
  SPFLOAT rhs_integral;
  SPFLOAT lower_integral;
  SPFLOAT upper_integral;
  SPFLOAT omega;
  \mathtt{SPFLOAT}s;
  SPFLOATy;
  SPFLOATz;
  SPFLOAT alpha;
  SPFLOATEO;
```

This code is used in section 34.

**36.** To begin, both waveform\_length and  $R_d$  are calcuated.

The variable  $waveform\_length$  is the period of the waveform based on the current frequency, and will be used later on in  $\langle$  Glottis Computation 33 $\rangle$ .

 $R_d$  is part of a set of normalized timing parameters used to calculate the time coefficients described in the LF model [fant1997voice]. The other timing parameters  $R_a$ ,  $R_g$ , and  $R_k$  can be computed in terms of  $R_d$ , which is why this gets computed first.  $R_d$  is derived from the parameter glot-tenseness.

 $R_d$  is then clamped to be in between 0.5 and 2.7, as these are good approximations[1u2000glotta1].

```
\langle \text{ Derive } waveform\_length \text{ and } R_d \text{ 36} \rangle \equiv glot \neg Rd = 3*(1-glot \neg tenseness); \\ glot \neg waveform\_length = 1.0/glot \neg freq; \\ Rd = glot \neg Rd; \\ \textbf{if } (Rd < 0.5) \ Rd = 0.5; \\ \textbf{if } (Rd > 2.7) \ Rd = 2.7;
```

This code is used in section 34.

**37.**  $R_d$  can be used to calculate approximations for  $R_a$ ,  $R_g$ , and  $R_k$ . The equations described below have been derived using linear regression.

VOC

§37

$$R_{ap} = \frac{(-1 + 4.8R_d)}{100}$$
$$R_{kp} = \frac{(22.4 + 11.8R_d)}{100}$$

 $R_{qp}$  is derived using the results from  $R_{ap}$  and  $R_{kp}$  in the following equation described in Fant 1997:

$$R_d = (1/0.11)(0.5 + 1.2R_k)(R_k/4R_g + R_a)$$

Which yields:

$$R_{gp} = \frac{(R_{kp}/4)(0.5 + 1.2R_{kp})}{(0.11R_d - R_{ap} * (0.5 + 1.2R_{kp}))}$$

```
\langle \text{ Derive } R_a, R_k, \text{ and } R_g | 37 \rangle \equiv Ra = -0.01 + 0.048 * Rd;
Rk = 0.224 + 0.118 * Rd;
Rg = (Rk/4) * (0.5 + 1.2 * Rk)/(0.11 * Rd - Ra * (0.5 + 1.2 * Rk));
This code is used in section 34.
```

**38.** The parameters approximating  $R_a$ ,  $R_g$ , and  $R_k$  can be used to calculate the timing parameters  $T_a$ ,  $T_p$ , and  $T_e$  in the LF model:

$$T_a = R_{ap}$$
 
$$T_p = 2R_{gp}^{-1}$$
 
$$T_e = T_p + T_p R_{kp}$$

```
\langle \text{ Derive } T_a, T_p, \text{ and } T_e \text{ 38} \rangle \equiv Ta = Ra;

Tp = (\text{SPFLOAT})1.0/(2*Rg);

Te = Tp + Tp * Rk;
```

This code is used in section 34.

**39.**  $\langle$  Calculate epsilon, shift, and delta  $39 \rangle \equiv epsilon = (SPFLOAT)1.0/Ta;$  shift = exp(-epsilon \* (1 - Te)); delta = 1 - shift;

This code is used in section 34.

```
 \begin{array}{ll} \textbf{40.} & \langle \operatorname{Calculate\ Integrals\ 40} \rangle \equiv \\ & \textit{rhs\_integral} = (\operatorname{SPFLOAT})(1.0/\textit{epsilon}) * (\textit{shift}-1) + (1-\textit{Te}) * \textit{shift}; \\ & \textit{rhs\_integral} = \textit{rhs\_integral}/\textit{delta}; \\ & \textit{lower\_integral} = -(\textit{Te}-\textit{Tp})/2 + \textit{rhs\_integral}; \\ & \textit{upper\_integral} = -\textit{lower\_integral}; \\ \end{array}
```

This code is used in section 34.

19

$$E_0 = -\frac{E_e}{e^{\alpha T} \sin \omega_g T_e}$$
 
$$\omega = \frac{\pi}{T_p}$$
 
$$\epsilon T_a = 1 - e^{-\epsilon (T_c - T_e)}$$

```
 \begin{split} &\langle \operatorname{Calculate} \ E_0 \ 41 \rangle \equiv \\ &omega = \texttt{M\_PI}/Tp; \\ &s = sin(omega*Te); \\ &y = -\texttt{M\_PI}*s*upper\_integral/(Tp*2); \\ &z = log(y); \\ &alpha = z/(Tp/2 - Te); \\ &\texttt{E0} = -1/(s*exp(alpha*Te)); \end{split}
```

This code is used in section 34.

42.  $\langle$  Update variables in glottis data structure  $42 \rangle \equiv glot \neg alpha = alpha;$   $glot \neg E0 = E0;$   $glot \neg epsilon = epsilon;$   $glot \neg shift = shift;$   $glot \neg delta = delta;$   $glot \neg Te = Te;$   $glot \neg omega = omega;$  This code is used in section 34.

20 The vocal tract voc §43

### The Vocal Tract (43)

The vocal tract is the part of the vocal model which takes the excitation signal (the glottis) and produces the vowel formants from it.

The two main functions for the vocal tract consist of an initialization function  $tract\_init$  called once before runtime, and a computation function  $tract\_compute$  called at twice the sampling rate. See  $\langle Vocal Tract Initialization 44 \rangle$  and  $\langle Vocal Tract Computation 49 \rangle$  for more detail.

```
\label{eq:continuous} $\langle \mbox{ The Vocal Tract } 43 \rangle \equiv $\langle \mbox{ Calculate Vocal Tract Reflections } 55 \rangle$ $\langle \mbox{ Calculate Vocal Tract Nose Reflections } 56 \rangle$ $\langle \mbox{ Vocal Tract Transients } 58 \rangle$ $\langle \mbox{ Reshape Vocal Tract } 57 \rangle$ $\langle \mbox{ Vocal Tract Initialization } 44 \rangle$ $\langle \mbox{ Vocal Tract Computation } 49 \rangle$ $\rangle$ This code is cited in sections 1 and 66. $\rangle$ This code is used in section 1.
```

**44.** The function *tract\_init* is responsible for zeroing out variables and buffers, as well as setting up constants.

```
\langle Vocal Tract Initialization 44 \rangle \equiv
  static void tract_init(sp_data * sp, tract *tr)
     int i;
     SPFLOAT diameter, d;
                                   /* needed to set up diameter arrays */
     (Initialize Tract Constants and Variables 45)
      ⟨Zero Out Tract Buffers 46⟩
      (Set up Vocal Tract Diameters 47)
      (Set up Nose Diameters 48)
     tract\_calculate\_reflections(tr);
     tract\_calculate\_nose\_reflections(tr);
     tr \rightarrow nose\_diameter[0] = tr \rightarrow velum\_target;
     tr \rightarrow block\_time = 512.0/(SPFLOAT)sp \rightarrow sr;
     tr \rightarrow T = 1.0/(SPFLOAT)sp \rightarrow sr;
     (Initialize Transient Pool 59)
  }
This code is cited in sections 43 and 59.
This code is used in section 43.
```

§45 VOC

```
т 21
```

```
\langle Initialize Tract Constants and Variables 45\rangle \equiv
   tr \rightarrow n = 44;
   tr \rightarrow nose\_length = 28;
   tr \rightarrow nose\_start = 17;
   tr \rightarrow reflection\_left = 0.0;
   tr \rightarrow reflection\_right = 0.0;
   tr \neg reflection\_nose = 0.0;
   tr \rightarrow new\_reflection\_left = 0.0;
   tr \rightarrow new\_reflection\_right = 0.0;
   tr \rightarrow new\_reflection\_nose = 0.0;
   tr \rightarrow velum\_target = 0.01;
   tr \rightarrow glottal\_reflection = 0.75;
   tr \rightarrow lip\_reflection = -0.85;
   tr \rightarrow last\_obstruction = -1;
   tr \rightarrow movement\_speed = 15;
   tr \rightarrow lip\_output = 0;
   tr \neg nose\_output = 0;
   tr \rightarrow tip\_start = 32;
This code is used in section 44.
```


**46.** Several floating-point arrays are needed for the scattering junctions. C does not zero these out by default. Below, the standard function memset() from string.h is used to zero out each of the blocks of memory.

```
\langle \text{ Zero Out Tract Buffers 46} \rangle \equiv
   memset(tr \rightarrow diameter, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \rightarrow rest\_diameter, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \rightarrow target\_diameter, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \neg new\_diameter, 0, tr \neg n * sizeof (SPFLOAT));
   memset(tr \rightarrow L, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \rightarrow R, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \rightarrow reflection, 0, (tr \rightarrow n + 1) * sizeof (SPFLOAT));
   memset(tr \rightarrow new\_reflection, 0, (tr \rightarrow n + 1) * sizeof (SPFLOAT));
   memset(tr \neg junction\_outL, 0, (tr \neg n + 1) * sizeof (SPFLOAT));
   memset(tr \rightarrow junction\_outR, 0, (tr \rightarrow n + 1) * sizeof (SPFLOAT));
   memset(tr \rightarrow A, 0, tr \rightarrow n * sizeof (SPFLOAT));
   memset(tr \rightarrow noseL, 0, tr \rightarrow nose\_length * sizeof (SPFLOAT));
   memset(tr \rightarrow noseR, 0, tr \rightarrow nose\_length * sizeof (SPFLOAT));
   memset(tr \neg nose\_junc\_outL, 0, (tr \neg nose\_length + 1) * sizeof (SPFLOAT));
   memset(tr \neg nose\_junc\_outR, 0, (tr \neg nose\_length + 1) * sizeof (SPFLOAT));
   memset(tr \neg nose\_diameter, 0, tr \neg nose\_length * sizeof (SPFLOAT));
   memset(tr \rightarrow noseA, 0, tr \rightarrow nose\_length * sizeof (SPFLOAT));
This code is used in section 44.
```

22 THE VOCAL TRACT VOC  $\S47$ 

**47.** The cylindrical diameters approximating the vocal tract are set up below. These diameters will be modified and shaped by user control to shape the vowel sound.

The initial shape of the vocal tract is plotted below:




```
 \langle \text{Set up Vocal Tract Diameters } 47 \rangle \equiv \\ \text{for } (i=0; \ i
```

This code is used in section 44.

 $\S48$  Voc the vocal tract 23

**48.** The cylindrical diameters representing nose are set up. These are only set once, and are immutable for the rest of the program.

The shape of the nasal passage is plotted below:



```
 \langle \text{Set up Nose Diameters 48} \rangle \equiv \\ \textbf{for } (i=0; \ i
```

This code is used in section 44.

**49.** The vocal tract computation function computes a single sample of audio. As the original implementation describes it, this function is designed to run at twice the sampling rate. For this reason, it is called twice in the top level call back (see  $\langle \text{Voc Create 12} \rangle$ ).

tract\_compute has two input arguments. The variable in is the glottal excitation signal. The lambda variable is a coefficient for a linear crossfade along the buffer block, used for parameter smoothing.

```
\langle Vocal Tract Computation 49 \rangle \equiv
  static void tract\_compute(sp\_data * sp\_tract * tr\_SPFLOAT in\_SPFLOAT lambda)
    SPFLOAT r, w;
    int i;
    SPFLOAT amp;
    int current_size;
    transient_pool *pool;
    transient *n;
    SPFLOAT noise;
     (Process Transients 62)
     (Calculate Scattering Junctions 50)
     (Calculate Scattering for Nose 51)
     (Update Left/Right delay lines and set lip output 52)
     ⟨ Calculate Nose Scattering Junctions 53⟩
     (Update Nose Left/Right delay lines and set nose output 54)
This code is cited in sections 43 and 62.
This code is used in section 43.
```

24 THE VOCAL TRACT VOC  $\S 50$ 

A derivation of w can be seen in section 2.5.2 of Jack Mullens PhD dissertation Physical Modelling of

```
the Vocal Tract with the 2D Digital Waveguide Mesh. [mullen2006physical]
\langle Calculate Scattering Junctions 50\rangle \equiv
   tr \neg junction\_outR[0] = tr \neg L[0] * tr \neg glottal\_reflection + in;
   tr \rightarrow junction\_outL[tr \rightarrow n] = tr \rightarrow R[tr \rightarrow n-1] * tr \rightarrow lip\_reflection;
   for (i = 1; i  {
      r = tr \rightarrow reflection[i] * (1 - lambda) + tr \rightarrow new\_reflection[i] * lambda;
      w = r * (tr \rightarrow R[i-1] + tr \rightarrow L[i]);
      tr \rightarrow junction\_outR[i] = tr \rightarrow R[i-1] - w;
      tr \rightarrow junction\_outL[i] = tr \rightarrow L[i] + w;
   }
This code is used in section 49.
      \langle Calculate Scattering for Nose 51 \rangle \equiv
   i = tr \neg nose\_start;
   r = tr \neg new\_reflection\_left * (1 - lambda) + tr \neg reflection\_left * lambda;
   tr \rightarrow junction\_outL[i] = r * tr \rightarrow R[i-1] + (1+r) * (tr \rightarrow noseL[0] + tr \rightarrow L[i]);
   r = tr \neg new\_reflection\_right * (1 - lambda) + tr \neg reflection\_right * lambda;
   tr \neg junction\_outR[i] = r * tr \neg L[i] + (1+r) * (tr \neg R[i-1] + tr \neg noseL[0]);
   r = tr \neg new\_reflection\_nose * (1 - lambda) + tr \neg reflection\_nose * lambda;
   tr \neg nose\_junc\_outR[0] = r * tr \neg noseL[0] + (1+r) * (tr \neg L[i] + tr \neg R[i-1]);
This code is used in section 49.
52. \langle \text{Update Left/Right delay lines and set lip output 52} \rangle \equiv
   for (i = 0; i  {
      tr \neg R[i] = tr \neg junction\_out R[i] * 0.999;
      tr \rightarrow L[i] = tr \rightarrow junction\_outL[i+1] * 0.999;
   tr \rightarrow lip\_output = tr \rightarrow R[tr \rightarrow n-1];
This code is used in section 49.
       \langle Calculate Nose Scattering Junctions 53\rangle \equiv
   tr \neg nose\_junc\_outL[tr \neg nose\_length] = tr \neg nose\_length - 1] * tr \neg lip\_reflection;
   for (i = 1; i  {
      w = \textit{tr} \neg nose\_reflection[i] * (\textit{tr} \neg noseR[i-1] + \textit{tr} \neg noseL[i]);
      tr \rightarrow nose\_junc\_outR[i] = tr \rightarrow noseR[i-1] - w;
      tr \neg nose\_junc\_outL[i] = tr \neg noseL[i] + w;
   }
This code is used in section 49.
54. \langle \text{Update Nose Left/Right delay lines and set nose output 54} \rangle \equiv
   for (i = 0; i  {
      tr \neg noseR[i] = tr \neg nose\_junc\_outR[i];
      tr \rightarrow noseL[i] = tr \rightarrow nose\_junc\_outL[i+1];
   tr \rightarrow nose\_output = tr \rightarrow noseR[tr \rightarrow nose\_length - 1];
This code is used in section 49.
```

The function tract\_calculate\_reflections computes reflection coefficients used in the scattering junction. Because this is a rather computationally expensive function, it is called once per render block, and then

First, the cylindrical areas of tract section are computed by squaring the diameters, they are stored in the struct variable A.

Using the areas calculated, the reflections are calculated using the following formula:

$$R_i = \frac{A_{i-1} - A_i}{A_{i-1} + A_i}$$

To prevent some divide-by-zero edge cases, when  $A_i$  is exactly zero, it is set to be 0.999. From there, the new coefficients are set.

```
\langle Calculate Vocal Tract Reflections 55\rangle \equiv
  static void tract_calculate_reflections(tract *tr)
     int i;
      SPFLOAT sum;
      for (i = 0; i  {
         tr \rightarrow A[i] = tr \rightarrow diameter[i] * tr \rightarrow diameter[i]; /* Calculate area from diameter squared */
      for (i = 1; i  {
         tr \rightarrow reflection[i] = tr \rightarrow new\_reflection[i];
         if (tr \rightarrow A[i] \equiv 0) {
            tr \rightarrow new\_reflection[i] = 0.999; /* to prevent bad behavior if 0 */
         }
         else {
            tr \rightarrow new\_reflection[i] = (tr \rightarrow A[i-1] - tr \rightarrow A[i])/(tr \rightarrow A[i-1] + tr \rightarrow A[i]);
      tr \rightarrow reflection\_left = tr \rightarrow new\_reflection\_left;
      tr \rightarrow reflection\_right = tr \rightarrow new\_reflection\_right;
      tr \rightarrow reflection\_nose = tr \rightarrow new\_reflection\_nose;
      sum = tr \neg A[tr \neg nose\_start] + tr \neg A[tr \neg nose\_start + 1] + tr \neg noseA[0];
      tr \rightarrow new\_reflection\_left = (SPFLOAT)(2 * tr \rightarrow A[tr \rightarrow nose\_start] - sum)/sum;
      tr \neg new\_reflection\_right = (SPFLOAT)(2 * tr \neg A[tr \neg nose\_start + 1] - sum)/sum;
      tr \rightarrow new\_reflection\_nose = (SPFLOAT)(2 * tr \rightarrow noseA[0] - sum)/sum;
```

This code is cited in section 56.

This code is used in section 43.

26 THE VOCAL TRACT VOC  $\S 56$ 

**56.** Similar to  $tract\_calculate\_reflections$ , this function computes reflection coefficients for the nasal scattering junction. For more information on the math that is happening, see  $\langle$  Calculate Vocal Tract Reflections  $55\rangle$ .

This code is used in section 43.

```
57.
\langle \text{Reshape Vocal Tract } 57 \rangle \equiv
  {f static} \ {f SPFLOAT} \ move\_towards ({f SPFLOAT} \ current, {f SPFLOAT} \ target, {f SPFLOAT} \ amt\_up, {f SPFLOAT} \ amt\_down)
     SPFLOAT tmp;
     if (current < target) {
       tmp = current + amt_{-}up;
       return MIN(tmp, target);
     else {
       tmp = current - amt\_down;
       return MAX(tmp, target);
     return 0.0;
  static void tract_reshape(tract *tr)
     SPFLOAT amount;
     SPFLOAT slow_return;
     SPFLOAT diameter;
     SPFLOAT target_diameter;
     int i:
     int current_obstruction;
     current\_obstruction = -1;
     amount = tr \neg block\_time * tr \neg movement\_speed;
     for (i = 0; i  {
       slow\_return = 0;
       diameter = tr \rightarrow diameter[i];
       target\_diameter = tr \neg target\_diameter[i];
       if (diameter < 0.001) current_obstruction = i;
       if (i  <math>slow\_return = 0.6;
       else if (i \ge tr \neg tip\_start) slow\_return = 1.0;
       else {
          slow\_return = 0.6 + 0.4 * (i - tr \neg nose\_start) / (tr \neg tip\_start - tr \neg nose\_start);
       tr \neg diameter[i] = move\_towards(diameter, target\_diameter, slow\_return * amount, 2 * amount);
     if (tr \neg last\_obstruction > -1 \land current\_obstruction \equiv -1 \land tr \neg noseA[0] < 0.05) {
       append\_transient(\&tr \neg tpool, tr \neg last\_obstruction);
     tr \neg last\_obstruction = current\_obstruction;
     tr \neg nose\_diameter[0] = move\_towards(tr \neg nose\_diameter[0], tr \neg velum\_target, amount *0.25, amount *0.1);
     tr \rightarrow noseA[0] = tr \rightarrow nose\_diameter[0] * tr \rightarrow nose\_diameter[0];
  }
This code is cited in sections 20, 58, and 60.
This code is used in section 43.
```

28 THE VOCAL TRACT VOC §58

58. In Pink Trombone, there is a special handling of diameters that are exactly zero. From a physical point of view, air is completly blocked, and this obstruction of air produces a transient "click" sound. To simulate this, any obstructions are noted during the reshaping of the vocal tract (see (Reshape Vocal Tract 57)), and the latest obstruction position is noted and pushed onto a stack of transients. During the vocal tract computation, the exponential damping contributes to the overal amplitude of the left-going and right-going delay lines at that precise diameter location. This can be seen in the section (Process Transients 62).

```
\langle Vocal Tract Transients 58\rangle \equiv \langle Append Transient 60\rangle \langle Remove Transient 61\rangle This code is used in section 43.
```

**59.** The transient pool is initialized inside along with the entire vocal tract inside of  $\langle$  Vocal Tract Initialization  $_{44}\rangle$ . It essentially sets the pool to a size of zero and that the first available free transient is at index "0".

The transients in the pool will all have their boolean variable *is\_free*, set to be true so that they can be in line to be selected.

```
\begin{split} &\langle \text{ Initialize Transient Pool 59} \rangle \equiv \\ & \textit{tr} \neg \textit{tpool.size} = 0; \\ & \textit{tr} \neg \textit{tpool.next\_free} = 0; \\ & \textbf{for } (i=0; \ i < \texttt{MAX\_TRANSIENTS}; \ i++) \ \{ \\ & \textit{tr} \neg \textit{tpool.pool}[i].is\_\textit{free} = 1; \\ & \textit{tr} \neg \textit{tpool.pool}[i].id = i; \\ \} \end{split}
```

This code is used in section 44.

§60 VOC

Any obstructions noted during (Reshape Vocal Tract 57) must be appended to the list of previous transients. The function will return a 0 on failure, and a 1 on success.

Here is an overview of how a transient may get appended:

- 0. Check and see if the pool is full. If this is so, return 0.
- 1. If there is no recorded next free (the id is -1), search for one using brute force and check for any free transients. If none can be found, return 0. Since MAX\_TRANSIENTS is a low N, even the worst-case searches do not pose a significant performance penalty.
- 2. With a transient found, assign the current root of the list to be the next value in the transient. (It does not matter if the root is NULL, because the size of the list will prevent it from ever being accessed.)
- 3. Increase the size of the pool by 1.
- 4. Toggle the *is\_free* boolean of the current transient to be false.
- 5. Set the position.
- 6. Set the *time\_alive* to be zero seconds.
- 7. Set the *lifetime* to be 200ms, or 0.2 seconds.
- 9. Set the *exponent* parameter to be 200.

```
8. Set the strength to an amplitude 0.3.
10. Set the next_free parameter to be -1.
  \langle \text{ Append Transient } 60 \rangle \equiv
     static int append_transient(transient_pool *pool, int position)
        int i;
        int free_id;
        transient *t;
        free\_id = pool \neg next\_free;
        if (pool \neg size \equiv MAX\_TRANSIENTS) return 0;
        if (free\_id \equiv -1) {
           for (i = 0; i < MAX_TRANSIENTS; i++) {
              if (pool \neg pool[i].is\_free) {
                 free_{-}id = i;
                 break;
        if (free\_id \equiv -1) return 0;
        t = \& pool \neg pool[free\_id];
        t \rightarrow next = pool \rightarrow root;
        pool \neg root = t;
        pool \neg size ++;
        t \rightarrow is\_free = 0;
        t \rightarrow time\_alive = 0;
        t \rightarrow lifetime = 0.15;
        t \rightarrow strength = 0.6;
        t \rightarrow exponent = 200;
        pool \neg next\_free = -1;
        return 0;
```

This code is used in section 58.

30 THE VOCAL TRACT VOC  $\S61$ 

**61.** When a transient has lived it's lifetime, it must be removed from the list of transients. To keep things sane, transients have a unique ID for identification. This is preferred to comparing pointer addresses. While more efficient, this method is prone to subtle implementation errors.

The method for removing a transient from a linked list is fairly typical:

- 0. If the transient \*is\* the root, set the root to be the next value. Decrease the size by one, and return.
- 1. Iterate through the list and search for the entry.

This code is used in section 58.

- 2. Once the entry has been found, decrease the pool size by 1.
- 3. The transient, now free for reuse, can now be toggled to be free, and it can be the next variable ready to be used again.

```
\langle \text{Remove Transient } 61 \rangle \equiv
   static\ void\ remove\_transient(transient\_pool\ *pool, unsigned\ int\ id)
      int i;
      transient *n;
      pool \neg next\_free = id;
      n = pool \neg root;
      if (id \equiv n \rightarrow id) {
          pool \neg root = n \neg next;
          pool \neg size ---;
          return;
      for (i = 0; i < pool \neg size; i++) {
          if (n \rightarrow next \rightarrow id \equiv id) {
             pool \neg size --;
             n \rightarrow next \rightarrow is\_free = 1;
             n \rightarrow next = n \rightarrow next \rightarrow next;
             break;
          n = n \neg next;
```

§62 VOC

Transients are processed during \( \) Vocal Tract Computation 49 \( \). The transient list is iterated through, their contributions are made to the Left and Right delay lines.

In this implementation, the transients in the list are iterated through, and their contributions are calculated using the following exponential function:

$$A = s2^{-E_0 * t}$$

Where:

- A is the contributing amplitude to the left and right-going components.
- $\bullet$  s is the overall strength of the transient.
- $E_0$  is the exponent variable constant.
- t is the time alive.

This particular function also must check for any transients that need to be removed, and removes them. Some caution must be made to make sure that this is done properly. Because a call to remove\_transient changes the size of the pool, a copy of the current size is copied to a variable for the for loop. Since the list iterates in order, it is presumably safe to remove values from the list while the list is iterating.

```
\langle \text{ Process Transients } 62 \rangle \equiv
  pool = \&tr \neg tpool;
  current\_size = pool \neg size;
  n = pool \neg root:
  for (i = 0; i < current\_size; i++) {
      noise = (SPFLOAT) sp\_rand(sp)/SP\_RANDMAX;
      amp = n \neg strength * pow(2, -1.0 * n \neg exponent * n \neg time\_alive);
      tr \rightarrow L[n \rightarrow position] += amp * 0.5 * noise;
      tr \rightarrow R[n \rightarrow position] += amp * 0.5 * noise;
      n \rightarrow time\_alive += tr \rightarrow T * 0.5;
      if (n \rightarrow time\_alive > n \rightarrow lifetime) {
         remove\_transient(pool, n \rightarrow id);
      n = n \rightarrow next;
  }
```

This code is cited in section 58.

This code is used in section 49.

32 HEADER FILE VOC  $\S63$ 

# Header File (63)

CTANGLE will end up generating two files: a single C amalgamation and this header file.

This header file exists for individuals who wish to use Voc in their own programs. Voc follows Soundpipe's hardware-agnostic design, and should be trivial to throw in any DSP inner loop.

The contents of the header is fairly minimal. Following a standard header guard, the contents consist of:

- a typedef around the opaque struct sp\_voc
- function declarations which adhere to the 4-stage Soundpipe module lifecycle model.
- a collection of setter/getter functions to allow to get and set data from the opaque struct.

Since *Voc* makes use of opaque struct pointers, this header file will need to declare setter/getter functions for any user parameters.

```
\langle \text{voc.h} \quad 63 \rangle \equiv
#ifndef SP_VOC
#define SP_VOC
  typedef struct sp_voc sp_voc;
  int sp\_voc\_create(\mathbf{sp\_voc} **voc);
  int sp\_voc\_destroy(\mathbf{sp\_voc} **voc);
  int sp\_voc\_init(sp\_data * sp, \mathbf{sp\_voc} * voc);
  int sp\_voc\_compute(sp\_data * sp, \mathbf{sp\_voc} * voc, \mathsf{SPFLOAT} * out);
  int sp\_voc\_tract\_compute(sp\_data * sp\_voc * voc, SPFLOAT * in, SPFLOAT * out);
  void sp\_voc\_set\_frequency(\mathbf{sp\_voc} *voc, SPFLOAT freq);
  SPFLOAT * sp\_voc\_get\_frequency\_ptr(sp\_voc *voc);
  SPFLOAT * sp\_voc\_get\_tract\_diameters(sp\_voc *voc);
  SPFLOAT * sp\_voc\_get\_current\_tract\_diameters(sp\_voc *voc);
  int sp\_voc\_get\_tract\_size(\mathbf{sp\_voc} *voc);
  SPFLOAT * sp\_voc\_get\_nose\_diameters(sp\_voc *voc);
  int sp\_voc\_get\_nose\_size(\mathbf{sp\_voc} *voc);
  \mathbf{void}\ sp\_voc\_set\_tongue\_shape(\mathbf{sp\_voc}\ *voc, \mathsf{SPFLOAT}\ tongue\_index, \mathsf{SPFLOAT}\ tongue\_diameter);
  void sp_voc_set_tenseness(sp_voc *voc, SPFLOAT breathiness);
  SPFLOAT * sp\_voc\_qet\_tenseness\_ptr(sp\_voc *voc);
  void sp\_voc\_set\_velum(\mathbf{sp\_voc} *voc, SPFLOAT velum);
  SPFLOAT * sp\_voc\_get\_velum\_ptr(sp\_voc *voc);
  void sp_voc_set_diameters(sp_voc *voc, int blade_start, int lip_start, int tip_start,
        SPFLOAT tongue_index, SPFLOAT tongue_diameter, SPFLOAT * diameters);
  int sp\_voc\_get\_counter(\mathbf{sp\_voc} *voc);
#endif
This code is cited in sections 1 and 3.
```

# **Small Applications and Examples** (64)

It has been fruitful investment to write small applications to assist in the debugging process. Such programs can be used to generate plots or visuals, or to act as a simple program to be used with GDB. In addition to debugging, these programs are also used to quickly try out concepts or ideas.

VOC

65.

### A Program for Non-Realtime Processing and Debugging

The example program below is a C program designed out of necessity to debug and test Voc. It a program with a simple commandline interface, where the user gives a "mode" along with set of optional arguments. The following modes are as follows:

- audio: writes an audio file called "test.wav". You must supply a duration (in samples).
- plot: Uses sp\_process\_plot to generate a matlab/octave compatible program that plots the audio output.
- tongue: Will be a test program that experiments with parameters manipulating tongue position. It takes in tongue index and diameter parameters, to allow for experimentation without needing to recompile.

  The functions needed to call Voc from C in this way are found in the section (Top Level Functions 11).

```
\langle \text{debug.c} \quad 65 \rangle \equiv
#include <soundpipe.h>
#include <string.h>
#include <stdlib.h>
#include "voc.h"
  static void process(sp\_data * sp, void *ud)
     SPFLOAT out;
     \mathbf{sp\_voc} *voc = ud;
     sp\_voc\_compute(sp, voc, \&out);
     sp\_out(sp, 0, out);
  static void run_voc(long len, int type)
     sp\_voc *voc;
     sp_{-}data * sp;
     sp\_create(\&sp);
     sp \rightarrow len = len;
     sp\_voc\_create(\&voc);
     sp\_voc\_init(sp, voc);
     if (type \equiv 0) {
       sp\_process\_plot(sp, voc, process);
     else {
       sp\_process(sp, voc, process);
     sp\_voc\_destroy(\&voc);
     sp\_destroy(\&sp);
  static void run_tongue(SPFLOAT tongue_index, SPFLOAT tongue_diameter)
    sp\_voc *voc;
     sp\_data * sp;
     sp\_create(\&sp);
     sp\_voc\_create(\&voc);
     sp\_voc\_init(sp, voc);
     fprintf(stderr, "Tongue\_index: \_%g.\_Tongue\_diameter: \_%g \n", tongue\_index, tongue\_diameter);
     sp\_voc\_set\_tongue\_shape(voc, tongue\_index, tongue\_diameter);
     sp\_process(sp, voc, process);
     sp\_voc\_destroy(\&voc);
```

```
sp\_destroy(\&sp);
  \mathbf{int} \ \mathit{main}(\mathbf{int} \ \mathit{argc}, \mathbf{char} \ *\mathit{argv} \lceil \, ])
     if (argc \equiv 1) {
        fprintf(stderr, "Pick_la_lmode! \n");
        exit(0);
     if (\neg strcmp(argv[1], "plot")) {
        if (argc < 3) {
          fprintf(stderr, "Usage: \_\%s \_plot \_duration \_(samples) \n", argv[0]);
        run\_voc(atoi(argv[2]), 0);
     else if (\neg strcmp(argv[1], "audio")) {
        if (argc < 3) {
          fprintf(stderr, "Usage: \_\%s\_audio\_duration\_(samples) \n", argv[0]);
           exit(0);
        run\_voc(atoi(argv[2]), 1);
     else if (¬strcmp(argv[1], "tongue")) {
        if (argc < 4) {
          fprintf(stderr, "Usage_{\sqcup}\%s_{\sqcup}tongue_{\sqcup}tongue\_index_{\sqcup}tongue\_diameter\n", argv[0]);
           exit(0);
        run\_tongue(atof(argv[2]), atof(argv[3]));
     else {
        fprintf(stderr, "Error: \_invalid\_type\_%s\n", argv[1]);
     \mathbf{return} \ 0;
This code is cited in section 1.
```

VOC

66.

### A Utility for Plotting Data

The following program below is used to write data files to be read by GNUplot. The primary use of this program is for generating use plots in this document, such as those seen in the section  $\langle$  The Vocal Tract 43 $\rangle$ .

```
\langle plot.c | 66 \rangle \equiv
#include <soundpipe.h>
#include <string.h>
#include <stdlib.h>
#include "voc.h"
  static void plot_tract()
    sp\_voc *voc;
     sp\_data * sp;
     SPFLOAT
         *tract;
         int size;
         int i;
     sp\_create(\&sp);
     sp\_voc\_create(\&voc);
     sp\_voc\_init(sp, voc);
     tract = sp\_voc\_get\_tract\_diameters(voc);
     size = sp\_voc\_qet\_tract\_size(voc);
     for (i = 0; i < size; i++) {
       printf("\%i\t\%g\n", i, \mathbf{tract}[i]);
     sp\_voc\_destroy(\&voc);
     sp\_destroy(\&sp);
  static void plot_nose()
    sp\_voc *voc;
     sp\_data * sp;
     SPFLOAT * nose;
    int size;
    int i;
     sp\_create(\&sp);
     sp\_voc\_create(\&voc);
     sp\_voc\_init(sp, voc);
     nose = sp\_voc\_get\_nose\_diameters(voc);
     size = sp\_voc\_get\_nose\_size(voc);
     for (i = 0; i < size; i++) {
       printf("\%i\t\%g\n", i, nose[i]);
     sp\_voc\_destroy(\&voc);
     sp\_destroy(\&sp);
  static void plot_tongue_shape(int num)
    \mathbf{sp\_voc} *voc;
```

```
sp\_data * sp;
  SPFLOAT
       *tract;
       int size;
       int i;
  sp\_create(\&sp);
  sp\_voc\_create(\&voc);
  sp\_voc\_init(sp, voc);
  tract = sp\_voc\_get\_tract\_diameters(voc);
  size = sp\_voc\_get\_tract\_size(voc);
  \mathbf{switch} \ (num) \ \{
  case 1: sp\_voc\_set\_tongue\_shape(voc, 20.5, 3.5);
    break;
  case 2: sp\_voc\_set\_tongue\_shape(voc, 25.5, 3.5);
    break;
  case 3: sp\_voc\_set\_tongue\_shape(voc, 20.5, 2.0);
    break;
  case 4: sp\_voc\_set\_tongue\_shape(voc, 24.8, 1.4);
    break;
  for (i = 0; i < size; i++) {
    printf("\%i\t\%g\n", i, \mathbf{tract}[i]);
  sp\_voc\_destroy(\&voc);
  sp\_destroy(\&sp);
int main(int argc, char **argv)
  if (argc < 2) {
    fprintf(stderr, "Usage: \_\%s\_plots/name.dat\n", argv[0]);
    exit(1);
  if (\neg strncmp(argv[1], "plots/tract.dat", 100)) {
    plot_tract();
  else if (\neg strncmp(argv[1], "plots/nose.dat", 100)) {
    plot\_nose();
  else if (\neg strncmp(argv[1], "plots/tongueshape1.dat", 100)) {
    plot\_tongue\_shape(1);
  else if (\neg strncmp(argv[1], "plots/tongueshape2.dat", 100)) {
    plot\_tongue\_shape(2);
  else if (\neg strncmp(argv[1], "plots/tongueshape3.dat", 100)) {
    plot\_tongue\_shape(3);
  else if (\neg strncmp(argv[1], "plots/tongueshape4.dat", 100)) {
    plot\_tongue\_shape(4);
  else {
```

VOC

}

```
\begin{array}{l} \textit{fprintf}\,(stderr, \texttt{"Plot:} \bot \texttt{could} \bot \texttt{not} \bot \texttt{find} \bot \texttt{plot} \bot \texttt{%s} \texttt{`n"}, argv\,[1]);\\ exit\,(1);\\ \}\\ \textbf{return}\ 0; \end{array}
```

This code is cited in section 1.

 $\S67$  VOC EXTERNAL SPORTH PLUGINS 39

## External Sporth Plugins (67)

Sporth, a stack-based synthesis language, is the preferred tool of choice for sound design experimentation and prototyping with Voc. A version of Voc has been ported to Sporth as third party plugin, known as an external Sporth Plugin.

## Sporth Plugins as Seen from Sporth

In Sporth, one has the ability to dynamically load custom unit-generators or, *ugens*, into Sporth. Such a unit generator can be seen here in Sporth code:

```
_voc "./voc.so" fl
# frequency
170 8 1 5 jitter +
# tongue position
0 1 5 randi
# tongue diameter
0 1 20 randi
# breathiness
0.4 0.7 9 randi
# velum amount
0
\_voc fe
# Add reverberation using the Zita reverberator
\operatorname{dup} \operatorname{dup} 1 \ 2 \ 8000 \ \operatorname{zrev} \operatorname{drop} -3 \ \operatorname{ampdb} * +
# close the plugin
\_voc fc
```

In the code above, the plugin file is loaded via f1 (function load) and saved into the table \_voc. An instance of \_voc is created with fe (function execute). Finally, the dynamic plugin is closed with fc (function close).

## Sporth plugins as seen from C.

Custom unit generators are written in C using a special interface provided by the Sporth API. The functionality of an external sporth ugen is nearly identical to an internal one, with exceptions being the function definition and how custom user-data is handled. Besides that, they can be seen as equivalent.

The entirety of the Sporth unit generator is contained within a single subroutine, declared **static** so as to not clutter the global namespace. The crux of the function is a case switch outlining four unique states of operation, which define the *lifecycle* of a Sporth ugen. This design concept comes from Soundpipe, the music DSP library that Sporth is built on top of.

These states are executed in this order:

- 1. Create: allocates memory for the DSP module
- 2. Initialize: zeros out and sets up default values
- 3. Compute: Computes an audio-rate sample (or samples)
- 4. Destroy: frees all memory previously allocated in Create

Create and init are called once during runtime, compute is called as many times as needed while the program is running, and destroy is called once when the program is stopped.

The code below shows the outline for the main Sporth Ugen.

```
⟨ugen.c 67⟩ ≡
#include <stdlib.h>
#include <math.h>
#include <string.h>
```

This code is cited in sections 1 and 11.

```
#ifdef BUILD_SPORTH_PLUGIN
#include <soundpipe.h>
#include <sporth.h>
#include "voc.h"
\#else
#include "plumber.h"
\#endif
\#ifdef BUILD_SPORTH_PLUGIN
  static int sporth\_voc(plumber\_data*pd, sporth\_stack*stack, void **ud)
\#\mathbf{else}
       int sporth_voc(sporth_stack * stack, void *ud)
#endif
         sp\_voc *voc;
         SPFLOAT out;
         SPFLOAT freq;
         SPFLOAT pos;
         SPFLOAT diameter;
         SPFLOAT tenseness;
         SPFLOAT nasal;
#ifndef BUILD_SPORTH_PLUGIN
         plumber\_data*pd;
         pd = ud;
#endif
         switch (pd \neg mode) {
         case PLUMBER_CREATE:
            \langle \text{ Creation } 68 \rangle;
           break;
         case PLUMBER_INIT:
            \langle Initialization 69 \rangle;
           break;
         case PLUMBER_COMPUTE:
            \langle \text{ Computation } 70 \rangle;
           break;
         case PLUMBER_DESTROY:
            \langle \text{ Destruction } 71 \rangle;
           break;
         return PLUMBER_OK;
       ⟨Return Function 72⟩
See also sections 73 and 74.
```

**68.** The first state executed is **creation**, denoted by the macro PLUMBER\_CREATE. This is the state where memory is allocated, tables are created and stack arguments are checked for validity.

It is here that the top-level function (Voc Create 12) is called.

```
\langle \text{ Creation } 68 \rangle \equiv
  sp\_voc\_create(\&voc);
#ifdef BUILD_SPORTH_PLUGIN
  *ud = voc;
#else
  plumber_add_ugen(pd, SPORTH_VOC, voc);
\#endif
  if (sporth\_check\_args(stack, "ffffff") \neq SPORTH\_OK) {
     plumber\_print(pd, "Voc: \_not\_enough\_arguments! \n");
  nasal = sporth\_stack\_pop\_float(stack);
  tenseness = sporth\_stack\_pop\_float(stack);
  diameter = sporth\_stack\_pop\_float(stack);
  pos = sporth\_stack\_pop\_float(stack);
  freq = sporth\_stack\_pop\_float(stack);
  sporth\_stack\_push\_float(stack, 0.0);
This code is used in section 67.
```

**69.** The second state executed is **initialization**, denoted by the macro PLUMBER\_INIT. This is the state where variables get initalised or zeroed out. It should be noted that auxiliary memory can allocated here for things involving delay lines with user-specified sizes. For this reason, it is typically not safe to call this twice for reinitialization. (The author admits that this is not an ideal design choice.)

It is here that the top-level function (Voc Initialization 14) is called.

```
⟨ Initialization 69⟩ ≡
#ifdef BUILD_SPORTH_PLUGIN

voc = *ud;
#else

voc = pd \neg last \neg ud;
#endif

sp\_voc\_init(pd \neg sp, voc);
nasal = sporth\_stack\_pop\_float(stack);
tenseness = sporth\_stack\_pop\_float(stack);
diameter = sporth\_stack\_pop\_float(stack);
pos = sporth\_stack\_pop\_float(stack);
freq = sporth\_stack\_pop\_float(stack);
sporth\_stack\_push\_float(stack, 0.0);
This code is used in section 67.
```

VOC

70. The third state executed is **computation**, denoted by the macro PLUMBER\_COMPUTE. This state happens during Sporth runtime in the audio loop. Generally speaking, this is where a Ugen will process audio. In this state, strings in this callback are ignored; only floating point values are pushed and popped. It is here that the top-level function (Voc Compute 15) is called.

```
\langle \text{ Computation } 70 \rangle \equiv
#ifdef BUILD_SPORTH_PLUGIN
  voc = *ud;
#else
  voc = pd \neg last \neg ud;
\#endif
  nasal = sporth\_stack\_pop\_float(stack);
  tenseness = sporth\_stack\_pop\_float(stack);
  diameter = sporth\_stack\_pop\_float(stack);
  pos = sporth\_stack\_pop\_float(stack);
  freq = sporth\_stack\_pop\_float(stack);
  sp\_voc\_set\_frequency(voc, freq);
  sp\_voc\_set\_tenseness(voc, tenseness);
  if (sp\_voc\_get\_counter(voc) \equiv 0) {
     sp\_voc\_set\_velum(voc, 0.01 + 0.8 * nasal);
     sp\_voc\_set\_tongue\_shape(voc, 12 + 16.0 * pos, diameter * 3.5);
  sp\_voc\_compute(pd \neg sp, voc, \& out);
  sporth_stack_push_float(stack, out);
This code is used in section 67.
```

71. The fourth and final state in a Sporth ugen is **Destruction**, denoted by PLUMBER\_DESTROY. Any memory allocated in PLUMBER\_CREATE should be consequently freed here.

It is here that the top-level function  $\langle Voc Destroy 13 \rangle$  is called.

**72.** A dynamically loaded sporth unit-generated such as the one defined here needs to have a globally accessible function called *sporth\_return\_ugen*. All this function needs to do is return the ugen function, which is of type *plumber\_dyn\_func*.

```
⟨ Return Function 72 ⟩ ≡
#ifdef BUILD_SPORTH_PLUGIN
  plumber_dyn_func sporth_return_ugen()
  {
    return sporth_voc;
  }
#endif
This code is used in section 67.
```

73.

## A Ugen for the Vocal Tract Model

```
\langle \text{ugen.c} \quad 67 \rangle + \equiv
#ifdef BUILD_SPORTH_PLUGIN
  static int sporth_tract(plumber_data * pd, sporth_stack * stack, void **ud)
     sp\_voc *voc;
     SPFLOAT out;
     SPFLOAT pos;
     SPFLOAT diameter;
     SPFLOAT nasal;
     SPFLOAT in;
     switch (pd \rightarrow mode) {
     case PLUMBER_CREATE:
       sp\_voc\_create(\&voc);
       *ud = voc:
       if (sporth\_check\_args(stack, "fffff") \neq SPORTH\_OK) {
         plumber\_print(pd, "Voc: \_not\_enough\_arguments! \n");
       nasal = sporth\_stack\_pop\_float(stack);
       diameter = sporth\_stack\_pop\_float(stack);
       pos = sporth\_stack\_pop\_float(stack);
       in = sporth\_stack\_pop\_float(stack);
       sporth\_stack\_push\_float(stack, 0.0);
       break:
     case PLUMBER_INIT:
       voc = *ud;
       sp\_voc\_init(pd \neg sp, voc);
       nasal = sporth\_stack\_pop\_float(stack);
       diameter = sporth\_stack\_pop\_float(stack);
       pos = sporth\_stack\_pop\_float(stack);
       in = sporth\_stack\_pop\_float(stack);
       sporth\_stack\_push\_float(stack, 0.0);
       break:
     case PLUMBER_COMPUTE:
       voc = *ud;
       nasal = sporth\_stack\_pop\_float(stack);
       diameter = sporth\_stack\_pop\_float(stack);
       pos = sporth\_stack\_pop\_float(stack);
       in = sporth\_stack\_pop\_float(stack);
       if (sp\_voc\_get\_counter(voc) \equiv 0) {
         sp\_voc\_set\_velum(voc, 0.01 + 0.8 * nasal);
         sp\_voc\_set\_tongue\_shape(voc, 12 + 16.0 * pos, diameter * 3.5);
       sp\_voc\_tract\_compute(pd \neg sp, voc, \&in, \&out);
       sporth_stack_push_float(stack, out);
       break:
     case PLUMBER_DESTROY:
       voc = *ud;
       sp\_voc\_destroy(\&voc);
       break;
```

VOC §73

```
\label{eq:continuity} \left. \begin{array}{l} \\ \mathbf{return} \ \mathtt{PLUMBER\_OK}; \\ \\ \\ \mathbf{\#endif} \end{array} \right.
```

74.

## A multi ugen plugin implementation

New Sporth developments contemporary with the creation of Voc have lead to the development of Sporth plugins with multiple ugens.

## **Sporth Code Examples** (75)

Here are some sporth code examples.

### Chant

```
_voc "./voc.so" fl
36 0.3 1 4 jitter + mtof
0.1 1 sine 0 1 biscale
0.9
0.9
0.3 1 sine 0 1 biscale
_voc fe 36 mtof 70 5 eqfil
dup dup 0.97 10000 revsc drop -14 ampdb * dcblk +
_voc fc
```

#### Rant

```
# It kind of sounds like an angry rant
_voc "./voc.so" fl
100
8 metro 0.3 maygate 200 * + 0.1 port
30 1 10 jitter +
0 1 3 randi
0 1 3 20 1 randi randi
0.7
0
_voc fe
1 metro 0.7 maygate 0.03 port *
dup dup 1 2 8000 zrev drop -10 ampdb * +
_voc fc
```

### Unya

```
_voc "./voc.so" fl
_rate var
_seq "0 2 4 7 9 11 12" gen_vals

15 inv 1 sine 0.3 3 biscale _rate set
_rate get metro 1 _seq tseq 48 + 5 6 1 randi 1 sine 0.3 * + mtof
_rate get metro 0.1 0.01 0.1 tenv 0.0 0.3 scale
_rate get metro 0.1 0.1 0.3 tenv 0.0 _rate get metro 0.3 0.9 trand scale
0.8
_rate get metro tog
_voc fe

dup dup 0.9 8000 revsc drop -14 ampdb * dcblk +
_voc fc
```

46 SOUNDPIPE FILES VOC  $\S76$ 

## **Soundpipe Files** (76)

This section here outlines files specifically needed to fulfill the Soundpipe the requirements for being a Soundpipe module.

The components of a fully implemented Soundpipe module consist of the following:

- The core callback code implementing create, destroy, initialize, and compute functions (the core of this document)
- An accompanying header file for the core code (see \$ ( voc.h)
- An example file, showcase a simple usecase for the module in a small C program, using the namespace convenction ex.FOO.c.
- A metadata file in the form of a Lua table. This file is mainly used to generate documentation for Soundpipe, but it is also used to generate Sporth ugen code.
- A soundpipe test file, using the namespace t\_FOO.c. This file gets included with Soundpipe's internal test utility, which implements a form of unit testing for DSP code.
- A soundpipe performance file, using the namespee p\_FOO.c. This file get inslueded with Soundpipe's internal performance utility, used to gauge how computationally expensive a given Soundpipe module is.

## A small C Example

Each soundpipe module comes with a small example file showcasing how to use a module. This one utilizes the macro tongue control outlined in  $\langle Voc Set Tongue Shape 25 \rangle$  to shape the vowel formants. In this case, a single LFO is modulating the tract position.

In addition to providing some example code, these short programs often come in handy with debugging programs like GDB and Valgrind.

```
\langle ex\_voc.c \quad 76 \rangle \equiv
#include <stdlib.h>
#include <stdio.h>
#include <time.h>
#include "soundpipe.h"
  typedef struct {
     sp\_voc *voc;
     sp\_osc * osc;
     sp_-ftbl*ft;
  } UserData;
  void process(sp_data * sp, void *udata)
     UserData *ud = udata:
     SPFLOAT osc = 0, voc = 0;
     sp\_osc\_compute(sp, ud \rightarrow osc, \Lambda, \& osc);
     if (sp\_voc\_get\_counter(ud \rightarrow voc) \equiv 0) {
       osc = 12 + 16 * (0.5 * (osc + 1));
       sp\_voc\_set\_tongue\_shape(ud \neg voc, osc, 2.9);
     sp\_voc\_compute(sp, ud \neg voc, \& voc);
     sp \neg out[0] = voc;
  int main()
     UserData ud;
     sp_{-}data * sp;
     sp\_create(\&sp);
```

```
sp\_srand(sp, 1234567);
     sp\_voc\_create(\&ud.voc);
     sp\_osc\_create(\&ud.osc);
     sp\_ftbl\_create(sp,\&ud.ft,2048);
     sp\_voc\_init(sp, ud.voc);
     sp\_gen\_sine(sp, ud.ft);
     sp\_osc\_init(sp, ud.osc, ud.ft, 0);
     ud.osc \neg amp = 1;
    ud.osc \neg freq = 0.1;
     sp \neg len = 44100 * 5;
     sp\_process(sp, \&ud, process);
     sp\_voc\_destroy(\&ud.voc);
     sp\_ftbl\_destroy(\&ud.ft);
     sp\_osc\_destroy(\&ud.osc);
     sp\_destroy(\&sp);
     return 0;
This code is cited in section 1.
```

48 SOUNDPIPE FILES VOC §77

77.

#### **Soundpipe Unit Test**

The prototypical soundpipe unit test will fill a buffer of memory with samples. The md5 of this buffer is taken, and then compared with a reference md5. If they match, the signal is sample-accurately identical to the reference and the test passes. A test that does not pass can mean any number of things went wrong, and indicates that the module should be seriously looked at it.

```
\langle t\_voc.c \quad 77 \rangle \equiv
#include "soundpipe.h"
#include "md5.h"
#include "tap.h"
#include "test.h"
  typedef struct {
     sp\_voc *voc;
     sp\_osc * osc;
     sp_{-}ftbl*ft;
  } UserData;
  int t\_voc(sp\_test * tst, sp\_data * sp, \mathbf{const} \mathbf{char} * hash)
     uint32_{-}tn;
     UserData ud:
     int fail = 0;
     SPFLOAT osc, voc;
     sp\_voc\_create(\&ud.voc);
     sp\_osc\_create(\&ud.osc);
     sp_{ftbl\_create}(sp, \&ud.ft, 2048);
     sp\_voc\_init(sp, ud.voc);
     sp\_gen\_sine(sp, ud.ft);
     sp\_osc\_init(sp, ud.osc, ud.ft, 0);
     ud.osc \neg amp = 1;
     ud.osc \rightarrow freq = 0.1;
     for (n = 0; n < tst \rightarrow size; n \leftrightarrow) {
                                                 /* compute samples and add to test buffer */
       osc = 0;
       voc = 0;
       sp\_osc\_compute(sp, ud.osc, \Lambda, \& osc);
       if (sp\_voc\_get\_counter(ud.voc) \equiv 0) {
          osc = 12 + 16 * (0.5 * (osc + 1));
          sp\_voc\_set\_tongue\_shape(ud.voc, osc, 2.9);
       sp\_voc\_compute(sp, ud.voc, \&voc);
       sp\_test\_add\_sample(tst, voc);
     fail = sp\_test\_verify(tst, hash);
     sp\_voc\_destroy(\&ud.voc);
     sp_{-}ftbl_{-}destroy(\&ud.ft);
     sp\_osc\_destroy(\&ud.osc);
     if (fail) return SP_NOT_OK;
     else return SP_OK;
This code is cited in section 1.
```

 $\S78$  VOC SOUNDPIPE FILES 49

**78.** 

## **Soundpipe Perfomance Test**

The essence of a performance test in Soundpipe consists of running the compute function enough times so that some significant computation time is taken up. From there it is measured using a OS timing utility like time, and saved to a log file. The timing information from this file can be plotted against other soundpipe module times, which can be useful to see how certain modules perform relative to others.

```
\langle p\_voc.c 78 \rangle \equiv
#include <stdlib.h>
#include <stdio.h>
#include "soundpipe.h"
#include "config.h"
  int main()
  {
     sp\_data * sp;
     sp\_create(\&sp);
     sp\_srand(sp, 12345);
     sp \neg sr = SR;
     sp \rightarrow len = sp \rightarrow sr * LEN;
     uint32_-tt, u;
     SPFLOAT out = 0;
     \mathbf{sp\_voc} *unit[\mathtt{NUM}];
     for (u = 0; u < NUM; u++) {
       sp\_voc\_create(\&unit[u]);
       sp\_voc\_init(sp, unit[u]);
     for (t = 0; t < sp \rightarrow len; t ++) {
       for (u = 0; u < NUM; u++) sp\_voc\_compute(sp, unit[u], & out);
     for (u = 0; u < \text{NUM}; u++) sp\_voc\_destroy(\&unit[u]);
     sp\_destroy(\&sp);
     return 0;
```

This code is cited in section 1.

50 References voc  $\S79$ 

# References (79)