

Index

A

A/B studies, 35, 54, 216–217
Abbott prescription drug labels, 271–279
Accessibility checking tools, 229
Accessibility data, 227–231
Accessibility Valet Demonstrator, 229
AccMonitor (HiSoftware), 229
Accuracy, in reporting decimal places, 26
ACSI. *See* American Customer Satisfaction Index
Add Trend Line option (Excel), 32
Adjusted Wald Method, 69
Affective Computing Research Group, 186–188
After-Scenario Questionnaire (ASQ), 129–130
 in IVR case study, 245
 in OneStart case study, 282
Aggregating task ratings, 137–138
Albert, W., 129, 131, 179
Alternative design comparisons, 55
American Customer Satisfaction Index (ACSI),
 151, 153–155
American Institutes for Research, 147
Analysis of variance (ANOVA)
 binary successes, 67
 pharmacist performance case study, 277
 types, 30–31
Analyzing and reporting metrics
 binary success, 67–68
 card-sorting data, 218–228
 efficiency, 88–90
 errors, 84–86
 frequency of unique issues, 109–111
 frequency of participants per issue, 111–112
 issues by category, 112–113
 issues by task, 113
 learnability data, 94–96
 levels of success, 72–73
 positive issues, 114
 precision in, 26
 self-reported data, 127–128
 time-on-task data, 77–79
Anchor terms, in Likert scales, 124
Anonymity, in self-reported data collection, 127
ANOVA. *See* Analysis of variance
ANOVA: Single-Factor option, 30–31
Apple IIe Design Guidelines, 102
Artifact bias, 116
ASQ. *See* After-Scenario Questionnaire
Assistance factors, in levels of success, 71

Attractiveness area, in WAMMI, 151, 153
Attribute assessment, in self-reported metrics,
 158–161
Automated studies, 103
Automated tools
 accessibility-checking, 229
 measuring time-on-task, 75
Awareness
 and comprehension, 163–165
 increasing, 52
Awareness-usefulness gaps, 165
Axes
 bar graphs, 36–37
 labeling, 35
 line graphs, 39–40
 MDS plots, 224
 scatterplots, 32, 40–41
 stacked bar graphs, 43

B

Bailey, B. P., 181–182
Bailey, Robert W., 108, 252, 262
Baker, J., 88
Ball, Harvey, 205
Ballots
 comparisons, 148–150
 errors in, 6, 82–83
Bar graphs, 36–38
 vs. line graphs, 38
 stacked, 42–44
Baseline tests, 253–254
Beginning and ending of issues, 103–104
Behavioral and physiological metrics, 52, 54, 167
 Affective Computing Research Group
 and, 186–188
 eye-tracking, 175–180
 facial expression capture, 171–174
 overt behaviors, 167–171
 pupillary response, 180–182
 skin conductance and heart rate, 183–186
Benchmarking, 293
Benchmarking case study (mobile music
 and video), 263
 attempts, number of, 266
 changes and future work, 270
 comparative analysis, 264
 data collection, 265–266
 data manipulation and visualization, 267, 269

- Benchmarking case study (mobile music and video) (*Continued*)
 - discussion, 269–270
 - perception metrics, 266–267
 - project goals and methods, 263
 - qualitative and quantitative data, 263
 - qualitative and quantitative findings, 267
 - research domain, 263
 - respondent recruiting, 265
 - respondents, number of, 264–265
 - successes and failures, 266
 - summary findings and SUM metrics, 267–268
 - time to complete, 266
- Benedek, Joey, 142, 172–174
- Between-subjects studies, 18–19
- Biases
 - in issue identification, 116–117
 - in self-reported data collection, 126–127
- “Big Opportunities” quadrant (expectation vs. experience), 131
- Binary successes, 66
 - analyzing and presenting, 67–68
 - collecting and measuring, 66–67
 - confidence intervals, 69
- Bobby accessibility checking tool, 229
- Bojko, Agnieszka, 271, 279
- Bots (search), 212
- Brooke, John, 138
- Bubb, H., 180
- Budgets, 55–56, 291–292
- Business goals, 295
- Business language, 295
- Butterfly ballots, 6, 82–83
- Byrne, Michael, 148
- C**
- Calendars, for sessions, 290
- Card-sorting data, 51, 217
 - analysis, 218–225
 - closed sorts, 217, 225–228
 - number of participants, 223
 - tools, 218
- CardSort tool, 218
- CardZort tool, 218
- Case studies, 237
 - metrics impact, in enterprise portal study, 280–287
 - mobile music and video, 263–271
 - pharmacist performance, 271–280
 - speech recognition IVR, 244–252
 - website redesign, 237–244, 252–253
- Category, issues by, 112–113
- CDC.GOV website redesign case study, 252–253
 - baseline test, 253–254
 - conclusions, 261–262
 - final prototype testing, 258–261
 - qualitative findings, 255–256
 - task scenarios, 255
 - usability testing levels, 253
 - wireframing and FirstClick testing, 256–258
- Central tendency, measures of, 25
- Chadwick-Dias, A., 201
- Champions for user experience, 290
- Chattratichart, J., 116–117, 119
- Chi-square tests
 - click-through rates, 213–214
 - overview, 33–35
- CHITEST function, 34, 214
- CIF. *See* Common Industry Format
- Click-through rates, 213–215
- Clock operation, for time-on-task, 75
- Closed card sorts, 51, 217, 225–228
- Cockton, G., 119
- Coding overt behaviors, 167–171
- Cognitive effort, 87
- Collecting data, 59–60
 - binary successes, 66–67
 - efficiency, 87–88
 - errors, 83–84
 - learnability, 93–94
 - levels of success, 70–72
 - for mobile music and video case study, 265–266
 - myths about, 10
 - self-reported data, 124–128
 - task success metrics, 65
 - time-on-task, 74–77
- Color, in graphs, 35
- Column graphs, 36–38
- Combined metrics, 191
 - based on percentages, 193–198
 - based on target goals, 192
 - based on z-scores, 199–202
 - product comparisons, 50
 - severity ratings based on, 106–107
 - SUM, 202–203
 - usability scorecards, 203–206
- Common Industry Format (CIF), 90
- Comparative Usability Evaluation (CUE), 114
- Comparisons
 - alternative designs, 55
 - to expert performance, 208–209
 - to goals, 206–208
 - of independent sample means, 28–29

- in mobile music and video case study, 264
- of more than two samples means, 30–31
- of paired samples means, 29–30
- products, 50
- Competitor websites, 237–239
- Completed transaction metrics, 48, 50
- Comprehension, in self-reported metrics, 163–164
- Computer System Usability Questionnaire (CSUQ), 139–140, 144–146
- CONFIDENCE function, 27
- Confidence intervals, 8
 - binary successes, 69
 - in culture of usability, 295–296
 - on graphs, 35
 - overview, 27–28
 - and sample size, 17–18, 27–28
- Consistency
 - in data cleanup, 60–61
 - in identifying and prioritizing issues, 114–115
- Content category, in ACSI, 151, 155
- Continuous data, 22–23
- Controllability area, in WAMMI, 151, 153
- Converting Excel time, 75
- Core measure, of efficiency, 90
- Correlation function (Excel), 32
- Correlations, 32–33
- Costs
 - in culture of usability, 291–292
 - myths about, 10–11
- COUNT function (Excel), 27
- Counterbalancing, 19–20
- Coyne, K. P., 108
- Credible websites, 159
- Criteria, for participants, 58–59
- Critical product studies, 53
- CSUQ. *See* Computer System Usability Questionnaire
- CUE. *See* Comparative Usability Evaluation
- Culture of usability metrics, 289
 - benchmarking for, 293–294
 - business language, 295
 - confidence intervals, 295–296
 - exploring data, 294
 - planning for, 292–293
 - proper use of metrics, 296–297
 - selling usability and metrics, 289–290
 - simplifying presentations, 297–298
 - starting small, 291
 - time and money, 291–292
- Cynthia Says tool, 229

D

- Darwin, Charles, 172
- Data Analysis option (Excel), 24
- Data cleanup, 60–61
- Data collection. *See* Collecting data
- Data Logger, 75
- Data points, on line graphs, 40
- Data types, 20
 - interval, 22–23
 - for metrics, 23–24
 - nominal, 20–21
 - ordinal, 21–22
 - ratio, 23
- Decimal places, in reporting, 26
- Degrees of intervalness, in self-reported data, 128
- den Uyl, M. J., 172
- Dependent variables, 20
- Descriptive statistics, 24–25
 - confidence intervals, 27–28
 - measures of central tendency, 25
 - measures of variability, 26–27
- Designing usability studies, 15
 - counterbalancing, 19–20
 - independent and dependent variables, 20
 - participant selection, 16–17
 - sample size, 17–18
 - within-subjects and between-subjects, 18–19
- Desirability Rating, 174
- Diamond Bullet Design case study, 231
- Disabilities guidelines, 231
- Display *R*-squared value on chart option (Excel), 32
- Distributions, of time-on-task data, 78–79
- Dixon, E., 129, 131
- “Don’t Touch It” quadrant (expectation vs. experience), 131
- Double-counting errors, 86
- Drop-off rates, 215–216
- Drug label design. *See* Pharmacist performance case study
- Dumas, J., 101, 114

E

- Ease of use, in post-task ratings, 128–129
- Effectiveness metrics, 8, 282–283
- Efficiency metrics, 8, 50, 87
 - analyzing and presenting, 88–90
 - collecting and measuring, 87–88
 - as combination of task success and time, 90–92
 - frequent use of products, 51
 - in OneStart project case study, 282–283
 - in product comparisons, 50
 - in WAMMI, 151, 153

Effort, cognitive and physical, 87
 Ekman, Paul, 171
 Election ballots
 comparisons, 148–150
 errors in, 6, 82–83
 Electromyogram (EMG) sensors, 172–174
 Element assessment, in self-reported metrics,
 161–163
 EMFi chair, 185–186
 Engaging websites, 159–160
 Environmental bias, 116
 ErgoBrowser, 75
 Errors, 81
 analyzing and presenting, 84–86
 collecting, 83–84
 determining, 82–83
 issues, 86–87
 measuring, 81–84
 metric, 53
 in pharmacist performance case study, 276
 and sample size, 17–18, 27–28
 Essa, I. A., 172
 Evaluation methods, in studies, 57–58
 Everett, Sarah, 148
 Exact Method for binary success, 69
 Expectation measure, in self-reported data, 129
 Expectation rating, in self-reported data, 131
 Experience rating, in self-reported data, 129, 131
 Expert performance, comparison to, 208–209
 Eye-tracking technology, 52, 175–176
 in pharmacist performance case study, 276
 scan paths, 180
 specific elements, 179–180
 specific regions, 176–179

F

F-value, in comparing means, 31
 FaceReader system, 172
 Facial Action Coding System (FACS), 171
 Facial expression capture, 171–172
 electromyogram sensors, 172–174
 in everyday testing, 174
 video-based systems, 172–173
 FACS Affect Interpretation Dictionary
 (FACSAID), 172
 Failure scores, in binary success, 66–67
 Fake issues vs. real, 101–102
 Few, Stephen, 36
 Filtering data, 60
 FirstClick testing, 256–258
 “Fix It Fast” quadrant (expectation vs.
 experience), 131

Fixation count and duration, in eye-tracking, 276
 Florida election ballots, 82–83
 Focus groups, 58
 Fogg, B. J., 159
 Food, at usability sessions, 290
 Foresee Results, 151
 Formative studies, 45–46
 Formats for time data, 75
 Forms, for self-reported data, 126
 Frequency of issues
 unique, 109–110
 users, 111
 Frequent use, of product studies, 50–51
 Friesen, Wallace, 171
 Frustration Index, 173–174
 Fukuda, R., 180
 Functionality category, in ACSI, 151, 155

G

Galvactivator glove, 185–186
 Galvanic Skin Response (GSR), 183–184
 Gaze plots, 176–177
 GEOMEAN function (Excel), 78
 Geometric mean, 78
 Goals
 business, 295
 combining metrics based on, 192
 comparison to, 206–208
 in mobile music and video case study, 263
 study, 45–47
 user, 47–48
 Granularity of issues, 104
 Graphs
 column and bar, 36–38
 guidelines, 35
 line, 38–40
 overview, 35–36
 pie charts, 42
 scatterplots, 40–41
 stacked bar, 42–44
 Greene, Kristen, 148
 GSR. *See* Galvanic Skin Response
 Gut level decisions, myths about, 12
 Gutenberg, Johann, 7

H

Haring, S., 184
 Harris, Robert, 36
 Hart, Traci, 147
 Harvey Balls, 204–205
 Hazlett, Richard L., 172–174
 Heart rate, 183–186

Heart rate variability (HRV), 183
 Heat maps, of eye-tracking data, 176–177
 Helpfulness area, in WAMMI, 151, 153
 Hertzum, M., 108
 Hierarchical cluster analysis, 220, 222
 Horizontal labels, on graphs, 35
 Hu, W., 183
 Human Factors Research Group (HFRG), 150

I

ICA. *See* Index of Cognitive Activity
 Identifying usability issues
 bias in, 117–118
 consistency in, 114–115
 Imamiya, A., 183
 Impact of subtle changes, evaluating, 54–55
 In-person studies, 103
 Independent samples, for comparing means, 28–29
 Independent variables, 20
 Index of Cognitive Activity (ICA), 181
 Indiana University enterprise portal project case study, 280–281
 analyzing and interpreting results, 282–283
 conclusion, 287
 designing and conducting, 281–282
 findings and recommendations, 283–286
 impact, 286
 Information architecture studies, 51
 Information, at sessions, 290
 Information Quality (InfoQual) scale
 (in PSSUQ), 245
 Interactive Voice Response (IVR) systems
 case study. *See* Speech recognition IVR case study
 evaluations of, 149
 Interface Quality (IntQual) scale (in PSSUQ), 245
 International Standards Organization (ISO), 4
 Interval data, 22–23
 iPod, 54
 Iqbal, S. T., 181–182
 Issue severity, 50
 Issues-based metrics, 53, 55, 99
 analyzing and reporting metrics, 108–114
 automated studies, 103
 beginning and ending of issues, 103–104
 determining issues, 100–102
 identifying issues, 99–100, 114–117
 in-person studies, 103
 multiple observers, 104–105
 number of participants, 117–121
 severity ratings, 105–108
 IVR. *See* Interactive Voice Response systems

J

Jargon, 295
 Jeffries, R., 101
 Jenny Craig site, 88–89
 Jones, Colleen, 252
 Jones of New York site, 173

K

Kahneman, D., 181
 Kapoor, A., 187
 Kindlund, Erika, 202, 267
 Krug, Steve, 4
 Kuniavsky, M., 108

L

Lab tests, 57
 Labeling
 axes and units, 35
 drugs. *See* Pharmacist performance case study
 Landauer, T., 118
 Language, of business, 295
 Learnability metrics, 51, 92–93
 analyzing and presenting, 94–96
 collecting and measuring, 93–94
 issues, 96–97
 in WAMMI, 151, 153
 LeDoux, L., 235
 Legends, on line graphs, 40
 Lekkala, Jukka, 184
 Levels of success, 69–70
 analyzing and presenting, 72–73
 collecting and measuring, 70–72
 Lewis, James R., 69, 129, 139, 244, 249–250, 252
 Likelihood to return metric, 50
 Likert scales, 124–125
 Lin, T., 183
 Lindgaard, Gitte, 116–117, 119, 159
 Line graphs
 vs. bar graphs, 38
 guidelines, 38–40
 Linkages, for card-sorting data, 220
 Live-set metrics, 54
 Live website data, 211
 A/B studies, 216–217
 click-through rates, 213–215
 drop-off rates, 215–216
 server logs, 211–213
 survey issues, 156–158
 Look & Feel category, in ACSI, 151, 155
 Loranger, Hoa, 237, 244

Lostness
 in efficiency, 89–90
 in information architecture, 51
 Lund, Arnie, 142

M

Magic number 5, 118–120
 Magnitude estimation, in self-reported data, 132–133
 Management appreciation, myths about, 13
 Mangan, E., 95, 235
 Marsden, P., 183
 Marshall, Sandra, 181
 Maurer, Donna, 220
 McGee, Mick, 132
 McNulty, M., 201
 MDS. *See* Multidimensional scaling
 Means, comparing, 25, 28
 independent samples, 28–29
 more than two samples, 30–31
 paired samples, 29–30
 Means, in time-on-task, 78
 Measures
 of central tendency, 25
 of variability, 26–27
 Measuring the Usability of Multi-Media Systems (MUMMS), 151
 Median
 overview, 25
 time-on-task, 78
 MEDIAN function, 78
 Meixner-Pendleton, M., 184
 Memory, as metric, 52
 Method selection, bias from, 116
 Metrics impact case study. *See* OneStart project case study
 Metrics overview, 48. *See also* Studies overview
 data types for, 23–24
 definition, 7–8
 myths, 10–13
 table, 49
 value, 8–10
 Miner, Trish, 142
 Mobile music and video case study, 263
 changes and future work, 270
 comparative analysis, 264
 data collection, 265–266
 data manipulation and visualization, 267, 269
 discussion, 269–270
 number of attempts, 266
 number of respondents, 264–265
 perception metrics, 266–267

project goals and methods, 263
 qualitative and quantitative data, 263
 qualitative and quantitative findings, 267
 research domain, 263
 respondent recruiting, 265
 successes and failures, 266
 summary findings and SUM metrics, 267–268
 time to complete, 266

Mode, 25

Moderator bias, 116

Molich, Rolf, 101, 114

Mota, S., 187

Mouse, pressure-sensitive, 186–188

Multidimensional scaling (MDS), 222–225

Multiple observers, benefits of, 104–105

MUMMS. *See* Measuring the Usability of Multi-Media Systems

Music. *See* Mobile music and video case study

Myths about metrics, 10–13

N

Nall, Janice R., 252, 262

NASA web site, 168

Navigation category, in ACSI, 151, 155

Navigation studies, 51

Negative relationships, 32

New products, myths about, 12

Nielsen, Jakob, 5, 106–107, 118, 213, 228

Nielsen Norman Group, 162

Noisy data, myths about, 11–12

Nominal data

 nonparametric tests for, 33

 overview, 20–21

Nonduplication of respondents, 158

Nonparametric tests

 chi-square, 33–35

 overview, 33

Nonverbal behaviors, 169, 171

Noticeability studies, 52

Null hypotheses, 29

Number

 of participants, 117–121

 of survey questions, 156–158

 of survey respondents, 157–158

Numbered and unnumbered scales, 159

O

Objective self-reported metrics, 123

Observability, of metrics, 7–8

Observation locations, 290

Observing overt behaviors, 167–171

Omata, M., 183

OneStart project case study, 280–281
 analyzing and interpreting
 results, 282–283
 conclusion, 287
 designing and conducting, 281–282
 findings and recommendations, 283–286
 impact, 286

Online forms, 126

Online questionnaires, 142

Online services, 150
 ACSI, 151, 153–155
 live-site survey issues, 156
 OpinionLab, 153
 WAMMI, 150–153

Online studies, 57–58

Online surveys, 58, 126

Open card sorts, 217

Open-ended questions, 128, 163

OpinionLab, 153, 156–157

OptimalSort tool, 218

Ordering, counterbalancing for, 19–20

Ordinal data
 nonparametric tests for, 33
 overview, 21–22

Osgood, Charles E., 125

Outliers
 defined, 26
 time-on-task data, 78–79

Overloading graphs, 35

Ovo Studios, 265

P

p-values
 calculating, 120–121
 in comparing means, 29–31

Page views, 212–213

Paired samples *t*-tests, 29–30

Paired values, on scatterplots, 40

Palm Beach County, Florida, election ballots,
 82–83

Paper ballots, comparisons of, 148–150

Paper forms, for self-reported data, 126

Participant knowledge, in time-on-task
 measurements, 80–81

Participants
 bias in identifying issues, 116
 card-sorting data, 223
 frequency of, 111–112
 number of, 117–121
 selecting, 16–17, 116
 studies, 58–59

Pentland, A. P., 172

Perceived distances, card-sorting data for, 218

Percentages
 combining metrics based on, 193–197
 in pie charts, 42

Perception metrics
 mobile music and video case study, 266–267
 self-reported data for, 123

Performance
 comparison to, 208–209
 vs. satisfaction, 48
 as user goal, 47

Performance metrics, 63–64
 efficiency, 87–92
 errors. *See* Errors
 learnability, 92–96
 pharmacists. *See* Pharmacist performance
 case study
 task success. *See* Successes
 time-on-task. *See* Time-on-task metrics

Perlman, Gary, 142

Pharmacist performance case study, 271–279
 analysis, 276–277
 apparatus, 272
 participants, 272
 procedure, 275
 results and discussion, 277–279
 stimuli, 272–275

Physical effort, 87

Physiological metrics. *See* Behavioral and
 physiological metrics

Picard, Rosalind, 184–187

Pie charts, 42

Planning studies, 45
 importance of, 293–294
 metric choices. *See* Studies overview
 study goals in, 45–47
 user goals in, 47–48

Poker, 181

Poppel, Harvey, 205

Positive findings, 114, 297

Positive user experiences, 54

Post-session ratings, 135, 137
 aggregating, 137–138
 comparison, 144–146
 CSUQ, 139–140
 product reaction cards, 142, 145
 QUIS, 139, 141
 SUS, 138–139
 Usefulness, Satisfaction, and Ease of Use
 Questionnaire, 142–144

Post-Study System Usability Questionnaire
 (PSSUQ), 139, 245–246

Post-task ratings
 after-scenario questionnaire, 129–130
 ease of use, 128–129
 expectation measure, 129, 131
 task comparisons, 133–137
 usability magnitude estimation, 132–133
 Posture Analysis Seat, 187
 Precision
 in graphs, 35
 in reporting, 26
 Prelaunch tests, 258–261
 Presentation
 binary successes, 67–68
 efficiency, 88–90
 errors, 84–86
 learnability, 94–96
 levels of success, 72–73
 simplifying, 297–298
 time-on-task data, 77–79
 Presidential election of 2000, 6, 82–83
 PressureMouse, 186–188
 Printing press, 7
 Prioritizing issues, 114–115
 Problem discovery, 52–53, 247–248
 Procedural details, 297
 Product comparison studies, 50
 Product reaction cards, 142, 144–145
 Product use frequency studies, 50–51
 Proficiency, in learnability, 93
 “Promote It” quadrant (expectation vs. experience), 131
 Prototype testing, 258–261
 PSSUQ. *See* Post-Study System Usability Questionnaire
 Pupillary response, 180–182, 276

Q

Qualitative findings
 benchmarking case study, 267
 CDC.GOV website redesign case study, 255–256
 in mobile music and video case study, 263, 267
 Quantifiability of metrics, 8
 Questionnaire for User Interface Satisfaction (QUIS), 139, 141, 144–146
 Questionnaires, online, 142

R

R-squared value, 32
 Radar charts, 143, 204–205
 Random sampling, 16

Ranges
 overview, 26
 time-on-task data, 78
 Ranked data, 21–22
 Ratings
 post-session. *See* Post-session ratings
 post-task. *See* Post-task ratings
 for self-reported data, 127
 severity, 21, 105–108
 Ratios
 in magnitude estimation, 132
 overview, 23
 Real issues vs. false, 101–102
 Redesigning website case study. *See* Website redesign case study
 Rehabilitation Act, 231
 Relationships, between variables, 31–33
 Repeated-measures studies, 18–19
 Reporting. *See* Analyzing and reporting metrics
 Retrospective probing technique, 80
 Return on investment (ROI), 9, 231–234
 Reynolds, C., 186–188
 Rosenbaum, R., 95
 Rubin, J., 106–107
 Russell, M., 88

S

Sabadosh, Nick, 252
 Safety, drug label design for. *See* Pharmacist performance case study
 Safety-critical products, 196
 Samples, 17–18
 in comparing means, 28
 myths about, 13
 participants, 59
 in speech recognition IVR case study, 249–250
 techniques, 16
 Samples of convenience, 17
 Satisfaction
 metrics, 8, 50
 vs. performance, 48
 as user goal, 47–48
 Sauro, Jeff, 69, 202, 267
 Scalable Vector Graphics (SVG) formats, 269
 Scales
 Likert, 124–125
 scatterplots, 40
 Scan paths, in eye-tracking, 180
 Scatterplots, 32, 40–41
 Scheirer, Jocelyn, 184
 Schroeder, W., 119, 264
 Schulman, D., 264

- Scorecards, usability, 203–206
- Scoring methods, in levels of success, 71
- Screenshots, 297
- Search and Site Performance category, in ACSI, 151, 155
- Search bots, 212
- Section 508 guidelines, 231
- Segments, in pie charts, 42
- Selecting, of participants, 16–17, 116
- Self-reported metrics, 57–58, 123
 - analyzing, 127–128
 - attribute assessment, 158–161
 - awareness, 163–165
 - collecting, 124–128
 - element assessment, 161–163
 - online services. *See* Online services
 - open-ended questions, 163
 - post-session ratings. *See* Post-session ratings
 - post-task ratings. *See* Post-task ratings
 - rating scales for, 127
 - SUS, 147–150
- Self-selection, of respondents, 158
- Selling usability and metrics, 289–290
- Semantic differential scales, 125
- Senior-friendly website comparisons, 147
- Server logs, 211–213
- Severity ratings, 21, 105
 - caveats, 107
 - combination of factors, 106–107
 - user experience, 105–106
 - working with, 107–108
- Shaikh, A., 88
- Signage disaster, 5–6
- Significance level, in confidence intervals, 27–28
- Simplifying presentations, 297–298
- Single error opportunity, tasks with, 84–85
- Single-factor ANOVA, 30–31
- Single Usability Metric (SUM), 202–203
- Single usability scores, 191
 - based on percentages, 193–197
 - based on target goals, 192
 - based on z-scores, 199–202
 - SUM, 202–203
- Site map study, 161–162
- Six Sigma methodology, 202, 234–236
- Skin conductance, 183–186
- Small improvements, myths about, 11
- Small sample size, myths about, 13
- Smith, Bill, 234
- Smith, P. A., 89–90
- Snyder, Carolyn, 116
- Social desirability bias, 126–127
- Software Usability Measurement Inventory (SUMI) tool, 150–151
- Software Usability Research Laboratory, 147
- Spearman rank correlation, 134
- Speech recognition IVR case study, 244
 - discussion, 251–252
 - method, 244–245
 - participant comments, 246–247
 - PSSUQ score, 246, 282
 - recommendations, 250–251
 - results, 245
 - sample size, 249–250
 - usability problems, 247–249
- Spiders (search), 212
- Spool, J., 119, 264
- Spreadsheet for card-sorting data, 220
- Stacked bar graphs, 42–44
- Standard deviation, 26–27
- STANDARDIZE function (Excel), 198
- Starting small, 291
- Statistics, descriptive, 24–25
 - confidence intervals, 27–28
 - measures of central tendency, 25
 - measures of variability, 26–27
- STDEV function (Excel), 27, 198
- Stetson, J., 144
- Steven M. Ross Business School, 151
- Stopping rules, for unsuccessful tasks, 73–74
- Stratified sampling, 16
- Stress measures, 183–186
- Studies, types of, overview, 48
 - alternative design comparisons, 55
 - awareness, 52
 - budgets and timelines, 55–56
 - completing transactions, 48, 50
 - critical products, 53
 - data cleanup, 60–61
 - data collection, 59
 - evaluation methods, 57–58
 - frequent use of products, 50–51
 - goals, 45–47
 - impact of subtle changes, 54–55
 - navigation and information architecture, 51
 - participants, 58–59
 - positive user experience, 54
 - problem discovery, 52–53
 - product comparisons, 50
 - table, 49
- Subjective self-reported metrics, 123
- Subtle changes impact, 54–55

- Successes, 53, 64–65
 - binary, 66–69
 - data collection, 65
 - in efficiency, 90–92
 - issues in, 73–74
 - levels, 69–73
 - in time-on-task data, 80
 - SUM. *See* Summative Usability Metric method
 - SUMI. *See* Software Usability Measurement
 - Inventory tool
 - Summarizing self-reported data, 128
 - Summary metrics, 297
 - Summative testing, 46–47
 - Summative Usability Metric (SUM) method, 202–203, 267–268
 - Surveys
 - live-site, 156–158
 - online, 58, 126
 - SUS. *See* System Usability Scale
 - SVG. *See* Scalable Vector Graphics formats
 - System Usability Scale (SUS), 22, 144–146
 - good and bad scores, 149
 - overview, 138–139
 - for paper ballots comparisons, 148–150
 - for senior-friendly website comparisons, 147
 - for Windows ME and Windows XP comparisons, 147–148
 - System Usefulness (SysUse) scale (in PSSUQ), 245
 - Systematic sampling, 16
- T**
- t*-tests
 - binary successes, 67
 - mean comparisons, 28–30
 - Tabulating time data, 76–77
 - Target audience, in participant selection, 16
 - Target goals, combining metrics based on, 192
 - Task completion
 - studies, 48, 50
 - time. *See* Time-on-task metrics
 - Task-level measurements, in IVR case study, 245
 - Tasks
 - aggregating ratings, 137–138
 - issues by, 113
 - with multiple error opportunities, 85–86
 - selection bias, 116
 - success metrics. *See* Successes
 - TAW Web Accessibility Test tool, 229
 - Technical Research Centre, 185
 - Tedesco, D., 133–135
 - Terms and jargon, 295
 - Text-to-speech (TTS), 250
 - Think-aloud protocol, 80
 - 3D graphs, 35
 - Thresholds, in time-on-task data, 78
 - Time and time data
 - collection myths, 10
 - in efficiency, 90–92
 - in Excel, 75
 - requirements, 291–292
 - savings, 233
 - tabulating, 76–77
 - Time-on-task metrics, 74
 - analyzing and presenting data, 77–79
 - collecting and measuring, 74–77
 - in frequent use of product studies, 51
 - importance, 74
 - issues, 79–81
 - in pharmacist performance case study, 276
 - Timelines, for studies, 55–56
 - TiVo, 54
 - Top-2-box scores, 128
 - Top 40 Online Retail Satisfaction Index, 151
 - Transaction completion studies, 48, 50
 - Transferring data, 61
 - Trend lines, 32, 40
 - Trials, in learnability, 96–97
 - Trimmel, M., 184
 - Tufte, Edward, 36
 - Tullis, C., 40–41
 - Tullis, T.
 - card-sorting data, 217, 223, 225–227
 - identifying issues, 115
 - learnability, 95
 - self-reported metrics, 133–135, 144, 162
 - Six Sigma, 235
 - visual appeal ratings, 40–41
 - z*-scores, 201
 - Tylenol site, 173
- U**
- Unique issues, frequency of, 109–110
 - Units, labeling, 35
 - Usability Information Technology Services (UITTS), 280
 - Usability magnitude estimation, 132–133
 - Usability overview
 - definition, 4
 - importance, 5–7
 - metrics, 7–8
 - myths, 10–13
 - value, 8–10
 - Usability Professionals Association (UPA), 4, 6
 - Usability scorecards, 203–206

Usability Testing Environment (UTE), 75, 259
 Usborne, N., 216
 Usefulness, Satisfaction, and Ease of Use (USE)
 questionnaire, 142–144
 Usefulness, in self-reported metrics, 164–165
 User errors metric, 53
 User expectations studies, 50
 User experience, severity ratings based on,
 105–106
 User goals, 47–48
 User issues, frequency of, 111
 UzCardSort tool, 218

V

Value of usability metrics, 8–10
 van Kuilenburg, H., 172
 Variability measures, 26–27
 Variables
 creating, 60
 independent and dependent, 20
 relationship between, 31–33
 Variance, 26–27
 Verbal behaviors, 168–170
 Verifying responses, 60
 Video-based systems, for facial expression
 capture, 172–173
 Video clips
 in presentations, 297
 for selling usability, 290
 Video playback case study. *See* Mobile music
 and video case study
 Visits, to pages, 212–213
 Voice of the Customer (VoC) studies, 150

W

Wald Method, 69
 Ward, R., 183
 WAVE tool, 229

Web Content Accessibility Guidelines (WCAG),
 229–231
 WebCAT tool, 218
 Website Analysis and Measurement Inventory
 (WAMMI), 150–153
 Website redesign case study, 237
 conclusion, 244
 testing competitor websites, 237–239
 testing design concepts, 239–243
 testing single design, 243–244
 Websort tool, 218
 Weight-loss sites, 88–89
 Weight, of graph lines, 40
 Weight Watchers site, 88–89
 Weighted averages, 195
 Weiss, Scott, 263, 270
 Whitby, Chris, 263, 270
 Wilson, C., 106, 108
 Windows ME and Windows XP comparison,
 147–148
 Wireframing, in website redesign case study,
 256–258
 Within-subjects studies, 18–19
 Withrow, J., 232
 Wolfson, Cari A., 252, 262
 Wood, L., 223
 Woolrych, A., 119

X

X/Y plots, 40–41

Z

z-scores
 calculating, 198
 combining metrics based on, 198–202
 Zazelenchuk, Todd, 280, 287
 Zheng, X. S., 181–182