

Minimal Web APIs for Data Access in .NET MAUI Labs

Perform these labs on your own computer using Visual Studio 2022 or later to ensure you understand the lessons presented in the corresponding videos and lectures.

Lab 1: Download Samples

Download the **Samples** folder and open the solution.

Lab 2: Connect Web API to SQL Server

Open the **appsettings.Development.json** file in the **AdventureWorks.MinWebAPI** project and change the connection string to point to the **AdventureWorksLT2019** database on your server.

Set Startup Project

Right mouse-click on the **AdventureWorks.MinWebAPI** project and select the **Set as Startup Project** menu item.

Lab 3: Add Tables to SQL Server

Bring up **SQL Server** and open a query window in the **AdventureWorksLT2019** database and run the following script.

```
USE [AdventureWorksLT2019]
GO

CREATE TABLE [dbo].[PhoneType] (
    [PhoneTypeId] [int] NOT NULL,
    [TypeDescription] [nvarchar](20) NOT NULL,
    CONSTRAINT [PK_PhoneType] PRIMARY KEY CLUSTERED
    (
        [PhoneTypeId] ASC
    )WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF,
    IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
    ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY =
    OFF) ON [PRIMARY]
) ON [PRIMARY]
GO

INSERT [dbo].[PhoneType] ([PhoneTypeId],
    [TypeDescription]) VALUES (1, N'Home')
GO
INSERT [dbo].[PhoneType] ([PhoneTypeId],
    [TypeDescription]) VALUES (2, N'Mobile')
GO
INSERT [dbo].[PhoneType] ([PhoneTypeId],
    [TypeDescription]) VALUES (3, N'Work')
GO
INSERT [dbo].[PhoneType] ([PhoneTypeId],
    [TypeDescription]) VALUES (4, N'Other')
GO
```

Next create the User table in another query window.

```
USE [AdventureWorksLT2019]
GO

CREATE TABLE [dbo].[User](
  [UserId] [int] IDENTITY(2,1) NOT NULL,
  [LoginId] [nvarchar](50) NOT NULL,
  [FirstName] [dbo].[Name] NOT NULL,
  [LastName] [dbo].[Name] NOT NULL,
  [Email] [nvarchar](256) NOT NULL,
  [Password] [nvarchar](50) NOT NULL,
  [Phone] [dbo].[Phone] NOT NULL,
  [PhoneType] [nvarchar](10) NULL,
  [IsFullTime] [bit] NULL,
  [IsEnrolledIn401k] [bit] NULL,
  [IsEnrolledInHealthCare] [bit] NULL,
  [IsEnrolledInHSA] [bit] NULL,
  [IsEnrolledInFlexTime] [bit] NULL,
  [IsActive] [bit] NULL,
  [BirthDate] [date] NULL,
  [StartTime] [time](7) NULL,
  CONSTRAINT [PK_User] PRIMARY KEY CLUSTERED
(
  [UserId] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF,
IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW_PAGE_LOCKS = ON, OPTIMIZE_FOR_SEQUENTIAL_KEY =
OFF) ON [PRIMARY]
) ON [PRIMARY]
GO
SET IDENTITY_INSERT [dbo].[User] ON
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (1, N'MichaelThomason', N'Michael',
N'Thomason', N'MichaelThomason@advworks.com',
N'MThomason@Word123', N'615.555.3333', N'Mobile', 1, 1,
1, 0, 0, 1, CAST(N'1985-03-15' AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (2, N'SheilaCleverly', N'Sheila',
N'Cleverly', N'SheilaCleverly@advworks.com',
N'Re!asdf#992', N'615.123.3456', N'Work', 1, 0, 1, 0, 0,
1, CAST(N'1981-06-09' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (3, N'CatherineAbel', N'Catherine',
N'Abel', N'CatherineAbel@advworks.com', N'Tx*99_pass',
N'615.998.3332', N'Mobile', 1, 1, 1, 1, 1, 1,
CAST(N'1979-04-05' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (4, N'KimAbercrombie', N'Kim',
N'Abercrombie', N'KimAbercrombie@advworks.com',
N'PwdKim#Abercrombie123', N'615.555.3333', N'Work', 1,
0, 0, 1, 0, 1, CAST(N'1995-03-08' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (7, N'JimWalker', N'Jim', N'Walker',
N'JimWalker@advworks.com', N'azembolrous!123',
N'615.369.9372', N'Mobile', 1, 1, 1, 0, 1, 1,
CAST(N'1999-07-29' AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (8, N'SamAbolrous', N'Sam',
N'Abolrous', N'SamAbolrous@advworks.com',
N'Abolrous#PwdSam*987', N'615.555.3333', N'Work', 0, 0,
0, 0, 1, 1, CAST(N'2000-12-03' AS Date),
CAST(N'07:00:00' AS Time))
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (9, N'RichardDudely', N'Richard',
N'Dudely', N'RichardDudely@advworks.com',
N'Avacodo#567', N'615.987.3782', N'Mobile', 1, 1, 0, 0,
1, 1, CAST(N'1997-08-23' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (10, N'ScottBerton', N'Scott',
N'Berton', N'ScottBerton@advworks.com',
N'gustavo#chong%87', N'615.555.3333', N'Work', 0, 0, 0,
1, 0, 1, CAST(N'2001-02-12' AS Date), CAST(N'08:00:00'
AS Time))
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (11, N'PaulShaefer', N'Paul
', N'Shaefer', N'Pauls@netinc.com', N'P@ssw0Rd', N'(714)
399-9212', N'Work', 1, 1, 1, 0, 0, 1, CAST(N'1963-02-05'
AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (12, N'MichaelKawoski', N'Michael
', N'Kawoski', N'Michaelk@netinc.com', N'P@ssw0Rd',
N'(714) 939-0002', N'Mobile', 1, 1, 1, 1, 0, 1,
CAST(N'1953-07-05' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (13, N'SaraWinchell', N'Sara
', N'Winchell', N'Saraw@netinc.com', N'P@ssw0Rd',
N'(714) 738-9382', N'Work', 1, 1, 1, 0, 0, 0,
CAST(N'1978-08-02' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (14, N'JohnKroon', N'John
', N'Kroon', N'Johnk@netinc.com', N'P@ssw0Rd', N'(949)
667-7347', N'Work', 1, 1, 1, 0, 1, 1, CAST(N'1970-03-23'
AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (15, N'TimNicker', N'Tim
', N'Nicker', N'Timn@netinc.com', N'P@ssw0Rd', N'(714)
767-3747', N'Work', 1, 1, 1, 0, 1, 1, CAST(N'1975-04-05'
AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (16, N'RussMartlog', N'Russ
', N'Martlog', N'Russm@netinc.com', N'P@ssw0Rd', N'(714)
334-5643', N'Work', 1, 1, 1, 1, 0, 1, CAST(N'1969-05-05'
AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (17, N'JohnBoron', N'John
', N'Boron', N'Johnb@netinc.com', N'P@ssw0Rd', N'(714)
939-9993', N'Mobile', 1, 0, 0, 0, 0, 0, CAST(N'1965-03-
02' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (18, N'JamesBirdy', N'James
', N'Birdy', N'Jamesb@netinc.com', N'P@ssw0Rd', N'(310)
939-9932', N'Work', 1, 0, 0, 0, 0, 1, CAST(N'1966-06-23'
AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (19, N'TreyChen', N'Trey
', N'Chen', N'Treyc@netinc.com', N'P@ssw0Rd', N'(562)
991-0009', N'Work', 1, 1, 0, 0, 0, 1, CAST(N'1961-07-11'
AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (20, N'JimJones', N'Jim
', N'Jones', N'Jimj@netinc.com', N'P@ssw0Rd', N'(714)
223-0029', N'Mobile', 1, 0, 1, 0, 0, 1, CAST(N'1970-01-
20' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (21, N'JohnPittsburgh', N'John
', N'Pittsburgh', N'Johnp@netinc.com', N'P@ssw0Rd',
N'(714) 554-0493', N'Work', 1, 0, 1, 0, 0, 1,
CAST(N'1978-08-06' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (22, N'JeanneRussell', N'Jeanne
', N'Russell', N'Jeanner@netinc.com', N'P@ssw0Rd',
N'(949) 339-0000', N'Mobile', 1, 1, 0, 1, 0, 1,
CAST(N'1966-08-15' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (23, N'DavidLafeet', N'David
', N'Lafeet', N'Davidl@netinc.com', N'P@ssw0Rd', N'(949)
399-9232', N'Work', 1, 1, 0, 1, 0, 1, CAST(N'1973-10-14'
AS Date), NULL)
GO
```



```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (24, N'KhanhVoon', N'Khanh
', N'Voon', N'Khanhv@netinc.com', N'P@ssw0Rd', N'(714)
342-3232', N'Work', 1, 1, 0, 1, 1, 1, CAST(N'1962-11-20'
AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (25, N'JimRussell', N'Jim
', N'Russell', N'Jimr@netinc.com', N'P@ssw0Rd', N'(714)
123-2343', N'Work', 1, 1, 0, 0, 1, 1, CAST(N'1960-12-10'
AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (26, N'DavidTarkas', N'David
', N'Tarkas', N'Davidt@netinc.com', N'P@ssw0Rd', N'(714)
893-7361', N'Mobile', 1, 1, 0, 0, 1, 1, CAST(N'1967-03-
15' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (27, N'CraigShowman', N'Craig
', N'Showman', N'Craigs@netinc.com', N'P@ssw0Rd',
N'(949) 938-1234', N'Mobile', 1, 1, 0, 1, 0, 1,
CAST(N'1974-04-06' AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (28, N'BrooksAnderson', N'Brooks
', N'Anderson', N'Brooksa@netinc.com', N'P@ssw0Rd',
N'(949) 777-3929', N'Mobile', 1, 1, 1, 0, 0, 1,
CAST(N'1959-08-30' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (29, N'MarkParks', N'Mark
', N'Parks', N'Markp@netinc.com', N'P@ssw0Rd', N'(425)
377-7333', N'Mobile', 0, 1, 0, 0, 1, 1, CAST(N'1968-10-
19' AS Date), CAST(N'06:00:00' AS Time))
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (30, N'KeithNashville', N'Keith
', N'Nashville', N'Keithn@netinc.com', N'P@ssw0Rd',
N'(702) 773-0093', N'Mobile', 1, 0, 0, 1, 1, 0,
CAST(N'1972-01-31' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (31, N'JaneJoan', N'Jane
', N'Joan', N'Janej@netinc.com', N'P@ssw0Rd', N'(408)
939-9993', N'Work', 1, 0, 0, 0, 0, 1, CAST(N'1962-12-07'
AS Date), NULL)
GO
```

```
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (33, N'BrianGossling', N'Brian',
N'Gossling', N'BrianGossling@advworks.com', N'P@ssw0Rd',
N'916.234.8372', N'Work', 1, 0, 1, 1, 0, 1, CAST(N'1993-
05-16' AS Date), NULL)
GO
INSERT [dbo].[User] ([UserId], [LoginId], [FirstName],
[LastName], [Email], [Password], [Phone], [PhoneType],
[IsFullTime], [IsEnrolledIn401k],
[IsEnrolledInHealthCare], [IsEnrolledInHSA],
[IsEnrolledInFlexTime], [IsActive], [BirthDate],
[StartTime]) VALUES (34, N'BenQueen', N'Ben', N'Queen',
N'BenQueen@advworks.com', N'P@ssw0Rd', N'615.339.9032',
N'Mobile', 1, 1, 1, 1, 1, 1, CAST(N'1996-11-01' AS
Date), NULL)
GO
SET IDENTITY_INSERT [dbo].[User] OFF
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsFullTime] DEFAULT ((0)) FOR [IsFullTime]
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsEnrolledIn401k] DEFAULT ((0)) FOR
[IsEnrolledIn401k]
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsEnrolledInHealthCare] DEFAULT ((0)) FOR
[IsEnrolledInHealthCare]
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsEnrolledInHSA] DEFAULT ((0)) FOR
[IsEnrolledInHSA]
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsEnrolledInFlexTime] DEFAULT ((0)) FOR
[IsEnrolledInFlexTime]
GO
ALTER TABLE [dbo].[User] ADD CONSTRAINT
[DF_User_IsActive] DEFAULT ((1)) FOR [IsActive]
GO
```

Try It Out

Run the application.

Click on the **GET /api/PhoneType** button, then click on the **Try it out** button.

Click the **Execute** button and you should see **phone types** data from the SQL Server appear.

Click on the **GET /api/Product** button, then click on the **Try it out** button.

Click the **Execute** button and you should see **product** data from the SQL Server appear.

Click on the **GET /api/User** button, then click on the **Try it out** button.

Click the **Execute** button and you should see **user** data from the SQL Server appear.