

ENTERPRISE CYBER SECURITY

SYSTEM THINKING

OVERVIEW

- anything becomes manageable when you decompose it into smaller chunks, but must remember the system **holistically**.
- systems can be decomposed into **elements**, **interconnections** and **purpose** as well as **hierarchies** of **subsystems**.
- **insecure subsystems** do not form the basis of a **secure system**.
- consider the **system(s)** that seek to **attack** and **undermine** enterprises.

TARGET APT

WHAT IS A SYSTEM?

“A system is a set of things people, cells, molecules, or whatever interconnected in such a way that they produce their own pattern of behaviour over time.”

– DONELLA MEADOWS

SYSTEM THINKING

- systems can be constrained and controlled, but the response of a system is a product of its nature.
- system responses are not necessarily simple or easy to predict.
- consider the United Kingdom, an oil-exporting nation, it is not impacted just by other oil-importing nations.
- considering systems as a whole, slight changes can have unforeseen consequences.


OPERATION CAT DROP


EXAMPLE: OPERATION CAT DROP

- malaria is an infection disease that kills many individuals every day.
- mosquito-borne, it is harmful to humans
- nations where mosquitos thrive will perceive this as serious threat to national health.
- assumption is that controlling malaria, requires controlling mosquitos.

EXAMPLE: OPERATION CAT DROP

- malaria is an infection disease that kills many individuals every day.
- mosquito-borne, it is harmful to humans
- nations where mosquitos thrive will perceive this as serious threat to national health.
- assumption is that controlling malaria, requires controlling mosquitos.





Dichlorodiphenyltrichloroethane (DDT)



World Health Organisation (WHO)










OPERATION CAT DROP

- World Health Organisation concerned about the impact of malaria, supported malaria control.
- DDT was invented for use in World War One, but was perceived as useful for controlling malaria.
- sprayed DDT in the homes of people in Borneo, long-houses that could contain up to 100 families.
- the expectation was that this secured homes from mosquitos and protected families from infection.

**PERCENTAGE OF MOSQUITOES
WITH MALARIA CAUSING
PARASITE**

American Journal of Public Health



1953

**PERCENTAGE OF MOSQUITOES
WITH MALARIA CAUSING
PARASITE**

American Journal of Public Health

2%



1955

FALL IN DEATH RATE IS
REPORTED BY UN

New York Times

1954

SUCCESS

- 1945 there were 2.5 million cases of malaria, by 1963 that had dropped to around 100 in Ceylon.
- 1953 the percentage was 35.6%, then down to 1.6% by 1955 in Sarawak, Borneo.
- the approach was clearly effective at reducing mosquitoes carrying malaria.
- World Health Organisation claimed success, but program was not rolled out because of cost.

CONSEQUENCES

- indigenous people invaded WHO conference on malaria control and declared their homes had collapsed.
- caterpillars were able to distinguish between areas containing DDT or not and subsequently consumed parts of the roof.
- wasps, that kept caterpillars population under controlled, were impacted by the DDT, other insects like cockroaches were consumed by geckos.
- cats eat the geckos and died off, leaving rats, that began to bite and infect humans.

SOLUTION



ACCURACY

- biomagnification is unlikely explanation for the death of cats, better explanation would cats cleaned paws and ingested DDT.
- dieldrin is an alternative insecticide that would have been toxic enough to impact mosquitos, wasps and caterpillars.
- also arguments cats could be protected with some simple precautions.

ANOTHER EXAMPLE






aquasalis



albitarsis

MALARIA CONTROL

- another example of arguably unsuccessful malaria control is in Brazil.
- two types of mosquito, one that relied on humans as a food source, another that relied on cattle.
- malaria control focused on reducing the population of the mosquito that relied on humans as a food source.



increase in human population

MALARIA CONTROL

- the increase in human population put more pressure on food sources.
- space spent on expensive cattle was repurposed for grain to feed the increasing human population.
- displaced mosquitos that relied on cattle as a food source, switched to the human population.


MALARIA CONTROL CONCLUSIONS

- important not to lose sight of that fact this was about sparing human life, a serious national security issue.
- problems were not resolved properly in the longer term because the system was not considered as a whole.
- in the case of Borneo, homes collapsed and people died of illnesses from rat bites.
- in the case of Brazil, mosques turned to humans as a new food source to replace previous dependency on cattle.

SYSTEM THINKING


SYSTEM THINKING

- important to understand the bigger picture and how various subsystems interact.
- systems can be reduced down and considered to comprise of tangible and intangible **elements**.
- elements are interrelated and connected, these **interconnections** are difficult to identify.
- interconnected elements serve a **purpose**, the hardest aspect of a system to determine.



ELEMENTS


INTERCONNECTIONS



ELEMENTS

INTERCONNECTIONS


HUMAN DIGESTIVE SYSTEM



ELEMENTS

INTERCONNECTIONS


HUMAN DIGESTIVE SYSTEM



ELEMENTS

INTERCONNECTIONS


HUMAN DIGESTIVE SYSTEM



ELEMENTS

INTERCONNECTIONS

UNIVERSITY



ELEMENTS


INTERCONNECTIONS

UNIVERSITY

ELEMENTS

INTERCONNECTIONS

UNIVERSITY



ELEMENTS

INTERCONNECTIONS

FOOTBALL TEAM

ELEMENTS

INTERCONNECTIONS

FOOTBALL TEAM


ELEMENTS

INTERCONNECTIONS


FOOTBALL TEAM


PURPOSE

- system purpose is difficult to determine for any given system.
- importantly, system purpose should not be inferred from simply what an individual states or what is documented.
- depending on perspective, system purpose could different on what individual is consulted.
- system purpose must be identified by observing and monitoring the system itself.











ELEMENTS

INTERCONNECTIONS



HUMAN DIGESTIVE SYSTEM




HUMAN DIGESTIVE SYSTEM



HUMAN DIGESTIVE SYSTEM



UNIVERSITY



FOOTBALL TEAM

PURPOSE

- system purpose is difficult to determine for any given system.
- importantly, system purpose should not be inferred from simply what an individual states or what is documented.
- depending on perspective, system purpose could different on what individual is consulted.
- system purpose must be identified by observing and monitoring the system itself.

SUCCESS VS FAILURE

- individuals may claim a system is failing, but the system could be succeeding.
- perceptions of failure could come from false expectation of system purpose.
- systems could be designed to achieve an expected purpose and fail, but succeed in many other ways.
- consider various examples, such as the education system or European Union.

FEEDBACK LOOPS

- system behaviour that persists over a period time suggests the presence of a feedback loop.
- **stabilising feedback loops** are goal-seeking loops, resistant to change, that seek to balance elements.
- **reinforcing feedback loops** emphasise the direction of change.
- reinforcing feedback can result in growth or collapse, depending on the direction.

SELF-PRESERVATION

- systems may be wide and varied but all share the nature of **self-preservation**.
- systems are resilient and potentially evolutionary, adapting to changing situations.
- interfering with systems does not necessarily result in desired outcomes.
- individuals may introduce new elements, but workarounds allow the system to achieve it's purpose.

HIERARCHY

- systems can comprise of hierarchies of subsystems, that have developed from the bottom-up.
- autonomous, resilient sub-systems can operate effectively within a larger system.
- systems will disintegrate and collapse if the higher-level systems do not serve the lower levels of systems.

CYBER SECURITY

- insecure subsystems do not form the basis of a strong system.
- securing complex systems such as enterprises is far more challenging than small businesses.
- decomposing and considering large systems as sub-systems allow you to consider and focus on aspects.
- countermeasures introduced with any subsystem need to consider the impact to the wider hierarchy of systems.

CYBER SECURITY

- enterprises need to have an understanding of system purpose.
- enterprises need to understand what are the elements they control and what elements they do not control.
- enterprises also need to understand what elements they influence, if they do not control them.

SYSTEM THINKING LIMITATIONS

- people intensive systems are hard to decompose and understand.
- human elements are incredibly difficult to model and fully understand.
- we may think a system is failing, but is succeeding in ways we do not perceive or understand

SUMMARY

- anything becomes manageable when you decompose it into smaller chunks, but must remember the system **holistically**.
- systems can be decomposed into **elements, interconnections** and **purpose** as well as **hierarchies of subsystems**.
- **insecure subsystems** do not form the basis of a **secure system**.
- consider the **system(s)** that seek to **attack** and **undermine** enterprises.