Name: Jeremy R. Escarez

- 1. Display all columns from tbl employees.
- 2. Display only the firstname and lastname of all employees.
- 3. Show firstname, lastname, and salary of all employees.
- 4. Find all employees whose firstname starts with 'S'.
- 5. Find all employees whose lastname ends with 'off'.
- 6. Find employees with firstname containing 'an'.

7. Find employees whose firstname second letter is 'e'.

```
MariaDB [db_escarez]> SELECT firstname FROM tbl_employees WHERE firstname LIKE '_e%';

+------+
| firstname |

+-------+
| Jerwin |
| Peter |

+------+
2 rows in set (0.000 sec)
```

8. Find employees whose lastname starts with 'R'.

```
MariaDB [db_escarez]> SELECT lastname FROM tbl_employees WHERE lastname LIKE '%R';
+-----+
| lastname |
+-----+
| Parker |
+-----+
1 row in set (0.000 sec)
```

9. Show distinct position id values.

```
MariaDB [db_escarez]> SELECT DISTINCT position_id FROM tbl_employees;

+------
| position_id |

+------+
| 1 |
| 2 |
| 4 |
| 3 |
| 5 |

+------+
5 rows in set (0.000 sec)
```

10. Show distinct gender values from the table.

- 11. Display all employees with a salary greater than **60,000**.
- 12. Display all employees who were hired before **2015-01-01**.
- 13. Display employees with gender = 'F'.
- 14. Show employees whose status is ACTIVE.
- 15. Display employees whose salary is between **50,000** and **70,000**.
- 16. Display employees sorted by firstname in ascending order.
- 17. Display employees sorted by salary in descending order.
- 18. Show employees sorted by date hired (oldest first).
- 19. Count how many employees are in each position id.
- 20. Count how many employees are grouped by gender.
- 21. Find the total salary per position id.
- 22. Show position id groups having more than 1 employee.
- 23. Show gender groups where the average salary is above **60,000**.
- 24. Show only the **first 3 employees** from the table.

25. Show **3 employees starting from the 3rd record** in the table.