

kuma:
version: '3.8'

services:
 uptime-kuma:
 image: louislam/uptime-kuma:latest
 ports:
 - "3001:3001"
 volumes:
 - uptime-kuma-data:/app/data
 environment:
 - PUID=1000
 - PGID=1000
 - TZ=Europe/Paris
 networks:
 - portainer_traefik-public
 deploy:
 restart_policy:
 condition: on-failure
 delay: 5s
 max_attempts: 3
 labels:
 - "traefik.enable=true"
 - "traefik.http.routers.uptime.rule=Host(`uptime.VOTRE-DOMAIN.com`)"
 - "traefik.http.services.uptime.loadbalancer.server.port=3001"
 - "traefik.http.routers.uptime.entrypoints=web"
 - "traefik.http.routers.uptime-secure.rule=Host(`uptime.VOTRE-DOMAIN.com`)"
 - "traefik.http.routers.uptime-secure.entrypoints=websecure"
 - "traefik.http.routers.uptime-secure.tls.certresolver=letsencrypt"

networks:
 portainer_traefik-public:
 external: true

volumes:
 uptime-kuma-data:
 driver: local

docker compose

version: '3.8'

services:
 socket-proxy:
 image: tecnativa/docker-socket-proxy:latest
 volumes:
 - /var/run/docker.sock:/var/run/docker.sock

environment:

CONTAINERS: 1
SERVICES: 1
NETWORKS: 1
TASKS: 1
NODES: 1
SWARM: 1
BUILD: 0
CONFIGS: 0
DISTRIBUTION: 0
EXEC: 0
IMAGES: 1
INFO: 1
PLUGINS: 0
SECRETS: 0
SYSTEM: 0
VOLUMES: 1
VERSION: 1

networks:

- traefik-public

deploy:

placement:

constraints:

- node.role == manager

traefik:

image: traefik:v2.9

command:

- --api.dashboard=true
- --api.insecure=true
- --providers.docker=true
- --providers.docker.swarmMode=true
- --providers.docker.exposedbydefault=false
- --providers.docker.endpoint=tcp://socket-proxy:2375
- --entrypoints.web.address=:80
- --entrypoints.websecure.address=:443

ports:

- target: 80
published: 80
mode: ingress
- target: 443
published: 443
mode: ingress
- target: 8080
published: 8080
mode: ingress

networks:

- traefik-public

```
deploy:
  placement:
    constraints:
      - node.labels.traefik == true
```

```
portainer:
  image: portainer/portainer-ce:latest
  command: -H tcp://socket-proxy:2375
  ports:
    - target: 9000
      published: 9000
      mode: ingress
  volumes:
    - portainer_data:/data
  networks:
    - traefik-public
  deploy:
    placement:
      constraints:
        - node.labels.traefik == true
```

```
networks:
  traefik-public:
    driver: overlay
    attachable: true    # ← CRUCIAL !
```

```
volumes:
  portainer_data:
```

```
portainer-traefik:
```

```
version: '3.8'
```

```
services:
  socket-proxy:
    image: tecnativa/docker-socket-proxy:latest
    volumes:
      - /var/run/docker.sock:/var/run/docker.sock
    environment:
      CONTAINERS: 1
      SERVICES: 1
      NETWORKS: 1
      TASKS: 1
      NODES: 1
      SWARM: 1
      BUILD: 1      # ★ CHANGÉ 0→1
      CONFIGS: 1    # ★ CHANGÉ 0→1
```

DISTRIBUTION: 1 # ★ CHANGÉ 0→1
EXEC: 1 # ★ CHANGÉ 0→1 (pour restart containers)
IMAGES: 1
INFO: 1
PLUGINS: 1 # ★ CHANGÉ 0→1
SECRETS: 1 # ★ CHANGÉ 0→1
SYSTEM: 1 # ★ CHANGÉ 0→1
VOLUMES: 1
VERSION: 1
POST: 1 # ★ AJOUTÉ (opérations POST)
COMMIT: 1 # ★ AJOUTÉ
AUTH: 1 # ★ AJOUTÉ
EVENTS: 1 # ★ AJOUTÉ
PING: 1 # ★ AJOUTÉ
SESSION: 1 # ★ AJOUTÉ
networks:
- traefik-public
deploy:
placement:
constraints:
- node.role == manager

traefik:

image: traefik:v2.9
command:
- --api.dashboard=true
- --api.insecure=true
- --providers.docker=true
- --providers.docker.swarmMode=true
- --providers.docker.exposedbydefault=false
- --providers.docker.endpoint=tcp://socket-proxy:2375
- --entrypoints.web.address=:80
- --entrypoints.websecure.address=:443

ports:

- target: 80
published: 80
mode: ingress
- target: 443
published: 443
mode: ingress
- target: 8080
published: 8080
mode: ingress

networks:

- traefik-public

depends_on:

- socket-proxy

deploy:

placement:
constraints:
- node.labels.traefik == true

portainer:
image: portainer/portainer-ce:latest
command: -H tcp://socket-proxy:2375
ports:
- target: 9000
published: 9000
mode: ingress
volumes:
- portainer_data:/data
networks:
- traefik-public
depends_on:
- socket-proxy
deploy:
placement:
constraints:
- node.labels.traefik == true

networks:
traefik-public:
driver: overlay
attachable: true

volumes:
portainer_data: