

```

With Home
    .TopLevel = False
    Panel5.Controls.Add(Home)
    .BringToFront()
    .Show()
End With

With Records
    .TopLevel = False
    Panel5.Controls.Add(Records)
    .BringToFront()
    .Show()
End With

Imports System.Security.Cryptography.X509Certificates
Imports System.Windows.Forms.VisualStyles.VisualStyleElement.Status
Imports MySql.Data.MySqlClient

Public Class Records
    Public MySqlConnection As New MySqlConnection
    Public MySqlCommand As New MySqlCommand
    Public MyAdapter As New MySqlDataAdapter
    Public MyReader As MySqlDataReader
    Private MySQLUSER As String = "root"
    Private MySQLHOST As String = "localhost"
    Private MySQLPASS As String = ""
    Private MySQLDTBS As String = "info"

    Private Sub Home_Load(sender As Object, e As EventArgs) Handles MyBase.Load

    End Sub

    Private Sub Home_Resize(sender As Object, e As EventArgs) Handles Me.Resize
        Panel1.Left = (Me.Width - Panel1.Width) / 2
    End Sub

    Private Sub Button1_Click(sender As Object, e As EventArgs) Handles
Button1.Click
        Dim STR As String

        STR = "server=" & MySQLHOST & "; user=" & MySQLUSER &
            ";password=" & MySQLPASS & ";database=" & MySQLDTBS

        MySqlConnection.ConnectionString = STR

        MySqlConnection.Open()
        Try
            MySqlCommand.Connection = MySqlConnection
            MySqlCommand.CommandText = "insert into
finals.info(projectname,advisername,yearpublished,course,author,dateuploaded,descrip
tion) values ('" & TextBox1.Text & "','" & TextBox2.Text & "','" & TextBox3.Text &
',' & TextBox4.Text & "','" & TextBox5.Text & "','" & DateTimePicker1.Text & "','"
& TextBox7.Text & "')"
            MySqlCommand.ExecuteNonQuery()
            MySqlConnection.Close()
        End Try
    End Sub
End Class

```

```

        MsgBox("Succesfully saved")

    Catch ex As SystemException
        MsgBox(ex.Message)
        MsgBox("Failed")
    End Try
    'TextBox1.Text = ""
    'TextBox2.Text = ""
    'TextBox3.Text = ""
    'TextBox4.Text = ""
    'TextBox5.Text = ""
    'DateTimePicker1.Text = ""
    'TextBox7.Text = ""

End Sub
End Class

'''

Me.Panel1 = New System.Windows.Forms.Panel()
Me.Label1 = New System.Windows.Forms.Label()
Me.Label2 = New System.Windows.Forms.Label()
Me.Label3 = New System.Windows.Forms.Label()
Me.Label4 = New System.Windows.Forms.Label()
Me.Label5 = New System.Windows.Forms.Label()
Me.Label7 = New System.Windows.Forms.Label()
Me.Label8 = New System.Windows.Forms.Label()
Me.TextBox1 = New System.Windows.Forms.TextBox()
Me.TextBox2 = New System.Windows.Forms.TextBox()
Me.TextBox3 = New System.Windows.Forms.TextBox()
Me.TextBox4 = New System.Windows.Forms.TextBox()
Me.TextBox5 = New System.Windows.Forms.TextBox()
Me.TextBox7 = New System.Windows.Forms.TextBox()
Me.DateTimePicker1 = New System.Windows.Forms.DateTimePicker()
Me.Button1 = New System.Windows.Forms.Button()
Me.Panel1.SuspendLayout()
Me.SuspendLayout()
'
'Panel1
'
Me.Panel1.BackColor = System.Drawing.Color.MistyRose
Me.Panel1.Controls.Add(Me.Button1)
Me.Panel1.Controls.Add(Me.DateTimePicker1)
Me.Panel1.Controls.Add(Me.TextBox7)
Me.Panel1.Controls.Add(Me.TextBox5)
Me.Panel1.Controls.Add(Me.TextBox4)
Me.Panel1.Controls.Add(Me.TextBox3)
Me.Panel1.Controls.Add(Me.TextBox2)
Me.Panel1.Controls.Add(Me.TextBox1)
Me.Panel1.Controls.Add(Me.Label8)
Me.Panel1.Controls.Add(Me.Label7)
Me.Panel1.Controls.Add(Me.Label5)
Me.Panel1.Controls.Add(Me.Label4)
Me.Panel1.Controls.Add(Me.Label3)

```

```

Me.Panel1.Controls.Add(Me.Label2)
Me.Panel1.Controls.Add(Me.Label1)
Me.Panel1.Location = New System.Drawing.Point(2, 2)
Me.Panel1.Name = "Panel1"
Me.Panel1.Size = New System.Drawing.Size(1377, 735)
Me.Panel1.TabIndex = 0
'
'Label1
'
Me.Label1.AutoSize = True
Me.Label1.Location = New System.Drawing.Point(78, 77)
Me.Label1.Name = "Label1"
Me.Label1.Size = New System.Drawing.Size(108, 20)
Me.Label1.TabIndex = 0
Me.Label1.Text = "Project Name:"
'
'Label2
'
Me.Label2.AutoSize = True
Me.Label2.Location = New System.Drawing.Point(66, 150)
Me.Label2.Name = "Label2"
Me.Label2.Size = New System.Drawing.Size(122, 20)
Me.Label2.TabIndex = 1
Me.Label2.Text = "Adviser's Name:"
'
'Label3
'
Me.Label3.AutoSize = True
Me.Label3.Location = New System.Drawing.Point(66, 222)
Me.Label3.Name = "Label3"
Me.Label3.Size = New System.Drawing.Size(120, 20)
Me.Label3.TabIndex = 2
Me.Label3.Text = "Year Published:"
'
'Label4
'
Me.Label4.AutoSize = True
Me.Label4.Location = New System.Drawing.Point(528, 77)
Me.Label4.Name = "Label4"
Me.Label4.Size = New System.Drawing.Size(64, 20)
Me.Label4.TabIndex = 3
Me.Label4.Text = "Course:"
'
'Label5
'
Me.Label5.AutoSize = True
Me.Label5.Location = New System.Drawing.Point(528, 150)
Me.Label5.Name = "Label5"
Me.Label5.Size = New System.Drawing.Size(61, 20)
Me.Label5.TabIndex = 4
Me.Label5.Text = "Author:"
'
'Label7
'
Me.Label7.AutoSize = True
Me.Label7.Location = New System.Drawing.Point(471, 222)
Me.Label7.Name = "Label7"
Me.Label7.Size = New System.Drawing.Size(121, 20)

```

```

Me.Label7.TabIndex = 6
Me.Label7.Text = "Date Uploaded:"
'
'Label8
'
Me.Label8.AutoSize = True
Me.Label8.Location = New System.Drawing.Point(924, 77)
Me.Label8.Name = "Label8"
Me.Label8.Size = New System.Drawing.Size(87, 20)
Me.Label8.TabIndex = 7
Me.Label8.Text = "Discription:"
'
'TextBox1
'
Me.TextBox1.Location = New System.Drawing.Point(203, 71)
Me.TextBox1.Name = "TextBox1"
Me.TextBox1.Size = New System.Drawing.Size(255, 26)
Me.TextBox1.TabIndex = 8
'
'TextBox2
'
Me.TextBox2.Location = New System.Drawing.Point(203, 150)
Me.TextBox2.Name = "TextBox2"
Me.TextBox2.Size = New System.Drawing.Size(255, 26)
Me.TextBox2.TabIndex = 9
'
'TextBox3
'
Me.TextBox3.Location = New System.Drawing.Point(203, 216)
Me.TextBox3.Name = "TextBox3"
Me.TextBox3.Size = New System.Drawing.Size(255, 26)
Me.TextBox3.TabIndex = 10
'
'TextBox4
'
Me.TextBox4.Location = New System.Drawing.Point(610, 71)
Me.TextBox4.Name = "TextBox4"
Me.TextBox4.Size = New System.Drawing.Size(255, 26)
Me.TextBox4.TabIndex = 11
'
'TextBox5
'
Me.TextBox5.Location = New System.Drawing.Point(610, 144)
Me.TextBox5.Name = "TextBox5"
Me.TextBox5.Size = New System.Drawing.Size(255, 26)
Me.TextBox5.TabIndex = 12
'
'TextBox7
'
Me.TextBox7.Location = New System.Drawing.Point(1040, 71)
Me.TextBox7.Name = "TextBox7"
Me.TextBox7.Size = New System.Drawing.Size(254, 26)
Me.TextBox7.TabIndex = 15
'
'DateTimePicker1
'
Me.DateTimePicker1.Location = New System.Drawing.Point(610, 222)
Me.DateTimePicker1.Name = "DateTimePicker1"

```

```

Me.DateTimePicker1.Size = New System.Drawing.Size(255, 26)
Me.DateTimePicker1.TabIndex = 14
'
'Button1
'
Me.Button1.Location = New System.Drawing.Point(203, 302)
Me.Button1.Name = "Button1"
Me.Button1.Size = New System.Drawing.Size(106, 39)
Me.Button1.TabIndex = 16
Me.Button1.Text = "Save"
Me.Button1.UseVisualStyleBackColor = True
'
'Records
'
Me.AutoScaleDimensions = New System.Drawing.SizeF(9.0!, 20.0!)
Me.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font
Me.BackgroundImageLayout = System.Windows.Forms.ImageLayout.Zoom
Me.ClientSize = New System.Drawing.Size(1355, 679)
Me.Controls.Add(Me.Panel1)
Me.FormBorderStyle = System.Windows.Forms.FormBorderStyle.None
Me.Name = "Records"
Me.Panel1.ResumeLayout(False)
Me.Panel1.PerformLayout()
Me.ResumeLayout(False)

```

End Sub

```

Friend WithEvents Panel1 As Panel
Friend WithEvents Label4 As Label
Friend WithEvents Label3 As Label
Friend WithEvents Label2 As Label
Friend WithEvents Label1 As Label
Friend WithEvents TextBox1 As TextBox
Friend WithEvents Label8 As Label
Friend WithEvents Label7 As Label
Friend WithEvents Label5 As Label
Friend WithEvents DateTimePicker1 As DateTimePicker
Friend WithEvents TextBox7 As TextBox
Friend WithEvents TextBox5 As TextBox
Friend WithEvents TextBox4 As TextBox
Friend WithEvents TextBox3 As TextBox
Friend WithEvents TextBox2 As TextBox
Friend WithEvents Button1 As Button
End Class

```

Web

```
<form action="/search" method="GET">
  <input type="text" class="form-control" id="search" name="query" aria-
label="Small" aria-describedby="inputGroup-sizing-sm">
  <div class="input-group-append">
    <button type="submit" class="btn btn-primary" id="searchBtn"><i class="fa fa-
search"></i></button>
  </div>
</form>
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script>
$(document).ready(function() {
  $('form').submit(function(event) {
    event.preventDefault(); // Prevent the form from submitting normally

    var query = $('#search').val();
    // Get the value of the search input field

    // Perform your search action using the query value
    // You can make an AJAX request to a server-side script or handle it locally

    // Example: Log the search query to the console
    console.log('Search query:', query);

    // You can also redirect to a search results page or update the current page
with search results

    // Reset the form
    $(this).trigger('reset');
  });
});
</script>
```