# Projeto Teste de Seleção ContabExpress

#### Paulo Adolpho Vieira da Silva Villas Boas

#### PROCEDIMENTOS INICIAIS

Como procedimento preliminar, segue a verificação dos requisitos informados para execução do projeto.

Verificação dos requisitos

Os requisitos solicitados foram:

- Versão do PHP: 7.3;
- Versão do Banco de Dados MySQL 5.7;

### Inicializando a máquina binária

```
MINGW64:/c/Users/Paulo Adolpho/OneDrive/Área de Trabalho/projetos/laradock

Paulo Adolpho@DESKTOP-EG637NU MINGW64 ~/OneDrive/Area de Trabalho
$ cd projetos/laradock

Paulo Adolpho@DESKTOP-EG637NU MINGW64 ~/OneDrive/Area de Trabalho/projetos/laradock (master)
$ docker-compose up -d apache2 mysql
Starting laradock_docker-in-docker_1 ... done
Starting laradock_mysql_1 ... done
Starting laradock_workspace_1 ... done
Starting laradock_workspace_1 ... done
Starting laradock_php-fpm_1 ... done
Starting laradock_apache2_1 ... done
Paulo Adolpho@DESKTOP-EG637NU MINGW64 ~/OneDrive/Area de Trabalho/projetos/laradock (master)
$ |
```

#### Instalação do Framework

Para a instalação do franework optou-se pela instalação do esqueleto base, onde instalaremos somente os componentes necessários para o projeto.

composer create-project symfony/skeleton crudsym

```
root@8774d0dae6b3:/var/www#
   root@8774d0dae6b3:/var/www# composer create-project symfony/skeleton crudsym
    Creating a "symfony/skeleton" project at
Installing symfony/skeleton (v5.1.99)
         - Installing symfony/skeleton (v5.1.99): Downloading (100%)
      reated project in /var/www/cruds
    reacted project in yoa/www.crudsyn
Loading composer repositories with package information
Updating dependencies (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
- Installing symfony/flex (v1.9.4): Loading from cache
Symfony operations: 1 recipe (72561bda257c347563dfbed73077a75b)

- Configuring symfony/flex (>=1.0): From github.com/symfony/recipes:master Loading composer repositories with package information Updating dependencies (including require-dev)

Restricting packages listed in "symfony/symfony" to "5.1.*"

Package operations: 30 installs, 0 updates, 0 removals

- Installing symfony/polyfill-php80 (V1.18.1): Loading from cache

- Installing symfony/polyfill-mbstring (V1.18.1): Loading from cache

- Installing symfony/polyfill-intl-normalizer (V1.18.1): Loading from cache

- Installing symfony/string (V5.1.5): Loading from cache

- Installing symfony/string (V5.1.5): Loading from cache

- Installing symfony/string (V5.1.5): Loading from cache

- Installing symfony/polyfill-php73 (V1.18.1): Loading from cache

- Installing symfony/polyfill-php73 (V1.18.1): Loading from cache

- Installing symfony/onsole (V5.1.5): Loading from cache

- Installing symfony/dotenv (V5.1.5): Loading from cache

- Installing symfony/dotenv (V5.1.5): Loading from cache

- Installing symfony/filesystem (V5.1.5): Loading from cache

- Installing symfony/filesystem (V5.1.5): Loading from cache

- Installing symfony/filesystem (V5.1.5): Loading from cache

- Installing symfony/event-dispatcher (V5.1.5): Loading from cache

- Installing symfony/error-handler (V5.1.5): Loading from cache

- Installing symfony/config (V5.1.5): Loading from cache


- Installing symfony/cache (V5.1.5): Loading from cache

- Installing symfony/cache-contracts (V2.2.0): Loading from cache

- Installing symfony/cache (V5.1.5): Loading fr
      Symfony operations: 1 recipe (72561bda257c347563dfbed73077a75b)
  - Configuring symfony/flex (>=1.0): From github.com/symfony/recipes:master
      Generating optimized autoload files
       7 packages you are using are looking for funding.
se the 'composer fund' command to find out more!
```

#### Execução via Server Apache

Para a execução do projeto no servidor Apache foi necessário somente dar as permissões necessárias ao projeto.



## **PACOTES NECESSÁRIOS**

Os pacotes necessários para execução do projeto foram instalados com os seguintes comandos:

Rotas: composer require annotations.

• Template: composer require twig.

```
root@8774dOdae6b3:/var/www/crudsym# composer require twig
Using version Al.O for symfony/twig-pack
./composer.json has been updated
Loading composer repositories with package information
Updating dependencies (including require-dev)
Restricting packages listed in "symfony/symfony" to "5.1.*"
Package operations: 6 installs, 0 updates, 0 removals
- Installing twig/twig (v3.0.5): Loading from cache
- Installing symfony/translation-contracts (v2.2.0): Loading from cache
- Installing symfony/twig-bundle (v5.1.5): Loading from cache
- Installing symfony/twig-bundle (v3.0.5): Loading from cache
- Installing symfony/twig-pack (v1.0.0): Loading from cache
- Installing symfony/twig-pack (v1.0.0): Loading from cache
- Installing symfony/twig-pack (v1.0.0): Loading from cache
Writing lock file
Generating optimized autoload files
33 packages you are using are looking for funding.
Use the 'composer fund' command to find out more!

Symfony operations: 2 recipes (87e629a3ce734184980ea653d442fd75)
- Configuring symfony/twig-bundle (>=5.0): From github.com/symfony/recipes:master
- Configuring twig/extra-bundle (>=0.0): From github.com/symfony/recipes:master
- Configuring symfony/twig-pack did not more!
- Configuring twig/extra-bundle (>=0.0): From github.com/symfony/recipes:master
- Configuring symfony/twig-pack did not mo
```

Manipulação do Banco de Dados: composer require symfony/orm-pack.


```
root88774d0dae6b3:/var/www/crudsym#
root88774d0dae6b3:/var/www/crudsym#
root88774d0dae6b3:/var/www/crudsym#
root88774d0dae6b3:/var/www/crudsym#
Design version v.D. for symbodyme-pack.

Being version v.D. for symbodyme-pack.

Bedding composer repositories with package information
updating dependencies (including require-dev)
Retricting packages listed in "symfony/symfony" to "5.1."
Package tiling composer repositories with package information
updating dependencies (including require-dev)
Retricting packages listed in "symfony/symfony" to "5.1."
Package tiling composer repositories with package information
Installing composer repositories with package information
Installing composer repositories with package information
Installing correlations of the package information in the package information in the package information in the package in the packag
```

Migrações: composer require --dev symfony/maker-bundle.

O banco de dados criado para a aplicação seguiu o diagrama de entidade e relacionamento abaixo:



Para que o banco fosse criado no servidor de banco de dados foram utilizados os seguintes passos:

Configuração do banco no arquivo .ENV:

```
###> doctrine/doctrine-bundle ###

# Format described at https://www.doctrine-project.org/projects/doctrine-dbal/en/latest/reference/configuration.html#connecting-using-a-url
# For an SQLite database, use: "sqlite://%kernel.project_dir%/var/data.db"

# For a PostgreSQL database, use: "postgresql://db_user:db_password@127.0.0.1:5432/db_name?serverVersion=11&charset=utf8"

# IMPORTANT: You MUST configure your server version, either here or in config/packages/doctrine.yaml

DATABASE_URL=mysql://root:root@mysql:3306/crudsym?serverVersion=5.7

#### doctrine/doctrine-bundle ###
```

 Criação do banco de dados utilizando o seguinte comando: bin/console doctrine:database:create:

 Criação da entidade clientes utilizando o seguinte comando: bin/console make:entity:

```
root@8774d0dae6b3:/var/www/crudsym#
root@8774d0dae6b3:/var/www/crudsym# php bin/console make:entity
Class name of the entity to create or update (e.g. OrangeElephant):
> Client
  realed: src/Entity/Client.php
realed: src/Repository/ClientRepository.php
Entity generated! Now let's add some fields!
You can always add more fields later manually or by re-running this command.
New property name (press <return> to stop adding fields):
Field type (enter ? to see all types) [string]:
> string
Field length [255]: > 100
Can this field be null in the database (nullable) (yes/no) [no]:
updated: src/Entity/Client.php
Add another property? Enter the property name (or press <return> to stop adding fields): > telefone
Field type (enter ? to see all types) [string]:
> 15
Can this field be null in the database (nullable) (yes/no) [no]:
updated: src/Entity/Client.php
Add another property? Enter the property name (or press <return> to stop adding fields):
> endereco
Field type (enter ? to see all types) [string]: > string
Field length [255]:
Can this field be null in the database (nullable) (yes/no) [no]:
updated: src/Entity/Client.php
Add another property? Enter the property name (or press <return> to stop adding fields):
> email
```

```
Add another property? Enter the property name (or press <return> to stop adding fields):
> email

Field type (enter ? to see all types) [string]:
> string

Field length [255]:
> 100

Can this field be null in the database (nullable) (yes/no) [no]:
> no

updated: src/Entity/Client.php

Add another property? Enter the property name (or press <return> to stop adding fields):
> idade

Field type (enter ? to see all types) [string]:
> integer

Can this field be null in the database (nullable) (yes/no) [no]:
> no

updated: src/Entity/Client.php

Add another property? Enter the property name (or press <return> to stop adding fields):
> Success!

Next: When you're ready, create a migration with php bin/console make:migration
```

 Criação do arquivo de migração utilizando o seguinte comando: bin/console make:migration:

```
Next: Review the new migration "migrations/Version20200926155027.php"
Then: Run the migration with php bin/console doctrine:migrations:migrate See https://symfony.com/doc/current/bundles/DoctrineMigrationsBundle/index.html
```

 Criação da entidade no banco de dados utilizando o seguinte comando: bin/console doctrine:migrations:migrate:

```
root@8774d0dae6b3:/var/www/crudsym# php bin/console doctrine:migrations:migrate

WARNING! You are about to execute a database migration that could result in schema changes and data loss. Are you sure you wish to continue? (yes/no) [yes]:

> yes

[notice] Migrating up to DoctrineMigrations\Version20200926155027
[notice] finished in 191.2ms, used 14M memory, 1 migrations executed, 1 sql queries
```

 Para a construção do controller e view utilizou-se o seguinte comando: bin/console make:crud:

```
root@8774dOdae6b3:/var/www/crudsym# php bin/console make:crud

The class name of the entity to create CRUD (e.g. DeliciousPuppy):

> Client

create: src/Controller/ClientController.php
create: src/Form/ClientType.php
create: templates/client/_delete_form.html.twig
create: templates/client/_form.html.twig
create: templates/client/edit.html.twig
create: templates/client/index.html.twig
create: templates/client/new.html.twig
create: templates/client/show.html.twig

Success!

Next: Check your new CRUD by going to /client/
root@8774dOdae6b3:/var/www/crudsym#
```

 Instalando as dependências do crud: composer require form validator securitycsrf:

```
root08774d0dae6b3:/var/www/crudsym# composer require form validator security-csrf
Restricting packages listed in "symfony/symfony" to "5.1.*"
./composer.json has been updated
Loading composer repositories with package information
Updating dependencies (including require-dev)
Restricting packages listed in "symfony/symfony" to "5.1.*"
Package operations: 9 installs, 0 updates, 0 removals
- Installing symfony/property-info (v5.1.5): Loading from cache
- Installing symfony/property-access (v5.1.5): Loading from cache
- Installing symfony/options-resolver (v5.1.5): Loading from cache
- Installing symfony/polyfil-initl-icu (v1.18.1): Loading from cache
- Installing symfony/polyfil-initl-icu (v1.18.1): Loading from cache
- Installing symfony/security-core (v5.1.5): Loading from cache
- Installing symfony/security-core (v5.1.
```

### **Arquivos Ativos (ASSETS)**

Para inserir arquivos de estilização, imagens e/ou arquivos.js é necessário, segundo a documentação oficial, instalar o componente asset com o comando *composer require symfony/asset.* 

```
Restricting packages listed in "symfony/symfony" to "5.1.*"

./composer.json has been updated
Loading composer repositories with package information
Updating dependencies (including require-dev)
Restricting packages listed in "symfony/symfony" to "5.1.*"
Package operations: 1 install, 0 updates, 0 removals
- Installing symfony/asset (v5.1.5): Loading from cache
Package zendframework/zend-code is abandoned, you should avoid using it. Use laminas/laminas-code instead.
Package zendframework/zend-eventmanager is abandoned, you should avoid using it. Use laminas/laminas-eventmanager instead.
Writing lock file
Generating optimized autoload files
composer/package-versions-deprecated: Generating version class...
composer/package-versions-deprecated: ...done generating version class
S8 packages you are using are looking for funding.
Use the composer fund command to find out more!
Run composer recipes at any time to see the status of your Symfony recipes.

Executing script cache:clear [OK]
Executing script assets:install public [OK]
Nothing to unpack
root@8774dOdae6b3:/var/www/crudsym# |
```


# **VIEWS FINALIZADAS**

Segue abaixo as views do crud:



### Client index

Id Nome Telefone Endereco Email Idade actions no records found <u>Create new</u>



# **Create new Client**

Nome	
Telefone	
Endereco	
Email	
Idade	
Save	
back to list	



# **Client index**

IdNomeTelefoneEnderecoEmailIdadeactions1Paulo Adolpho Villas Boas (12) 996474044Rua Alpina 80 p.adolpho@yahoo.com.br 26show editCreate new