

Results

T-Test Bearbeitungszeit 0%

Independent Samples T-Test

	t	df	p	Cohen's d	SE Cohen's d	95% CI for Cohen's d	
						Lower	Upper
Bearbeitungszeit	32.95	678.4	< .001	2.084	0.091	1.917	2.250

Note. Welch's t-test.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation
Bearbeitungszeit	IPA	500	4.828	2.849	0.127	0.590
	RPA	500	0.255	1.229	0.055	4.810

T-Test Nacharbeitszeit 0%

Independent Samples T-Test

	t	df	p	Cohen's d	SE Cohen's d	95% CI for Cohen's d	
						Lower	Upper
Nacharbeitszeit	4.538	684.6	< .001	0.287	0.064	0.162	0.412

Note. Welch's t-test.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation
Nacharbeitszeit	IPA	500	0.833	2.797	0.125	3.357
	RPA	500	0.213	1.228	0.055	5.760

Contingency Tables Fehler 0%

Contingency Tables



The following problem(s) occurred while running the analysis:

- Number of factor levels is < 2 in Fehler

Fehler		Verfahren		Total
		IPA	RPA	
0	Count	467.00	425.00	892.0
	Expected count	446.00	446.00	892.0
1	Count	33.00	75.00	108.0
	Expected count	54.00	54.00	108.0
Total	Count	500.00	500.00	1,000.0
	Expected count	500.00	500.00	1,000.0

Chi-Squared Tests

	Value	df	p
X ²	18.31	1	< .001
N	1,000		

Log Odds Ratio

	Log Odds Ratio	95% Confidence Intervals		p
		Lower	Upper	
Odds ratio	0.915	0.485	1.345	
Fisher's exact test	0.914	0.469	1.377	< .001

Nominal

	Value
Phi-coefficient	0.135
Cramer's V	0.135

Contingency Tables STP 0%

Contingency Tables

		Verfahren		Total
		IPA	RPA	
STP				
0	Count	52.00	19.00	71.00
	Expected count	35.50	35.50	71.00
1	Count	448.00	481.00	929.00
	Expected count	464.50	464.50	929.00
Total	Count	500.00	500.00	1,000.00
	Expected count	500.00	500.00	1,000.00

Chi-Squared Tests

	Value	df	p
X ²	16.51	1	< .001
N	1,000		

Log Odds Ratio

	Log Odds Ratio	95% Confidence Intervals		p
		Lower	Upper	
Odds ratio	1.078	0.537	1.619	
Fisher's exact test	1.077	0.516	1.676	< .001

Nominal

	Value
Phi-coefficient	0.128
Cramer's V	0.128

