

```

MariaDB [empresa]> DELIMITER //
MariaDB [empresa]>
MariaDB [empresa]> CREATE PROCEDURE ac12mediaSalarial(
->     IN p_codDep CHAR(5),
->     OUT p_media DECIMAL(12,2)
-> )
-> BEGIN
->     SELECT IFNULL(AVG(e.Salario), 0)
->     INTO p_media
->     FROM empleados e
->     WHERE e.CodDep = p_codDep;
-> END //
Query OK, 0 rows affected (0.021 sec)

```

```

MariaDB [empresa]> CREATE FUNCTION ac12categoriaDepartamento(
->     p_codDep CHAR(5)
-> )
-> RETURNS VARCHAR(10)
-> DETERMINISTIC
-> BEGIN
->     DECLARE v_media DECIMAL(12,2);
->     DECLARE v_categoria VARCHAR(10);
->
->     -- La función invoca al procedimiento
->     CALL ac12mediaSalarial(p_codDep, v_media);
->
->     IF v_media < 2000000 THEN
->         SET v_categoria = 'bajo';
->     ELSEIF v_media <= 5000000 THEN
->         SET v_categoria = 'medio';
->     ELSE
->         SET v_categoria = 'alto';
->     END IF;
->
->     RETURN v_categoria;
-> END //
Query OK, 0 rows affected (0.020 sec)

```

```

MariaDB [empresa]> DELIMITER ;
MariaDB [empresa]> CREATE TABLE informe_salarial (
->     CodDep CHAR(5) PRIMARY KEY,
->     NomDep VARCHAR(40),
->     NumEmpleados INT,
->     SalarioMedio DECIMAL(12,2),
->     Categoria VARCHAR(10)
-> );
Query OK, 0 rows affected (0.048 sec)

```

```

MariaDB [empresa]> DELIMITER //
MariaDB [empresa]>
MariaDB [empresa]> CREATE PROCEDURE ac12actualizaInforme(
    ->     IN p_codDep CHAR(5)
    -> )
    -> BEGIN
    ->     DECLARE v_media DECIMAL(12,2);
    ->     DECLARE v_categoria VARCHAR(10);
    ->     DECLARE v_num INT;
    ->
    ->     -- Invoca ac12mediaSalarial
    ->     CALL ac12mediaSalarial(p_codDep, v_media);
    ->
    ->     -- Calcula nº empleados
    ->     SELECT COUNT(*)
    ->     INTO v_num
    ->     FROM empleados e
    ->     WHERE e.CodDep = p_codDep;
    ->
    ->     -- Invoca ac12categoriaDepartamento
    ->     SET v_categoria = ac12categoriaDepartamento(p_codDep);
    ->
    ->     -- Actualiza la fila ya existente en informe_salarial
    ->     UPDATE informe_salarial i
    ->     SET i.NumEmpleados = v_num,
    ->         i.SalarioMedio = v_media,
    ->         i.Categoria = v_categoria
    ->     WHERE i.CodDep = p_codDep;
    -> END //
Query OK, 0 rows affected (0.022 sec)

MariaDB [empresa]>
MariaDB [empresa]> DELIMITER ;

```

```

MariaDB [empresa]> SELECT * FROM informe_salarial WHERE CodDep = 'PROZS';
+-----+-----+-----+-----+-----+
| CodDep | NomDep | NumEmpleados | SalarioMedio | Categoria |
+-----+-----+-----+-----+-----+
| PROZS  | Nombre Departamento PROZS | NULL | NULL | NULL |
+-----+-----+-----+-----+-----+
1 row in set (0.001 sec)

```