

```
MariaDB [(none)]> SELECT User, Host FROM mysql.user ORDER BY User, Host;
```

User	Host
Macbook	100.76.79.98
Macbook	172.17.0.1
healthcheck	127.0.0.1
healthcheck	::1
healthcheck	localhost
mariadb.sys	localhost
outerbase	100.76.79.98
pablo	172.17.0.1
profesor	172.17.0.1
root	%
root	localhost

```
11 rows in set (0.120 sec)
```

```
MariaDB [(none)]> CREATE USER 'ac901remoto'@'%' IDENTIFIED BY 's8a';
Query OK, 0 rows affected (0.050 sec)
```

```
~/clases git:(main)
mysql -h 100.66.28.116 -P 3307 -u ac901remoto -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 8
Server version: 12.1.2-MariaDB-ubu2404 mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
% to use agent
```

```
MariaDB [(none)]> ALTER USER 'ac901remoto'@'%' IDENTIFIED BY 'severo';
Query OK, 0 rows affected (0.053 sec)
```

```
~/clases git:(main)
mysql -h 100.66.28.116 -P 3307 -u ac901remoto -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 9
Server version: 12.1.2-MariaDB-ubu2404 mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
% to use agent
```

```
~/classes git:(main)
mysql -h 100.66.28.116 -P 3307 -u Macbook -p
+-----+
| mariadb.sys | localhost |
| outerbase   | 100.76.79.98 |
| pablo       | 172.17.0.1   |
| profesor    | 172.17.0.1   |
| root        | %            |
| root        | localhost    |
+-----+
13 rows in set (0.050 sec)

MariaDB [(none)]> DROP USER IF EXISTS 'ac901remoto'@'%';
Query OK, 0 rows affected, 1 warning (0.049 sec)

MariaDB [(none)]> DROP USER IF EXISTS 'ac901remoto'@'localhost';
Query OK, 0 rows affected, 1 warning (0.047 sec)

MariaDB [(none)]> DROP USER IF EXISTS 'ac901remoto'@'172.17.0.1';
Query OK, 0 rows affected, 1 warning (0.046 sec)

MariaDB [(none)]> CREATE USER 'ac901remoto'@'%' IDENTIFIED BY 's8a';
Query OK, 0 rows affected (0.050 sec)

MariaDB [(none)]> SELECT User, Host FROM mysql.user ORDER BY User, Host;
+-----+
| User      | Host      |
+-----+
| Macbook   | 100.76.79.98 |
| Macbook   | 172.17.0.1   |
| ac901local | 100.76.79.98 |
| ac901local | localhost    |
| ac901remoto | %          |
| healthcheck | 127.0.0.1   |
| healthcheck | ::1         |
| healthcheck | localhost    |
| mariadb.sys | localhost    |
| outerbase  | 100.76.79.98 |
| pablo      | 172.17.0.1   |
| profesor   | 172.17.0.1   |
| root       | %            |
| root       | localhost    |
+-----+
14 rows in set (0.043 sec)

MariaDB [(none)]> ALTER USER 'ac901remoto'@'%' IDENTIFIED BY 'severo';
Query OK, 0 rows affected (0.053 sec)

MariaDB [(none)]> 
```

```
MariaDB [(none)]> SELECT User, Host FROM
```

User	Host
Macbook	100.76.79.98
Macbook	172.17.0.1
ac901local	100.76.79.98
ac901local	localhost
ac901remoto	%
healthcheck	127.0.0.1
healthcheck	::1
healthcheck	localhost
mariadb.sys	localhost
outerbase	100.76.79.98
pablo	172.17.0.1
profesor	172.17.0.1
root	%
root	localhost

```
14 rows in set (0.044 sec)
```

```
MariaDB [(none)]> SELECT User, Host FROM mysql.user ORDER BY User, Host;
```

User	Host
Macbook	100.76.79.98
Macbook	172.17.0.1
ac901local	100.76.79.98
ac901local	localhost
ac901remoto	%
healthcheck	127.0.0.1
healthcheck	::1
healthcheck	localhost
mariadb.sys	localhost
outerbase	100.76.79.98
pablo	172.17.0.1
profesor	172.17.0.1
root	%
root	localhost

```
14 rows in set (0.044 sec)
```

```
MariaDB [(none)]> DROP USER IF EXISTS 'ac901remoto'@'%';  
Query OK, 0 rows affected, 1 warning (0.054 sec)
```

```
MariaDB [(none)]> SELECT User, Host FROM mysql.user ORDER BY User, Host;
```

User	Host
Macbook	100.76.79.98
Macbook	172.17.0.1
ac901local	100.76.79.98
ac901local	localhost
healthcheck	127.0.0.1
healthcheck	::1
healthcheck	localhost
mariadb.sys	localhost
outerbase	100.76.79.98
pablo	172.17.0.1
profesor	172.17.0.1
root	%
root	localhost

```
13 rows in set (0.047 sec)
```