

Job No.	Sheet No.	Rev
EX NO: 06	1	
Part	Ref	
By V.UMA SRI	Date 1/9/2026	Chd
Date Time 01-Sep-2026 15:32		

Job Title ANALYSIS AND DESIGN ANY TYPE OF CONTINEOUS BEAM

Client

File 24481A0156.std

Job Information

	Engineer	Checked	Approved
Name:	V.UMA SRI		
Date:	1/9/2026		

Comments:	
Structure Type:	SPACE FRAME

Geometry

Entity Type	Count	Highest
Nodes	3	3
Analytical Members	2	2

Load Cases

Load Case Type	Count
Primary	2
Combination	1

Included in this printout are data for:

All	The Whole Structure
-----	---------------------

Load Case Table

Included in this printout are results for load cases:

L/C	Type	Name
1	Primary	LIVE LOAD
2	Primary	DEAD LOAD
3	Combination	COMBINATION LOAD CASE 3

Nodes

Node	X (m)	Y (m)	Z (m)
1	0.000	0.000	0.000
2	5.000	0.000	0.000
3	10.000	0.000	0.000

Bentley® Software licensed to Connected User: P Kodanda RamaRao		Job No. EX NO: 06	Sheet No. 2	Rev
Job Title ANALYSIS AND DESIGN ANY TYPE OF CONTINEOUS BEAM		Part		Re f
Client		B y V.UMA SRI	Date 1/9/2026	Chd
File 24481A0156.std		Date Time 01-Sep-2026 15:32		

Beams

Beam	Node A	Node B	Length (m)	Property	β (degrees)
1	1	2	5.000	1	0.000
2	2	3	5.000	1	0.000

Supports

Node	X (kip/in)	Y (kip/in)	Z (kip/in)	rX (kip-ft/deg)	rY (kip-ft/deg)	rZ (kip-ft/deg)
1	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2	Fixed	Fixed	Fixed	-	-	-
3	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Combination Load Cases

Comb.	Combination L/C Name	Primary	Primary L/C Name	Factor
3	COMBINATION LOAD CASE 3	1	LIVE LOAD	1.500
		2	DEAD LOAD	1.500

Beam Displacement Summary

Type	Beam	L/C	d (m)	X (in)	Y (in)	Z (in)	Result ant (in)
Max X	2	3	5.000	0.000	0.000	0.000	0.000
Min X	2	3	3.750	0.000	-0.002	0.000	0.002
Max Y	2	3	5.000	0.000	0.000	0.000	0.000
Min Y	2	3	2.500	0.000	-0.003	0.000	0.003
Max Z	1	1	0.000	0.000	0.000	0.000	0.000
Min Z	1	1	0.000	0.000	0.000	0.000	0.000
Max Rst	1	3	2.500	0.000	-0.003	0.000	0.003

Beam End Forces

Beam	Node	L/C	Axial	Shear		Torsion	Bending	
			Fx (kN)	Fy (kN)	Fz (kN)	Mx (kip-in)	My (kip-in)	Mz (kip-in)
1	1	1	0.000	10.603	0.000	0.000	0.000	78.202
	2	1	0.000	10.603	0.000	0.000	0.000	-78.201
	1	2	0.000	0.000	0.000	0.000	0.000	0.000

Beam End Forces Cont...

Beam	Node	L/C	Axial	Shear		Torsion	Bending	
			Fx (kN)	Fy (kN)	Fz (kN)	Mx (kip-in)	My (kip-in)	Mz (kip-in)
1	2	2	0.000	0.000	0.000	0.000	0.000	0.000
	1	3	0.000	15.904	0.000	0.000	0.000	117.303
	2	3	0.000	15.904	0.000	0.000	0.000	-117.302
2	2	1	0.000	10.603	0.000	0.000	0.000	78.201
	3	1	0.000	10.603	0.000	0.000	0.000	-78.201
	2	2	0.000	0.000	0.000	0.000	0.000	0.000
	3	2	0.000	0.000	0.000	0.000	0.000	0.000
	2	3	0.000	15.904	0.000	0.000	0.000	117.302
	3	3	0.000	15.904	0.000	0.000	0.000	-117.301

Beam Force Detail Summary

	Beam	L/C	d (m)	Axial	Shear		Torsion	Bending	
				Fx (kN)	Fy (kN)	Fz (kN)	Mx (kip-in)	My (kip-in)	Mz (kip-in)
Max Fx	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Min Fx	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Max Fy	1	3	0.000	0.000	15.904	0.000	0.000	0.000	117.303
Min Fy	1	3	5.000	0.000	-15.904	0.000	0.000	0.000	117.302
Max Fz	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Min Fz	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Max Mx	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Min Mx	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Max My	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Min My	1	1	0.000	0.000	10.603	0.000	0.000	0.000	78.202
Max Mz	1	3	0.000	0.000	15.904	0.000	0.000	0.000	117.303
Min Mz	1	3	2.500	0.000	0.000	0.000	0.000	0.000	-58.651

Beam Combined Stresses Summary

Beam	L/C	Length (m)	Max Comp			Max Tens		
			Stress (psi)	d (m)	Corner	Stress (psi)	d (m)	Corner
1	1	5.000	71.195	0.000	3	-71.195	0.000	1

Job Title ANALYSIS AND DESIGN ANY TYPE OF CONTINEOUS BEAM

Part

Re
f

Client

B
y V.UMA SRI

Date 1/9/2026

Chd



File 24481A0156.std

Date Time 01-Sep-2026 15:32

Beam Combined Stresses Summary Cont...



Beam	L/C	Length (m)	Max Comp			Max Tens		
			Stress (psi)	d (m)	Corner	Stress (psi)	d (m)	Corner
1	2	5.000	0.000	0.000	0	0.000	0.000	0
	3	5.000	106.792	0.000	3	- 106.792	0.000	1
2	1	5.000	71.194	0.000	3	-71.194	0.000	1
	2	5.000	0.000	0.000	0	0.000	0.000	0
	3	5.000	106.791	0.000	3	- 106.791	0.000	1

Academic



Load 1 : Shear Y : D
Disl

Whole Structure Fy 175.127kN:1m Displacements 0.0011811in:1m 1 LIVE LOAD



Whole Structure Mz 19.685kip-in:1m 1 LIVE LOAD