JDBC - Test Paper

1. JDBC is used to develop?

a) Business logic

b) Persistence logic

c) Presentation logic

2. How many Drivers are there in JDBC? a) 1 b) 2 c) 3 d) 4 3. How many statement objects are there in JDBC? a) 2 b) 3 c) 5 d) 4
b) 2 c) 3 d) 4 3. How many statement objects are there in JDBC? a) 2 b) 3 c) 5
c) 3 d) 4 3. How many statement objects are there in JDBC? a) 2 b) 3 c) 5
d) 4 3. How many statement objects are there in JDBC? a) 2 b) 3 c) 5
 B. How many statement objects are there in JDBC? a) 2 b) 3 c) 5
a) 2 b) 3 c) 5
b) 3 c) 5
c) 5
d) 4
1. How many connection objects are there in JDBC?
a) 1
b) 2
c) 3
d) 4

- 5. Which ResultSet object is used to read the data bi-directionally?
 a) Scrollable ResultSet
 b) Non-Scrollable ResultSet
 c) Both a & b
 - d) None of the above
- 6. Which statement object is used to deal with Date and LOB values?
 - a) Simple Statement
 - b) PreparedStatement
 - c) CallableStatement
 - d) Jump Statement
- 7. To deal with PL/SQL procedures and functions we will use?
 - a) Statement
 - b) PreparedStatement
 - c) CallableStatement
 - d) None of the Above
- 8. To declare multiple queries in our application we need to use?
 - a) SQL Injection problem
 - b) Transaction Management
 - c) Batch Processing
 - d) None of the above

 9. Which following method we will use to execute Select Query? a) execute() b) executeUpdate() c) executeQuery() d) executeDelete()
10. Which following method we need to use to execute multiple queries at a time?
a. executeQuery()
b. executeUpdate()
c. execute()
d. executeBatch()
11. All jdbc packages are present in?
a) java.lang
b) javax.sql
c) java.util
d) java.sql
12. Thin driver is also known as?
a) Type 3 Driver
b) Type 4 Driver
c) Type 1 Driver
d) Type 2 Driver

13. How many transaction isolation levels provide the JDBC through the
Connection interface?
a) 3
b) 7
c) 2
d) 4
14. Which static method is used to get Connection object?
a) getConnection()
b) prepareCall()
c) executeUpdate()
d) rollback()
a) Tomback()
15. Which are the methods of Connection object?
a. setAutoCommit(false)
b. commit()
c. rollback()
d. All the above
16. Which method is used to load JDBC Driver?
a) forName()
b) getConnection()
c) load()
d) fetch()

- 17. What does setAutoCommit(false) will do?
 - a) It will not commit transaction after each query
 - b) It explicitly commits the transaction
 - c) It never commits the transaction
 - d) It does not commit transaction automatically after each query
- 18. What is correct order to close the database resources?
 - a) Connection, Statement and ResultSet
 - b) ResultSet, Connection and Statement
 - c) Statement, ResultSet and Connection
 - d) ResultSet, Statement and Connection
- 19. A good way to debug JDBC related problems is to enable?
 - a) JDBC tracing
 - b) Exception Handling
 - c) Both a and b
 - d) None of the above
- 20. JDBC-ODBC bridge driver is also known as?
 - a) Type 4 driver
 - b) Type 3 Driver
 - c) Type 1 Driver
 - d) Type 2 Driver
- 21. Which driver is used to deal with jdbc connection pool?
 - a) Type 1 driver
 - b) Type2 driver
 - c) Type 3 driver
 - d) Type 4 driver

 22. Which Statement object deals with precompiled SQL query? a) Simple Statement b) PreparedStatement c) CallableStatement d) None
 23. Which of the following is not a type of ResultSet object? a) TYPE_FORWARD_ONLY b) CONCUR_WRITE_ONLY c) TYPE_SCROLL_INSENSITIVE d) TYPE_SCROLL_SENSITIVE
 24. What is JDBC savepoint? a) An intermediate or checkpoint in a transaction b) A point where we can store queries c) A point where the JDBC application starts execution d) A memory where we can store transaction
 25. How many steps are there to develop JDBC application? a) 4 b) 5 c) 4 d) 6
 26. In How many ways we can register a driver? a) 1 b) 2 c) 4 d) 3

d)	Both a & b addBLOB(-,-,-)
	addBLOB(-,-,-)
98 Whic	
.o. vviiic	h datatype is used to store files in database?
a)	BLOB
b)	CLOB
c)	Date
d)	varchar2
.9. Datal	baseMetaData is used to read metadata of a?
a.	Table
b.	Database
C.	Driver
d.	System
0. Resu	ltSetMetaData is used to read metadata of a?
a)	Table
b)	Database
c)	Driver
d)	System

27. How to set blob values in JDBC?

a) setBinaryStream(-,-,-)