

MySQL Workbench

Navigation: File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas Information

No object selected

SQL File 4\*

```
9 use travel;
10 CREATE TABLE employe(
11     name VARCHAR(20),
12     emp_id INT PRIMARY KEY,
13     salary INT,
14     experience INT,
15     birth_date DATE,
16     age INT
17 );
18 CREATE TABLE lodge(
19     lodge_id INT PRIMARY KEY,
20     name VARCHAR(40)
21 );
22 CREATE TABLE branchh (
23     branch_id INT PRIMARY KEY,
24     branch_name VARCHAR(40),
25     no_of_employees INT
26 );
27 CREATE TABLE customer (
28     customer_id INT PRIMARY KEY,
29     name VARCHAR(20),
30     birth_date DATE
31 );
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
30	05:41:39	use travel	0 row(s) affected	0.000 sec
31	05:41:39	CREATE TABLE employe( name VARCHAR(20), emp_id INT PRIMARY KEY, salary INT, experience ...	0 row(s) affected	0.984 sec
32	05:41:40	CREATE TABLE lodge( lodge_id INT PRIMARY KEY, name VARCHAR(40))	0 row(s) affected	0.937 sec
33	05:41:41	CREATE TABLE branchh( branch_id INT PRIMARY KEY, branch_name VARCHAR(40), no_of_emplo...	0 row(s) affected	0.797 sec
34	05:41:42	CREATE TABLE customer ( customer_id INT PRIMARY KEY, name VARCHAR(20), birth_date DATE )	0 row(s) affected	0.718 sec

Object Info Session

Type here to search

05:41 27-09-2020

MySQL Workbench

Navigation: File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4\*

```
1 /*create database travel;
2 use travel;
3 CREATE TABLE transport(
4     transport_id INT,
5     nov INT
6 );
7 describe transport;*/
8 SHOW DATABASES;
```

Limit to 1000 rows

Result Grid

Filter Rows:

Exports: Wrap Cell Contents

Database

- information\_schema
- mydb
- mysql
- performance\_schema
- sakila
- sys
- travel
- world

Result 2

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	05:27:11	DROP DATABASE travel	0 row(s) affected	0.250 sec
7	05:29:15	create database travel	1 row(s) affected	0.235 sec
8	05:29:16	use travel	0 row(s) affected	0.000 sec
9	05:29:16	CREATE TABLE transport( transport_id INT, nov INT )	0 row(s) affected	2.078 sec
10	05:29:18	describe transport	2 row(s) returned	0.016 sec / 0.000 sec
11	05:31:23	SHOW DATABASES	8 row(s) returned	0.110 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Type here to search

05:31 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL File #1

```
60 INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19");
61 INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19");
62 select * from customer;
63 SELECT branch_name, branch_id FROM branchh;
64 SELECT name FROM employee WHERE salary>50000;
65 SELECT * FROM branchh WHERE branch_name="HUBLI";
66 DROP TABLE lodge;
67 DROP TABLE employee;
68 DROP TABLE branchh;
69 DROP TABLE customer;
70
71
72
73
74
75
76
```

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
75	05:57:52	INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19")	1 row(s) affected	0.094 sec
76	05:57:52	INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19")	1 row(s) affected	0.078 sec
77	05:57:52	select * from customer LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
78	05:58:44	SELECT branch_name, branch_id FROM branchh LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
79	05:59:53	SELECT name FROM employee WHERE salary>50000 LIMIT 0, 1000	4 row(s) returned	0.063 sec / 0.000 sec
80	06:00:28	SELECT * FROM branchh WHERE branch_name="HUBLI" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
81	06:01:06	DROP TABLE lodge	0 row(s) affected	1.587 sec
82	06:01:08	DROP TABLE employee	0 row(s) affected	0.984 sec
83	06:01:09	DROP TABLE branchh	0 row(s) affected	0.766 sec
84	06:01:10	DROP TABLE customer	0 row(s) affected	0.485 sec

Administration Schemas

Information

No object selected

Object Info Session

Type here to search

06:01 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL File 4\*

```
19 lodge_id INT PRIMARY KEY,
20 );
21
22 CREATE TABLE branchh (
23     branch_id INT PRIMARY KEY,
24     branch_name VARCHAR(40),
25     no_of_employees INT
26 );
27 CREATE TABLE customer (
28     customer_id INT PRIMARY KEY,
29     name VARCHAR(20),
30     birth_date DATE
31 );*/
32 DESCRIBE customer;
```

Result Grid

Field	Type	Null	Key	Default	Extra
customer_id	int	NO	PRI		
name	varchar(20)	YES			
birth_date	date	YES			

Result 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	05:42:24	DESCRIBE employee	6 row(s) returned	0.047 sec / 0.000 sec
38	05:42:24	DESCRIBE branchh	3 row(s) returned	0.000 sec / 0.000 sec
39	05:42:24	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec
40	05:42:54	DESCRIBE employee	6 row(s) returned	0.000 sec / 0.000 sec
41	05:43:29	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Windows Taskbar: Type here to search, 05:43 27-09-2020

MySQL Workbench

Navigation sidebar:

- MANAGEMENT
  - Server Status
  - Client Connections
  - Users and Privileges
  - Status and System Variables
  - Data Export
  - Data Import/Restore
- INSTANCE
  - Startup / Shutdown
  - Server Logs
  - Options File
- PERFORMANCE
  - Dashboard
  - Performance Reports
  - Performance Schema Setup

SQL Editor (SQL File 4):

```
21 ;
22 CREATE TABLE branchh (
23     branch_id INT PRIMARY KEY,
24     branch_name VARCHAR(40),
25     no_of_employees INT
26 );
27 CREATE TABLE customer (
28     customer_id INT PRIMARY KEY,
29     name VARCHAR(20),
30     birth_date DATE
31 );
32 * DESCRIBE employee;
33
34
```

Result Grid:

Field	Type	Null	Key	Default	Extra
name	varchar(20)	YES			
emp_id	int	NO	PRI		
salary	int	YES			
experience	int	YES			
birth_date	date	YES			

Output:

#	Time	Action	Message	Duration / Fetch
36	05:42:09	CREATE TABLE employee( name VARCHAR(20), emp_id INT PRIMARY KEY, salary INT, experience ...	Error Code: 1050. Table 'employee' already exists	0.000 sec
37	05:42:24	DESCRIBE employee	6 row(s) returned	0.047 sec / 0.000 sec
38	05:42:24	DESCRIBE branchh	3 row(s) returned	0.000 sec / 0.000 sec
39	05:42:24	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec
40	05:42:54	DESCRIBE employee	6 row(s) returned	0.000 sec / 0.000 sec

Windows taskbar: 05:42 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL File #1

```
23 branch_id INT PRIMARY KEY,
24 branch_name VARCHAR(40),
25 no_of_employees INT
26 };
27 CREATE TABLE customer (
28 customer_id INT PRIMARY KEY,
29 name VARCHAR(20),
30 birth_date DATE
31 );
32 DESCRIBE employee;
33 DESCRIBE branch;
34 DESCRIBE customer;*/
35 SHOW DATABASES;
36
```

Result Grid

Database

- mysql
- performance\_schema
- sakila
- sys
- travel
- world

Output

#	Time	Action	Message	Duration / Fetch
38	05:42:24	DESCRIBE branch	3 row(s) returned	0.000 sec / 0.000 sec
39	05:42:24	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec
40	05:42:54	DESCRIBE employee	6 row(s) returned	0.000 sec / 0.000 sec
41	05:43:29	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec
42	05:44:02	SHOW DATABASES	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Type here to search

05:44 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4

```
54 INSERT INTO customer VALUES(1001,"JOHN", "1990-11-19");
55 INSERT INTO customer VALUES(1002,"BOB", "1990-11-19");
56 INSERT INTO customer VALUES(1003,"MIKE", "1990-11-19");
57 INSERT INTO customer VALUES(1004,"BILLY", "1990-11-19");
58 INSERT INTO customer VALUES(1005,"CHARLES", "1990-11-19");
59 INSERT INTO customer VALUES(1006,"DEEP", "1990-11-19");
60 INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19");
61 INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19");
62 select * from customer;*/
63 SELECT branch_name, branch_id FROM branch;
```

Result Grid

branch_name	branch_id
BANGALORE	101
HUBLI	102
BEALAGAVI	103
MYSCORE	104
HYDERABAD	105
MUMBAI	106
CHENNAI	107
DELHI	108

branch 12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
75	05:57:52	INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19")	1 row(s) affected	0.094 sec
76	05:57:52	INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19")	1 row(s) affected	0.078 sec
77	05:57:52	select * from customer LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
78	05:58:44	SELECT branch_name, branch_id FROM branch LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid Form Editor Field Types

Apply Context Help Snippets

Type here to search

05:58 27-09-2020



MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4\*

```
44 select * from employee;
45 INSERT INTO branchh VALUES(101, "BANGALORE", 50);
46 INSERT INTO branchh VALUES(102, "HUBLI", 200);
47 INSERT INTO branchh VALUES(103, "BEALAGAVI", 100);
48 INSERT INTO branchh VALUES(104, "MYSORE", 60);
49 INSERT INTO branchh VALUES(105, "HYDERABAD", 70);
50 INSERT INTO branchh VALUES(106, "MUMBAI", 90);
51 INSERT INTO branchh VALUES(107, "CHENNAI", 80);
52 INSERT INTO branchh VALUES(108, "DELHI", 100);
53 select * from branchh;
```

Result Grid

branch_id	branch_name	no_of_employees
101	BANGALORE	50
102	HUBLI	200
103	BEALAGAVI	100
104	MYSORE	60
105	HYDERABAD	70
106	MUMBAI	90
107	CHENNAI	80
108	DELHI	100

branch 10 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
65	05:53:45	DELETE FROM branchh	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses...	0.000 sec
66	05:54:44	DELETE FROM branchh	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses...	0.000 sec
67	05:55:15	select * from branch LIMIT 0, 1000	Error Code: 1146. Table 'travel.branch' doesn't exist	0.172 sec
68	05:55:56	select * from branchh LIMIT 0, 1000	8 row(s) returned	0.062 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Type here to search

05:56 27-09-2020



MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4\*

```
35 SHOW DATABASES;*/
36 INSERT INTO employe VALUES("KALYAN", 1, 30000, 8, "1999-01-10", 20);
37 INSERT INTO employe VALUES("TRINATH", 2, 50000, 1, "1998-11-02", 21);
38 INSERT INTO employe VALUES("MANOJ", 3, 45000, 5, "1997-07-10", 22);
39 INSERT INTO employe VALUES("BHARATH", 4, 60000, 2, "1996-01-10", 23);
40 INSERT INTO employe VALUES("PAVAN", 5, 70000, 6, "1999-04-11", 20);
41 INSERT INTO employe VALUES("JOHN", 6, 80000, 4, "1994-03-10", 24);
42 INSERT INTO employe VALUES("BOB", 7, 90000, 4, "1993-05-30", 25);
43 INSERT INTO employe VALUES("ALICE", 8, 30000, 3, "1992-05-16", 26);
44 select * from employe;
```

Result Grid

	name	emp_id	salary	experience	birth_date	age
▶	KALYAN	1	30000	8	1999-01-10	20
	TRINATH	2	50000	1	1998-11-02	21
	MANOJ	3	45000	5	1997-07-10	22
	BHARATH	4	60000	2	1996-01-10	23
	PAVAN	5	70000	6	1999-04-11	20
	JOHN	6	80000	4	1994-03-10	24
	BOB	7	90000	4	1993-05-30	25
	ALICE	8	30000	3	1992-05-16	26
*	NAME	ID	SALARY	EXP	BIRTH DATE	AGE

Output

employee 9 x

#	Time	Action	Message	Duration / Fetch
✓ 48	05:45:42	INSERT INTO employe VALUES("JOHN", 6, 80000, 4, "1994-03-10", 24)	1 row(s) affected	0.109 sec
✓ 49	05:45:42	INSERT INTO employe VALUES("BOB", 7, 90000, 4, "1993-05-30", 25)	1 row(s) affected	0.109 sec
✓ 50	05:45:42	INSERT INTO employe VALUES("ALICE", 8, 30000, 3, "1992-05-16", 26)	1 row(s) affected	0.093 sec
✓ 51	05:45:42	select * from employe LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid  
Form Editor  
Field Types

Apply Context Help Snippets

Type here to search

05:45  
27-09-2020

MySQL Workbench

Navigation: File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4\*

```
61 INSERT INTO customer VALUES(1000,"PAUL", "1990-11-19");
62 select * from customer;
63 SELECT branch_name, branch_id FROM branchh;
64 SELECT name FROM employee WHERE salary>50000;*/
65 SELECT * FROM branchh WHERE branch_name="HUBLI";
66
67
68
69
70
```

Result Grid

branch_id	branch_name	no_of_employees
102	HUBLI	200

branch 14 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
77	05:57:52	select * from customer LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
78	05:58:44	SELECT branch_name, branch_id FROM branchh LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
79	05:59:53	SELECT name FROM employee WHERE salary>50000 LIMIT 0, 1000	4 row(s) returned	0.063 sec / 0.000 sec
80	06:00:28	SELECT * FROM branchh WHERE branch_name="HUBLI" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid  
Form Editor  
Field Types

Apply Context Help Snippets

Type here to search

06:00 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4\*

```
60 INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19");
61 INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19");
62 select * from customer;
63 SELECT branch_name, branch_id FROM branchh;
64 SELECT name FROM employee WHERE salary>50000;
```

Limit to 1000 rows

Result Grid

name
BHARATH
PAVAN
JOHN
BOB

Output

#	Time	Action	Message	Duration / Fetch
76	05:57:52	INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19")	1 row(s) affected	0.078 sec
77	05:57:52	select * from customer LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
78	05:58:44	SELECT branch_name, branch_id FROM branchh LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
79	05:59:53	SELECT name FROM employee WHERE salary>50000 LIMIT 0, 1000	4 row(s) returned	0.063 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Type here to search

06:00 27-09-2020

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 4

```
53 select * from branchh;
54 INSERT INTO customer VALUES(1001,"JOHN", "1990-11-19");
55 INSERT INTO customer VALUES(1002,"BOB", "1990-11-19");
56 INSERT INTO customer VALUES(1003,"MIKE", "1990-11-19");
57 INSERT INTO customer VALUES(1004,"BILLY", "1990-11-19");
58 INSERT INTO customer VALUES(1005,"CHARLES", "1990-11-19");
59 INSERT INTO customer VALUES(1006,"DEEP", "1990-11-19");
60 INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19");
61 INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19");
62 select * from customer;
```

Result Grid

customer_id	name	birth_date
1001	JOHN	1990-11-19
1002	BOB	1990-11-19
1003	MIKE	1990-11-19
1004	BILLY	1990-11-19
1005	CHARLES	1990-11-19
1006	DEEP	1990-11-19
1007	BRAVO	1990-11-19
1008	PAUL	1990-11-19

customer 11

Output

Action Output

#	Time	Action	Message	Duration / Fetch
74	05:57:52	INSERT INTO customer VALUES(1006,"DEEP", "1990-11-19")	1 row(s) affected	0.140 sec
75	05:57:52	INSERT INTO customer VALUES(1007,"BRAVO", "1990-11-19")	1 row(s) affected	0.094 sec
76	05:57:52	INSERT INTO customer VALUES(1008,"PAUL", "1990-11-19")	1 row(s) affected	0.078 sec
77	05:57:52	select * from customer LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Type here to search

05:57 27-09-2020

MySQL Workbench

Navigation: File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL File 4\*

```
23 branch_id INT PRIMARY KEY,
24 branch_name VARCHAR(40),
25 no_of_employees INT
26 };
27 CREATE TABLE customer (
28 customer_id INT PRIMARY KEY,
29 name VARCHAR(20),
30 birth_date DATE
31 );*/
32 • DESCRIBE branch;
33
34
35
36
```

Result Grid

Field	Type	Null	Key	Default	Extra
name	varchar(20)	YES			
emp_id	int	NO	PRI		
salary	int	YES			
experience	int	YES			
birth_date	date	YES			

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	05:42:09	CREATE TABLE employee( name VARCHAR(20), emp_id INT PRIMARY KEY, salary INT, experience	Error Code: 1050. Table 'employee' already exists	0.000 sec
37	05:42:24	DESCRIBE employee	6 row(s) returned	0.047 sec / 0.000 sec
38	05:42:24	DESCRIBE branchh	3 row(s) returned	0.000 sec / 0.000 sec
39	05:42:24	DESCRIBE customer	3 row(s) returned	0.000 sec / 0.000 sec
40	05:42:54	DESCRIBE employee	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Windows Taskbar: Type here to search, 05:43, 27-09-2020