

Naan Mudhalvan
Salesforce Developer(Course)
Assignment

Name :**M.Thirumavalavan**
Naan Mudhalvan id :**au620120104105**
Year & Dep : 4th year & IT
Batch : 2024
Zone no : Zone 8

1. Create a Master-Detail Relationship between two Custom objects and also create a Roll Up Summary Field to Calculate total number of records.

The screenshot displays the 'New Custom Object' setup page in Salesforce. The page is titled 'New Custom Object' and includes a search bar at the top. Below the title, there is a section for 'Custom Object Definition Edit' with buttons for 'Save', 'Save & New', and 'Cancel'. The 'Custom Object Information' section contains the following fields:

- Label:** College (Example: Account)
- Plural Label:** Colleges (Example: Accounts)
- Starts with vowel sound:** ☐
- Object Name:** College (Example: Account)
- Description:** (Empty text area)
- Context Sensitive Help Setting:** ☒ Open the standard Salesforce.com Help & Training window, ☐ Open a window using a Visualforce page
- Context Name:** (Dropdown menu)

Below the 'Custom Object Information' section is the 'Enter Record Name Label and Format' section. It includes a note: 'The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.' The fields are:

- Record Name:** College Name (Example: Account Name)

The bottom of the page shows the taskbar with various application icons and the system clock indicating 20:58.

WhatsApp | New Custom Object | Sales | +

nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/new

Gmail | YouTube | Maps | Global NetAcad L... | Edube Interactive...

Setup | Home | Object Manager

SETUP New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Get more info](#) [Don't show this message again](#)

Custom Object Definition Edit

[Save](#) [Save & New](#) [Cancel](#)

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in new layouts, key lists, related lists, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

WhatsApp | Object Manager | Salesforce | +

nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/page?address=%2Fp%2Fsetup%2Ffield%2FCustomField2StageManager%3Fid%3D000HSh00000QNoH0%26...

Gmail | YouTube | Maps | Global NetAcad L... | Edube Interactive...

Setup | Home | Object Manager

SETUP Object Manager

Edit Relationship College

Step 4. Add custom related lists Step 4 of 4

[Previous](#) [Save & New](#) [Save](#) [Cancel](#)

Field Label	Department
Date Type	Master-Detail
Field Name	Department
Description	

Specify the title that the related list will have in all of the layouts associated with the parent.

Related List Label:

[Previous](#) [Save & New](#) [Save](#) [Cancel](#)

Setup

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

Action	Label	Tab Style	Description
Edit Del	Codones	Building Block	
Edit Del	Departments	Classic card	
Edit Del	Essexvictoria	Classic card	
Edit Del	Essexvictoria products	Lightning	
Edit Del	Inventories	Classic card	
Edit Del	our customers	Classic card	
Edit Del	Properties	Classic card	
Edit Del	relaters	Classic card	
Edit Del	Skinware products	Classic card	
Edit Del	Students	Classic card	

Web Tabs

Setup

Department

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

- ☐ Currency
- ☐ Date
- ☐ Date/Time
- ☒ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☐ Phone
- ☐ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area
- ☐ Text Area (Long)
- ☐ Text Area (Rich)
- ☐ Text (Encrypted)
- ☐ Time
- ☐ URL

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.



Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "7:40 PM", "14:40", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Next Cancel



Setup > OBJECT MANAGER

Department

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Department New Custom Field

Step 2. Enter the details

Field Label: Dept_No

Field Name: Dept_No

Description:

Help Text:

Required: ☐ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value: [Show Formula Editor](#)

Use formulas to create, combine text and picklist values, roll up values in double quotes ("this, that"), include numbers without quotes (25), show percentages as decimals (0.25), and express date calculations in the standard format "Today() + 5". To reference a field from a Custom Metadata type record pair: \$CustomMetadataType__c__RecordName.Field__c

Previous Next Cancel

Setup > OBJECT MANAGER

Department

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

Fields & Relationships

7 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Department Name	Name	Text(30)		✓
Dept_email	Dept_email__c	Email		
Dept_No.	Dept_No__c	Phone		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Total_Count	Total_Count__c	Roll-Up Summary (COUNT College)		

[Setup](#)
[Home](#)
[Object Manager](#)

SETUP > OBJECT MANAGER

Department

[Details](#)
[Fields & Relationships](#)
[Page Layouts](#)
[Lightning Record Pages](#)
[Buttons, Links, and Actions](#)
[Compact Layouts](#)
[Field Sets](#)
[Object Limits](#)
[Record Types](#)
[Related Lookup Filters](#)
[Restriction Rules](#)

Full screen help

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected Select one of the data types below.

☐ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☒ Master-Detail Relationship Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

[Setup](#)
[Home](#)
[Object Manager](#)

SETUP > OBJECT MANAGER

Department

[Details](#)
[Fields & Relationships](#)
[Page Layouts](#)
[Lightning Record Pages](#)
[Buttons, Links, and Actions](#)
[Compact Layouts](#)
[Field Sets](#)
[Object Limits](#)
[Record Types](#)
[Related Lookup Filters](#)
[Restriction Rules](#)

Full screen help

Help for this Page

New Relationship

Step 6. Add custom related lists. Step 6 of 6

[Previous](#) [Save & New](#) [Save](#) [Cancel](#)

Field Label	College
Data Type	Master-Detail
Field Name	College
Description	

Specify the title that the related list will have in all of the layouts associated with the parent.

Related List Label

These are the page layouts that will include this field. Because this is a Master-Detail relationship, the field is required.

Add Related List ☒ Page Layout Name

☒ College Layout

☒ Append related list to users' existing personal customizations

[Previous](#) [Save & New](#) [Save](#) [Cancel](#)

Setup Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
College

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Step 3. Define the summary calculation Full-screen Page Step 3 of 5

Previous Next Cancel

Select Object to Summarize

Master Object College

Summarized Object Department

Select Roll-Up Type

☒ COUNT

☐ SUM

☐ MIN

☐ MAX

Field to Aggregate None

Filter Criteria

☒ All records should be included in the calculation

☐ Only records meeting certain criteria should be included in the calculation

Previous Next Cancel

Setup Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
College

Details

Fields & Relationships Full-screen Page Quick Find New Deleted Fields Field Dependencies Set History Tracking

5 Items, Sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
College Name	Name	Text(80)		✓
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User/Group)		✓
Total Count	Total_Count__c	Roll-Up Summary (COUNT Department)		

The screenshot shows the Lightning Experience App Manager interface. The left sidebar contains navigation links: Setup, Home, Object Manager, and a search bar. The main content area is titled "Lightning Experience App Manager" and displays a list of 22 items, sorted by App Name. The list includes various Salesforce applications like All Tabs, Analytics Studio, App Launcher, Bolt Solutions, Community, Content, Content, Cosmetic store management, Data Manager, Digital Experiences, Lightning Usage App, Marketing, Platform, Queue Management, Sales, and Sales. Each item has columns for App Name, Developer Name, Description, Last Modified Date, App Type, and Visibility. The interface is clean and professional, with a blue header and a white background for the content area.

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

* App Name ⓘ
Name your app...

* Developer Name ⓘ
Enter a developer name...

Description ⓘ
Enter a description...

App Branding

Image ⓘ
Upload

Primary Color Hex Value ⓘ
#0070D2

Org Theme Options
☐ Use the app's image and color instead of the org's custom theme

App Launcher Preview

[Next](#)

New Lightning App

App Details & Branding

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

*App Name ⓘ
My_College

*Developer Name ⓘ
My_College

Description ⓘ
Enter a description...

App Branding

Image ⓘ
Upload

Primary Color Hex Value ⓘ
#0070D2

Org Theme Options
☐ Use the app's image and color instead of the org's custom theme

App Launcher Preview

Next

ID	Label	Page Layout	Home Page	Created By	Created Date	Theme	Status
13	Queue Management	QueueManagement	Create and manage queues for your business.		01/10/2023, 6:39 am	Lightning	✓
14	Sales	Sales	The world's most popular sales force automation (SFA) solution		01/10/2023, 6:39 am	Classic	
15	Sales	LightningSales	Manage your sales process with accounts, leads, opportunities, and more		01/10/2023, 6:39 am	Lightning	✓

New Lightning App

Standard navigation shows items in a navigation bar at the top of the page. Console navigation shows a list of records in a sidebar and opens each record in a new workspace tab. Also, you can select the form factors where this app is available.



Navigation and Form Factor



- * Navigation Style
 - ☒ Standard navigation
 - ☐ Console navigation
- * Supported Form Factors
 - ☒ Desktop and phone
 - ☐ Desktop
 - ☐ Phone


Setup and Personalization

- Setup Experience
 - ☒ Setup (full set of Setup options)
 - ☐ Service Setup
- App Personalization Settings
 - ☐ Disable end user personalization of nav items in this app
 - ☐ Disable temporary tabs for items outside of this app

Back [Progress Bar] Next














My-app

College

Department

Q Search...



College AVS

New Contact Edit New Opportunity

Related

Details

College Name

AVS

Total Count

0

Created By


Vignesh 18/10/2023, 3:28 pm

Owner

Vignesh

Last Modified By

Vignesh 18/10/2023, 3:28 pm










My-app

College

Department

Q Search...



Department Recently Viewed

0 items • Updated a few seconds ago

Department Name

New Department

* = Required Information

Information

* Department Name

CSE

Email

cse@gmail.com


Phone

1234567899

* College

AVS

Cancel Save & New Save










My-app

College

Department

Q Search...



Department CSE

✓ Department CSE was created.

New ContactEditNew Opportunity

Related

Details

Department Name

CSE

Full access link

Email

cse@gmail.com


Phone

1234567899


College


AVS

Created By

 Vignesh 18/10/2023, 3:29 pm

Last Modified By

 Vignesh 18/10/2023, 3:29 pm










My-app

College

Department

Q Search...



College AVS

New ContactEditNew Opportunity


Related

Details

College Name

AVS

Owner


 Vignesh

Full access link


Total Count

1

Created By

 Vignesh 18/10/2023, 3:28 pm

Last Modified By

 Vignesh 18/10/2023, 3:29 pm

2. If there is 2 user, User A and User B in the organisation and we want in Account object that User A should not see the User B Record and user B should not see User A record then apply the Security for the users.

The screenshot shows the Salesforce 'New Custom Object' setup page. The browser address bar indicates the URL is `nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/new`. The page title is 'New Custom Object'. A yellow warning banner at the top states: 'Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Get more info](#) [Don't show this message again](#)'. Below the banner, the 'Custom Object Definition Edit' section is active, with 'Save' and 'Save & New' buttons. The 'Custom Object Information' section includes fields for 'Label' (set to 'Details', example: 'Account'), 'Plural Label' (set to 'Details', example: 'Accounts'), and 'Object Name' (set to 'Details', example: 'Account'). There is also a 'Description' field. At the bottom, the 'Enter Record Name Label and Format' section is partially visible. The taskbar at the bottom shows the taskbar with icons for WhatsApp, Job Profile, and the current page.

Setup
Home
Object Manager

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Get more info](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Setup Home Object Manager

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

2.JPG

Details

Description

API Name: Details_c

Custom

✓

Singular Label: Details

Plural Label: Details

Enable Reports

Track Activities

Track Field History

Deployment Status: Deployed

Help Settings: Standard salesforce.com Help Window

Edit Delete

Setup Home Object Manager

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

7.JPG

Fields & Relationships

4 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(User)		
Details Name	Name	Text(80)		✓
Last Modified By	LastModifiedBy	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

☐ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☐ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ DateTime

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.

☐ Percent

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☐ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☐ Text

Allows users to enter any combination of letters and numbers.

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

New Custom Field

Step 2: Enter the details

Step 2 of 4

Field Label:

Field Name:

Description:

Help Text:

Required: ☐ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value:

Use Formula Editor: Exclude text and picklist values with names in double quotes ("the test"). Include numbers without quotes (123). When percentages are decimals (0.123), and express date calculations in the standard format (Today() + 7). To reference a field from a Custom Metadata type record, use \$CustomMetadata.Type__c__myRecordOfEvents.Field__c.

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

New Custom Field

Step 4. Add to page layouts

Field Label: Mail
Data Type: Email
Field Name: Mail
Description:

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

To change the location of this field on the page, you will need to customize the page layout.

☒ Add Field ☐ Page Layout Name

☒ Details Layout

When finished, click Save & New to create more custom fields, or click Save if you are done.

Previous Save & New Save Cancel

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

☐ Currency

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☒ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☐ Text Area (Long)

☐ Text Area (Rich)

☐ Text (Encrypted) (X)

☐ Time

☐ URL

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "7:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Next Cancel

Setup Home Object Manager

Details

Details

New Custom Field

Step 2 of 4

Field Label: Phone

Field Name: Phone

Description:

Help Text:

Required: ☐ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value: [Show Formula Editor](#)

Use formulas to create, combine text and picklist values, arithmetic calculations, and date calculations. To reference a field from a Custom Metadata type record, use: `{CustomMetadataType__mdt.RecordName.Field__c}`

Previous Next Cancel

Setup Home Object Manager

Details

Details

New Custom Field

Step 4 of 4

Field Label: Phone

Data Type: Phone

Field Name: Phone

Description:

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

To change the location of this field on the page, you will need to customize the page layout.

☒ Add Field Page Layout Name

☒ Details Layout

When finished, click Save & New to create more custom fields, or click Save if you are done.

Previous Save & New Save Cancel

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

☐ Currency

☒ Date

☐ DateTime

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☐ Text Area (Long)

☐ Text Area (Rich)

☐ Text (Encrypted) (1)

☐ Time

☐ URL

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Print Cancel

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

New Custom Field

Help for this Page

Step 2 of 4

Step 2: Enter the details

Field Label: (1)

Field Name: (1)

Description:

Help Text: (1)

Required: ☐ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity (1)

Default Value:

Use formulas, picklist, Enclose text and picklist value API names in double quotes ("file_name"). Include numbers without quotes (10). When percentages do decimals (0.15), and express date calculations in the standard format (Today) + 7. To reference a field from a Custom Metadata type record use \$CustomMetadataType__c.recordId.Field__c

Previous Next Cancel

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

New Custom Field

Step 4. Add to page layouts Step 4 of 4

Field Label	Date
Date Type	Date
Field Name	Date
Description	

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

To change the location of this field on the page, you will need to customize the page layout.

☒ Add Field ☐ Page Layout Name

☒ Details Layout

When finished, click Save & New to create more custom fields, or click Save if you are done.

[Previous](#) [Save & New](#) [Save](#) [Cancel](#)

Setup > OBJECT MANAGER

Details

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Triggers

Flow Triggers

☐ Checkmark

☐ Currency

☐ Date

☐ DateTime

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☒ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☐ Text Area (Long)

☐ Text Area (Rich)

☐ Text (Encrypted)

☐ Time

☐ URL

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the DateTime field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.



Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

[Next](#) [Cancel](#)



Screenshot of the Salesforce Setup page, specifically the "Details" section for an object. The page shows a list of fields and their relationships.

Fields & Relationships

8 Items, Sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Date	Date__c	Date		
Details Name	Name	Text(80)		✓
Gender	Gender__c	Picklist		
Last Modified By	LastModifiedById	Lookup(User)		
Mail	Mail__c	Email		
Owner	OwnerId	Lookup(User,Group)		✓
Phone	Phone__c	Phone		

Screenshot of the Salesforce Setup page, specifically the "New Custom Object Tab" wizard. The page shows the "Step 1. Enter the Details" section.

New Custom Object Tab

Step 1. Enter the Details (Step 1 of 3)

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or [create a new custom object now](#).

Object: **Details**

Tab Style: **Lightning**

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: **..None..**

Enter a short description.

Description:

Setup

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

Action	Label	Tab Style	Description
Edit Del	Colours	Building Block	
Edit Del	Departments	Credit card	
Edit Del	Details	Lightning	
Edit Del	Facilities	Diamond	
Edit Del	Favourite products	Lightning	
Edit Del	Inventories	COVID	
Edit Del	out customers	Route	
Edit Del	Properties	Anytime	
Edit Del	retailing	Highway Sign	
Edit Del	Skincare products	Sale	
Edit Del	Students	Triangle	

Setup



Flows



Flow Definitions

All Flows

35 items • Sorted by Flow Label • Filtered by All flow definitions • Updated a few seconds ago

Flow Label	Process Type	Active	Temp...	Package State	Pack...	Last Modif...	Last Modified Date
Basic Approval Request	Flow Orchestration for CMS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Book Appointment from Invitation	Salesforce Scheduler Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Cancel Item Flow	Screen Flow	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Change Case Owner to Incident Owner	Screen Flow	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Close Change Request & Related Issues	Screen Flow	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
CMS: Check Whether Any Step is Completed	Evaluation Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
CMS: Notify Content Author	Screen Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
CMS: Review Content	Screen Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
CMS: Submit Content for Review	Screen Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
CMS: Withdraw Review Request	Screen Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Consultantrec	Screen Flow	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Unmanaged		Ajmal Akram	17/10/2023, 1:11 pm
Create a Case	Screen Flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Create Order Summary Flow	Autolaunched Flow	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			
Create Process Exception Flow	Autolaunched Flow	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Managed-Installed			





Flow Builder interface showing a flow diagram and configuration options.

Flow Diagram:

- Screen Flow Start
- Detail Screen
- Details1 Create Records
- End

Configuration Panel:

Use separate resources and literal values

Create a Record of This Object

*Object: Details

Set Field Values for the Details

Field	Value
Name	A ₃ Name X
Email_c	A ₃ Email > Value X
Phone_c	A ₃ Phone > Value X
Date_c	Date X
Gender_c	A ₃ Gender X

+ Add Field

☐ Manually assign variables

Details12

Name: Vignesh

Email: Vigneshc0987@gmail.com

Phone: 1234567890

Date: 18-Oct-2023

Gender: male

Next

3) WhatsAppJob ProfileFlows | SalesforceFlow BuilderLightning Experience | Sales

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

GmailYouTubeMapsGlobal NetAcad L...Edube Interactive...

Search...

My-appCollegeDepartmentDetails

Details

sanjay

New ContactEditNew Opportunity

RelatedDetails

Details Name

AVignesh

Owner

AVignesh

Email

Vigneshc0987@gmail.com

Phone

1234567890

Date

18/10/2023

Gender

Male

Created By

AVignesh - 8/10/2023, 3:42 pm

Last Modified By

AVignesh - 8/10/2023, 3:42 pm

3. Suppose there are 2 Users and they are having Create, Read, Edit access on Account Object with the same profile but we want to open up the access for one user to delete how will you implement the Security setting.

The screenshot shows the Salesforce 'New Custom Object' setup page. The browser tabs include 'WhatsApp', 'Job Profile', 'New Custom Object | Sales...', and 'Lightning Experience | Sales...'. The URL is 'nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/new'. The page title is 'New Custom Object'. A yellow banner at the top states: 'Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Get more info](#) [Don't show this message again](#)'. Below this is the 'Custom Object Definition Edit' section with 'Save', 'Save & New', and 'Cancel' buttons. The 'Custom Object Information' section includes fields for 'Label' (Example: Account), 'Plural Label' (Example: Accounts), 'Starts with vowel sound' (checkbox), 'Object Name' (Example: Account), and 'Description'. At the bottom, there are 'Context-Sensitive Help Setting' options: 'Open the standard Salesforce.com Help & Training window' (selected) and 'Open a window using a Visualforce page'. A 'Content Name' dropdown is also present. A footer note explains the 'Record Name' field: 'The Record Name appears in page layouts, key lists, related lists, analyses, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.'

nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/CustomTabs/page/address+%2Fsetup%2Fui%2FobjectCustomTabWizard.jsp%3FretURL%3D%252Fsetup%252Fui%252Fcustom...

Setup Home Object Manager

Search Setup

Setup Tabs

New Custom Object Tab

Step 1 of 3

Step 1. Enter the Details

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or create a new custom object now

Object: Management

Tab Style: Camera

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: --None--

Enter a short description.

Description:

Next Cancel

nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/CustomTabs/page/address+%2Fsetup%2Fui%2FcustomTabs.jsp%3FsetupId%3DCustomTab%26retURL%3D%252Fsetup%252Fui%252Fcustom...

Setup Home Object Manager

Search Setup

Setup Tabs

Custom Object Tabs

Action	Label	Tab Style	Description
Edit Del	Colleges	Building Block	
Edit Del	Departments	Credit card	
Edit Del	Details	Lightning	
Edit Del	Environments	Starboard	
Edit Del	Esqurance products	Lightning	
Edit Del	Inventories	CD/DVD	
Edit Del	Managements	Camera	
Edit Del	Our customers	Book	
Edit Del	Proceedings	Airplane	
Edit Del	retailers	Highway Sign	
Edit Del	Skinicare products	Star	
Edit Del	Students	Triangle	

Web Tabs

No Web Tabs have been defined

Browser tabs: (3) WhatsApp, Job Profile, Flows | Salesforce, Flow Builder, Lightning Experience | Sales.

Address bar: nanudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

Search bar: Search...

Navigation: My-app, Recently Viewed, College, Department, Details, Management

Management

Recently Viewed ▾

0 items • Updated a few seconds ago

Buttons: New, Import, Change Owner

Management Name

You haven't viewed any Management recently. Try switching list views.

Browser tabs: (3) WhatsApp, Job Profile, Flows | Salesforce, Flow Builder, Lightning Experience | Sales.

Address bar: nanudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

Message: To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7. [Learn more](#)

Search Setup: Search Setup

Navigation: Setup, Home, Object Manager

Setup

Hyperforce Assistant

- Users
- Profiles**
- Data
 - Mass Transfer Approval Requests
- Feature Settings
 - Data.com
 - Prospector Preferences
 - Prospector Users
 - Functions
 - Marketing
 - Lead Processes
 - Sales
 - Products
 - Asset Settings

Profiles

All Profiles ▾ Edit | Delete | Create New View

Action	Profile Name	User License	Custom
<input type="checkbox"/> Edit Clone	Salesforce API Only System Integrations	Salesforce Integration	<input type="checkbox"/>
<input type="checkbox"/> Edit Clone	Silver Partner User	Silver Partner	<input type="checkbox"/>
<input type="checkbox"/> Edit Clone	Solution Manager	Salesforce	<input type="checkbox"/>
<input type="checkbox"/> Edit Clone	Standard Platform User	Salesforce Platform	<input type="checkbox"/>
<input type="checkbox"/> Edit Clone	Standard User	Salesforce	<input type="checkbox"/>
<input type="checkbox"/> Edit Clone	System Administrator	Salesforce	<input type="checkbox"/>

1-6 of 6 0 Selected

Page 1 of 1

Setup

Profiles

Profile Edit: Manager

Set the permissions and page layouts for this profile.

Profile Edit

Name: Manager

User License: Salesforce Platform

Description:

Custom Profile: ☒

Custom App Settings

	Visible	Default		Visible	Default
Analytics Studio (standard__Insights)	<input type="checkbox"/>	<input type="radio"/>	Platform (standard__Platform)	<input checked="" type="checkbox"/>	<input type="radio"/>
App Launcher (standard__AppLauncher)	<input type="checkbox"/>	<input type="radio"/>	WDC (standard__Work)	<input type="checkbox"/>	<input type="radio"/>
My-app (Myapp)	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>			

Service Provider Access

Setup

Profiles

Custom Object Permissions

	Basic Access				Data Administration			Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All		Read	Create	Edit	Delete	View All	Modify All
College	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Details	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Department	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Management	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: --None--

Password Policies

User passwords expire in: 90 days

Enforce password history: 3 passwords remembered

Minimum password length: 8

Setup Home Object Manager

Search Setup

Profiles

Profile: Manager

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

[Login IP Ranges](#) | [Enabled Apex Class Access](#) | [Enabled Validation Page Access](#) | [Enabled External Data Source Access](#) | [Enabled Named Credential Access](#) | [Enabled External Credential Provider Access](#) | [Enabled Custom Metadata Type Access](#) | [Enabled Custom Settings Definitions Access](#) | [Enabled Flow Access](#) | [Enabled Service Presence Status Access](#) | [Enabled Custom Permissions](#)

Profile Detail [Edit](#) [Clone](#) [Delete](#) [View Users](#)

Name	Manager	Custom Profile	<input checked="" type="checkbox"/>
User License	Salesforce Platform		
Description			
Created By	Admin	Modified By	Admin
Created	16/10/2023, 3:47 pm	Modified	16/10/2023, 3:48 pm

Page Layouts

Standard Object Layouts	Global	Global Layout View Assignment	Object Milestone	Object Milestone Layout View Assignment
Email Application	Not Assigned	View Assignment	Operating Hours	Operating Hours Layout View Assignment
Home Page Layout	Home Page Default		Order	Order Layout

Setup Home Object Manager

Search Setup

Users

New User

User Edit [Save](#) [Save & New](#) [Cancel](#)

General Information

First Name	manager	Role	Marketing Team
Last Name	1	User License	Salesforce Platform
Alias	m1	Profile	Manager
Email	manager.aaa@gmail.com	Active	<input checked="" type="checkbox"/>
Username	manager.aaa@gmail.com	Marketing User	<input checked="" type="checkbox"/>
Nickname	User1697624338709764377	Offline User	<input type="checkbox"/>
Title		Knowledge User	<input type="checkbox"/>
Company		Flow User	<input type="checkbox"/>
Department		Service Cloud User	<input type="checkbox"/>
Division		Site.com Contributor User	<input type="checkbox"/>
		Site.com Publisher User	<input type="checkbox"/>
		WDC User	<input type="checkbox"/>

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Search Setup

Setup Home Object Manager

user

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Service

Embedded Service

Messaging for In-App and Web User

SETUP Users

New User

Help for this Page

User Edit Save Save & New Cancel

General Information

First Name: manager

Last Name: 2

Alias: m2

Email: managerxyz.xyz@gmail.com

Username: managerxyz.xyz@gmail.com

Nickname: User1697624453759508865

Title:

Company:

Department:

Division:

Role: Marketing Team

User License: Salesforce

Profile: Solution Manager

Active: ☒

Marketing User: ☐

Offline User: ☐

Knowledge User: ☐

Flow User: ☐

Service Cloud User: ☐

Site.com Contributor User: ☐

Site.com Publisher User: ☐

WDC User: ☐

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Search Setup

Setup Home Object Manager

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP Permission Sets

Permission Sets

Help for this Page

On this page you can create, view, and manage permission sets.

All Permission Sets Edit Delete Create New View

New

Action	Permission Set Label	Description	License
<input type="checkbox"/> Clone	Buyer	Allows access to the store. Lets users see products and c...	B2B Buyer Permission Set One Seat
<input type="checkbox"/> Clone	Buyer Manager	Includes all Buyer capabilities, and allows access to mana...	B2B Buyer Manager Permission Set One Seat
<input type="checkbox"/> Clone	C360 High Scale Flow Integration User	Allows integration user to access features specific to C360...	Cloud Integration User
<input type="checkbox"/> Clone	CRM User	Denotes that the user is a Sales Cloud or Service Cloud u...	CRM User
<input type="checkbox"/> Clone	Commerce Admin	Allow access to commerce admin features.	Commerce Admin Permission Set License Seats
<input type="checkbox"/> Clone	Contact Center Admin	Manage Service Cloud Voice contact centers that use Am...	Service Cloud Voice User
<input type="checkbox"/> Clone	Contact Center Agent	Access agent features in Service Cloud Voice contact cent...	Service Cloud Voice User
<input type="checkbox"/> Clone	Contact Center Supervisor	Access supervisor features in Service Cloud Voice contact...	Service Cloud Voice User
<input type="checkbox"/> Del Clone	Experience Profile Manager		Salesforce
<input type="checkbox"/> Clone	Facility Manager	Lets users create, read, edit, and delete locations, subloa...	Facility Manager

1-25 of 30 0 Selected

Page 1 of 2

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7. [Learn more](#)

Setup Home Object Manager

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP

Permission Sets

Permission Set: **manager12** [Full screen help](#) [View Tutorial](#) [Help for this Page](#)

[Clone](#) [Delete](#) [Edit Properties](#) [Manage Assignments](#) [View Summary \(Beta\)](#)

Permission Set Overview

Description		API Name	manager12
License		Namespace Prefix	
Session Activation Required	<input type="checkbox"/>	Created By	apex_d, 10/10/2023, 3:52 pm
Permission Set Groups Added To		Last Modified By	apex_d, 10/10/2023, 3:52 pm

Apps

Assigned Area
Settings that specify which apps are visible in the app menu

Assigned Connected Apps
Settings that specify which connected apps are visible in the app menu

Object Settings
Permissions to access objects and fields, and settings such as tab availability

App Permissions
Permissions to perform app-specific actions, such as "Manage Call Centers"

Apex Class Access

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7. [Learn more](#)

Setup Home Object Manager

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP

Permission Sets

Permission Set: **manager12** [Full screen help](#) [View Tutorial](#) [Help for this Page](#)

[Clone](#) [Delete](#) [Edit Properties](#) [Manage Assignments](#) [View Summary \(Beta\)](#)

[Permission Set Overview](#) [Object Settings](#) [Accounts](#)

Accounts

[Save](#) [Cancel](#)

Object Permissions

Permission Name	Enabled
Read	<input checked="" type="checkbox"/>
Create	<input checked="" type="checkbox"/>
Edit	<input checked="" type="checkbox"/>
Delete	<input checked="" type="checkbox"/>
View All	<input type="checkbox"/>
Modify All	<input type="checkbox"/>

Field Permissions

Field Name	Field API Name	<input type="checkbox"/> Read Access	<input type="checkbox"/> Edit Access
Account Name	Name	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Setup

Search Setup

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

Select Users to Assign

1 item selected

Search this list...

	Full Name ↑	AI...	Username	Role	A...	Profile
<input type="checkbox"/>	Vignesh	AJ	vignesh12345@gmail.com		<input checked="" type="checkbox"/>	System Administrator
<input type="checkbox"/>	Chatter Expert	Chatter	chatter00d5j00000d4thgeat13yy9pn6v4mm@chatters...		<input checked="" type="checkbox"/>	Chatter Free User
<input type="checkbox"/>	consumer 1	c1	cons143@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	consumer
<input type="checkbox"/>	Integration User	integ	integration@00d5j00000d4thgeat.com		<input checked="" type="checkbox"/>	Analytics Cloud Integration Us...
<input checked="" type="checkbox"/>	manager 1	m1	managerabc@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	Manager

Cancel Next

Setup

Search Setup

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

Select an Expiration Option For Assigned Users

☒ No expiration date ⓘ

☐ Specify the expiration date ⓘ


1 Day 1 Week 30 Days 60 Days Custom Date

Time Zone: Select a time zone...



Selected Users

Full Name	Role	Profile	Active	User License	Expires On
manager 1	Marketing Team	Manager	<input checked="" type="checkbox"/>	Salesforce Platform	Never Expires

Cancel Back Assign



4. Create a screen flow for a basic survey to fill in the details for any form.



Browser tabs: (4) WhatsApp, Job Profile, Bank | Salesforce, Lightning Experience | Sales | +

Address bar: nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/015h000000j07D/Details/view

Setup > Object Manager

Bank

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Restriction Rules
- Scoping Rules
- Triggers
- Flow Triggers

Details

Description

API Name: Bank__c

Custom: ☒

Singular Label: Bank

Plural Label: Banks

Enable Reports: ☐

Track Activities: ☐

Track Field History: ☐

Deployment Status: Deployed

Help Settings: Standard salesforce.com Help Window

URL: https://nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/015h000000j07D/Details/view

Browser tabs: (4) WhatsApp, Job Profile, New Custom Object | Sales | +

Address bar: nanmudhalvan-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/new

Setup > Object Manager

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, tab lists, related lists, indexes, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Search Setup

Setup Home Object Manager

Customer

Details:

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Full-screen help

Next Cancel

Specify the type of information that the custom field will contain.

Data Type

None Selected

Select one of the data types below.

Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create roll-up summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Search Setup

Setup Home Object Manager

Customer

Details:

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Full-screen help

Help for this Page

Step 6 of 6

Step 6. Add custom related lists

Previous Save & New Save Cancel

Field Label	Bank
Data Type	Master-Detail
Field Name	Bank
Description	

Specify the title that the related list will have in all of the layouts associated with the parent.

Related List Label Customer


These are the page layouts that will include this field. Because this is a Master-Detail relationship, the field is required:

Add Related List Page Layout Name

☒ Bank Layout

☒ Append related list to users' existing personal customizations

Previous Save & New Save Cancel



Profiles

Standard Platform User

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.




[Login IP Ranges](#) | [Enabled Apex Class Access](#) | [Enabled Validation Rule Access](#) | [Enabled External Data Source Access](#) | [Enabled Named Credential Access](#) | [Enabled External Credential Provider Access](#) | [Enabled Custom Metadata Type Access](#) | [Enabled Custom Settings Definition Access](#) | [Enabled Flow Access](#) | [Enabled Service Presence Status Access](#) | [Enabled Custom Permissions](#)


Profile Detail

Name	User License	Custom Profile
Standard Platform User	Salesforce Platform	<input type="checkbox"/>
Created By	salesforce.com, inc. 17/10/2023, 10:41 am	
Modified By	Admin 18/10/2023, 3:34 pm	

Page Layouts

Standard Object Layouts	Global	Object Milestone
	Global Layout [View Assignment]	Object Milestone Layout [View Assignment]
Email Application	Not Assigned [View Assignment]	Operating Hours Layout [View Assignment]
Home Page Layout	Home Page Default [View Assignment]	Order Layout [View Assignment]





To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7. [Learn more](#)

Search Setup



Setup Home Object Manager



Hyperforce Assistant


- Users
 - Profiles**
- Data
 - Mass Transfer Approval Requests
- Feature Settings
 - Data.com
 - Prospector Preferences
 - Prospector Users
 - Functions
- Marketing
 - Lead Processes
- Sales
 - Products
- Asset Settings

SETUP Profiles

	Basic Access				Data Administration			Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All		Read	Create	Edit	Delete	View All	Modify All
Contact Point Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Streaming Channels	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Emails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	User External Credentials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Custom Object Permissions													
Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Department	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
College	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Details	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Customer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Management	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Session Settings													
Session Times Out After: 2 hours of inactivity							Session Security Level Required at Login: --None--						
Password Policies													
User passwords expire in: 90 days													
Enforce password history: 3 passwords remembered													







Profiles | Salesforce

Recently Viewed | Management

avsengineeringcollege97-dev-ed.develop.lightning.force.com/lightning/setup/EnhancedProfiles/page?address=%2F00e5j000000nx0X%2Fe%3FretURL%3D%252F0...

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7. [Learn more](#)

Search Setup

Setup Home Object Manager

Search: prof

Users

Profiles

Didn't find what you're looking for? Try using Global Search.

SETUP Profiles

Contact Point Addresses	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Emails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sellers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Streaming Channels	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
User External Credentials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Custom Object Permissions

	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Bank	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
College	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Customer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Department	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Details	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Management	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Session Settings

Session Times Out After:

Session Security Level Required at Login:

Password Policies

User passwords expire in:



nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

Search Setup

Setup Home Object Manager

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP

Permission Sets

On this page you can create, view, and manage permission sets.

All Permission Sets Edit Delete Create New View

New

	Action	Permission Set Label	Description	License
<input type="checkbox"/>	Clone	Buyer	Allows access to the store. Lets users see products and...	B2B Buyer Permission Set One Seat
<input type="checkbox"/>	Clone	Buyer Manager	Includes all Buyer capabilities, and allows access to ma...	B2B Buyer Manager Permission Set One Seat
<input type="checkbox"/>	Clone	C360 High Scale Flow Integration User	Allows integration user to access features specific to C3...	Cloud Integration User
<input type="checkbox"/>	Clone	CRM User	Denotes that the user is a Sales Cloud or Service Cloud u...	CRM User
<input type="checkbox"/>	Clone	Commerce Admin	Allow access to commerce admin features.	Commerce Admin Permission Set License Seats
<input type="checkbox"/>	Clone	Contact Center Admin	Manage Service Cloud Voice contact centers that use Am...	Service Cloud Voice User
<input type="checkbox"/>	Clone	Contact Center Agent	Access agent features in Service Cloud Voice contact cent...	Service Cloud Voice User
<input type="checkbox"/>	Clone	Contact Center Supervisor	Access supervisor features in Service Cloud Voice contact...	Service Cloud Voice User
<input type="checkbox"/>	Del Clone	Experience Profile Manager		Salesforce
<input type="checkbox"/>	Clone	Facility Manager	Lets users create, read, edit, and delete locations, subloa...	Facility Manager

1-25 of 31 0 Selected 4 Previous Next

Page 1 of 2

Browser tabs: (3) WhatsApp, Job Profile, Flows | Salesforce, Flow Builder, Lightning Experience | Sales.

Address bar: nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/FlowBuilder.app

Search Setup

Setup Home Object Manager

Hyperforce Assistant
Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP

Permission Sets

Permission Set: **managerbanksales**

Find Settings Clone Delete Edit Properties Manage Assignments View Summary (Beta)

Permission Set Overview

Description	License	API Name	managerbanksales
Session Activation Required		Namespace Prefix	
Permission Set Groups Added To	0	Created By	admin, 15/10/2023, 4:06 pm
		Last Modified By	admin, 15/10/2023, 4:06 pm

Apps

Assigned Apps
Settings that specify which apps are visible in the app menu

Assigned Connected Apps
Settings that specify which connected apps are visible in the app menu

Object Settings
Permissions to access objects and fields, and settings such as tab availability

App Permissions
Permissions to perform app-specific actions, such as "Manage Call Centers"

Apex Class Access

Browser tabs: (3) WhatsApp, Job Profile, Flows | Salesforce, Flow Builder, Lightning Experience | Sales.

Address bar: nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/FlowBuilder.app

Search Setup

Setup Home Object Manager

Hyperforce Assistant
Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

SETUP

Permission Sets

Permission Set: **managerbanksales**

Find Settings Clone Delete Edit Properties Manage Assignments View Summary (Beta)

Permission Set Overview Object Settings Accounts

Accounts

Save Cancel

Object Permissions

Permission Name	Enabled
Read	<input checked="" type="checkbox"/>
Create	<input type="checkbox"/>
Edit	<input type="checkbox"/>
Delete	<input type="checkbox"/>
View All	<input checked="" type="checkbox"/>
Modify All	<input type="checkbox"/>

Field Permissions

Field Name	Field API Name	<input type="checkbox"/> Read Access	<input type="checkbox"/> Edit Access
Account Name	Name	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

WhatsApp

Job Profile

Flows | Salesforce

Flow Builder

Lightning Experience | Sales

nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

GmailYouTubeMapsGlobal NetAcad...Edube Interactive...

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.[Learn more](#)

Search Setup

SetupHomeObject Manager

per

Hyperforce Assistant

Lightning Experience Transition Assistant

Users

Permission Set Groups

Permission Sets

Feature Settings

Digital Experiences

Settings

Functions

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

All Users

1 item selected

Search this list...

	Full Name ↑	AL...	Username	Role	A...	Profile
<input type="checkbox"/>	Vignesh		arunj@123gmail.com		<input checked="" type="checkbox"/>	System Administrator
<input type="checkbox"/>	Chatter Expert	Chatter	chatty00d3j00000dq4hgast13yy9pn4y4mm@c...		<input checked="" type="checkbox"/>	Chatter Free User
<input type="checkbox"/>	consumer 1	c1	cons143@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	consumer
<input type="checkbox"/>	Integration User	integ	integration@00d3j00000dq4hgast13yy9pn4y4mm@c...		<input checked="" type="checkbox"/>	Analytics Cloud Integration User
<input type="checkbox"/>	manager 1	m1	managerabc.abc@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	Manager
<input type="checkbox"/>	manager 2	m2	managervyzxyz@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	Solution Manager
<input checked="" type="checkbox"/>	manager bank	mbank	managerbank123@gmail.com	Marketing Team	<input checked="" type="checkbox"/>	Salesforce API Only System Integratio...

Cancel

Next

Browser tabs: (3) WhatsApp, Job Profile, Flows | Salesforce, Flow Builder, Lightning Experience | Sales...

Address bar: [nanmudhalvan-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app](#)

Navigation bar: My-app, Recently Viewed, College, Department, Details, Management, Customers, Bank

Section: Customers Recently Viewed

0 items • Updated a few seconds ago

Search: Search this list...

Buttons: New, Settings, Delete, Copy, Edit, Print

Total Life Time Value	Name
Full-screen Snap	
You haven't viewed any Customers recently. Try switching list views.	