

AYUSHMAN BHARAT DIGITAL MISSION

Drug Registry APIs

Document Version No: 1.0

Date: 08-Jan-2026

Table of Contents

Contents

1.	Introduction	3
1.1.	Purpose	3
1.2.	Scope.....	3
2.	Terminology	3
3.	Drug Registry API's	5
3.1.	Session.....	5
3.2.	drugs/search.....	6
3.3.	drugs/brand/{drugIdentifier}.....	9
3.4.	drugs/generic/{genericIdentifier}	11
3.5.	drugs/supplier/{supplierIdentifier}	12
3.6.	drugs/substance/{substancelIdentifier}.....	13

1. Introduction

1.1. Purpose

To provide specification for API where the user will be able to search and retrieve the drug details as per specified search value.

1.2. Scope

To build the endpoints using which user/applications will be able to search and retrieve the drug details as per specified search value.

2. Terminology

API - An application programming interface (API) is a way for two or more computer programs to communicate with each other.

Versioning – To simplify later expansion of this API, every resource identifier is prefixed with /v followed by the <major> number of the API version, eg. /v1.
This allows different client versions to communicate with server using different API versions.

HTTP Status Code – These are 3-digit integer response from the server to client to indicate server-side handling of request. 1xx - Informational, 2xx- Success, 3xx - Redirection, 4xx-Client Error, 5xx- Server Error

Accept – This is requesting header field specified by user agents/clients to specify the response media types that are acceptable.

Content Type – In response, this header provides the client with actual content type of the returned content.

ABDM - Ayushman Bharat Digital Mission


Authorization token - To obtain, the HRP-ID can call 'sessions API' along with the received ClientID and Client Secret. Same must be used in header for other APIs.

Client ID - Post internal approval, Integrator will receive Client ID to access ABDM APIs.

Client Secret - Post internal approval, Integrator will receive Client Secret to access ABDM APIs.

Sandbox - Sandbox is a framework that will allow technologies or products to be tested in the contained environment in compliance with ABDM standards.

Please Note: All APIs provided in the document are for the ABDM Sandbox. For the production URL, replace 'SBX' with 'Prod'."



3. Drug Registry API's

3.1. / Session

HPRID Gateway Token

Authentication Token need to be generated using client ID and client Secret. To obtain clientId and clientSecret, please register on Sandbox Application.

Headers

REQUEST-ID: Unique UUID for tracking the end-to-end unique transaction. Code example: java [https://www.uuidgenerator.net/dev-corner/java/{{ \\$guid }}](https://www.uuidgenerator.net/dev-corner/java/{{ $guid }})

TIMESTAMP: The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds. E.g. (2026-01-08T14:11:48.854Z)/({{ \$isoTimestamp }})

X-CM-ID: This value depends on the environment where API is getting executed. E.g. SBX or PROD.
For SBX-sbx and for PROD- ABDM.

Specifications	
URL	https://live.abdm.gov.in/api/hiecm/gateway/v3/sessions
Request Method	POST
Request Headers	Accept : application/json REQUEST_ID:{{\$guid}} TIMESTAMP: {{\$isoTimeStamp}} X-CM-ID: SBX
Request Body	{ "clientId": "xxxxxxx", "clientSecret": "5bbbaxxx-3xxx-4xx-a6xx-5bc552319xxx", "grantType": "client_credentials" }
Response Headers	Content-Type : application/json Status Code : 200
Sample Response	{ "accessToken": "eyJiY2xpZW50SWQjOiUocF9pZCslmVtYVlsXzImlmaWwKljpjYWxzSziy2xpZW50SG9zdCl6ljEwJzIzMy42Ny42OCIsbnByZWZlcmlZLmR5cG9pZCslmVtYVlsXzImlmaWwKljpjYWxzSziy2xpZW50SG9zdCl6ljEwJzIzEFkZHUic3MiOXBMc4yMzMUNjcUNjgifiQ.fdlPCWJk6TaspuzpC5fiRG4r1ULok6YAd8_89HclSXBPInjbR4hPpm3KO6pn-v7nN1kixhbolkJogZLiRvmpnm_3GklndVf5_M8gdOGVpsv1BG3gau1ONXsgIT_zelRwkrmvOqsVg2AoZYUladVCUWIkZcdWittDsC70KEkljaebKy87IE7xVI-m16MdwwRtPZZ2SSHOY3SMGVzjXJCrlj9lr76zhZwmunUluyODZOslRFEyleftsiUMIFH8P_FLpzsd5rfLeylAw5ZA3bpUsNguxVSABKdcZqO6Off\$4En9BJlrYM3O4Kp7xxxSZPzP1YyXOZos5Nv85gg5Qj9aw", "expiresIn": 36000, "refreshExpiresIn": 1800, "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpzZW50L3NpdCI6ImF1d2UiLCJ0eXAiOiJKV1QiLCJkaXI6ImF1d2UiLCJhdWUiOiJlbnByZWZlcmlZLmR5cG9pZCslmVtYVlsXzImlmaWwKljpjYWxzSziy2xpZW50SG9zdCl6ljEwJzIzEFkZHUic3MiOXBMc4yMzMUNjcUNjgifiQ.fdlPCWJk6TaspuzpC5fiRG4r1ULok6YAd8_89HclSXBPInjbR4hPpm3KO6pn-v7nN1kixhbolkJogZLiRvmpnm_3GklndVf5_M8gdOGVpsv1BG3gau1ONXsgIT_zelRwkrmvOqsVg2AoZYUladVCUWIkZcdWittDsC70KEkljaebKy87IE7xVI-m16MdwwRtPZZ2SSHOY3SMGVzjXJCrlj9lr76zhZwmunUluyODZOslRFEyleftsiUMIFH8P_FLpzsd5rfLeylAw5ZA3bpUsNguxVSABKdcZqO6Off\$4En9BJlrYM3O4Kp7xxxSZPzP1YyXOZos5Nv85gg5Qj9aw", "tokenType": "bearer" }

3.2. /Search

The list of search results is a collection resource used by clients to display the search results for the specified user search criteria.

The client **MUST** include all query parameters to specify number of search results to return.

Specifications															
URL	https://drugregistrysbx.abdm.gov.in/drug-registry/v1/search?q=Paracetamol&page=0&limit=10														
Request Method	GET														
Request Headers	Accept : application/json Authorization : accessToken received from above gateway API														
Query Parameters	<table><tr><th>Query param</th><th>Required</th><th>Description</th></tr><tr><td>q</td><td>Yes</td><td>Use this to pass the drug name.</td></tr><tr><td>page</td><td>Yes</td><td>Use this to pass the page number for pagination needs.</td></tr><tr><td>limit</td><td>Yes</td><td>Use this to pass the number of records to be returned.</td></tr></table>			Query param	Required	Description	q	Yes	Use this to pass the drug name.	page	Yes	Use this to pass the page number for pagination needs.	limit	Yes	Use this to pass the number of records to be returned.
Query param	Required	Description													
q	Yes	Use this to pass the drug name.													
page	Yes	Use this to pass the page number for pagination needs.													
limit	Yes	Use this to pass the number of records to be returned.													
Response Headers	Content-Type : application/json Status Code : 200														
Sample Response	{ "drugDetails": [{ "brandIdentifier": "1287871000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substancelidentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1059971000189100", "supplierName": "Jan Aushadhi Sangh", "matchedFields": [														

	<pre> "brand_name_phonetic", "brand_name" }, }, { "brandIdentifier": "1280491000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "9951000189106", "supplierName": "Cipla Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1277041000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1258971000189100", "supplierName": "Lloyds Pharmaceuticals Private Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1270741000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1078611000189100", "supplierName": "Kokad Pharmaceutical Laboratories Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1265631000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1000881000189100", "supplierName": "Smith Stanistreet Pharmaceuticals Limited", </pre>
--	--

	<pre> "matchedFields": ["brand_name_phonetic", "brand_name"], { "brandIdentifier": "1286821000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "11631000189106", "supplierName": "Cadila Pharmaceuticals Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1269661000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1027031000189100", "supplierName": "The Pharmed Research Laboratory Private Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1276211000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "350611000189102", "supplierName": "Universal Drug House Private Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1264841000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substanceIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "1101251000189100", </pre>
--	--

	<pre> "supplierName": "Adcco Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }, { "brandIdentifier": "1261091000189100", "brandName": "Paracetamol (paracetamol) 500 mg oral tablet", "genericIdentifier": "322236009", "genericName": "Acetaminophen 500 mg oral tablet", "substancelIdentifier": ["387517004"], "substanceName": ["Acetaminophen"], "supplierIdentifier": "8871000189102", "supplierName": "Agron Remedies Private Limited", "matchedFields": ["brand_name_phonetic", "brand_name"] }], "count": 887 } </pre>
--	---

3.3. /brand/{drugIdentifier}

This API can be used to retrieve detail information of the drugs for a particular brand by passing the drug identifier in path parameter. This drug identifier if not available can be obtained from the search API as mentioned above.

Client **MUST** pass drugIdentifier in the path parameter.

Specifications	
URL	https://drugregistrysbox.abdm.gov.in/drug-registry/v1/brand/{brandIdentifier}
Request Method	GET
Request Headers	Accept : application/json Authorization : accessToken received from above gateway API
Response Headers	Content-Type : application/json Status Code : 200
Sample Response	<pre> { "brand": { "identifier": "1264841000189100", "name": "Paracetamol (paracetamol) 500 mg oral tablet Adcco Limited", "licenseStatus": "UNKNOWN" }, "generic": { "name": "Acetaminophen 500 mg oral tablet", "identifier": "322236009", "indication": "Paracetamol/Acetaminophen is used for pain relief and fever. It is used to relieve pain in conditions like headache, muscle pain, or dental pain. Paracetamol/Acetaminophen is an analgesic (pain reliever) and antipyretic (fever reducer). It works by blocking the release of certain chemical messengers that cause pain and fever.", "contraindication": "Contraindications to the use of acetaminophen include hypersensitivity to acetaminophen, severe hepatic impairment, or severe active hepatic disease. However, there is a general debate among experts" } } </pre>

whether hepatic impairment is truly a limiting factor, as it would likely be associated with decreased production of the toxic metabolite, N-acetyl-p-benzoquinoneimine (NAPQI)."

```
    },
    "supplier": {
      "name": "Adcco Limited",
      "identifier": "1101251000189100"
    },
    "substances": [
      {
        "identifier": "387517004",
        "name": "Acetaminophen"
      }
    ],
    "routeOfAdministrations": [
      {
        "name": "Oral route"
      }
    ],
    "doseForm": "Oral tablet",
    "alternateDrugs": [
      {
        "brandIdentifier": "1282391000189100",
        "brandName": "37 C (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "423301000189106",
        "brandName": "37-C (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "627921000189107",
        "brandName": "Ab-Par (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "1284461000189100",
        "brandName": "Acetox (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "482491000189109",
        "brandName": "Achmol (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "1262891000189100",
        "brandName": "Acimol (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "1281061000189100",
        "brandName": "Acimol (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "1271121000189100",
        "brandName": "ACN (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "981301000189100",
        "brandName": "Acticin (paracetamol) 500 mg oral tablet"
      },
      {
        "brandIdentifier": "567631000189103",
        "brandName": "Aeknil (paracetamol) 500 mg oral tablet"
      }
    ]
  }
}
```

3.4. /generic/{genericIdentifier}

This API can be used to retrieve detailed information of the generic drug by passing the generic identifier in path parameter. This generic identifier if not available can be obtained from the search API as mentioned above.

Client **MUST** pass genericIdentifier in the path parameter.

Specifications	
URL	https://drugregistrysbx.abdm.gov.in/drug-registry/v1/generics/{genericIdentifier}
Request Method	GET
Request Headers	Accept : application/json Authorization : accessToken received from above gateway API
Response Headers	Content-Type : application/json Status Code : 200
Sample Response	<pre>{ "generic": { "name": "Acetaminophen 500 mg oral tablet", "identifier": "322236009", "indication": "Paracetamol/Acetaminophen is used for pain relief and fever. It is used to relieve pain in conditions like headache, muscle pain, or dental pain. Paracetamol/Acetaminophen is an analgesic (pain reliever) and anti-pyretic (fever reducer). It works by blocking the release of certain chemical messengers that cause pain and fever.", "contraIndication": "Contraindications to the use of acetaminophen include hypersensitivity to acetaminophen, severe hepatic impairment, or severe active hepatic disease. However, there is a general debate among experts whether hepatic impairment is truly a limiting factor, as it would likely be associated with decreased production of the toxic metabolite, N-acetyl-p-benzoquinoneimine (NAPQI).", }, "substances": [{ "identifier": "387517004", "name": "Acetaminophen" }], "routeOfAdministrations": [{ "name": "Oral route" }] }, "doseForm": "Oral tablet", "alternateDrugs": [{ "brandIdentifier": "1282391000189100", "brandName": "37 C (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "423301000189106", "brandName": "37-C (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "627921000189107", "brandName": "Ab-Par (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "1284461000189100", "brandName": "Acetox (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "482491000189109", "brandName": "Achmol (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "1262891000189100", "brandName": "Acimol (paracetamol) 500 mg oral tablet" }]</pre>

	<pre> }, { "brandIdentifier": "1281061000189100", "brandName": "Acimol (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "1271121000189100", "brandName": "ACN (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "981301000189100", "brandName": "Acticin (paracetamol) 500 mg oral tablet" }, { "brandIdentifier": "567631000189103", "brandName": "Aeknil (paracetamol) 500 mg oral tablet" }] } </pre>
--	--

3.5. /supplier/{supplierIdentifier}

This API can be used to retrieve detail information of the drugs manufactured by a manufacturer/supplier by passing the supplier identifier in path parameter. This supplier identifier if not available can be obtained from the search or brand or generic API response as mentioned above. Client **MUST** pass supplierIdentifier in the path parameter.

Specifications												
URL	https://drugregistrystbx.abdm.gov.in/drug-registry/v1/suppliers/{supplierIdentifier}?page=0&limit=10											
Request Method	GET											
Request Headers	Accept : application/json Authorization : accessToken received from above gateway API											
Query Parameters	<table><tr><th>Query param</th><th>Required</th><th>Description</th></tr><tr><td>page</td><td>Yes</td><td>Use this to pass the page number for pagination needs.</td></tr><tr><td>limit</td><td>Yes</td><td>Use this to pass the number of records to be returned.</td></tr></table>			Query param	Required	Description	page	Yes	Use this to pass the page number for pagination needs.	limit	Yes	Use this to pass the number of records to be returned.
Query param	Required	Description										
page	Yes	Use this to pass the page number for pagination needs.										
limit	Yes	Use this to pass the number of records to be returned.										
Response Headers	Content-Type : application/json Status Code : 200											
Sample Response	<pre>{ "drugDetails": [{ "brandIdentifier": "493311000189101", "brandName": "Abamune (abacavir sulfate) 300 mg oral tablet", "genericIdentifier": "783128003", "genericName": "Abacavir (as abacavir sulfate) 300 mg oral tablet", "substancIdentifier": ["412074007"], "substanceName": ["Abacavir sulfate"], "supplierIdentifier": "9951000189106", "supplierName": "Cipla Limited" }], "totalRecords": 1 }</pre>											

	<pre> "brandIdentifier": "850621000189107", "brandName": "Abamune L (abacavir sulfate and lamivudine) 600 mg + 300 mg oral tablet", "genericIdentifier": "783301004", "genericName": "Abacavir (as abacavir sulfate) 600 mg and lamivudine 300 mg oral tablet", "substancelIdentifier": ["386897000", "412074007"], "substanceName": ["Lamivudine", "Abacavir sulfate"], "supplierIdentifier": "9951000189106", "supplierName": "Cipla Limited" } }, "supplierDetails": { "id": 13397, "identifier": "9951000189106", "name": "Cipla Limited", "country": "India" }, "drugsCount": 1541 } </pre>
--	--

3.6. /substance/{substancelIdentifier}

This API can be used to retrieve detailed information of the drug by passing the substance identifier in path parameter. This substance identifier if not available can be obtained from the search API as mentioned above. Client **MUST** pass substancelIdentifier in the path parameter.

Specifications	
URL	https://drugregistrysbx.abdm.gov.in/drug-registry/v1/substances/{substancelIdentifier}
Request Method	GET
Request Headers	Accept : application/json Authorization : accessToken received from above gateway API
Response Headers	Content-Type : application/json Status Code : 200
Sample Response	<pre> { "substancelIdentifier": "391703003", "substanceName": "Aceclofenac", "casNumber": "89796-99-6", "unii": "RPK779R03H", "substanceDescription": "Aceclofenac is an oral non-steroidal anti-inflammatory drug (NSAID) with marked anti-inflammatory and analgesic properties used to treat osteoarthritis, rheumatoid arthritis and ankylosing spondylitis. It is reported to have a higher anti-inflammatory action or at least comparable effects than conventional NSAIDs in double-blind studies. Aceclofenac potentially inhibits the cyclo-oxygenase enzyme (COX) that is involved in the synthesis of prostaglandins, which are inflammatory mediators that cause pain, swelling, inflammation, and fever. Aceclofenac belongs to BCS Class II as it possesses poor aqueous solubility. It displays high permeability to penetrate into synovial joints where in patients with osteoarthritis and related conditions, the loss of articular cartilage in the area causes joint pain, tenderness, stiffness, crepitus, and local inflammation 1. Aceclofenac is also reported to be effective in other painful conditions such as dental and gynaecological conditions. In 1991, aceclofenac was developed as an analog of a commonly prescribed NSAID, Diclofenac, via chemical modification in effort to improve the gastrointestinal tolerability of the drug. It is a more commonly prescribed drug in Europe.", "molecularFormula": "C16H13Cl2NO4", "toxicity": "Some common adverse effects include gastro-intestinal disorders (dyspepsia, abdominal pain, nausea), rash, urticaria, symptoms of enuresis, headache, dizziness, and drowsiness 12. Oral LD50 value in rats is 130 mg/kg MSDS." } </pre>

Thank you...