

1. ACNE(PIMPLE) Acne-Pimples ?Acne or Pimples The skin is a condition. ?It is white, black, and burning red. Appear as spots of stains. Acne occurs when When the skin removes oil, dead cells, Or get degraded by bacteria.INTRODUCTION ?Excess oil (sebum) production ?Hair follicles blocked by oil & dead skin cells ?Bacteria ?InflammationCAUSES ?Papules ?small red bumps on skin ?Small red bumps containing white or yellow pus ?Redness around the skin eruptions ?Scarring of the skin ?Whiteheads ?BlackheadsSYMPTOMS 1 ?Blood Test ?Urine Test ?Skin Allergy Test ?Biopsy Test?Physical Check Up ?Medical History ?Sign & Symptoms Based diagnosisDIAGNOSIS MEDICINE OPTIONS

1.DRUGS THAT CONTAIN RETINOIC ACIDS OR TRETINOIN •Tretinoin (Cream/gel Apply 2-3 times in a day) •Adapalene (Cream/gel Apply 2-3 times in a day)•Tazarotene (Cream/gel Apply 2-3 times in a day) 2.TOPICAL ANTIBIOTICS •Clindamycin with benzoyl peroxide (Cream) •Erythromycin with benzoyl peroxide (Cream) 3.ORAL ANTIBIOTICS •Minocycline 100 mg OD–BD oral •Doxycycline : 200 mg OD–BD oral •Erythromycin: Dose-500mg, 1 tablet per day •Azithromycin: Dose-500mg, 1 tablet per day?Retinoids and Antibiotics ?Azelaic acid ?Salicylic acid ?Dapsone(Aczone) 5% gel ?Isotretinoin

?Berberisaquifoliumgel ?SBL wipeclearacne lotionTREATMENT OPTIONS 2बीमाTaryans and

their treatment 2. ACUTE HEPATIC PORPHYRIA (Aeuthhepaticporphyria) ?Acute hepatic porphyria (AHP, also known as acute porphyria refers to a family of rare genetic diseases, which can lead to potentially life-threatening attacks and, some people For, chronic (ongoing and sometimes life-threatening) pain and other Symptoms that interfere with those abilities ?Acute hepatic porphyria (AHP) is a group of rare genetic disorders that begin in your liver and go on to affect your nervous system, causing symptomstoms throughout your body ?Porphyria is a deficiency in one of the enzymes that your body needs to make heme (a component of hemoglobin in your blood, During the process of making heme, the absence of specific enzymes causes other compounds to go unused and build up in your body tissuesINTRODUCTION ?Genetic mutation ?Prescription and recreational drug use ?Excessive alcohol use ?Severe calorie restriction ?Stress ?Anxiety ?When liver does not have the necessary enzyme to metabolize another byproductCAUSES 3 ?Abdominal pain ?Chest pain ?Back pain ?Pain in your arms and legs ?Nausea and vomiting ?Indigestion ?Constipation ?Diarrhea ?Anxiety ?Insomnia ?Depression ?Delirium ?Hallucinations ?Seizure ?Muscle weakness ?Numbness and tingling?Fatigue ?Sensory loss ?Muscle paralysis ?Respiratory paralysis ?Heart palpitations ?High blood pressure ?Sensitivity ?Blistering rash ?Pigmentation ?Scarring ?Pain ?Fatigue ?Nausea ?Neuropathy (tingling, numbness or weakness, typically in your hands and feet)SYMPTOMS DIAGNOSIS ?Healthcare providers familiar with AHP may recognize it when you have central and peripheral nervous system symptoms together with abdominal pain. ?This is considered

the “classic triad” of AHP symptoms During an acute attack: -urine test is a quick and accessible way Genetic Testing बीमारियाँ और उनका उपचार 1.DURING ATTACK •Need hospital care •Need various medication to reduce different symptoms 2.TREATMENT FOR AN ACUTE ATTACK MAY INCLUDE: •Hemin injection •Pain relief medication •Phenothiazines •IV fluids and nutrition •Seizure medication 3.LONG-TERM TREATMENT OPTIONS MAY INCLUDE: •Prophylactic hemin •Givosiran •Hormone therapy •High Blood Pressure medication •Liver transplantation TREATMENT OPTIONS 1.Hemin: •Usual Adult Dose for Porphyria : •1 to 4 mg/kg/day IV over at least 30 minutes for 3 to 14 days based on clinical signs; in more severe cases, this dose may be repeated no earlier than every 12 hours •Maximum dose: 6 mg/kg per 24 hours •16 years and older: •1 to 4 mg/kg/day IV over at least 30 minutes for 3 to 14 days based on clinical signs; in more severe cases, this dose may be repeated no earlier than every 12 hours •Maximum dose: 6 mg/kg per 24 hours 2.Givosiran: •Usual Adult Dose for Porphyria: 2.5 mg/kg subcutaneously once a month 3.Chlorpromazine: •Chlorpromazine oral is taken by mouth, it is injection is injected into a muscle, or given as an infusion into a vein. A healthcare provider will give you this injection •Dose: 100–800 mg/day MEDICINE OPTIONS बीमारियाँ और उनका उपचार 3. ALLERGY -

एलर्जी A condition in which the immune system reacts abnormally to a foreign substance (allergen) An exaggerated reaction by immune system to some harmless substances (allergen) which normally does not affect most people Allergies, also known as allergic diseases, are a number of conditions caused by hypersensitivity of the immune system to typically harmless substances in the environment These diseases include hay fever, food allergies, atopic dermatitis, allergic asthma, and anaphylaxis INTRODUCTION By skin contact Ingestion Injection Inhalation Allergen CAUSES TYPES OF ALLERGY: 1. Drug or Medicine Allergy 2. Food Allergy 3. Insect Allergy 4. Latex Allergy 5. Mold Allergy 6. Animal (Pet) Allergy 7. Pollen Allergy 6 Rash on skin Allergic reactions Swelling on lips Swelling on face Itching Runny nose & sneezing Lacrimation (watery eyes) Breathing problems Runny nose GIT symptoms SYMPTOMS Allopathy Medicine Homeopathy Medicine Ayurvedic Medicine Medical history Allergy test IgE test Symptoms based DIAGNOSIS TREATMENT OPTIONS MEDICINE OPTIONS ALLOPATHY MEDICINE 1. Leukotrienemodifiers: 1. Montelukast tablet: 10 mg per day 2. Montek LC: 10 mg per day बीमारियाँ और उनका उपचार MEDICINE OPTIONS 1. Antihistamines: 1. Pheniramin maleate: 25–50 mg oral per day 2. Chlorpheniramine: 2 to 4 mg (0.1 mg/kg) oral, I.M 3. Loratadine Tablets: 10 mg orally per day 4. Cetirizine Tablets: 10 mg orally per day 5. Levocetirizine Tablets: 5 mg oral/day 6. Fexofenadine tablets: 120–180 mg oral/day 7. Bilastine tablets: 20 mg per day 2. Corticosteroids: Prednisolone: 5–60 mg/day oral Triamcinolone tablets: 4–32 mg/day oral Triamcinolone paste: Apply 1-2 time a day

?Dexamethasone: 0.5–5 mg/day oral ?Betamethasone: 0.5–5 mg/day oral ?Deflazacort: 60-120 mg/day ?Methyl Prednisolone: 4–32 mg/day oral 3. Anti-IgE drug: 1. Omalizumab : Given under medical supervision 2. Lotion & creams: Apply 2-3 Times a Day 3. Caladryl lotion: Apply 2-3 Times a Day 4. Calomyl lotion: Apply 2-3 Times a Day 5. Betnovate-N cream: Apply 2-3 Times a Day 6. Betnovate-C cream: Apply 2-3 Times a Day 7. Dermikem-OC cream: Apply 2-3 Times a Day 4. Homeopathy Medicine 1. Allen A75 Allergy Drop (8-10 drops in half cup water 4 times) 2. SBL Drops No 8 (8-10 drops in half cup water 4 times) 5. Ayurvedic Medicine: 1. Himalaya bresol: : 2 tablet Two time in a day 8 बीमारियाँ और उनका

उपचार 9 MEDICINE BOOK NEW BOOK FOR MEDICINE REVIEW

1. BASIC OF MEDICINE
2. USE OF MEDICINE
3. LABEL STUDY
4. WORKING OF DRUG
5. DOSE OF MEDICINE
6. PRICE OF MEDICINE
6. SIDE EFFECTS
7. WARNINGS
8. PREGNANCY CATEGORY
9. DRUG-DRUG INTERACTION

10. AMENORRHOEA (पीरियड्स बंद हो जाना) ?अचानक से पीरियड्स बंद हो जाना, बंद माहवारी

?ABSENCE OF MENSTRUAL PERIODS ?Amenorrhoea is the absence of menstrual periods in a woman during her reproductive years when women usually get periods after puberty and before natural menopause ?The natural cause of amenorrhoea are seen, most commonly, during pregnancy and lactation (breastfeeding), the latter also forming the basis of a form of contraception known as the lactational amenorrhoea method ?Outside of the reproductive years there is absence of menses during childhood and after menopause ?There are mainly two type of it based on condition of patient ?1. Primary amenorrhoea •Menstrual cycles never starting may be caused by developmental problems like •Absence of uterus •Ovarian failure •Structural problem in female reproductive system

?2. Secondary amenorrhoea •Normal Menstrual cycles but suddenly no periods due to some reasons •Menstrual cycles ceasing •Hormonal disturbances by hypothalamus or pituitary gland of brain •It is defined as the absence of menses for three months in a woman with previously normal menstruation or nine months for women with a history of oligomenorrhoea INTRODUCTION 10 ?Natural amenorrhea ?Natural reasons of stop period during time of ?Pregnancy phase ?Breast-feeding phase ?Menopause phase ?Medications ?Antipsychotics ?Cancer chemotherapy ?Antidepressants ?Blood pressure drugs ?Allergy

medications ?Anorexia Or Bulimia ?Excessive exercise ?Excessive stress in life
 ?Hormonal imbalance ?Premature ovarian failure ?PCOD ?Thyroid malfunction ?Pituitary
 tumor ?Premature menopause ?Uterine scarring CAUSES ?No periods ?Milky nipple
 discharge ?Vaginal dryness ?Night sweats ?Hair loss ?Pelvic pain ?Acne ?Vision changes
 ?Headache ?Excess facial hair SYMPTOMS 11 बीमारियाँ और उनका उपचार ?Blood tests may
 be performed to determine the levels of hormones ?FSH, LH, TSH ?Prolactin ?Estrogen
 ?Prolactin test ?Blood test ?Hysteroscopy ?Ultrasound ?Ovary function test ?Thyroid
 function test ?Pregnancy test ?Male hormone test ?CT scan ?MRI ?X-ray ?Hormonal
 assay DIAGNOSIS ?Contraceptive pill ?Hormone therapy ?Hysterectomy ?Thyroid
 treatment ?Medroxyprogesterone ?Surgery: Visit Gynecologist TREATMENT OPTIONS
 MEDICINE OPTIONS ?Dopamine (D2) Agonists: Use in case of high prolactin ?Sicriptin:
 1.25 mg BD ?Cabergolin: 0.25 mg twice weekly ?PCOD/PCOS Reason: Use in case of
 PCOD ?Glycomet-500 S.R 1 OD/BD ?Hormonal Imbalance: ?Progesterone: 100-200mg OD
 ?Estrabet 2mg : 1 OD ?Withdrawal Bleeding: ?Meprate: Oral 5 to 10 mg
 for 10 days ?Depo-provera 150ml: PFS for single use only ?Norethisterone 5 mg ?Dose: 5–10
 mg OD–BD oral ?Homeopathy: ?Lords L 117 Amenorrhea Drops (30ml) : 10-15 drops in 1/4
 cup of water 3-4 times 12 बीमारियाँ और उनका उपचार 5. ANEMIA- एनीमिया, खून का कमी
 INTRODUCTION ?LOW HEMOGLOBIN (Hb) ?Anemia is defined as a Low number of red
 blood cells ?In a routine blood test, anemia is reported as a low hemoglobin or hematocrit
 ?Having anemia can make you feel tired and weak ?Condition called anemic patient in
 which the blood doesn't have enough healthy red blood cells ?Anaemia results from a lack
 of red blood cells or dysfunctional red blood cells in the body ?This leads to reduced
 oxygen flow to the body's organs 13 ?Fatigue ?Weakness ?Pale or yellowish skin ?Irregular
 heartbeats ?Shortness of breath ?Dizziness ?Lightheadedness ?Chest pain ?Cold hands
 and feet SYMPTOMS ?Iron: Iron-rich foods ?Folate: This nutrient, and its synthetic form folic
 acid ?Vitamin B-12: Foods rich in vitamin B-12 include meat, dairy products, and fortified
 cereal and soy products ?Vitamin C: Foods rich in vitamin C PREVENTION ?Genetic or
 Family history ?Stress ?Hormonal Changes ?PCOS ?Thyroid ?Air pollution ?Hard water
 Bathing ?Nutritional deficiency ?Riboflavin, Biotin, Folate & Vitamin B12 Deficiencies
 ?Medical conditions ?Medicine side effects ?Cancer chemotherapy ?Radiation therapy to
 the head leads to hair loss ?Not doing hair care CAUSES 14 बीमारियाँ और उनका उपचार ?Folic
 acid ?Ferrous sulfate ?Ferrous gluconate ?Epoetin alfa systemic ?Pyridoxin HCl (Vit
 B6) ?Oxymetholone ?Multivitamin with iron ?Iron dextran injection ?Iron Sucrose injection
 ?Lenalidomide TREATMENT OPTIONS MEDICINE OPTIONS ?1. Autrin Capsule (1 Capsule
 per day after meal) ?2. Folic acid 5mg Tablet (1 Tablet per day after meal) ?3. Iron sucrose
 injection (600 mg of iron sucrose per week) ?4. Epoetin alfa Means Erythropoietin Alfa
 (4000 IU/0.4ml) ?5. Pyridoxin HCl (Vit B6) (1 capsule per day) ?Complete blood count (CBC)

A CBC is used to count the number of blood cells in a sample of your blood, For anemia, the levels of the red blood cells contained in your blood (hematocrit) and the hemoglobin in your blood need to study A test to determine the size and shape of your red blood cells

DIAGNOSIS 15 बीमारियाँ और उनका उपचार 6. ANGINA PECTORIS एंजाइनापे³

टोअरस(नदयात) सीनेमददहोना Angina pectoris is the medical term for chest pain or discomfort due to coronary heart disease It occurs when the heart muscle doesn't get as much blood as it needs This usually happens because one or more of the heart's arteries is narrowed or blocked It is also called Ischemia Angina is a symptom of coronary artery disease Angina is the chest pain that occurs due to imbalance between oxygen supply and demand In angina, there is a fixed atherosclerotic narrowing of the coronary

arteries INTRODUCTION 16 Narrowing of blood vessels who supply blood to heart

Atherosclerosis means buildup of fats, cholesterol and other substances in and on your artery walls (plaque), which can restrict blood flow Coronary artery disease in which narrowing or blockage of coronary arteries Lack of exercise & Sedentary lifestyle

Unhealthy diet increase deposit of fat or cholesterol in the walls of artery and narrow the blood vessels CAUSES Chest pain or discomfort, often described as squeezing pressure, fullness, tightness, or a heavy weight in the centre of the chest Pain or discomfort in the arms, neck, jaw, shoulder or back Pain similar to indigestion or heartburn Shortness of breath and tiredness Nausea, sweating, and dizziness SYMPTOMS Electrocardiogram (ECG) Exercise stress test Echocardiogram Chest X-ray Coronary angiography Computerised tomography (CT) scan Magnetic resonance imaging (MRI) DIAGNOSIS

17 बीमारियाँ और उनका उपचार 1. Nitrates 2. Beta blockers 3. Calcium channel blockers 4. Potassium channel openers 5. Ranolazine (Ranexa) 6. Statins TREATMENT OPTIONS MEDICINE OPTIONS

1. NITRATES: •Glyceryl trinitrate (GTN), Nitroglycerine: 0.5 mg sublingual •Isosorbide dinitrate: 5–10 mg sublingual •Isosorbide-5-mononitrate: 20–40 mg oral •Erythrityl tetranitrate: 15–60 mg oral •Pentaerythritol tetranitrate: 10–40 mg oral •Nicorandil: 5–20 mg BD 2. BETA BLOCKERS: •Propranolol Oral—10 mg BD to 160 mg QID •Atenolol: 25 mg OD–50 mg BD •Pindolol: 5–15 mg BD By slowing the heart rate , beta blockers reduce the oxygen demand of the heart and reduce the frequency of angina attacks in patient with angina pectoris, Guidelines recommend beta blockers as first-line treatment in patients with angina either on their own or in combination with a calcium channel blocker

3. CALCIUM CHANNEL BLOCKERS: •Verapamil, diltiazem and long acting DHPs (dihydropyridines) can be used in angina, Short acting DHPs like Nifedipine should be avoided because these can accentuate the symptoms of angina by causing tachycardia

18 बीमारियाँ और उनका उपचार MEDICINE OPTIONS 4. POTASSIUM CHANNEL OPENERS:

Nicorandil is the agent that causes coronary dilation by activating myocardial ATP sensitive K⁺ channels. It works by relaxing and widening our blood vessels, which increases the supply of blood and oxygen to our heart. This helps reduce the chest pain angina causes.

5. Ranolazine (Ranexa): By reducing the flow of calcium into the cells, ranolazine is thought to help the heart to relax, improving blood flow to the heart muscle and relieving the symptoms of angina pectoris.

6. Statins: Atorvastatin

7. Other: Ivabradine is a new drug for angina. It is known as bradycardiac agent (as it decreases heart rate without affecting the conduction or contractility). Fasudil is a selective Rho A/Rho kinase (ROCK) inhibitor. ROCK is an enzyme that plays important role in vasoconstriction and cardiac remodeling.

19 Diseases and their treatment

5–20 mg BD 0.5–1.0 g BD as SR/ER 10–40 mg/day 5–7.5 mg BD

7. ANXIETY

Mental illness, anxiety all the time, Avoid going among people, Stress, fear and anxiety during work. Anxiety is a normal and often healthy emotion about worried feelings of worry, anxiety or fear. A feeling of worry or fear, especially about the future, past or present. It will become the reason for mental health disorders like depression, anxiety disorders etc.

Agoraphobia: Anxiety disorder due to a medical condition.

Generalized anxiety disorder

Panic disorder: Separation anxiety disorder

Social anxiety disorder (social phobia)

INTRODUCTION

In simple words, worry or nervous about what's to come fear of something bad happening to happen while none of these. There is no real basis. Everyone worries a little bit. And how does this achieve our goals? It is also necessary for success.

Work stress or job change

Change in living arrangements

Pregnancy and giving birth

Family and relationship problems

Major emotional shock

Stressful or traumatic event

Verbal, sexual, physical or emotional abuse or trauma

Death or loss of a loved one

CAUSES

1. Physical Symptoms

Churning feeling in your stomach

Feeling light-headed or dizzy

Headaches

Faster breathing & Irregular heartbeat

Weating or hot flushes

Sleep problems

Grinding your teeth

Nausea

Having panic attacks

Muscle tension

Numbness or tingling in hands or feet

Dry mouth

2. Mental symptoms

Feeling panic, fear and uneasiness

Nightmares

Repeated thoughts or flashbacks of traumatic experiences

Uncontrollable, obsessive thoughts

3. Behavioral Symptoms

Inability to be still and calm

Trouble sleeping

Ritualistic behaviors

Looking after yourself

Holding down a job

SYMPTOMS

बीमा रियाँ और उनका उपचार

Visit your healthcare providers Psychiatrist or Psychologist

Diagnosing and treating mental illnesses

Check how the symptoms interfere with your daily life

Check symptoms and how long they last

DIAGNOSIS

TREATMENT OPTIONS

Talk therapy

To accompany the patient

Behavior and feelings Samjana

Meditation (Yoga)

Music therapy

Cognitive behavior therapy (CBT)

Effective patient counseling

22 diseases and their treatment

To avoid anxiety, Methods can be adopted:

Exercise regularly

Take a healthy diet

Reduce time spent

Reduce caffeine intake.

Meditation

tax

• Treatment of anxiety for a long time lasts till. In most of the cases, its treatment is successful. These methods help in treating anxiety. Can be adopted &: • Many antidepressant medications • Psychiatric • Something related to anxiety Ayurvedic herbs are: Aṅgandha, ālī, lemon balm, Spikenard • Antidepressants: • Monoamine oxidase inhibitors (MAOIs) • Tricyclic antidepressants (TCA) • Selective serotonin reuptake inhibitors (SSRIs) • Other (atypical) antidepressants • Mood stabilizing drugs • SSRI (Selective Serotonin)

Reuptake Inhibitors) • Citalopram (20–40 mg/day) • Escitalopram (10–20 mg OD) • Fluoxetine (20–50 mg/day) • Fluvoxamine (50–200 mg/day) • Paroxetine (20–50 mg/day) • Sertraline (50–200 mg/day) • Escitalopram: 10–20 mg OD • TCA (Tricyclic antidepressants) • Amitriptyline: (50–200 mg/day) • Nortriptyline: (50–150 mg/day) • Clomipramine: (50–150 mg/day) • Imipramine: (50–200 mg/day) • Desipramine: (50–200 mg/day) • Trimipramine: (50–150 mg/day) • Amoxapine: (100–300 mg/day) • Doxepin (50–150 mg/day) • Herbal medications • Himalaya Mentat or Brahmi Tablet (1-2 tablet per day) • Himalaya Mentat or Brahmi Syrup (5-10 ml 3 times a day) • Himalaya Tagara Tablet (1-2 tablet per day) • Charak Pharma Sumenta Tablet (1-2 tablet per day) • Homeopathic medication • SBL Tranquil Tabs (2 tablets 4 times daily) • Allen A78 Drops: Take 8 to 10 Drops in half cup of water daily 4 times 23 बीमारियाँ और उनका उपचार MEDICINE OPTIONS 8. ARRHYTHMIA

• दिल का धड़कने अनियमित होना • An arrhythmia is a problem with the rate or rhythm of the heartbeat • During an arrhythmia, the heart can beat too fast, too slowly, or with an irregular rhythm • A normal resting heart rate for adults ranges from 60 to 100 beats per minute. When a heart beats too fast, more than 100 beats per minute the condition is called Tachycardia • When a heart beats too slowly fewer than 60 beats per minute (BPM) qualifies as bradycardia, the condition is called Bradycardia • INTRODUCTION • A heart attack that's occurring right now • Scarring of heart tissue from a prior heart attack • Changes to your heart's structure, such as from Cardiomyopathy • Blocked arteries in your heart (coronary artery disease) • High blood pressure • The most common type of arrhythmia is atrial fibrillation, which causes an irregular and fast heart beat • Many factors can affect your heart's rhythm, such as having had a heart attack, smoking, congenital heart defects, and stress • Some substances or medicines may also cause arrhythmias • CAUSES 24 • Fatigue or weakness • Dizziness or lightheadedness • Fainting or near-fainting spells • Rapid heartbeat or pounding in the chest • Shortness of breath and anxiety • Chest pain or pressure • In extreme cases, collapse and sudden cardiac arrest • Fluttering chest sensation • Tiredness • Lightheaded or dizzy • Chest pain • Short of breath • Sweaty • SYMPTOMS • The most common test used to diagnose an arrhythmia is an electrocardiogram (EKG or ECG) • She or he may recommend medicines, placement of a

device that can correct an irregular heartbeat?Surgeryto repair nerves that are

overstimulating the heartDIAGNOSIS TREATMENT OPTIONS ?ANTIARRHYTHMIC DRUGS:

?These are drugs used to prevent or treat irregularities of cardiac rhythm, Arrhythmias are the most important cause of sudden cardiac death ?However, only few arrhythmias need

to be treated with antiarrhythmic drugs 25बीमांरयां और उनका उपचार MEDICINE OPTIONS

?CLASS I: Membrane stabilizing agents (Na⁺ channel blockers) ?CLASS I A. Moderately decrease dv/dt of 0 phase ?Quinidine: 100–200 mg TDS oral: rarely 100–300 mg slow i.v.

?Procainamide: 0.5–1 g oral or i.m. followed by 0.25–0.5 g every 2 hours, Maintenance

dose—0.5 g every 4–6 hours ?Disopyramide: 100–150 mg 6 hourly oral ?CLASS I B. Little decrease in dv/dt of 0 phase ?Lidocaine: 50–100 mg bolus followed by 20–40 mg every 10–

20 min, or 1–3 mg/min infusion ?Mexiletine: 100–200 mg i.v. over 10 min., 1 mg/min

infusion ?CLASS I C. Marked decrease in dv/dt of 0 phase ?Propafenone: 150 mg BD–300

mg TDS oral ?CLASS II: Antiadrenergic agents (β blockers) ?Propranolol: 1 mg/min (max 5

mg) i.v. injection under close monitoring; 40–80 mg (max 160 mg) BD to QID oral ?Esmolol: 0.5 mg/kg in 1 min followed by 0.05–0.2 mg/kg/min ?Sotalol: 40–80 mg BD–QID oral

?CLASS III: Agents widening Action Potential AP ?Potassium channel blockers, prolong

repolarization and effective refractory period (ERP) ?Amiodarone: 400–600 mg/day orally

for few weeks ?CLASS IV: Calcium channel blockers ?Verapamil: 5 mg slow i.v. injection over 2–3 min (to terminate PSVT), 60–120 mg TDS orally for maintenance ?Diltiazem: 25 mg

by slow i.v. inj (to terminate PSVT), 30–60 mg TDS orally for maintenance; 26Diseases and

their treatment9. ARTHRITIS ?gout ?Gouty joint due to swelling and pain. There is an

associated disease, which is called gout or is called joint ?Arthritis means any disorder

that affects jointsINTRODUCTION ?Age ?Smoking ?Obesity ?Genetics ?Immune System

Issue ?Weather Changes ?Poor Nutrition ?Vitamins Deficiency ?Vit K27 ?Vit D3 Calcitriol

?Vit B12 (Methylcobalamin) ?Minerals deficiency ?Calcium ?Boron CAUSES ?Swelling

?Pain ?Stiffness ?Redness ?Heat ?FeverSYMPTOMS 27 1.OSTEOARTHRITIS: Related to

normal aging processes •Most common chronic arthritis, Involves the breakdown of the

protective cushion of cartilage surrounding the ends of the bones where 2 bones meet to

form a joint •Cartilage becomes flaky and rough, this causes irritation and inflammation of

the synovial membrane •It occurs most frequently in the hands, hips, and knees •“Wear &

Tear” Arthritis •Degenerative joint disease 2.Autoimmune Inflammatory Arthritis:

Rheumatoid arthritis Is a one type of autoimmune inflammatory arthritis •The immune

system helps to protect body from infection and disease, The inflammation in the joints

causes damage to the cartilage , result in deformities or destruction of the joint, Over

production of synovial fluid occurs, which causes joints to swell and the capsule to

stretch, causing pain 3.Gout(Metabolic Arthritis) : It is a painful form of arthritis •It causes

pain and swelling in joints, One Types of inflammatory arthritis •Caused by uric acid

crystals that form in and around the joints

TYPES

DIAGNOSIS ?CBC count ?X-ray ?Ultrasound ?Arthroscopy ?Magnetic resonance imaging (MRI) ?Computerized tomography scan (CT)

28 बीमारियाँ और उनका उपचार

29 बीमारियाँ और उनका उपचार

ANALGESIC AND ANTIINFLAMATORY DRUGS

- Diclofenac (50 mg TDS)
- Aceclofenac (100 mg BD)
- Celecoxib (100–200 mg BD)
- Etoricoxib (60–120 mg OD)
- Etodolac (200-400 mg BD- TDS)
- Paracetamol (0.5–1 g TDS; infants 50 mg; children 15 mg/kg)
- Ketolorac (10–20 mg oral 6 hourly, 15–30 mg i.m./i.v. 6 hourly (max 90 mg/day)
- Piroxicam: 20 mg BD for two days followed by 20 mg OD

DISEASE-MODIFYING ANTIRHEUMATIC DRUGS :

- Sulfasalazine (1–3 g/day in 2–3 divided doses)
- Methotrexate (7.5–15 mg weekly oral)
- Penicillamine (125–250 mg OD (max 250 mg BD))
- Azathioprine (50–150 mg/day)
- Hydroxychloroquine (initially 200 mg BD followed by 200 mg OD for maintenance)

ANTI-GOUT DRUGS:

- Allopurinol (Start with 100 mg OD, Maintenance dose of 300 mg/day, maximum 600 mg/day)
- Colchicine (dose 0.5–1 mg/day)
- Febuxostat (40 milligrams (mg) or 80 mg once a day)
- Sulfinpyrazone: 100–200 BD
- Probenecid (0.25–1.0 g BD)

TREATMENT & MEDICINES OPTIONS

HERBAL MEDICINE

- Himalaya Hadjod: Dose: 2 tablet OD or BD
- Himalaya Rumalyaforte: Dose: 1 tablet OD or BD
- SBL drops no.6: Dose: 10-15 Drops in water 2 to 3 times
- Divya peedadantaktaila: Massage using 5 ml oil
- Charak rymanylcapsules: Dose: 1 Capsule OD or BD
- Charak ostolietablets: Dose: 1 tablet OD or BD
- Ostrolief nutratablets: Dose: 1 tablet OD or BD
- Baidhyanathyograjguggulu: 1 tablet OD or BD

SUPPLEMENTS FOR VITAMIN AND MINERAL DEFICIENCIES

- Benocal K27 capsules: Dose: 1 Capsule per day
- Caldikind plus capsules: Dose: 1 Capsule per day
- Shelcal-500 tablets : Dose: 1 Tablet per day
- Cipcal-500 tablets : Dose: 1 Tablet per day
- Calshine-D tablets : Dose: 1 Tablet per day
- Dailycal-500 tablets : Dose: 1 Tablet per day

MEDICINES OPTIONS

30 बीमारियाँ और उनका उपचार

10. ASTHMA (अस्थमा)

अस्थमा, दमा

Asthma is a condition in which your airways narrow and swell and may produce extra mucus

Due to this swelling, the air path produces excess mucus making it hard to breathe.

This can make breathing difficult and trigger coughing, a whistling sound (wheezing) when you breathe out and shortness of breath

The disease is chronic and interferes with daily working

INTRODUCTION

Pollen

Smoking

Exercise

Moldy

Infections

Food

Medicines

Dust mite

Stress

Pollution

Pets

Cold air

CAUSES

Wheezing

Cough

Shortness of breath

Tachycardia

Difficulty in breathing

Pale and wet skin

Dyspnea

Chest tightness

SYMPTOMS

31 DIAGNOSIS

IgE test

Blood test

Chest X-ray

Spirometer test

Physical examination

TREATMENT AND MEDICINE OPTIONS

1. Bronchodilators medicine

2. Corticosteroids

3. Leukotriene antagonists

4. 5-lipoxygenase inhibitors

32 बीमारियाँ और उनका उपचार

1. BRONCHODILATORS

- Salbutamol
- Terbutaline
- Salmeterol
- Theophylline
- Etophylline
- Aminophylline

2. CORTICOSTEROIDS

- Fluticasone
- Budesonide
- Mometasone
- Beclomethasone

•Ciclesonide •3. Leukotriene antagonists •Montelukast •Zafirlukast 1-2 Tablet BD 1-2 Tablet BD •4. 5-lipoxygenase inhibitors •Zileuton tablet 5 ml 2-3 times 8-10 drops in Half cup water 4 times

Disordered movement of the muscles that control facial expressions, such as smiling, squinting, blinking, or closing the eyelid

To control facial expressions Why are the muscles disorganized? Motion, such as smiling, running away, blinking

Blinking or closing the eyelids

Loss of the sense of taste on the front two-thirds of the tongue

In the front two-thirds of the tongue. Loss of experience

Loss of feeling in the face

Tearing

Drooling

11. BELL'S PALSY (facial paralysis) Introduction

Autoimmune disease

Diabetes

Family history

Herpes simplex/ zoster virus

High B.P.

Epstein-barr virus

Viral infection

Inflammation and swelling of the 7th cranial nerve spinal cord

Injuries Strokes

Brain injuries

Cerebral palsy

Multiple sclerosis

Neurological diseases

Neuron damage

CAUSES SYMPTOMS

33 Bell's palsy is a condition that causes sudden weakness in the muscles on one side of the face, Affect only facial muscle and neurons

Baps is a condition that affects one side of the face. Causes sudden muscle weakness, only Facial muscles and facial muscles

affects

Electromyography (EMG): is a diagnostic procedure to assess the health of muscles and the nerve cells that control them (motor neurons).

Muscles and their control nerve cells (motor)

ASSESSMENT OF THE AIR OF ÆEURÆS

There is a diagnostic procedure to do. DIAGNOSIS

Supportive care

Rehabilitation

Physiotherapy

Speech therapy

Routine Exercises

CBT for patient

The weakness is temporary and significantly improves over weeks.

Other medicine based on Reason for facial paralysis.

Medicine Given as per reason of the problem. TREATMENT OPTIONS

MEDICINE OPTIONS

Cipla Acivir 200-DT tablets (If reason is Viral infection)

Cipla Valcivir-1000 tablets (If reason is Viral infection)

Omnacortil-20 tablet (If reason is Viral infection)

Neurobion forte 1 Tab OD (If reason is Weakness of neuron)

Meconerv forte 1 Tab OD (If reason is Weakness of neuron)

34 बीमारियाँ और उनका उपचार Courtesy: Cleveland Clinic

12.

BLOOD SUGAR LEVEL

ईलड शुगर लेवल बढ़ जाता है

प्यादा ऐया

get involved with

Sudden rapid weight loss

Sugar level more than 200

HIGH BLOOD SUGAR LEVEL

INTRODUCTION

Bad habits of eating

Stress in life

Poor sleep

Hormonal imbalance

Genetics

Pancreas problem

Autoimmune disorder

CAUSES

35 Bad eating habits

Stress in life

Bad sleep

Homonal imbalance

Genetic

Problem of indigestion

Ov – Various disorders

36 Diseases and their treatment

Frequent urination

Painful urination

Delay wound healing

Always hungry

Always thirsty

Neuropathy symptoms

Sudden weight loss

Blurred vision

Urinary infection (UTI)

Vaginal infection

SYMPTOMS

Frequent urination

Pain while urinating

Delay in wound healing

Always be hungry

Always remain the same

Symptoms of Neuropathy

Sudden weight loss

Blurry

Urine infection

Vaginal infection

Medical history

Physical examination

Blood test

Blood sugar test

Random blood

sugar RBS ? FPG (Fasting Plasma Glucose test) ? OGTT (Oral Glucose Tolerance) test

? Hemoglobin A1C (HbA1C) DIAGNOSIS ? Healthy diet ? Reduce stress level ? Take proper sleep ? Regular exercise ? Walking/cycling ? Avoid added sugars ? Fresh karela juice

? Medicines TREATMENT OPTIONS MEDICINE OPTIONS ? METFORMIN HCL: Dose: 500mg to 2.5 g/day in 2–4 doses ? GLIPIZIDE: Dose: 5–20 mg/day in 1–2 doses ? DAPAGLIFLOZIN 5 MG (Forxiga): Dose: 5-10 mg orally once a day ? GLIBENCLAMIDE 5 MG : Dose: 5–15 mg/day in 1–2 doses ? GLICLAZIDE 60 MG-60:40–240 mg/day in 1–2 doses ? PIOGLITAZONE 15 MG: Dose: 15–45 mg OD ? ACARBOSE 50 MG (Glucobay-50): Dose: 50–100 mg TDS

? SITAGLIPTIN-100MG (Istavel): 50–100 mg TDS ? Glycomet GP 1 and 2: Dose: 1–6 mg OD

? VILDAGLIPTIN-50MG (Vinglyn50) OD-BD before meals ? SBL Dibonil drops: 10 drops in half cup water TID (HOMEOPATHY) ? SBL Dibonil tablet: Four tablets, 4-6 times daily (HOMEOPATHY) ? HIMALAYA Diabecon-DS: Dose: 1-2 tablet BD (AYURVEDIC TABLET)

? Hyponidd Tablet: Dose: 1-2 tablet BD (AYURVEDIC TABLET) ? Divya Madhunashinivati: Dose: 1-2 tablet BD (AYURVEDIC TABLET)

37 Diseases and their treatment

13. BOILS

? Underneath boils ? Hair plucking pimple ? Boils is a contagious skin infection that starts in a hair follicle or oil gland

INTRODUCTION

? Poor hygiene ? Poor nutrition ? Exposure to chemical ? Staphylococcus Aureus ? Obesity ? Weak immunity ? Skin infection

CAUSES

38 ? Boils, pimples in hair follicles This is a deep infection. ? This infection usually

? Typhlococcus and Eus named What is the reason behind bacteria? ? This infection causes rashes on the skin and painful swelling from dead cells Looks like. multiple boils clustered together When it occurs it is called canker

? Poor awareness ? Bad Pexploitation

? Coming into contact with chemicals ? OTaphylococcus aureus ? Weak immunity ? Skin infection

? It can be diagnosed by looking at your skin. ? A pus sample may also be taken for lab analysis

Blood test

DIAGNOSIS

39 Diseases and their treatment ? Becomes painful ? Fills with pus formation ? Grows in size ? Might spread to others areas ? Has a yellow or white center ? Reddish or purplish in color ? Swollen skin around the bump

SYMPTOMS

? Becomes painful ? Filled with pus ? Increases in size ? May spread ? A yellow or is white ? Being red or purple in color ? Around the bulge Swelling of skin

? It can be diagnosed by looking at your skin. ? A sample of pus can also be taken for laboratory analysis. ? Blood test

40 diseases and their treatment

MEDICINE OPTIONS

? Yahamane has given a lot of options. So it boils over A tablet is prescribed along with a cream to be applied.

1. Forcef-500: Dose: 1 Tablet BD/OD
2. BlumoxCA: Dose: 1 Tablet BD/OD
3. Dalacin-C: Dose: 1 Tablet BD/OD
4. Nioclean gel: Dosage: apply 2-3 times
5. Septran-DS: Dose: 1 Tablet BD/OD
6. Codox: Dose: 1 Tablet BD/OD
7. Odoxil: Dose: 1 Tablet BD/OD
8. Fourderm: Dose: Apply 2-3 times
9. Fucidin: Dose: Apply 2-3 times
10. Mupointment: Dose: Apply 2-3 times
11. Neosporin powder: Dose: apply 2-3 times

? Regular wash your body ? Use antibacterial soaps ? Don't share your cloths ? Place a clean, warm, moist cloth on boils several times a day ? Turmeric –curcumin (antibacterial and anti-inflammatory) ? Castor oil (anti-

inflammatory) ? Tea tree oil (antibacterial and antiseptic) ? Neem oil (antiseptic, antibacterial, and antimicrobial) ? Raw onion (antibacterial) ? OTC medicines ? Antibiotics ? Pain relievers ? Antibacterial soaps ? Surgery

TREATMENT OPTIONS 14. BREAST CANCER (Öतन कऱसर)

INTRODUCTION ? Age ? Sex ? Family history ? Genetics ? Smoking ? Alcohol use for longer time of period ? Obesity ? Radiation exposure ? Hormone Replacement therapy (HRT)

CAUSES 41 ? आयु ? िलंग (पुऱष/मिहला) ? पाँरवाँरक इतहास ? आनुवंशिका ? धूँपान ? शराब का सेवन ? मोटापा ? िविकरण जो risk ? Hormone release therapy ? Cancers that originate in the cells of the body. Thrives. ? Ovarian cancer in women and sometimes It can also happen in men. ? Symptoms of breast cancer: Lump in the breast Occurrence, discharge mixed with blood from the nipple And what is the shape of the nipple or vagina? ? Includes changes in nature. ? Any kind of lump or swelling in the body ? Ultrasound can detect cancer ? Mammogram ? MRI ? Blood Test: ? Complete blood count (CBC) ? Blood chemistry ? Hepatitis tests ? BIOPSY ? Tumor features ? Estrogen receptors (ER) ? Progesterone receptors (PR) ? Oncotype Dx

DIAGNOSIS ? Breast-conserving surgery ? Surgery to remove lymph nodes ? Mastectomy ? Radiation ? Chemotherapy ? Hormone therapy ? Immunotherapy

TREATMENT OPTIONS 42 बीमाँरयाँ और उनका उपचार ? Change in the size, shape or contour of the breast ? Feeling of thickening around breast and underarms ? Redness on breast or nipples ? Pain and tenderness ? Unusual nipple discharge ? Skin dimpling (looking like an orange peel)

SYMPTOMS 43 बीमाँरयाँ और उनका उपचार

MEDICINE OPTIONS 1. Selective estrogen receptor modulators (SERMs): ? Tamoxifen: 10–20 mg BD ? Toremifene: 60 mg OD. ? Raloxifene: 60 mg/day 2. Selective estrogen receptor degraders (SERDs) ? Elacestrant : 345 milligrams (mg) once a day ? Fulvestrant: 600 mg once a day for 21 days followed by 7 days off for a cycle of 28 days. 3. Aromatase inhibitors ? Letrozole: 2.5 mg/day oral ? Anastrozole: 1 mg/day oral ? Exemestane: 25 mg/day oral ? Luteinizing hormone- releasing hormone (LNRH) agonists ? Goserelin: 10.8-milligram syringe is usually injected every 12 to 13 weeks ? n-Leuprolide: 3.75 mg IM once a month for up to 6 months

5. TARGETED DRUGS IN BREAST CANCER ? Monoclonal antibodies: ? Ado-trastuzumab emtansine ? Fam-trastuzumab deruxtecan ? Margetuximab ? Pertuzumab ? Sacituzumab govitecan ? Trastuzumab ? Trastuzumab and hyaluronidase injection ? Trastuzumab, pertuzumab, and hyaluronidase injection ? mTOR inhibitor: ? Everolimus ? PI3K inhibitor: ? Alpelisib ? PARP inhibitors: ? Olaparib ? Talazoparib ? Kinase inhibitors: ? Lapatinib ? Neratinib ? Tucatinib ? CDK4/6 inhibitors: ? Abemaciclib ? Palbociclib ? Ribociclib

15. BREAST ENLARGEMENT ? ाँेÖतकासाइजबढानेके उपाय ? Breast is a pair of mammary glands which is soft round parts of a woman's body. ? Breast can produce milk during lactation phase of women after delivery

INTRODUCTION ? Some reason behind

small breast are 1. Genetics 2. Rapid weight loss 3. Hormones 4. Medical conditions 5. Malnutrition

CAUSES Small breast size Low body weight Body weakness Lower Body Mass index Weight loss

SYMPTOMS 44 There are some reasons behind small body size. 1. genetics 2. rapid weight loss 3. Hormones 4. medical conditions 5. malnutrition

Physical examination Breast size measurement Body weight measurement Find body mass index

DIAGNOSIS 1. Natural home remedies: Green leafy vegetables Consume soy products Consume dairy products Eat flax seeds Add papaya in diet Fenugreek oil massage Almond oil massage Cod liver oil massage Olive liver oil massage Shatavari oil massage Consume fennel seeds Eat dry fruits (nuts) Fenugreek seeds

2. Yoga: Ushtrasana Bhujangasana Gomukhasana Balasana Chakrasana Adhomukhaswanasana Dolphin pose

3. Surgery: We do not promote surgery option here Because it have so many side effects So, don't do surgery of

Breast Enlargement using implants

TREATMENT OPTIONS MEDICINE OPTIONS “ DON'T WASTE MONEY ON FAKE PRODUCTS AND CREAM WHO CLAIM TO INCREASE SIZE” “ ONLY USE NATURAL REMEDIES AND WAYS FOR THIS PURPOSE, AS IT DON'T HAVE ANY SIDE EFFECTS”

45 Diseases and their treatment

16. BURNING FEET (Burning sensation in the soles of the feet) Biting Foot Syndrome, Vitamin B3 It is a symptom caused by deficiency. This causes burning sensation in the feet. Some other symptoms of this syndrome are Fatigue, muscle paralysis

INTRODUCTION Nerve damage or weakness Peripheral Neuropathy Diabetic Neuropathy Heavy alcohol drinking Vitamin deficiency Hypothyroidism Tarsal tunnel syndrome (TTS) Chronic kidney disease Nutritional deficiency

CAUSES On the soles of both feet tingling and burning Applies to the soles of the feet

जलन सुई चुभने जैसा एहसास होना BURNING SENSATIONS IN FEET AND FEELING OF TINGLING SYMPTOMS

46 Patient Medical History Physical examination Sign & Symptoms based Blood sugar Urine test Neurological examinations

DIAGNOSIS Cold water bath feet Soak your feet in Epsom Salt solution Soak your feet in apple cider vinegar Apply turmeric paste Foot care cream Medicines

TREATMENT OPTIONS MEDICINE OPTIONS

YAHA PAR HUM BAHOT SARE OPTIONS DE RAHE HAI KOI EK YA 2 OPTION SELECT KAR SAKTE HAI DEPEND ON SYMPTOMS.

Meconerv plus: Dose: 1 capsule per day Optineuron forte: Dose: 1 tablet per day Neurobionforte: Dose: 1 tablet per day Neurobionplus: Dose: 1 tablet per day Mecgla: Dose: 1 capsule per day Nurokind-gold: Dose: 1 capsule per day Neurobionforte: Dose: 1 injection per week Nurokind-gold: Dose: 1 injection per week Resnerplus : Dose: 1 tablet OD/BD Pregalin-75: Dose: 1 tablet OD/BD Gabapin-100: Dose: 1 tablet OD/BD Arigabaoointment: Dose : Apply 2-3 times a day

47 बीमांरयां और उनका उपचार

17. BURNING (जलना) It is a Medical condition in which burning of the skin is

occurring when it comes in contact with Fire ? First and second-degree burns, heal with at-home treatments ? Primary care easily treat this problem ? Third-degree burns can be life-threatening ? It require specialized medical care ? Need to hospitalized patient in emergency

INTRODUCTION ? Burning may occurs due to so many reasons.

? Accidental Burning ? Burning due to crackers ? Burning due to contact with fire by so many reason and incidents

CAUSES ? Swelling & Redness of skin ? White or splotchy skin ? Blisters may develop ? Pain in affected area ? **आँचा पर से पपड़ी उतरना ? फफोले बनना | सूजन**

आना SYMPTOMS 48 ? Physical examinations ? Regular checkup ? Regular Follow-ups

DIAGNOSIS ? Apply Cool Water ? Cool Compresses ? Apply Fresh Aloe Vera Gel ? Apply Honey Topically ? Apply Lavender Oil ? Holy Basil Leaf Juice ? Don't Pop Your Blisters ? Don't Use Ice Directly

TREATMENT OPTIONS **MEDICINE OPTIONS** ? Silverex Ionic Gel: Apply 2-3 Times A Day ? Silverex SSD Cream: Apply 2-3 Times A Day ? Soframycin Skin Cream: Apply 2-3 Times A Day ? Megaheal Gel: Apply 2-3 Times A Day ? Himalaya Antiseptic Cream: Apply 2-3 Times A Day ? Neosporin Ointment 5 gm: Apply 2-3 Times A Day ? Povidone Iodine Ointment: Apply 2-3 Times A Day ? Povidone Iodine Powder: Sprinkle On Infected Burn ? Antibiotic Dusting Powder: Sprinkle On Infected Burn ? Clavam 625 Tablets: Dose: 1 Tablet OD or BD ? Azithromycin 500 MG: 1 Tablet OD For 3 Days ? Taxim O CV 200: 1 Tablet OD For 3 Days ? Augmentin Injection: Dose: 0.25–1 g TDS by IV ? Cefuroxime Injection: 0.75–1.5 g I.M or I.V q8h ? Ibugesic Plus Tablet: Dose: 1 Tablet OD OR BD

बीमा अर्या और उनका उपचार 49

18. CANCER (कसर) ? **NEOPLASM** ? Cancer is a term used for diseases in which abnormal cells divide without control & are able to invade other tissues ? Cancer cells can spread to other parts of the body through the blood and lymph systems ? Also called “Neoplasm”

• Carcinogens cause cancer: • A carcinogen is any substance, radionuclide, or radiation that promotes carcinogenesis, the formation of cancer • This may be due to the ability to damage the genome or to the disruption of cellular metabolic processes

INTRODUCTION

1. Cervical cancer 2. Breast cancer 3. Stomach cancer 4. Lymphoma 5. Skin cancer 6. Lung cancer 7. Colon cancer 8. Prostate cancer

TYPES ON THE BASIS OF ORIGIN

1. Carcinoma 2. Sarcoma 3. Leukemia 4. Lymphoma 5. Myeloma 6. Blastoma 7. Germ cell cancer 8. Central nervous system cancers 50 ? Radiation ? Ageing ? Pollution ? Environment

? Diseases ? Genetics ? Occupation ? Asbestos ? Tobacco-Smoke

CAUSES SYMPTOMS

? Significant weight loss ? Poor appetite ? Excessive sweating (night sweat) ? Severe Pains ? Neurological symptoms ? Change in appearance ? Blood in vomiting ? Chronic cough (lung cancer) ? Bowel Changes (Colon cancer) ? Fever (Leukemia and lymphoma)

DIAGNOSIS

? Physical examination ? Biopsy of the tumor ? Blood tests (Complete Blood Count-CBC)

? Newer molecular and Cellular diagnosis test ? X-Ray, MRI scanning (Magnetic resonance

imaging), CT scan 2. Imaging tests used in diagnosing cancer may include a computerized tomography (CT) scan 2. Bone scan 2. Magnetic resonance imaging (MRI) 2. Positron emission tomography (PET) scan 2. Ultrasound and X-ray, among others 2. Biopsy During a biopsy:

doctor collects a sample of cells for testing in the lab बीमा रोगों और उनका उपचार

511. Chemotherapy: 2. Rapidly dividing cells metastasised cancers (leukemia and lymphoma) 2. Radiotherapy: 2. In combination with other therapies Iodine -131 (thyroid cancer) Iridium-192 (breast cancer) 3. Surgery : 2. Not metastasized cancers but prostate, breast or testicular cancers 4. Immunotherapy : 2. Immune system made strong to fight against cancers 5. Hormone Therapy: 2. Killing cancer cells by altering hormone levels 6. Gene Therapy: 2. Replacing defective genes 7. Anticancer Drugs: 2. These are the class of medication which are use in the treatment of the various type of cancer either benign or malignant 2. Anticancer also called Antineoplastic Drugs TREATMENT OPTIONS 52 बीमा रोगों और उनका उपचार

1. Mechlorethamine (Mustine HCl): 0.1 mg/kg i.v. daily ×4 days; courses may be repeated at suitable intervals 2. Cyclophosphamide: 2–3 mg/kg/day oral; 10–15 mg/kg i.v. every 7–10 days, i.m. use also possible 3. Ifosfamide: 10–15 mg/kg i.v. MEDICINE OPTIONS 53 बीमा रोगों और उनका उपचार 4. Chlorambucil: 4–10 mg (0.1–0.2 mg/kg) oral daily for 3–6 weeks, then 2 mg daily for maintenance 5. Melphalan: 10 mg daily for 7 days or 6 mg/day for 2–3 weeks—4 weeks gap—2 to 4 mg daily for maintenance orally 6. Thio-TEPA: 0.3–0.4 mg/kg i.v. at 1–4 week intervals 7. Busulfan: 2–6 mg/day (0.06 mg/kg/day) orally 8. Lomustine (CCNU): 100–130 mg/m² BSA single oral dose every 6 weeks 9. Dacarbazine (DTIC): 3.5 mg/kg/day i.v. for 10 days, repeat after 4 weeks 10. Methotrexate: 15–30 mg/day for 5 days orally or 20–40 mg/m² body surface area (BSA) i.m./i.v. twice weekly, maintenance therapy 2.5–15 mg/day 11. 6-Mercaptopurine: 2.5 mg/kg/day orally, half dose for maintenance 12. 6-Thioguanine: 100–200 mg/m²/day oral for 5–20 days 13. Azathioprine: 3–5 mg/kg/day oral, maintenance 1–2 mg/kg/day 14. Vincristine (Oncovin): 1.5–2 mg/m² BSA i.v. weekly 15. Vinblastine: 0.1–0.15 mg/kg i.v. weekly ×3 doses 16. Paclitaxel: 175 mg/m² by i.v. infusion over 3 hr, repeated every 3 weeks 17. Docetaxel: 100 mg/m² i.v. over 1 hr; repeat at 3 weeks 18. Etoposide: 50–100 mg/m² /day i.v. or oral for 5 days 19. Topotecan: 1.5 mg/m² i.v. over 30 min daily for 5 days 20. Daunorubicin (Rubidomycin): 30–60 mg/m² BSA i.v. daily for 3 days, repeat weekly. 21. Doxorubicin: 60–75 mg/m² BSA slow i.v. injection every 3 weeks; 22. Imatinib: 400 mg/day with meal; for accelerated phase of CML 600–800 mg/day 19. CERVICAL DYSPLASIA (सर्वाइकल

डिस्प्लासिया) 2. सर्वाइकल कैंसर 2. ब, चेदानी के मुंह का कैंसर, गर्भाशय ण्डीवा 2. Cervical dysplasia is when abnormal, or precancerous, cells in and around a woman's cervix 2. Cervical dysplasia is a precancerous condition of the cervix 2. Cervical Abnormal cell

changes it can be mild, moderate, or severe. It can occur between ages of 15 and 25. Increased vaginal discharge. Abnormal vaginal discharge. Spotting between menstrual periods. Bleeding after intercourse. Bleeding after pelvic examination. Pain during sexual intercourse.

SYMPTOMS

CAUSES

54 **INTRODUCTION** Sexually transmitted virus, Human papillomavirus (HPV), HPV-16 & HPV-18 this species infect reproductive tract & cause cervical dysplasia.

Becoming sexually active before age of 18. Having a high number of unprotected physical relationships. Chewing tobacco. Smoking. Before 16 age pregnancy. Not using protection. Weak immune system. Bacterial infection. Using long term oral contraceptives. Economical issues.

RISK FACTORS

DIAGNOSIS

Get vaccine against HPV between the ages of 9 and 26. Practice with safer. Get regular Pap smears. Avoid smoking. Avoid chewing tobacco. Physical examination. Pap smear test. DNA test. Skin biopsy. Laser therapy.

Colposcopy **PREVENTION** **PAP SMEAR TEST** **COLPOSCOPY** 55 **बीमारियाँ और उनका**

उपचार

The treatment of cervical dysplasia depends on many different factors, including the severity of the condition and the age of the patient. For mild cervical dysplasia, often only continued monitoring with repeat Pap tests is needed.

PAP Smear test:

Cells are scraped from the cervix and examined under a microscope to check for disease or other problems.

Treatments include two of the procedures also used for diagnosis:

Cone biopsy or LEEP (Loop electrosurgical excision procedure).

Other treatments include:

Cryosurgery (freezing). Electrocauterization. Laser surgery.

After treatment,

1. Follow-up testing, which may involve repeat Pap tests in six and 12 months or an HPV DNA test.
2. After follow-up, regular Pap tests are necessary.

TREATMENT OPTIONS

PAP SMEAR TEST Loop electrosurgical excision procedure (LEEP) HPV DNA TEST

56 **बीमारियाँ और उनका उपचार** 20. **CHIKUNGUNYA (चिकनगुनिया)**

Chikungunya is an infection caused by the Chikungunya virus (CHIKV). This virus spread to human by mosquito Bites. Aedes is the main species of mosquito which spread Chikungunya Virus. Aedes albopictus & Aedes aegypti.

INTRODUCTION

Rashes. Back pain. Nausea. Headache. Joint pain. Vomiting. Chills. Fever.

SYMPTOMS

CAUSES

Chikungunya Virus.

Aedes mosquito Bites 57 **चक्रे पीठ दद जी मिचलाना सिर दद जोड़ो का दद उठटी**

करना ठंड लगना बुखार

Symptoms based

Temperature (>100). Blood test. C-reactive protein test. ESR (Erythrocyte sedimentation rate). RT-PCR. IgM Elisa.

DIAGNOSIS

58 **बीमारियाँ और उनका उपचार** **PREVENTION**

Fogging to kill mosquito. Prevent mosquito bite:

- Remove water from coolers and other small containers and cover water containers with lids.
- Using aerosol during day time to prevent mosquito bites.

TREATMENT OPTIONS

1. Drink plenty of fluids. 2. Use only Paracetamol 3. Blood pressure monitoring 4. Platelet count monitoring 5. Supportive care in a hospital 6. Intravenous (IV) fluid 7. Electrolyte replacement 8. Blood transfusion if blood loss 9. Herbal medicines & Remedies

1. Drink plenty of fluids: Patient ko Hydrated Rehne ke liye 5-7 liter pani dena chahiye jisse Dehydration ka problem na ho. 2. Use only Paracetamol: If fever use Paracetamol 500 mg tablet din me 2-3 bar de sakte hai. 3. Blood pressure monitoring: Normal BP 120/80 4. Platelet count monitoring: Blood test must be done regularly to check it. 5. Supportive care in a hospital The goal of supportive care is to prevent or treat as early as possible the symptoms of a Chikungunya 6. Intravenous (IV) fluid 7. Electrolyte replacement ORS salts 8. Blood transfusion if blood loss: Any component of blood which is collected from a donor for use in a blood transfusion. Examples are 1. Whole blood 2. Packed red blood cells 3. Fresh frozen plasma 4. Platelet transfusion 9. Herbal medicines & Remedies: Beetroot Papaya leaf Amla Tulsi (Basil) Kiwi Carrot Coconuwater Goat's milk Carica papaya leaf extract tablets or syrup 1 Giloy Tablets and capsule 1 tablet OD/BD 59 Diseases and their treatment

MEDICINES 1 Tablet BD/OD 1 Tablet BD/OD 1-2 SACHET PER DAY

21. CONGESTIVE HEART FAILURE (congestive heart failure) Congestive heart failure is a type of heart failure. In this, the heart is not able to pump blood as per the need of the body. Due to this, blood gets accumulated in the tissue. This may cause tissue congestion or Congestion occurs. Difficulty in breathing even after doing a little work. All the time थकान महसूस होना मांसपेशियाँ मजबूत लगातार ददना होना

Congestive heart failure (CHF) is a chronic progressive condition that affects the pumping power of our heart muscles Simply referred to as “heart failure,” This means less oxygen is reaching the organs and muscles which can make feel tired and short of breath

INTRODUCTION Cholesterol and other types of fatty substances can block the coronary arteries

Coronary artery disease

Congenital heart defects

Severe lung disease

Diabetes

Severe anemia

Hyperthyroidism

Abnormal heart rhythms

Stress & Sedentary life style

Smoking

Over Weight (obesity)

Alcohol consumption

High fat diet

Less exercise in life

High sodium in diet

Heavy caffeine consumption

Unhealthy diet increase

CAUSES 60

Fatigue

Activity decrease

Cough (especially supine)

Edema

Shortness of breath

Reduced ability to exercise

Lack of appetite and nausea

Rapid or irregular heartbeat

Chest pain if your heart failure is caused by a heart attack

SYMPTOMS

RISK FACTORS High blood pressure

Coronary artery disease

Heart attack

Diabetes

Sleep apnea

Congenital heart defects

Alcohol use

DIAGNOSIS Electrocardiogram (ECG)

Exercise stress test

Echocardiogram

Chest x-ray

Angiography

Heart catheterization

Computerised tomography (CT) scan

Magnetic resonance imaging (MRI)

61 बीमारियाँ और उनका उपचार Quit smoking

Control high blood pressure

Manage diabetes sugar level

Be physically active & Do exercise

Eating healthy foods

Maintain your healthy

weight ? Reduce and manage stress ? Avoid alcohol ? Do instant diagnosis in any of symptom of CHF

PREVENTION TREATMENT & MEDICINE OPTIONS

? Relief of congestion/low cardiac output symptoms & restoration of cardiac performance ? Inotropic Drugs ? Digoxin ? Dobutamine ? Amrinone/Milrinone ? Diuretics: ? Furosemide ? Thiazides ? Vasodilators ? ACE Inhibitors/AT1 Antagonist ? Hydralazine ? Nitrate ? Enalapril ? Beta Blocker ? Metoprolol ? Bisoprolol ? Carvedilol ? Arrest/reversal of disease progression & prolongation of survival ? ACE inhibitors/AT1 antagonists (ARBs) ? Beta-blockers ? If Channel Blocker (or inhibitor) ? Ivabradine ? Aldosterone antagonist ? Spironolactone (Aldactone) ? Eplerenone (Inspra)

62 Diseases and their treatment

22. CONJUNCTIVITIS (eye irritation)

? Conjunctivitis, conjunctivitis, redness of eyes ? Pink eye is also called conjunctivitis in a medical term ? It is an inflammation of the conjunctiva from infection or eye. infection ? It become eye red and swollen ? Eye's conjunctiva usually caused by a bacteria or virus that results in red

INTRODUCTION TYPES

1. Bacterial Conjunctivitis:

? More commonly associated with discharge (pus), which can lead to eyelids sticking together ? Sometimes occurs with an ear infection

2. Viral Conjunctivitis:

? Can occur with symptoms of a cold, flu, or other respiratory infection ? Usually begins in one eye and may spread to the other eye within days ? Discharge from the eye is usually watery rather than thick

3. Allergic Conjunctivitis:

? It is associated with seasonal allergies ? Usually occur during the spring and summer months, and sometimes during the fall ? Exposure to pollen, grass and other airborne allergens causes seasonal allergic conjunctivitis

63

? Closely contact with infectious person ? By touching surfaces contaminated with bacteria or viruses ? By using old eye makeup or sharing makeup ? Sexual contact

HOW DOES IT SPREADS

? Viral infection, including the kind that causes the common cold ? Bacterial infections ? Irritants such as shampoos, dirt, smoke, and pool chlorine

CAUSES SYMPTOMS

? Increased tearing ? Gritty feeling in one or both eyes ? Pain & Itching in eyes ? Burning in eyes ? Blurred vision ? Increase light sensitivity problems ? Swollen eyelids ? Clusters over eye lashes ? Thick yellowish discharge from the eye

DIAGNOSIS

64 बीमा रोगों और उनका उपचार

? Physical examination ? Consultation with ophthalmologist ? Based on sign & symptoms ? Previous History of your ocular diseases including dry eye, blepharitis, and anatomic abnormalities of the ocular surface and lids ? Bacterial conjunctivitis affected in the winter ? Viral conjunctivitis affected

in the summer ? Poor hygiene ? Using contact lenses ? Allergic reaction in the eye ? Social condition ? Ocular surgery ? Exposed sutures ? Ocular foreign bodies ? Chronic use of topical medications

TREATMENT OPTIONS

? Must consult eye specialist for proper treatment of this problem ? Treatment may include

1. Antibiotic eye drops
2. Antihistamines eye drops
3. Anti-inflammatory eye drops

MEDICINE OPTIONS RISK

FACTORS 2HyalorxEye Drop 10 ml 2MoisolEye Drops 5m 2GentealEye Drops 10 ml
 2FlurOphthalmic Solution 10 ml 2Optimoist Eye Drop 10 ml 2CalodinEye Drops 5ml
 2Ophthacareeye drops 2SBL Cineraria Maritima Euphrasia Eye Drops (10ml) 65Diseases
 and their treatment 23. CONSTIPATION 2Kajja is a condition of the digestive system. In this
 the stool becomes very hard and Difficulty in passing stool occurs when one defecates
 less than three times a week. passes stool or passes stoolना मुँकल हो. 2Constipation
 occurs when bowel movements become less frequent and stools become difficult to pass
 2It happens most often due to changes in diet or routine, or due to inadequate intake of
 fiber 2During Constipation stool becomes hard and difficult to pass from lower GIT,
 Constipation is a symptom, not a disease, and can be caused by many
 factorsINTRODUCTION 2Drinking insufficient water 2Medicines 2Unhealthy diet
 2Pregnancy2Stress 2A change of scenery 2Age 2Sedentary lifestyle CAUSES SYMPTOMS
 2To pass stool pain during or stress 2Stomach cramps and pain, gas, clotting 2Swollen
 stomach after defecation. go to the toilet again what is the need to feel 2Nausea and vomit
 66 2Medical history 2Physical examination 2Order routine blood2Urine and stool tests
 2Sigmoidoscopy 2Colonoscopy DIAGNOSIS 2Healthy diet 2Drink a lot of water 2Physical
 activity 2Massage 2Medicine 2Here are natural homes remedies to relieve Constipation:
 Constipation •Drink more water •Eat more fiber, especially soluble, non-fermentable fiber
 •Exercise more •Drink coffee, especially caffeinated coffee •Take Senna, an herbal
 laxative 2Over-the-counter or prescription laxatives: •Laxatives, purgatives, or aperients
 are substances that loosen stools soften stool and increase bowel movements •They are
 used to treat and prevent constipation•Laxatives vary as to how they work and the side
 effects they may have •Eat probiotic foods or take probiotic supplements 2Luminally
 active agents 2Bulk-forming Laxatives: •Dietary fibre •Bran •Psyllium (Plantago) •Ispaghula
 •Methylcellulose 2Surfactant (stool softner): •Docussate •it is a commonly used non-
 prescription (OTC or over-the- counter) stool softener used to treat or prevent constipation
 •Docusate is an anionic surfactant that helps lower surface tension at the oil- water
 interface of the stool, and thus allows water and lipids /fats to enter the stoolTREATMENT
 OPTIONS 67बीमांरयां और उनका उपचार68बीमांरयां और उनका उपचार MEDICINE OPTIONS
 Dose: 5–15mg per Day Insert 1 Suppository/day Dose: 5 to 10 ml per Day 1 or 2 tablet at
 Bed time 1-2 gm or 1-2 Tablet/day 1 or 2 Tablet at bed time 2 Tablet 3 times a day 20 Drops
 3 times a day24. CYSTITIS (ईलैडर इंफे^३शन) 2पेशाब का थैली म^३ सूजन, पेशाब करते समय जलन
 2पेशाब म^३ पस आता है, ईलैडर इंफे^३शन 2It is a Medical condition in which Pain & Swelling in
 your Urinary Bladder 2In medical term it is called Cystitis 2Inflammation of the Urinary
 bladderINTRODUCTION 2Growth of Bacteria 2Lack of personal hygiene 2Use of public
 toilet 2History of UTI2Radiation treatment of the pelvic area 2Long-time use of catheter 2If

you are Diabetes Patient ?If you Have kidney stoneCAUSES ?Pain in urinary bladder ?Pain when you touch there ?Painful intercourse ?Painful urination ?Burning while urination ?Pain in pelvic area ?Weakness & fatigue ?Nausea and vomiting ?Dark colour urine ?Blood in urine ?Pus may come in urine ?Strong urge to urinate ?Low-grade fever ?मूत्राशय में दद

?छूने पर दद होना ?गहरे रंग का पेशाब ?मूत्र आग करने में ददSYMPTOMS 69 ?Patient medical history ?Physical examination ?Symptoms based ?Blood & urine test ?Ultrasound scan ?X-ray of bladder ?Urine culture testDIAGNOSIS ?Drink More Water: 2 To 3 Liter Water/Day ?Take Coconut Water: 1 Coconut Water/Day ?Fresh Cranberry Juice ?Keep Personal Hygiene:Antiseptics Fluids ?MedicinesTREATMENT OPTIONS MEDICINE OPTIONS

?Levofloxacin 500mg Tablet: Dose:1 Tablet OD Or BD ?Levofloxacin+Ornidazol:Dose:1 Tablet Per Day ?Ofloxacin+Ornidazole:Dose:1 Tablet Per Day

?Norfloxacin+Ornidazole:Dose:1 Tablet Per Day ?Fosfomycin Powder: 3 gm Single Dose Only Once ?Clavam 625 Tablets: 1 Tablet BD Or TID ?Augmentin Injection:0.25–1 G Tds(Iv Use Only) ?Co-Trimoxazole Tablets: Dose: 1 Tablet Per Day ?Nitrofurantoin Tablets:1 Tablet BD Or TID ?Cefadroxil Tablet:1 Tablet OD Or BD ?CefeximeTablets:1 Tablet OD Or BD ?Ceftriaxone Injection: Dose-1–2 G I.V. Or I.M./Day ?LactagardInjection:1–3 G I.M./I.V. 12 Hourly ?Fluconazole 150 Mg:1 Tablet Per week ?Itraconazole 200 Mg:1 Capsule OD 7

Days 70 diseases and their treatment25. DEHYDRATION Dehydration, loss of water in the body Deficiency results. This situation arises when Occurs when water released from the body (sweat, (in terms of stool or urine) the quantity taken in a day The amount of water going out exceeds.INTRODUCTION ?Excessive sweating ?Extreme vomiting ?Diarrhea

?Urinating too much ?Not drinking enough water per day ?Less water takingCAUSES ?Drink more water ?Limit outdoor timeTake Hygienic food Avoid heavy exercise at outdoor

Drinking more water Limit outside time Take clean food Prevention Avoid heavy exercise in outdoor conditions 71 USE THIS FRUITS 1.Watermelon 2.Raw mango juice 3.Butter milk 4.Grapes 5.Lemon juice 6.Coconut water 7.Kokum juiceFeeling thirsty Dark yellow and strong- smelling urine (dark yellow and strong smelling urine) Feeling dizzy or lightheadedA dry mouth, lips and eyes Decrease in urination less than 4 times a day Rapid heartbeatDry skin & Headache ?Feeling tiredSYMPTOMS DIAGNOSIS ?Physical examination ?Blood test ?Urine test ?ECG in severe cases ?Blood pressure measurement ?Patient body weight

72बीमारियाँ और उनका उपचार ?Rehydrate the patient by give fluid like water •Need to stable patient so Fluids given on primary basis to manage the water loss ?ORS Must be Given to restore fluid and electrolyte balance •Oral rehydration solution (ORS) immediately to dehydrated patients who can sit up, drink ?If ORS is not available, you should provide water or other fluids containing water •You should NOT provide drinks with a high sugar content, such as juice, soft drinks, or sports drinks, because they could worsen diarrhea ?Monitor heart rate, blood pressure and mental status ?If need hospitalize patient Where IV Therapy

and other supportive care can be provide to patient 73 बीमारियाँ और उनका उपचार TREATMENT & MEDICINE OPTIONS

Patient ko ORS dete hai. Koi ek IV Drip Lagaye Pani de 26. DENGUE FEVER (डेंगू बुखार)

INTRODUCTION 72 Headache 72 High fever 72 Loss of appetite 72 Body ache 72 Diarrhoea 72 Vomiting 72 Fatigue 72 Eye pain 72 Knee pain 72 Lethargy 72 Nose bleeding 72 Red spots in the body

(शरीर में red Blemishes. CAUSES 72 Mosquitos bites 72 Dengue SYMPTOMS 74 72 Dengue fever

is a mosquito-borne disease. It is a flu-like disease caused by the dengue virus. There is a reason. This happens when Aedes mosquitoes carrying the virus enter a healthy person.

Dengue fever is also commonly known as break bone fever. High fever, loss of appetite, red spots on the body. 72 Dengue fever is an infection caused by the Dengue virus. 72 This virus

spread to human by mosquito bites, Female Aedes aegypti main species of mosquito which spread dengue virus, It is also known as "bone-broken fever" because people

suffering from it can feel so much pain as if their bones are broken 72 Blood test kare and

Regular WBC Count and platelet measure kare 72 Urine test 72 Medical history 72 Disease

condition DIAGNOSIS TREATMENT OPTIONS 75 बीमारियाँ और उनका उपचार 71. Drink plenty of

fluids. 72. Use only Paracetamol 73. Blood pressure monitoring 74. Platelet count

monitoring 75. Supportive care in a hospital 76. Intravenous (IV) fluid 77. Electrolyte

replacement 78. blood transfusion if blood losses 79. Herbal medicines & Remedies

72 Beetroot 72 Papaya leaf 72 Amla 72 Kiwi 72 Carrot 72 Coconut water 72 Goat's milk HOME REMEDIES

72 Beetroot 72 Papaya P.A. 72 Amla 72 Kivi 72 Carrot 72 coconut water 72 Goat milk 76 Diseases and

their treatment MEDICINES OPTIONS 5-7 LITER WATER PER DAY Fever only after

paracetamol IF THE PLATELET GOES AWAY PLATELET TRANSFUSION KOI BHI EK IV DRIP

LAGAYI JATI HAI JO PATENT KO SUIT KARE Caripill Tablet Dosage: 1-2 tablet 2-3 times a day

Giloy Ghanvati Dose: 1-2 tablet 2-3 times in a day 27. DENTAL INFECTION (दांतों का संक्रमण)

72 It is an infection of tooth and gums of oral cavity due to many reasons. 1. Pain or

inflammation in tooth & gums 2. Tooth decay or infection 3. Feeling of throbbing pain

4. Swelling in or around your tooth or gum 5. Sharp pain when touch or bite down tooth

6. Sharp pain when cool water touch tooth 7. Even pain during eating food INTRODUCTION

77 दांत या आस-पास के मसूड़ों में संक्रमण होने पर छुरा घोंपने जैसा दर्द हो सकता toothache,

bacteria or What causes swelling in teeth? Gingivitis and infection 72 Fever and toothache

72 Severe persistent, throbbing toothache 72 Sensitivity to hot and cold temperatures

72 Sensitivity to the pressure of chewing or biting 72 Swelling in face or cheek SYMPTOMS

1. Painkiller to reduce pain 2. Antibiotic to reduce and treat bacterial infection 3. Herbal dental analgesic To reduce pain sensation 4. Salt water Rinse salt water rinse with 5. Cold compress therapy 6. Dental Surgery is last treatment option

TREATMENT OPTIONS

78 बीमारियाँ और उनका उपचार ? Bacteria are most common for reason behind dental infections ? Not brushing your teeth 2 times a day ? Poor dental hygiene ? High sugar diet ? Eating excessive sweets ? Drinking soda ? Sensitive teeth or Cracked teeth

? Gum disease ? Impacted tooth ? Inflammation tooth pulp ? Pus formation in gum ? Tooth decay & Abscess CAUSES 79 बीमारियाँ और उनका उपचार ? PAINKILLER OPTIONS ? Any 1

painkiller or combination painkiller given to patient for dental pain during infection

1. PARACETAMOL 500mg (Dose: 1 tablet 2-3 times in a day) 2. IBUPROFEN 400mg (Dose: 1 tablet 2-3 times in a day) 3. NEPROXEN 500mg (Dose: 1 tablet 2-3 times in a day) 4. ACECLOFENAC 100 MG (Dose: 1 tablet 1 or 2 times) 5. DICLOFENAC 50mg Tablet (Dose: 1 tablet 1 or 2 times) 6. KETOROLAC 10mg Tablet (Dose: 1 tablet 1 or 2 times)

? ANTIBIOTICS OPTIONS ? Any 1 Antibiotic or combination antibiotic given to patient for dental pain during infection to treat infection in oral cavity 1. Amoxicillin 500mg + clavulanic acid 125 Tablet (1 Tablet BD/TID) 2. Amoxicillin 500 mg Capsule (1 Tablet BD/TID) 3. Ampicillin (250mg) + Dicloxacillin (250mg) Capsule (1 tablet BD) 4. Ampicillin 500 mg (1 Tablet BD/TID) 5. Cefixime 200 mg Tablet (1 Tablet OD/BD) 6. Azithromycin 500 mg (1 Tablet OD) 7. Cephalexin 500 mg Capsule (1 Capsule OD/BD) 8. Clindamycin 300 mg Capsule (1 Capsule OD/BD) MEDICINE OPTIONS LAST OPTION IS DENTAL SURGERY

Dental surgery is any of a number of medical procedures that involve Artificially modifying dentition; in other words, Surgery of the teeth, gums and jaw bones.

28. DEPRESSION ? Depression is a mental state. This includes sadness, disappointment, stress, And there is a lack of self-confidence. Is it considered a disease or syndrome? Have more anxiety, fear and restlessness ? Excessive irritability over small things ? Sleeping problems like less sleep at night or oversleeping ? Get up early in the morning and/or stay awake all night. ? Loss of interest in regular activities such as sex, sports and hobbies ? A mental health disorder characterised by persistently depressed mood or loss of interest in activities, causing significant impairment in daily life ? A group of conditions associated with the elevation or lowering of a person's mood, such as depression or bipolar disorder INTRODUCTION ? Stress in life or stress at work place ? Modification in living arrangements ? Major emotional shock ? Stressful or traumatic event ? Death or loss of a loved one ? Depression due to Anxiety ? Early childhood trauma ? Family and relationship problems ? Chronic illness ? Insomnia ? Chronic pain ? Attention-deficit hyperactivity disorder (ADHD) ? Brain structure (less active frontal lobe) CAUSES 80 ? Feelings of sadness, tearfulness, emptiness,

hopelessness ? Anger, irritability, frustration ? Sleep disturbances or ? Sleeping too much
? Loss of sleep, Dizziness ? Slowed thinking ? Slowed speaking or body movements ? Hard to
breathe, sleep, stay still, and concentrate on work & Sweating ? Feeling nervous, restless
or tension, panic, fear, and feeling weak ? Increased heart rate ? Difficulty controlling worry
? Back pain or headaches ? Anxiety, agitation ? Loss of interest in most regular activities

SYMPTOMS DIAGNOSIS ? Symptoms based diagnosis ? Patient counseling ? Interact with
the patient. ? Brain related diagnostic test like MRI & CT SCAN ? Blood test to diagnose
cause ? Hormonal assay or test 81 Diseases and their treatment ? Throughout the day and
especially in the morning. Sadness. ? Exhaustion almost every day and Feeling weak. ? O
myself To feel guilty or guilty. ? Difficulty in remaining united and taking decisions. ? Much
more almost every day Too little sleep. ? All activities become dull. ? Repeated death or
suicide Thoughts come. **MEDICINE OPTIONS** 82 Diseases and their treatment

? Antidepressants: • Monoamine oxidase inhibitors (MAOIs) • Tricyclic antidepressants
(TCA) • Selective serotonin reuptake inhibitors (SSRIs) • Other (atypical) antidepressants
• Mood stabilizing drugs ? SSRI (Selective Serotonin)

Reuptake Inhibitors) • Citalopram (20–40 mg/day) • Escitalopram (10–20 mg OD)
• Fluoxetine (20–50 mg/day) • Fluvoxamine (50–200 mg/day) • Paroxetine (20–50 mg/day)
• Sertraline (50–200 mg/day) • Escitalopram: 10–20 mg OD ? TCA (Tricyclic antidepressants)
• Amitriptyline : (50–200 mg/day) • Nortriptyline: (50–150 mg/day) • Clomipramine: (50–150
mg/day) • Imipramine: (50–200 mg/day) • Desipramine: (50–200 mg/day) • Trimipramine:
(50–150 mg/day) • Amoxapine: (100–300 mg/day) • Doxepin (50–150 mg/day) ? Herbal
medications • Himalaya Mentat or Brahmi Tablet (1-2 tablet per day) • Himalaya Mentat or
Brahmi Syrup (5-10 ml 3 times a day) • Himalaya Tagara Tablet (1-2 tablet per day) • Charak
Pharma Sumenta Tablet (1-2 tablet per day) ? Homeopathic medication • SBL Tranquil Tabs
(2 tablets 4 times daily) • Allen A78 Drops: Take 8 to 10 Drops in half cup of water daily 4
times **TREATMENT AND MEDICINE OPTIONS** 83 **MEDICINE BOOK NEW BOOK FOR**
MEDICINE REVIEW

1. BASIC OF MEDICINE
2. USE OF MEDICINE
3. LABEL STUDY
4. WORKING OF DRUG
5. DOSE OF MEDICINE
6. PRICE OF MEDICINE
7. SIDE EFFECTS
6. WARNINGS
7. PREGNANCY CATEGORY
8. DRUG-DRUG INTERACTION

9. DRY COUGH A dry cough is a cough that does not produce any mucus or phlegm. A type of cough in which mucus or phlegm is produced. does not occur, resulting in repeated coughing without any discharge. There is a cough. It is a cough with mucus. Along with this comes mucus and phlegm. Respiratory tract infection Allergies Dust-Smoke-Air pollution Change in temperature Postnasal drip Asthma or Acid reflux Gastroesophageal reflux diseases (GERD) Viral infection like a cold & Flu & Coronavirus CAUSES SYMPTOMS Nagging tickle in the airways No mucus associated with cough May get worse at night and impact sleep quality For a dry cough, the aim is to reduce cough symptoms and to identify and treat the underlying cause of the dry cough. The cough sounds dry 84 Jyana-related conjunctions (e.g., sadê, élu), eljê (pollen, pet animals, dust, Irritants^a (smoke, pollutants, chemical), gastroesophageal reflux disease (GERD) Asthma, medications (ACE barrier) Dry air, underlying lungs conditions (chronic Æcitis, COPD) INTRODUCTION 85 Diseases and their treatment Blood test Patient counseling Chest X-ray Medication history Physical examination DIAGNOSIS Medicines Drops Or Lozenges Suppressants Syrups & Tablets Home Remedies TREATMENT OPTIONS MEDICINE OPTIONS Dextromethorphan 5ml 2-3 times/day COUGH DROPS OR LOZENGES Dextromethorphan 2-3 lozenges per day Phenylephrine 5ml 2-3 times Guaifenesin Ambroxol 5 ml BD Home remedies Tulsi, Homey, Ginger 5 ml 2-3 times 5 ml 2-3 times 5 ml 2-3 times 30. DYSENTERY (पेटमरुड) DIARRHEA WITH MUCUS BLOOD IN FECES, Dysentery is an intestinal inflammation, primarily of the colon. It can lead to mild or severe stomach cramps and severe diarrhea with mucus or blood in the feces. Infection with the Shigella bacillus, or bacterium, is the most common cause. Bacillary dysentery is a type of dysentery, and is a severe form of shigellosis. INTRODUCTION Shigella bacteria (shigellosis) bacteria from the family Enterobacteriaceae An amoeba microorganism Dysentery is often spread through Contaminated food or water Poor hand washing by infected people Swimming in contaminated water, such as lakes or pools Physical contact CAUSES 86 Dysentery, digestive system Is a disease of. This is a car infection, which occurs in the intestine Is. This includes the lower part of the stomach I have severe pain. Symptoms of dysentery: Severe diarrhea Feces and feces (mucus) comes Pain in lower abdomen DIAGNOSE O symptoms Diarrhea with belly cramps Fever Nausea and vomiting Blood or mucus in stool Anaemia Cramps Abdominal bloating Weight loss Dehydration 87 Diseases and their treatment HOME REMEDIES Drink 3 to 4 glasses of orange juice a day. Buttermilk contains probiotics which fight good and bad bacteria in the stomach. maintain balance Drinking 3 to 4 glasses of

buttermilk a day can provide relief from dysentery. 2Physical examination & check up 2History(what you ate and drank in the past) 2Patient counseling (Patient se batchit) 2Symptoms based diagnosis 2Blood test (CBC blood test) 2Lab test of a stool sample (Fecal Test)1.ANTIAMOEBIC DRUGS: •1. TISSUE AMOEBICIDES •(a)

For both intestinal and extraintestinal amoebiasis: Nitroimidazoles, •Metronidazole (1 OD/BD) •Tinidazole (1 OD/BD) •Secnidazole (1 OD/BD) •Ornidazole (1 OD/BD) •Satranidazole (1 OD/BD) •(b) Alkaloids : Emetine, Dehydroemetine •(c) For extraintestinal amoebiasis only : •Chloroquine (1 OD/BD)

10. LUMINAL AMOEBICIDES •(a) Amide: •Diloxanide furoate (1 OD) •Nitazoxanide (1 OD) •(b) 8-Hydroxyquinolines: Quiniodochlor (Iodochlorohydroxyquin, Clioquinol), (1 OD/BD) •Diodohydroxyquin (Iodoquinol) •(c) Antibiotics:

•Tetracyclines HOME REMEDIES: •Add rock salt to buttermilk and use it •Drink at least two glasses of fresh orange juice a day •Make a milkshake with pomegranate skin and give to patient •Drink lemon juice •Eat a lot of bananas •This will help in soft and norm stools •Mix milk, honey and lemon together and give to patient •Give black tea •Wash your hands with soap •Use hand sanitizers, especially after using the toilet •Make sure hand sanitizers are not used in excess •Drink mineral water •Boil water for 10 to 15 minutes cool it filter & use •Eat well cooked food •Maintain hygiene •Maintain cleanlinessTREATMENT & MEDICINE

OPTIONS 88बीमा रोगों और उनका उपचार31. ECZEMA (एिजमा) Dermatitis (also known as

eczema) is a group of diseases that result in inflammation of the skin, These diseases are characterized by itchiness, red skin and a rash & cases of short duration, there may be small blisters, while in long-term cases the skin may become thickenedINTRODUCTION

2Abnormal function of the immune system 2Skin barrier defect that allow moisture out and germs in 2Thyroid disease & Genetics 2Microbes, include bacteria such as Staphylococcus aureus, viruses, and fungi 2Change in Environment 2Food allergy 2Hot and cold temperatures: Very hot and very cold weather, high and low humidity, and

perspiration from exercise can bring out eczema 2Hormonal change: Females may experience increased eczema symptoms when their hormone levels are changing, such as during pregnancy and at certain points in the menstrual cycle 2Irritants: These include soaps, detergents, shampoos, disinfectants, juices from fresh fruits, meats, vegetablesCAUSES 89 2Eczema is a skin disease. In this, there is severe itching in the skin and the skin gets angry. 2Some symptoms of eczema are: Red and dry patches on the

skin, itching, skin सूजन, पपड़ीदार पैच, धक, घाव, छाले 2Itching, which may be severe, especially at night 2Red to brownish-gray patches, especially on the hands, feet, ankles, wrists, neck, upper chest, eyelids, inside the bend of the elbows and knees, and in infants, the face and scalp 2Very dry skin on affected areas 2Small, raised bumps, which may leak fluid and crust over when scratched 2Thickened, cracked, scaly skin 2Raw, sensitive,

swollen skin from scratching 2 Rashes that are permanently itchy 2 Rashes that cover much of the body 2 Skin infections SYMPTOMS DIAGNOSIS 2 Skin biopsy 2 Physical examination 2 Blood test 2 Dermatoscopy test 90 बीमारियाँ और उनका उपचार TREATMENT & MEDICINE OPTIONS 2 AVOID ITCHING 2 PROPER MEDICATIONS 2 ANTI-HISTAMINES 2 IMMUNOSUPPRESSANTS 2 ANTIFUNGALS 2 HERBAL DRUGS 2 HOME REMEDY MEDICINE OPTIONS 91 बीमारियाँ और उनका उपचार 2 Cold compress application of affected part

1. skin moisturizing lotions OR

CALAMINE LOTION 2. TAKING LUKEWARM OR OATMEAL BATHS • A bath in which the patient's body except the head is immersed in water from 94 ° to 96°F (34.4° to 35.6°C) for 15 to 60 minutes • In Lukewarm water add oatmeal & soak for about 10-15 minutes • Take bath with neem leaf extract in water Apply calamine lotion 2-3 times in a day Taking lukewarm or oatmeal baths 2 Lukewarm water means water which is not too hot and Nor too cold. 2 Bathing with lukewarm water can soothe itchy skin and Helps relieve allergies or irritation that cause itching Can. Therefore, use only lukewarm water while bathing and Avoid using hot water, as bathing in hot water can harm you. Itching may worsen due to injury. MEDICINE OPTIONS 92 Diseases and their treatment 3. ANTIHISTAMINES MEDICINES FOR ITCHING • Levocetirizine (5 mg oral) • Chlorpheniramine (2–4 mg (0.1 mg/kg) oral, i.m.) • Diphenhydramine • Fexofenadine (120–180 mg oral) 4. ANTIFUNGAL AGENTS • Clotrimazole Cream (2-3 times in a day) • Ketoconazole (200 mg OD – bd oral) • Fluconazole (150 mg oral weekly) • Itraconazole (200 mg OD– BD oral) • Luliconazole cream (2-3 times in a day) 5. OVER-THE-COUNTER ANTIBACTERIAL AGENTS • Sulfur is applied to the skin for dandruff and an itchy skin infection caused by mites (scabies) • It is also applied to the skin for acne and skin redness (rosacea) 6. CREAMS AND OINTMENTS • Betamethasone cream • Whitfield ointment • Crotamiton is a drug that is used both as a scabidical and as a general antipruritic 32. ERECTILE DYSFUNCTION (इरेक्टल

डिसफं³shan) Impotence, decreased libido, erectile dysfunction 2 Erectile dysfunction (ED) is a sexual disorder found in men. It is also called impotence. To get an erection, the penis must be kept tight enough. • Wow is desired. For this, the appropriate gender of the nurse and Must be by gender. Additionally, there are significant amounts of male sex hormones. There should also be testosterone and sufficient libido. from these Any system disorder can cause erectile dysfunction 2 Erection dysfunction (impotence) is the inability to get and keep an erection in penis for sex, Not enough strength and erection in penis to perform physical activity, It a medical condition related to reproductive system of the male. Difficulty in erection of penis due to Decreased Blood flow in the region of penis, Penis erection is also involves the function of the brain,

hormones, emotions, nerves, muscles and blood vessels. **INTRODUCTION** Psychological causes: Mental health conditions Stress, Depression Anxiety Relationship problems Physical causes: Diabetes Obesity Sleep disorders High cholesterol Other: Tobacco use Alcoholism Smoking habit Atherosclerosis Parkinson's disease Injuries that affect the pelvic area in men Development of scar tissue inside the penis **CAUSES** 93 Trouble getting an erection Trouble keeping an erection Reduced sexual desire **SYMPTOMS** Physical exam Medical history Blood tests Male hormone test Urine tests Ultrasound Psychological exam **DIAGNOSIS TREATMENT AND MEDICINE OPTIONS** Treatment is based on causes and reason of ED So patient counseling and diagnosis is important in the treatment of ED If focus on reason then treatment can be done easily of patient 1. **LIFESTYLE MODIFICATION** • Healthy Diet • Yoga • Meditation • Exercise • 8 hour sleep • Weight management • Cycling or aerobics • Testosterone replacement Vacuum pumps Penile implants 94 बीमारियाँ और उनका उपचार 95 बीमारियाँ और उनका उपचार

2. **HERBAL MEDICINE (SELECT ANY 1 HERBAL MEDICINE)** • Tentex Forte Tablet (2 Tablet BD) • Gokshura Tablet (2 Tablet BD) • Confido Tablet (2 Tablet BD) • Himcolin Gel (Massage on penis using gel) • Dabur Shilajit (2 Capsule BD) • Patanjali Shilajit (2 Tablet BD) • Addyzoa Capsule (2 Capsule BD) • Moosli Pak (1 Spoon mix with Milk and taken at night) 3. **ALLOPATHIC MEDICINE** • Fertisure M Tablet (1 Tablet OD) • Health Ok Tablet (1 Tablet OD) • Tadalafil Tablet (15-30 min before sexual activity) • Viagra Tablet (15-30 min before sexual activity) 4. **INJECTIONS** • Tri -Mix Injection (Doctor/ nursing staff ke advice according) • Alprostadil Injection (Doctor/ nursing staff ke advice according Medical supervision jaruri hai) • Testosterone 5. **SUPPOSITORY** • Muse Suppository • Insert in urethra before sex 33. **FATTY LIVER (फैटीलीवर)** Drinking large amount of alcohol build up fat on liver and drinking is not stopped, This is called alcoholic fatty liver Complications like alcoholic cirrhosis and hepatitis Increase Fat in liver **INTRODUCTION** Heavy alcohol use Obesity or overweight Having Type 2 diabetes Unprotected sex Over use of drugs Taking steroids **CAUSES** Tiredness and weakness Weight loss Fever Nausea and vomiting Appetite loss Yellowing of the skin and eyes (jaundice) **SYMPTOMS DIAGNOSIS** Blood test OR Liver biopsy Ultrasound of Liver CT scan or MRI SGPT (serum glutamic-pyruvic transaminase) SGOT (serum glutamic- oxaloacetic transaminase) 96 Excessive lubrication in liver Fatty liver disease. Alcohol related fatty liver disease can occur due to excessive consumption Major Risk Factors Obesity and type 2 diabetes

है, लिवर में वसा का बढ़ना . 97 बीमारियाँ और उनका उपचार • Try the Mediterranean diet • Research from 2017 suggests that the Mediterranean diet may help to reduce liver fat, even without weight loss • FRUITS and VEGETABLE • Aim to eat a variety. Try adding more: • Berries • Apples • Oranges • Bananas • Dates • Figs • Melons • Leafy greens • Broccoli • Peppers • Sweet potatoes

•Carrots •Squash •Cucumbers •Eggplant
HERBAL •Use healthy oils, such as extra virgin olive oil. High concentrations of healthy fats can also be found in: •Nuts •Seeds •Avocados •Olives
HEALTHY FATS •Opt for fish twice per week. Eggs and lean poultry, like skinless chicken and turkey, are fine in moderation
FISH & LEAN MEATS •Consume unprocessed grains and cereals, such as: •Whole- wheat bread •Brown rice •Whole oats •Couscous •Whole- wheat pasta •Quinoa
WHOLE GRAINS •Liv 52 tablets or syrup •Liver tonics •Hepamerz tablet/injection
MEDICINE ?Aloe vera Gel ?Hellebore or Kutki ?Weight loss ?Avoid known liver irritants ?Ask your doctor vitamin E ?Compounds shown to have positive effects on liver health include turmeric, milk thistle, resveratrol, and gr ?Weight loss ?Avoid alcohol ?Reduce fats in the diet ?Try an omega-3 supplement

34. FEVER (बुखार) ?HIGH BODY TEMPERATURE ?A fever is a body temperature that is higher than normal ?A normal temperature can vary from person to person, ?it is usually around 98.6 °F ?Also called Pyrexia ?A fever is not a disease ?It is usually a sign that our body is trying to fight an illness or infection ?Infections cause most fevers. ?Fever is a medical Is situated. body temperature in Every day is more than that goes. Normally, this temperature About 37 degrees Celsius (95.6 degree Fahrenheit).

INTRODUCTION ?Lu-pneumonia ?Appendicitis ?Transition of the main path ?Virus-bacteria ?Infections cause most fevers. ?We got a fever because of our the body is trying to kill the virus or bacteria that caused the infection ?Most of those bacteria and viruses do well when your body is at your normal temperature ?if have a fever, it is harder for them to survive ?Fever also activates our body's immune system ?Thus body will start to fight against that pathogens ?A virus or A bacterial infection ?Heat exhaustion ?Certain inflammatory conditions such as rheumatoid arthritis

inflammation of the lining of your joints (synovium) ?A malignant tumor

98 CAUSES ?Sweating ?Chills and shivering ?Headache ?Muscle aches ?Loss of appetite ?Irritability ?Dehydration ?General weakness
SYMPTOMS ?Ask questions about your symptoms and medical history ?Temperature measurement using thermometer ?Perform a physical exam ?Order tests, such as blood tests or a chest X-ray, as needed, based on your medical history and physical exam
DIAGNOSIS TREATMENT OPTIONS ?Give proper Nutrition ?Energy Drink like Glucose ?Rest at home ?Proper Need of 8 hour Sleep ?Ice Water Bag ?Healthy Diet Lena jaruri hai fever ke doran ?Healthy Environment ?Proper medicine like paracetamol jisase fever kam ho and patient ko aaram mile.

99 बीमा रोगों और

उनका उपचार 1. **ANTIPYRETIC MEDICINES:** •Available OTC antipyretics include

acetaminophen and the nonsteroidal anti-inflammatory drugs •Paracetamol 500 or 650 mg (1 Tablet 3 or 4 times a day) •Ibuprofen 400 mg (1 Tablet 2 or 3 times a day)

2. **PARACETAMOL IN COMBINATION**

- Paracetamol 500mg+ caffeine 25mg •Paracetamol 500mg + domperidone 10mg
- Paracetamol 325mg+ Ibuprofen 400mg •Aceclofenac 100 mg+ Paracetamol 32 mg
- Paracetamol 500mg + diphenhydramine 25mg + phenylephrine HCl 5mg + Caffeine 30mg
- Paracetamol/Phenylephrine 500 + 12.2mg 100बीमाईरयां और उनका उपचार 35. GALL

BLADDER STONE (पिप्पाशय का पथरी) Gallstones are small stones that form in the gallbladder Location: lie under the liver It is hard deposit into the Fluid present in gallbladder Gallstones are hard They like pieces of material They made of cholesterol or Bilirubin, Calcium that form in our gallbladder Gallstones can range in size from a grain of sand to a golf ball INTRODUCTION High cholesterol diet Bile contains too much bilirubin Low level of bile salts Decreased gall bladder motility Gall bladder mucin Delayed large bowel transit time Cholesterol supersaturation CAUSES 101 Gallder stones are usually treated by surgery. Is. This surgery is called colectomy. Through a small hole in the stomach The gallbladder is removed from the body. eliminate gallstones No other treatment is usually effective. What kind of stones is there? लक्षण: पेट दद, मतली, उछटी,

बुखार, पीलिया Nausea and vomiting Right shoulder pain Back pain Pain in abdominal area Severe pain upper right portion of your abdomen. Pain intensity is also high Weight loss SYMPTOMS Person suffering from any disease for a long time People who take excessive fatty diet Sedentary lifestyle Diabetes Obesity Pregnancy Post bariatric surgery RISK FACTORS DIAGNOSIS Blood tests Abdominal ultrasound Endoscopic ultrasound (EUS) Endoscopic retrograde cholangio-pancreatography (ERCP) Hepatobiliary iminodiacetic acid (HIDA) scan Computerized tomography (CT) scan Magnetic resonance cholangiopancreatography

(MRCP) PREVENTION Reducing intake of high-fat foods such as dairy, oil and red meat to improve cardiovascular health. Low fat diet Healthy life style Maintain body weight Start doing exercise Start Running, Walking, Cycling 102 बीमाईरयां और उनका

उपचार Lifestyle modification Healthy diet & Exercise Gallstone dissolving drugs Herbs and natural remedies Ayurvedic medicines Homeopathic medicines Surgery is last option NSAIDS & Serratiopetidase Combination of painkillers and anti-inflammatory drugs Take it only when pain occurs TREATMENT OPTIONS MEDICINE OPTIONS 1. HERBAL •Turmeric •Aloe Vera •Gokshura •Kalonji (Nigella sativa) •Black Pepper 2. ALLOPATHIC MEDICINE •Udiliv-300: •DOSE: 1 Tablet 2 To 3 Time In A Day Every 6-8 Hour 3. HOMEOPATHIC MEDICINE •Allen A23 Drops: •8-10 Drops in a half cup of water 3 times a day •Willmar Schwabe India Geranium Robertianum: Take 5 drops in half cup of water three times a day. 4. AYURVEDIC MEDICINE •Baidyanath Ayurved Kalmeghasava: 12-24 ml with

equal amount of water after meals, twice a day 103बीमारियाँ और उनका उपचार 36. GAS

TROUBLE (पेट में गैस) 2Medical conditions that may increase intestinal gas, bloating or gas

pain include the following: Chronic intestinal disease 2Excess gas is often a symptom of chronic intestinal conditions, such as diverticulitis, ulcerative colitis or Crohn's disease

2How does gas form: •Gas in your stomach is primarily caused by swallowing air when you eat or drink. •Most stomach gas is released when burping and flatulence

•Gas forms in our large intestine (colon) when bacteria ferment carbohydrates —fiber, Some starches and some sugars —that aren't digested in your small intestine •The small intestine absorbs some of the carbon dioxide and oxygen and rapidly passes the remaining gas to the large intestine INTRODUCTION 2Chronic intestinal disease 2Excess gas is often a symptom of chronic intestinal conditions, such as diverticulitis, ulcerative colitis or Crohn's disease 2Small bowel bacterial overgrowth 2Food intolerances

2ConstipationCAUSES 1042Burping 2Passing gas 2Pain, cramps or a knotted feeling in your abdomen 2A feeling of fullness or pressure in your abdomen (bloating) 2An observable increase in the size of your abdomen (distention)SYMPTOMS DIAGNOSIS 2Nausea &

vomiting 2Abdominal pain 2Ultra sound scan 2Indigestion 2Burning in pain 2Pet fuljane& dardhona TREATMENT OPTIONS 2Medicines for gas problem: •Over-the-counter gas

remedies include •Pepto-Bismol •Activated charcoal•Simethicone •Lactase enzyme

•(Lactaid or Dairy Ease) •Beano 105बीमारियाँ और उनका उपचार 2Pudina for gas trouble:

•Ayurvedic medicine contains pudina satva as the main ingredient use for •Indigestion

•Gas and acidity •Quick relief from stomach ache (stomach pain due to gas) •Gas and

indigestion 2Natural remedies for gas: •Peppermint tea •Chamomile tea •Anise •Caraway

•Coriander •Fennel •Turmeric •Asafoetida 2Home remedies for gas problem: •Baking soda

•Ajwain (karam seeds) •Cumin seeds •Garlic •Buttermilk •Warm water •Cinnamon 2Tips

to prevent gas problem: •Fibers shall be introduced slowly •Drink with Sipping •Don't

sleep right after you eat •Walk away & Do exercise •Quit Smoking •Avoid soda & processed

food 106बीमारियाँ और उनका उपचार 37. GASTRITIS (गेस्ट्राइटिस) INTRODUCTION

2Helicobacter pylori 2Excessive alcohol use 2Chronic vomiting 2Stress2Bile reflux2Aspirin

2Anti-inflammatory Drugs drugsCAUSES 107 2Gastritis is a medical condition in which

inflammation of the lining of the stomach 2The bacterial infection in stomach is also

responsible for the gastritis and damage of the stomach linings 2Garitis is a condition in

which the lining of the stomach becomes inflamed. The cells in the pancreas produce

acids and enzymes that break down food. Help in digestion. It also produces sugarwhich

acid Saves from some problems. There can be many reasons for gastritis. 2Infection with

Helicobacter pylori (H. pylori) bacteria. 2Daily alcohol consumption, indigestion, chemical

consumption, autoimmune disorders ? H₂ BLOCKERS ? PROTON PUMP INHIBITORS
 ? ANTACID SYRUPS ? HERBAL NATURAL MEDICINE ? PROTECTIVE DRUGS ? ANTI H. PYLORI
 DRUGS 108 Diseases and their treatment ? Pain in the upper abdomen ? Pain in the chest
 ? Belching ? Heartburn ? Indigestion

? Nausea and vomiting ? Excessive passing of gas ? Fatigue ? Feeling stomach full ? Loss of
 appetitete ? Abdominal discomfort ? Hiccups ? Black or tarry stool ? Vomiting of
 blood SYMPTOMS DIAGNOSIS TREATMENT OPTIONS ? Endoscopy ? Biopsy ? Stool
 Examination ? Blood Examination ? Urea Breath Test ? Upper GI Barium Study ? CT Scan

109 बीमारियाँ और उनका उपचार MEDICINE OPTIONS

1. H₂ BLOCKERS • Ranitidine: 150 mg BD or 300 mg at bed time • Famotidine: 20 mg
BD • Cimetidine: 400 mg BD or 800 mg OD at bed time • Roxatidine : 75 mg BD
2. PROTON PUMP INHIBITORS • Omeprazole: 20–60 mg/day • Pantoprazole: 40 mg OD
• Rabeprazole: 20 mg OD • Lansoprazole: 15–30 mg OD • Dexrabeprazole: 10-20 mg
OD
3. ANTACID SYRUPS ANY 1 SYRUP DOSE: 5-10ml 3 TIMES • Magnesium hydroxide
• Milk of magnesia • Mag. trisilicate • Aluminium hydroxide gel • Magaldrate • Calcium
carbonate
4. HERBAL NATURAL MEDICINE • Himalaya Himcocid-SF • SBL Nixocid
syrup • Dabur Pudina hara
4. PROTECTIVE DRUGS: • Sucralfate protective drug and work by making coating on
stomach lining and prevent their damage and help in healing • 1 g taken 1 hour
before 3 major meals & bed time
5. ANTI-H. PYLORI DRUG: • If reason of infection is bacteria • ANY-1 ANTIBIOTIC
PRESCRIBE TO PATIENT • Amoxicillin (1BD/TID) • Clarithromycin (1BD/OD)
• Metronidazole (1BD/OD) • Tinidazole (1BD/OD) • Clavam 625 (1BD/OD) • Taxim o cv
200 (1BD/OD)
6. GIARDIASIS (जिआर्दियासिस) ? Beaver fever OR Parasitic disease ? Giardiasis,
popularly known as beaver fever, is a parasitic disease caused by Giardia
duodenalis (G. lamblia and G. intestinalis) ? About 10% of those infected have
nosymptoms. Introduction CAUSES ? Giardiasis is a Diarrheal disease caused by
the microscopic parasite giardia ? Ziydia is a microscopic parasite that causes
infection in the small intestine. ? Once a person or animal (for example, cats, dogs,
cattle, deer, and beavers) has been infected with Giardia, the parasite lives in the
intestines and is passed in feces (poop) Giadiasis is a very infectious, small
intestinal There is infection. जिडिया Laelia is a parasite which Causes this. Its
symptoms: toothache, gas, gas nausea, उदरी SYMPTOMS ? Watery diarrhea

Sometimes foul-smelling diarrhea that may alternate with soft, greasy stools
 Fatigue or malaise Abdominal cramps Bloating & Nausea Gas or flatulence
 110 To help diagnose giardiasis, your doctor is likely to test a sample of your stool
 For accuracy, you may be asked to submit several stool samples collected over a
 period of days The samples are then examined in a laboratory for the presence of
 parasites DIAGNOSIS MEDICINE OPTIONS •1. Metronidazole: 400mg
 OD/BD(children 15 mg/kg/day) for 7 days or 2 g daily for 3 days •2.
 Tinidazole/secnidazole : 2 g single dose or 0.6 g daily for 7 days •3. Nitazoxanide:
 500 mg (children 7.5 mg/kg) BD ×3 days •4. Quiniodochlor:250 mg TDS for 7
 days TREATMENT OPTIONS Several drugs can be used to treat Giardia infection.
 Effective treatments include metronidazole, tinidazole, and nitazoxanide
 Alternatives to these medications include paromomycin, quinacrine, and
 furazolidone 111 बीमारियाँ और उनका उपचार 39. GLAUCOMA (काला मोतिया)

Glaucoma is a group of eye related medical conditions that damage the optic
 nerve of eye The optic nerve is necessary for vision, Thus, that can cause blindness
 due to damage of optic nerve INTRODUCTION The increased pressure in our eye,
 called intraocular pressure, can damage optic nerve Ocular
 hypertension Elevated eye pressure is due to a buildup of a fluid (aqueous humor)
 that flows throughout the inside of your eye Family history of
 glaucoma CAUSE SYMPTOMS Open-angle glaucoma Patchy blind spots in both
 eyes Tunnel vision Acute angle-closure glaucoma Severe headache Eye pain
 Nausea and vomiting Blurred vision Halos around lights Eye redness 112 Black
 cataract or leukemia is a serious eye disease. where is this eye Impairs light,
 increases pressure in eyes and causes blindness All types of leukemia are formed
 due to high pressure in the eye. The nerve connecting the brain to the brain gets
 damaged. Age over 60 Taking corticosteroid medicines, especially eyedrops,
 for a long time Having a family history of glaucoma Having high internal eye
 pressure (intraocular pressure) Ocular hypertension Have diabetes Have poor
 vision Injury to your eye or eyes RISK FACTORS DIAGNOSIS Visual field test =
 Checking for areas of vision loss Pachymetry = Measuring corneal thickness
 Gonioscopy= Inspecting the drainage angle Tonometry= Measuring intraocular
 pressure Testing for optic nerve damage with a dilated eye examination and
 imaging tests TREATMENT OPTIONS Prostaglandins Betablockers Alpha-
 adrenergic agonists Carbonic anhydrase inhibitors Rho kinase inhibitors Miotic
 or cholinergic agents Oral medications Surgery and other therapies 113 बीमारियाँ
 और उनका उपचार 1. PROSTAGLANDINS: •They work by increase the outflow of the

fluid in eye (aqueous humor) & reduce the eye pressure •Latanoprost •Travoprost
•Tafluprost •Bimatoprost •Latanoprostenebunol

2. BETA BLOCKERS: •THEY WORK BY REDUCING the production of the fluid in eye (aqueous humor) & reduce the eye pressure •Timolol •Betaxolol 3. Alpha-adrenergic agonists: •They work by reduce the production of the fluid in eye (aqueous humor) and also outflow •Thus reduce the eye pressure •Apraclonidine •Brimonidine 4. Carbonic anhydrase inhibitors: •They also work by reduce the production of the fluid in eye (aqueous humor), Thus reduce the eye pressure •Dorzolamide

•Brinzolamide 5. Rho kinase inhibitor: •They also work by reduce the eye pressure by suppressing the rho kinase enzymes responsible for fluid increase •Netarsudil 6. Miotic or cholinergic agents: •They also work by increase the outflow of eye •Pilocarpine

MEDICINE OPTIONS बीमाइरयां और उनका उपचार 114 40. H. PYLORI INFECTION (एच पाइलोरी) ?पेट म

अइसर और कइसर ?बार-बार डकार आना ?H. pylori (Helicobacter pylori) ?It is a one type of bacteria that cause infection in stomach and duodenum ?In that most common causes that peptic ulcer disease ?H. pylori inflamed and irritation in affected area of gastritis ?Long term it can cause infection its lead to stomach cancer in rare

condition INTRODUCTION ?H. Pylori are found in saliva, plaque of teeth & poop

?Spread person to person ?Spread through kissing ?Spread through hand touch

?Scientifically H. Pylori can spread through contaminated water and food ?Nausea

?Vomiting (bloody vomit) ?Indigestion ?Burping ?Loss of appetite ?Dark stools ?Bloating

?Weight loss ?Burning pain ?Blood in your stool ?Fatigue ?Weakness SYMPTOMS CAUSES

115 ?Medical history ?Physical exam ?Breath test ?Stool test ?Upper endoscopy DIAGNOSIS

?Drink clean water and use clean water during food preparation ?Wash your hands thoroughly (20 seconds) with soap and water before eating and after using the

bathroom PREVENTION 116 बीमाइरयां और उनका उपचार TREATMENT OPTIONS ?Following

medicines: ?Antibiotics ?Proton pump inhibitor ?Bismuth subsalicylate ?Antacids ?Ulcer protectives 117 बीमाइरयां और उनका उपचार MEDICINE OPTIONS 1. ANTIBIOTICS (ANY-

1) •Amoxicillin (1 BD/TID) •Clarithromycin (1 BD/OD) •Metronidazole (1 BD/OD)

•Doxycycline (1 BD/od) •Rifabutin + Amoxicillin 2. Proton pump inhibitor: •Any 1 Tablet from list •1 Tablet per day 30 min before meal •Omeprazole •Pantoprazole •Rabeprazole

•Lansoprazole 3. BISMUTH SUBSALICYLATE : •5 ml 2-3 times in a day 4. ANTACIDS •Any 1 in syrup or suspension form use in dose of 5ml 2-3 times in a day •Magnesium hydroxide

•Magnesium trisilicate •Aluminium hydroxide gel •Magaldrate, •Calcium

carbonate •Sodium bicarbonate •Sodium citrate 5. Ulcer protective: •Sucralfate 1 g taken

1 hour before 3 major •meals and at bed time 41. HAIR FALL (weak hair) Hair fall and

Baldness, everyone is troubled by it these days. hair fall, weak hair, In medical science it is known as Alopecia, Condition of hair loss. With this issue hair loss also occurs. LOSS HOUR HAIRINTRODUCTION ?Genetic or Family history ?Stress in life ?Hormonal Changes ?PCOS ?Thyroid ?Air pollution ?Hard water bathng ?Nutritional deficiency?Riboflavin, Biotin, Folate & Vitamin B12 Deficiencies ?Medical conditions ?Medicine side effects ?Cancer chemotherapy ?Radiation therapy to the head leads to hair loss ?Not doing hair care CAUSES ?Hair loss ?Weak hairs ?Split ends hair ?Patchy bald spots ?Thinning of hairSYMPTOMS 118?Medical history ?Physical examination ?Blood test?Hair Pull test ?Scalp Biopsy ?Microscopic study DIAGNOSIS ?Do Proper Hair care ?Follow hair care tips ?Reduce stress of life ?Yoga or meditation ?Hair Protein serum ?Provide protein to hair ?Vitamin B3 and onion ?Hair Mask ?Improve hair strength ?Hair Oils ?Do regular Oil massage TREATMENT OPTIONS MEDICINE OPTIONS ?Regaine 5% Solution 60 ml : Minoxidil-50mg Solution ?Regaine 2% Solution 60 ml : Minoxidil-20mg Solution ?New Hair 4U 5% Solution : Minoxidil-5%W/V ?Finasteride-1mg : Dose: 1 mg once a day ?SBL Scalptone Tablet : Dose: 2 Tablet BD or TID ?Keraglo Eva Tablets : 1 Tablet per day after meal ?Keraglo Men Tablets : 1 Tablet per day after meal ?Himalaya Hair Zone Solution : Spray on scalp & massage ?Himalaya Anti Hair Loss Cream: Apply on scalp & massage ?Multivitamin Tablet : 1)Supradyn : 1 Tablet per day after meal 2)Zincovit : 1 Tablet per day after meal 119बीमांरयां और उनका उपचार 42. HEADACHE (िसरदद^a) ?A headache is a pain in the head or face that can feel like pressure,throbbing,constant,sharp,ordull. ?Headaches can vary in pain type, severity, location, and frequency.TheycandevelopgraduallyorsuddenlyINTRODUCTION ?Smells and odors ?Lack of water ?Poor sleep ?Computer screens ?Fluorescent lightning ?Stress and anxiety ?Caffeine or certain foods TYPES ?Sinus ?Tension ?Migraine ?Cluster CAUSES SYMPTOMS ?Blurred vision ?Fever ?Loss of appetite ?Pale skin ?Fatigue (Weakness) ?Sensitivity to light, smells and noise 120 Headache, a condition characterized by pain in the head, neck, or sometimes the upper back. Is. This is the most common problem, which occurs repeatedly in some people. Changes in lifestyle andThis can be overcome by learning relaxation methods. Is. Reason behind this- lack of sleep, hunger, excessive drinking, caffeine Consumption, stress, dehydration, bright light, noise can also cause headache.?Sign and symptoms Based ?Physical examination ?In severe cases MRI & CT SCAN is also done. to know proper cause behind the painDIAGNOSIS TREATMENT OPTIONS ?Simple OTC pain relievers are usually the first line of treatment for reducing headache pain ?NSAIDS & Serratiopetidase ?Combination of painkillers and anti-inflammatory drugs ?It also treat headache TREATMENT OPTIONS 1.PARACETAMOL •Paracetamol is better than other for some types of pain •First choice must be paracetamol for headache •Dose: 500 mg or 650 mg single dose is enough to treat

2. IBUPROFEN: • Second choice is Ibuprofen • It is effective for all types of headaches, from those caused by stress to severe migraines • Dose: 200 mg or 400 mg single dose.

3. ASPIRIN • Aspirin for pain relief • Aspirin is an everyday painkiller for aches and pains such as headache, toothache and period pain • Dose: Use as single dose

4. NAPROXEN • 250 mg BD • 500 mg OD/BD • 750 mg OD

121 Diseases and their treatment

43. HEAT STROKE

☐ In case of heat stroke, the body temperature increases very rapidly and Sweating stops. Due to this, body heat is not able to come out. In such a situation, there is a deficiency of water and minerals, especially salt, in the body. The body becomes dehydrated and problems like fainting may occur.

☐ Sunstroke is heatstroke, It is a condition in which body temperature is increase to more than 104°F (40°C) due to overheating of body. ☐ Sunstroke is a life-threatening condition in which the body's heat-regulating system fails due to exposure to high temperatures, Need emergency treatment

INTRODUCTION CAUSES

☐ Exposure to high temperatures ☐ Exposure to Heat wave ☐ Heavy work under sunlight ☐ Direct contact with heat ☐ Not drinking enough water in a day cause Dehydration ☐ Wearing excess clothing that prevents sweat from evaporation Which help in cooling our body ☐ Drinking alcohol that affect on Our body's ability to regulate temperature (40°C)

SYMPTOMS

☐ Excessive thirst ☐ Rapid pulse ☐ Confusion ☐ Agitation ☐ Slurred speech ☐ Seizures and coma ☐ Loss of consciousness

122 ☐ Avoid Alcohol ☐ Wear Light clothing ☐ Wear cap ☐ Limit outdoor time ☐ Drink more water ☐ Take cool shower

- Watermelon
- Raw mango Juice
- Butter milk
- Grapes
- Coconut water
- Kokum Sharbat

PREVENTION

TREATMENT OPTIONS

1. STEPS TO FOLLOW

- Place individual in shaded or lightly air-conditioned area
- Place the patient supine Position with their feet elevated
- Remove excess clothing & equipment
- Rehydrate the patient by give fluid like water or You can also give ORS for Rehydrate
- Use a fan, AC, Cooler to lower body temperature
- Apply cold compress using cold water bag containing ice or water or
- Provide sponge to patient using cold Cloth or towel after deep in ice water or ice
- Monitor heart rate, blood pressure and mental status.
- If need hospitalize patient

2. IV DRIP FOR Sunstroke

- Intravenous (IV) fluids are often necessary to compensate for fluid or electrolyte loss
- Dextrose 50% in water solution (D50W)
- D5W OR NS, RL OR DNS

3. If patient feel shivering then need to reduce it by using muscle relaxants like benzodiazepine

☐ Benzodiazepine play a major role in providing sedation, controlling convulsions, and controlling shivering

☐ Benzodiazepine • Alprazolam (1 OD) • Chlordiazepoxide • Clonazepam (1 OD) • Clorazepate (1 OD) • Diazepam (1 OD/BD) • Estazolam (1 OD) • Flurazepam (1 OD/BD) • Lorazepam (1 OD/BD)

4. Alkalinizing agents needed if severe acidosis due to heat stroke so urine test is also perform in heat stroke patient

- Sodium bicarbonate
- Mannitol
- Adrenergic agonist agents
- Dobutamine
- Adrenergic agonist agents produce vasodilation and increase the inotropic state.
- It is the drug of choice for

circulatory support in heat stroke. •2.5–10 µg/kg/min i.v. infusion ⚠WARNING: Don't use following drug to reduce temperature in sun stroke or heat stroke •Do not use paracetamol, aspirin. Ibuprofen •Any NSAIDs don't use •They work for pyrogens induce fever only

124 बीमारियाँ और उनका उपचार 44. HEMOPHILIA (शरीर से खून निकलना बंद नहीं होता)

⚠Hemophilia is a rare, genetic blood disorder ⚠When your blood doesn't clot and make your bleeding slow down or stop, Haemophilia doesn't have blood clotting factors ⚠The blood Clotting factors may help to formation of blood clot ⚠So to treat haemophilia healthcare providers suggest regular blood transfusion for the replacing missing clotting factor INTRODUCTION types ⚠Haemophilia is a genetic disorder. ⚠It is a rare eating disorder. in this Proteins that form blood clots What is missing? Because of this the body The blood flows out and does not clot. 1.Hemophilia A: deficiency in clotting factor VIII (Antihemophilic factor) 2.Hemophilia B: deficiency in clotting factor IX (Christmas factor) 3.Hemophilia C: deficiency in clotting factor XI (PTA: Plasma Thromboplastin Antecedent) 125 ⚠Blood in your stool ⚠Blood in the urine ⚠Nosebleeds without any cause ⚠Irritability in infants ⚠Bleeding after vaccination ⚠Swelling or tightness in your joints ⚠Bleeding from the mouth and gums ⚠Headaches, body pain ⚠Difficulties with vision SYMPTOMS DIAGNOSIS ⚠Health care provider ⚠Review of symptoms ⚠Clinical evaluation ⚠Review of personal medical history ⚠Complete blood count (CBC) ⚠Prothrombin time (PT) test ⚠Activated partial thromboplastin time test ⚠Specific clotting factor test PREVENTION &

MANAGEMENT 126 बीमारियाँ और उनका उपचार ⚠THERE IS NO WAY TO PREVENT

HEMOPHILIA ⚠BECAUSE IT IS GENETIC ⚠However, patients can take steps to limit the frequency and severity of their bleeding ⚠Avoid NSAIDs Painkiller ⚠Exercise regularly ⚠Keep Dental hygiene ⚠Protect you from injuries cause bleeding ⚠AVOID BLOOD-THINNING MEDICATIONS (DO NOT USE THIS DRUGS HERE) •Heparin •Warfarin •Prasugrel •Ticagrelor •Apixaban •Edoxaban •Dabigatran •Clopidogrel •Rivaroxaban 1.First Aid For Minor Cuts 2.Physical Therapy 3.Clots-Preserving Medications Tranexamic Acid Tablets 500 mg 1 tablet BD/TID 4.Fibrin Sealants 5.Desmopressin-Tablets (0.05 mg orally twice a day)

6.Emicizumab (Hemlibra) TREATMENT AND MEDICINE OPTIONS 127 बीमारियाँ और उनका

उपचार 45. HEPATITIS (हेपेटाइटिस) ⚠Hepatitis is a medical condition defined by the inflammation of the liver, It is Characterized by the presence of inflammatory cells in the tissue of the organ ⚠It's commonly caused by a viral infection, but there are other possible causes of hepatitis ⚠These include autoimmune hepatitis and hepatitis that occurs as a Secondary result of medications, drugs, toxins, and alcohol Hepatitis refers to an inflammatory condition of liver ⚠Autoimmune hepatitis is a disease that occurs when your body makes antibodies against your liver tissue INTRODUCTION ⚠There are 5 main hepatitis viruses ⚠Referred to as types A, B, C, D & E ⚠These 5 types are of greatest concern

because of the burden of illness and death they cause. The potential for outbreaks and epidemic spread types 128 Hepatitis is a disease that causes inflammation of the liver and is Causes harm. If uncontrolled, it can lead to liver failure or Can cause liver cancer, which can be fatal. Hepatitis is a virus, which occurs due to excessive alcohol consumption, poisoning. Substances, medications and certain medical conditions can cause it to develop in the body. It's commonly caused by a viral infection, but there are other possible causes of hepatitis. These include Autoimmune hepatitis Hepatitis that occurs as a secondary result of medications, drugs, toxins, and alcohol Alcohol and other toxins:

- Excessive alcohol consumption can cause liver damage and inflammation
- This is sometimes referred to as alcoholic hepatitis.
- The alcohol directly injures the cells of our liver.
- Over time, it can cause permanent damage and lead to liver failure and cirrhosis, a thickening and scarring of the liver.
- Autoimmune system response
- In some cases, the immune system mistakes the liver as a harmful object and begins to attack it
- It causes ongoing inflammation that can range from mild to severe, often hindering liver function
- It's three times more common in women than in men

CAUSES SYMPTOMS 129 बीमा रियां

और उनका उपचार Dark urine Abdominal discomfort Right upper abdominal pain

Jaundice Fever Nausea Anorexia Diaherrea Fatigue Hepatomega lin (Enlarged liver)
Elevated level of bilirubin Liver function studies Cellular blood counts Bleeding times
Electrolyte tests Tests for other chemicals in the body Drug screening tests Ultrasound
(also called sonography) Liver biopsy

DIAGNOSIS PREVENTION 130 बीमा रियां और उनका

उपचार TYPE-A HEPATITIS • Vaccination & Maintain good hygienic condition TYPE-B

HEPATITIS • Vaccination, Never share drug equipment, Needles, syringes • Never share tooth brushes/razors or any personal hygiene articles that have blood on them (even tiny amounts) • Always make sure new & sterilized equipment is being used for tattooing & piercing • Make sure ink for tattooing is not being shared TYPE-C HEPATITIS • No any vaccine available • Current recommendations for prevention of HCV include universal precautions for the prevention of blood-borne infections and anti-HCV screening of blood, organ, and tissue donors • Programs that focus on reducing HIV transmission are also likely to decrease transmission of HCV in high- risk groups TYPE-D HEPATITIS • There is no vaccine for Hepatitis D, but it can be prevented in persons who are not already HBV- infected by giving Hepatitis B vaccine TYPE—E HEPATITIS • The only way to prevent the disease is to reduce the risk of exposure to the virus • Reducing risk of exposure means avoiding tap water when traveling internationally and practicing good hygiene and sanitation Specific treatment for drug- induced hepatitis will be determined by your doctor based on:

- Your age, overall health, and medical history
- Extent of the disease
- Your tolerance for specific medications, procedures, or therapies
- Expectations for the course

of the disease
TREATMENT OPTIONS MEDICINE OPTIONS **SEVERAL ANTIVIRAL MEDICATIONS —INCLUDING** **Entecavir 0.5 mg** **Tenofovir 300 mg OD** **Lamivudine (epivir)** **Adefovir 100 mg OD** **Tenofovir: 300 mg OD** **Can help fight the virus and slow its ability to damage your liver** **These drugs are taken by mouth** **There is no specific treatment for drug-induced hepatitis other than discontinuing the medication that is causing the problem** **People with acute hepatitis should avoid physical exertion, alcohol, paracetamol and any other hepatotoxic substances** **Unfortunately, other than the use of N-acetylcysteine for paracetamol hepatotoxicity, there are no specific antidotes for drug-induced liver disease** **131 Diseases and their treatment** **Helpful for stage III liver failure and even liver transplantation. What care may be needed? Patient with drug-induced hepatitis**

Rest during the third phase **Should be done when symptoms are most severe. If you have more severe nausea and vomiting, you may need intravenous** **Fluid removal may be required.**

46. HAND, FOOT, MOUTH DISEASE IN BABIES (HFMD) **It is a common viral infection in babies or infants but sometimes it will affect adults** **HFMD disease is caused by coxsackievirus and enteroviruses** **The infection usually occurs hands, feet, mouth but sometimes genitals and buttocks areas.**

INTRODUCTION CAUSES **Nose secretions** **Discharge from throat** **Saliva secretion** **Fluid from blisters** **Stool** **Respiratory droplets sprayed into the air after a coughing and sneezing** **132** **Hand, foot and mouth disease (HFMD) is a viral infection that Can affect small children.** **This disease is caused by Coxsackie virus and Enterovirus 71 (EV71) e.g. Caused by enterovirus.** **This disease spreads from one person to another. through nasal and throat secretions** **Spreads, including saliva, blisters, Contains mucus or stool.** **Poor Hygiene** **A person who's infected with sneeze or cough** **Sharing utensils, cups, towels or clothing** **Touching** **Contaminated toys** **Surfaces** **Doorknob** **Touching your eyes, nose or mouth**

HOW DOES IT SPREADS **Physical exam** **Medical history** **Blood tests** **Urine tests** **Mouth saliva strip test** **133 बीमांरयां और उनका उपचार** **DIAGNOSIS** **Mild fever** **Sore throat** **Runny nose** **Stomachache** **Loss of appetite** **After some days these symptoms go away and develop new symptoms** **Itchy rash on child's,** **Hands** **Soles of feet** **Elbows** **Genitals** **Buttocks** **Painful mouth sores including tongue** **Sores start with light pink color, and tiny bumps around of it** **And sometimes bumps convert into blister** **Swollen lymph nodes in neck**

SYMPTOM **TREATMENT AND MEDICINE OPTIONS बीमांरयां और उनका उपचार** **1. Cetrizine Syrup- 5 ml Once A Day OR 2.5 ml BD** **2. Vomikind Syrup- 5 ml Once A Day 2.5 ml BD** **3. Immunoboost-C Syrup -5 ml Once A Day** **4. Novocal D3- Once A Week** **5. T-98 Suspension-5 ml Three Times A Day** **6. Caladryl Skin Soothing Solution- Apply 2-3 Times A Day** **7. Fluka-150 Tablets 1 Tablet single dose** **8. Voritrol 200 Tablets 1 Tablet single dose/OD** **9. Candiforce 200 Tablet 1 Tablet single dose/OD** **134** **47. HICCUPS (हिचका)** **Hiccups**

causes “HIC-HIC” like sound “हिक-हिक” sound, Tourette Syndrome (TS) , They can happen to anyone in the any age, Hiccups are repeated spasms of your diaphragm paired with a ‘hic’ sound from your vocal cords closing Your diaphragm pulls down between breaths, making you suck in air, The glottis (space between the vocal cords) closes to stop more air coming in

INTRODUCTION 135 Hiccups are called हिककि in Hindi. Hesitation is a common problem and it Almost every person suffers from it sometimes. Hesitation is also called hesitation. Hiccups, a sudden contraction of the diaphragm muscles Involuntary contractions due to obstruction, digestion or in the circulatory system. There is disturbance and excessive movement. The diaphragm located between the stomach and the lungs. And due to the tension in the ribs, there is hesitation. “Hik-Hik” sound. Feeling uncomfortable It Affects daily routine work Difficulty in talking Difficulty during eating

SYMPTOMS DIAGNOSIS Physical examination: •Co-ordination •Balancing with talk •Reflex control •Sight and sense touch •Muscle strength Blood test Chest X-ray CT scan MRI Endoscopic tests

136 बीमारियाँ और उनका उपचार Eating food quickly Drink fluid too quickly Drink carbonated beverages Drink alcohol Eat too much Stress Drink a very hot or very cold drink Taking anxiety medicines Inhale toxic fumes Having gas in the stomach Some medications such as: •Opiates •Benzodiazepines •Anesthesia •Corticosteroids •Barbiturates •Methyldopa

CAUSES Long term hiccups then ANY 1 FROM OPTIONS 1.Baclofen 2.Chlorpromazine 3.Haloperidol 4.Ketamine 5.Metoclopramide 6.Gabapentin

MEDICINE OPTIONS 137 बीमारियाँ और उनका उपचार Drinking water quickly Swallowing granulated sugar Swallow dry pieces of bread Swallow crushed ice Gently pulling on your tongue Gently rubbing your eyeballs Sticking a finger down your throat Gargle with plain water Breathing into paper bag Hold breath

TREATMENT OPTIONS Drinking water frequently Swallowing granulated sugar Swallow dry pieces of bread. Swallow crushed ice. Pull your tongue gently Where is the pupil of your eye? rub gently Finger down your throat pour in Gargle with plain water. Breathing into a paper bag Hold your breath

48. HISTERIA HYSTERIA is the disease that first found in females. Greek work: Uterus, Disruption in Reproduction, It is referred to as "the widow's disease" Hysteria is a term often used to describe emotionally charged. behavior that seems excessive and out of control. Hysteria was viewed as a psychological disorder, Also known as conversion disorder.

INTRODUCTION It is caused by different types of traumatic conditions: 1.Childhood abuse 2.Physical abuse 3.Sexual abuse 4.Emotional abuse

CAUSES DIAGNOSIS Behavioral symptoms Signs and symptoms Talk with Patient Patient counseling Medication History Family History

138 Hyteria is the disease that first occurs in women. is found, it is called "widow's disease" Hiteria is a word that is often used To describe emotionally charged behavior which is excessive and uncontrolled Feels

out. It's a mental disorder, hysterics. was seen as a psychological disorder, Which is also known as conversion disorder. ?Shortness of breath ?Anxiety ?Insomnia ?Fainting ?Amnesia ?Paralysis ?Inability to speak ?Infertility ?Pain ?Spasms ?Convulsive fits ?Vomiting ?Deafness ?Bizarre movements ?Seizures ?Hallucinations

SYMPTOMS

TREATMENT OPTIONS ?Psychotherapy ?Rest cure ?Regular marital sex ?Pregnancy ?Childbirth ?"Paroxysmal convulsions" (orgasms) ?Cognitive behavioral therapy (CBT) ?Dialectical behavioral therapy (DBT) ?Eye movement desensitization and reprocessing (EMDR) ?Mindfulness-based therapy

MEDICINE OPTIONS ?Tryptomer 25mg Tablets (1 tablet BD/OD) ?Serta-25 Tablets (1 tablet OD) ?Fludac Capsules (1 tablet OD) ?Paxidep CR 12.5 (1 tablet BD/OD) ?REPL 57 Drops (8-10 drops in water 3 times) ?New Life Braino Life Syrup (5ml 3 times)

139 बीमा ंरयां और उनका उपचार

49. HIV (एचआईवी और एड्स) ?HIV-Human immunodeficiency virus ?It is sexually transmitted infection that causes AIDS ?The virus attacks and weakens the immune system

INTRODUCTION ?It also can spread by:

- Injection into the blood stream
- Mucous membrane like, mouth, penis, vagina
- Damage tissues
- It Can't be spread through sweat, saliva and urine

?Virus spread person to person like

- ?By Blood transfer
- ?Semen and preseminal fluid
- ?By Rectal fluids
- ?By Vaginal fluids
- ?By Breast milk

CAUSES 140 ?HIV is a virus. ?HIV after HIV infection Decrease in body's immunity Looks like. HIV infected person Identification and possible symptoms of AIDS It can be known only after it is visible. Complete treatment of AIDS now It has not been possible till now. ?HIV enters the body of a healthy person mainly in the following ways: Can reach:

- ?From semen during intercourse
- ?From saliva during kissing
- ?The disease is caused by the blood of the dead.
- ?During the laying of the body
- ?There is only one drug in the veins for addiction. Blood test using a syringe or a needle.
- ?Home testing kit
- ?Urine test
- ?TB test

?Tests for Sexually Transmitted Infections (STIs) ?Pap Smear

DIAGNOSIS

TREATMENT & MEDICINE OPTIONS

1. Non-nucleoside Reverse Transcriptase Inhibitors (NNRTIS):

- Nevirapine 200 mg/day oral
- Efavirenz 600 mg OD
- Delavirdine 400 mg TID oral

2. Nucleoside or nucleotide reverse transcriptase inhibitors (NRTIS):

- Zidovudine (AZT) 300 mg BD
- Didanosine 200 mg BD
- Zalcitabine 0.375 mg every 8 hours
- Abacavir 300 mg BD
- Tenofovir 300 mg OD
- Entecavir 0.5 mg orally OD

3. **PROTEASE INHIBITORS (PIs):**

- Ritonavir 600 mg BD
- Indinavir 800 mg TDS
- Nelfinavir 750 mg TDS
- Amprenavir 1200 mg OD/BD
- Lopinavir 133.3 mg + Ritonavir 33.3 mg cap(OD)

141 Diseases and their treatment

- ?Fever
- ?Rashes
- ?Diarrhea
- ?Tiredness
- ?Joint pain
- ?Muscle pain
- ?Night sweats
- ?Yeast infection
- ?Swollen glands
- ?Weight loss
- ?Poor immunity

SYMPTOMS 50. **HYDROCELE**

- ?Water accumulates in the testicles of a man.
- ?One small testicle and one large

?**SWELLING IN TESTICLES** ?Hydrocele is medical condition in which swelling in testicles in male due to accumulation of fluid in scrotum of male ?Hydro= Water or fluid ?Cele = Swelling ?Means swellings due to water

INTRODUCTION ?Injury ?Pressure ?Inflammation

?Infections ?Sexually transmitted infection ?Poor personal hygiene ?Weak immunity
 142?Hyocoele is a condition which in which the scrotum is filled with water Is. This is a
 problem that happens to men. It is a common disease. having hyosceles There can be
 many reasons, such as: ?Injury to the testicles. ?Swelling of the vein. ?Any health related
 problem ?More physical relationsबनाना ?भारी वज़न उठाना ?Üयादा कसरत करना?Ultrasound
 scan ?Physical examinationDIAGNOSIS ?Testicle Support: Support Reduce Pain ?Don't Lift
 Weight: ?Avoid Weight LiftingTREATMENT OPTIONS MEDICINE OPTIONS
 ?ChandraprabhaVati: 2 tablet BD with milk ?Hydronil(30 ml): 10-15 drops in water TID
 ?WheezalWL 53: 10-15 drops in water TID ?Cefadroxil 500: 1 tablet OD or BD
 ?Diethylcarbamazine: 1 tablet OD or BD 1.PAINKILLER-DRUG: •Zerodol-SP: 1 tablet
 OD/BD•Cefixime 200: 1 tablet OD/BD •Oflox + ornidazole: 1 tablet OD or BD
 •Erythromycin: 1 Tab OD/BD 2.ANTIBIOTICS: •Azax-250: 1 tablet OD or BD •Azax-500: 1
 tablet OD or BD •Nogacid-D: 1 tablet 30 min before meal 3.ZINCOVIT: USE AFTER
 RECOVERY 1 Tab OD 143Diseases and their treatment ?Swelling of one or both testicles
 ?Inflammation in scrotum ?Some may feel pain as increase in swelling ?Uncomfortable
 Feeling ?Feeling Heaviness in testis SYMPTOMS 51. HYPERHYDROSIS Excessive sweating
 in hands and feet

?EXCESSIVE SWEATING Excessive sweating in hands and feetआना

?Hyperhidrosis is a condition characterized by abnormally increased sweating, in excess of
 that required for regulation of body temperature ?In this abnormally excessive sweating
 that's not necessarily related to heat or exercise ?Sweat glands are a type of exocrine
 gland, which are glands that produce and secrete substances onto an epithelial surface by
 way of a duct, People with hyperhidrosis may experience sweat so much that it soaks
 through clothes or drips off hands ?Besides disrupting normal daily activities, this type of
 heavy sweating can cause social anxiety and embarrassmentINTRODUCTION
 144Hyperhidrosis is a disease in which abnormal hair Causes excessive sweating. If there
 is excess sweating i.e. excess fluid When one becomes active, the body starts sweating
 more than usual. ?Due to hyperhidrosis ?Diabetes ?Menopause Hot Flash ?Thyroid ?Low
 temperature Cancer ?Heart diseases ?Nervous system disorders ?The entire body sweats
 excessively: sometimes, only parts of the bodysweat ?Sweating disturb the daily routine
 life style ?Sweating causes emotionaldistress or social withdrawal ?People suddenly begin
 to sweat more than usual sweat ?People experience night sweats for no apparent
 reasonSYMPTOMS DIAGNOSIS ?Chances of following condition if you have excessive
 sweat (Hyperhidrosis) from many days affecting your daily life ?Diabetes ?Menopause
 associate hot flashes?Thyroid problems ?Low blood sugar ?Some types of cancer ?Heart

attack ☐Nervous system disorders ☐Infections 145बीमाहरयां और उनका उपचार ☐Excessive sweating can have causes that aren't due to underlying disease ☐Over active nerves associate with sweat gland ☐Nervousness & Stress ☐Heavy exercise, being in a hot environment ☐Spending time in a sauna (room for steam bath)CAUSES

1. Using aluminium-based antiperspirants product

2.Bathing daily and wearing clothing made of natural materials that allow the skin to breathe may help reduce sweating. 3.However, hyperhidrosis requires solutions or gels with a much higher concentration 4.These antiperspirant solutions or hyperhidrosis gels are especially effective for treatment of axillary or underarm regions5.Injections of botulinum toxin type A can be used to block neural control of sweat glands 6.The effect can last from 3–9 months depending on the site of injections 7.This use has been approved by the U.S. Food and Drug Administration (FDA) 8.The Botox injections tend to be painful 9.Various measures have been tried to minimize the pain, one of which is the application of ice 1.Prescription based tablets: ☐Propantheline 15-30 mg oral ☐Glycopyrrolate 0.1–0.3 mg i.m./i.v.

☐Oxybutynin 5 mg BD/TDS oral ☐Aluminium chlorohydrate is used in regular antiperspirants 2.Surgery: ☐Sweat gland removal or destruction is one surgical option available for axillary hyperhidrosis (excessive underarm perspiration) ☐There are multiple methods for sweat gland removal or destruction, such as ☐Sweat gland suction ☐Retrodermal curettage ☐Axillary liposuction ☐Vaser, laser sweat ablation 146बीमाहरयां और उनका उपचार

TREATMENT & MEDICINE OPTIONS 52. HYPERTENSION (हृदय ेशर बढ़ना) ☐In medical terms problem of high blood pressure is called hypertension ☐It is a long-term medical condition in which the blood pressure in the arteries is persistently elevatedINTRODUCTION ☐Excess salt ☐Abnormal arteries ☐Increased blood volume ☐Genetic disorders ☐Stressful life ☐Health conditions ☐Certain medicines ☐Recreational drugs☐Pregnancy☐Hormonal therapy☐Stroke☐Heart failure☐Heart attack☐Kidney disease☐Sexual dysfunction CAUSES ☐Headache & Dizziness☐Heart problem☐Nose bleed☐Vision problems☐Fatigue☐Numb hands and feetSYMPTOMS 147High pressure Or hypertension is a disease There is a problem. clad in it 90/140 or more ls. cold sore from normal heat Should be 120-80. 1.DIURETICS USE AS ANTIHYPERTENSIVE , Thiazides: Hydrochlorothiazide: 12.5–50 mg OD ,Chlorthalidone (25–100 mg OD) ,Indapamide: 2.5 mg OD •High ceiling: Furosemide: 20–80 mg once daily •K+ Sparing: Spironolactone : 25–50 mg BD–QID •Amiloride: 5–10 mg OD–BD 2.ACE INHIBITORS •Captopril (Initially 25 mg BDtaken 1 hr before/2 hr after meal) •Enalapril (2.5 mg OD–20 mg BD) •Lisinopril (5 mg

OD–20 mg BD) 3. ANGIOTENSIN (AT1 RECEPTOR) BLOCKERS • Losartan (Min 50 mg OD–max. 50 mg BD) • Valsartan (80–160 mg OD) • Telmisartan (20–80 mg OD) TREATMENT & MEDICINE OPTIONS DIAGNOSIS ☐ Blood pressure monitoring ☐ Need to measure BP on regular basis For proper diagnosis ☐ ECG (electro cardiogram) report ☐ Blood cholesterol level ☐ Body mass index (BMI) 148 बीमारियाँ और उनका उपचार ☐ Antihypertensive drugs comprise several classes of compound with the therapeutic intention of preventing, controlling, or treating hypertension, Simply Medicine use to treat high BP. 4. DIRECT RENIN INHIBITOR • Drug: Aliskiren (150mg OD) 5. CALCIUM CHANNEL BLOCKERS • Verapamil: 40–160 mg TDS oral, 5 mg by slow i.v. inj • Diltiazem: 30–60 mg TDS–QID oral • Nifedipine: 5–20 mg BD–TDS oral • Amlodipine: 5–10 mg OD 6. β ADRENERGIC BLOCKERS • Propranolol: 40–80 mg (max 160 mg) BD to QID oral • Metoprolol: 25 mg BD–100 mg QID oral, 5–15 mg slow i.v. inj • Atenolol: 25 mg OD–50 mg BD 7. β + α ADRENERGIC BLOCKERS • Labetalol: start with 50 mg BD, increase to 100–200 mg TDS • Carvedilol: 6.25 mg BD initially, titrate to max. of 25 mg BD. 8. α ADRENERGIC BLOCKERS • Prazosin: Start with 0.5–1 mg at bedtime; usual dose 1–4 mg BD • Terazosin: Usual maintenance dose 2–10 mg OD • Doxazosin: 1 mg OD initially, increase up to 8 mg BD 9. CENTRAL SYMPATHOLYTICS • Clonidine: Start with lower dose 100 μ g OD or BD, max 300 μ g TDS, orally or i.m. can be given • Methyldopa: 0.25–0.5 g BD–QID 10. VASODILATORS • Arteriolar: • Hydralazine: 25–50 mg OD–TDS • Arteriolar + venous: • Sodium nitroprusside : Initiate i.v. infusion with 0.02 mg/ min, titrate with lowering of blood pressure upto 0.1–0.3 mg/min; 149 बीमारियाँ और उनका उपचार 53.

HYPOTENSION (लो रक्तचाप) ☐ Hypotension is the medical term for low blood pressure in which BP of person Less than 90/60 (BP) ☐ A blood pressure reading lower than 90 millimeters of mercury (mm Hg) for the top number (systolic) or 60 mm Hg for the bottom number (diastolic) is generally considered low blood pressure ☐ Some time it becomes life-threatening INTRODUCTION ☐ Pregnancy ☐ Heart problems ☐ Endocrine problems ☐ Dehydration ☐ Blood loss & Anemia ☐ Severe infection (septicemia) ☐ Severe allergic reaction (anaphylaxis) ☐ Lack of nutrients in your diet ☐ Prolonged bed rest ☐ Low intake of salt in body ☐ Poor nutrition CAUSES 150 ☐ Low blood pressure or hypotension, then Occurs when a person's body The blood pressure goes below 90/60. There can be many reasons for low BP. H S, like: ☐ Lack of water in the body ☐ Effect of medicine ☐ Surgery or serious injury ☐ Heredity or genetic problem ☐ Stress ☐ Consume sugar for a long time ☐ Stay hungry ☐ Irregular eating habits ☐ Dizziness or lightheadedness ☐ Nausea ☐ Dehydration and unusual thirsty ☐ Dehydration can sometimes cause blood pressure to drop ☐ However, dehydration does not always cause low BP ☐ Lack of concentration ☐ Blurred vision ☐ Cold, clammy, pale skin ☐ Rapid, shallow breathing ☐ Fatigue ☐ Depression ☐ Some time Unconsciousness ☐ Fainting (syncope) SYMPTOMS DIAGNOSIS ☐ Diagnosis based on BP measurement ☐ Blood pressure is measured in units of millimeters of mercury (mmHg). ☐ Sphygmomanometer

use for bp measurement and diagnosis is done on basis on BP value 2Value of BP less then 90/60 diagnose as low blood pressure2Electrocardiogram (ECG) 2During this painless, noninvasive test, soft, sticky patches (electrodes) are attached to the skin of your chest, arms and legs 2The patches detect your heart's electrical signals while a machine records them on graph paper or displays them on a screen TREATMENT OPTIONS 2Home remedies 2Medicines 2Healthy diet2Nutrition 2Exercise 2Yoga 151बीमांरयां और उनका उपचार1.Home remedy: •Use more salt •Experts usually recommend limiting salt in your diet because sodium can raise blood pressure •Other are tulsi, beet, coffee •Lemon juice, carrot juice etc •We can raise low blood pressure by drinking water and eating more salt •Low blood pressure hypotension, is considered lower than 90/60 mm Hg •If low salt is causing low blood pressure then take salt •During emergency we can give salt water to patient to increase BP 2. MEDICINE: 2Fludrocortisone: (50–200

µg/day.) Fludrocortisone is for low blood pressure while standing up •This corticosteroid helps control the amount of sodium and fluids in body •It is often considering as medication for low blood pressure due to dehydration •This drug boosts the blood volume, which helps raise blood pressure 2Midodrine: (2.5-10 mg/day) •Midodrine is often considering as a low blood pressure medicine •It is for people with chronic orthostatic hypotension •It works by restricting the ability of the blood vessels to expand, which raises blood pressure 2Pyridostigmine: (60–180 mg oral)Pyridostigmine is used to improve muscle strength in patients with a muscle disease •(e.g., myasthenia gravis) •It functions by preventing breakdown of a natural substance (acetylcholine) in our body •Acetylcholine is necessary for healthy muscle function •Therefore, this drug helps to relieve our fatigue, common symptom of low blood pressureMEDICINE OPTIONS 152बीमांरयां और उनका

उपचार2Caffeine: 20–100 mg oral •Caffeine acts as a central nervous system (CNS) stimulant, and it temporarily stops drowsiness and restoring alertness •It also relaxes smooth muscle, stimulates the cardiac muscle, and useful in treatment of some headaches (e.g. migraine) •Caffeine can cause a temporary short-term dramatic rise in your blood pressure 2Erythropoietin: •25–100 IU/kg s.c./i.v. 3 times a week (max 600 IU/kg/week) •Erythropoietin is recommending for low blood pressure treatment if the cause of low BP is anemia •Erythropoietin is the best choice to increase RBC and thus raises blood pressure 2NSAIDs: •Nonsteroidal anti- inflammatory drugs are used primarily to treat inflammation, mild to moderate pain, and fever •It is useful if one has inflammation along with low blood pressure 153बीमांरयां और उनका उपचार 54. HYPOTHERMIA

(हाइपोथिमिया) 2Hypothermia is a medical emergency that occurs when your body loses heat faster than it can produce heat. Causing a dangerously low body temperature falls

below 95°F (35°C) ❑ Normal body temperature is around 98.6 °F (37°C) ❑ Hypothermia is caused by prolonged exposures to very cold temperatures

INTRODUCTION

- ❑ Wearing clothes that are not warm enough for weather conditions
- ❑ Staying out in the cold too long
- ❑ Being unable to get out of wet clothes or move to a warm, dry location
- ❑ Falling into the water, as in a boating accident
- ❑ Living in a house that's too cold, either from poor heating or too much air conditioning

CAUSES

154 हाइपोथिमिया, शरीर का वह िंथित होती है िसम तापमान, सामान्य से कम हो जाता है। इसम शरीर का तापमान 35° से िंसयस (from 95 degrees Gets down. hypothermia then Happens when the body compares to that sorrow I lose more heat, which Produced by the body through exercise By increasing the amount of heat or source, such as heat from fire or sun

- ❑ Shivering can be achieved in return by increasing
- ❑ Slurred speech
- ❑ Mumbling
- ❑ Slow, shallow breathing
- ❑ Weak pulse
- ❑ Clumsiness
- ❑ Lack of coordination
- ❑ Drowsiness
- ❑ Very low energy
- ❑ Confusion
- ❑ Memory loss
- ❑ Loss of consciousness

SYMPTOMS

DIAGNOSIS

- ❑ The diagnosis of hypothermia is usually apparent based. on a person's physical signs and the conditions in which the person with hypothermia became ill or was found
- ❑ Blood tests also can help confirm hypothermia and its severity
- ❑ A diagnosis may not be readily apparent, however,
- ❑ If the symptoms are mild, as when an older person who is indoors has symptoms of confusion, lack of coordination and speech problems

RISK FACTORS

- ❑ Your tolerance for cold diminishes when you are fatigued.
- ❑ Older age. The body's ability to regulate temperature and to sense cold may lessen with age
- ❑ Very young age
- ❑ Mental problems
- ❑ Alcohol and drug use
- ❑ Medical conditions

155 बीमारियां और उनका उपचार

- ❑ Be gentle, When you're helping a person with hypothermia, handle him or her gently
- ❑ Move the person out of the cold
- ❑ Remove wet clothing
- ❑ Cover the person with blankets
- ❑ Insulate the person's body from the cold ground
- ❑ Monitor breathing
- ❑ Provide warm beverages
- ❑ Dry compresses
- ❑ Don't apply direct heat but Passive rewarming
- ❑ For someone with mild hypothermia, it is enough to cover them with heated blankets and offer warm fluids to drink
- ❑ Blood rewarming: Warm intravenous fluids
- ❑ A warmed intravenous solution of salt water may be put into a vein to help warm the blood
- ❑ Airway rewarming: The use of humidified oxygen administered with a mask or nasal tube

TREATMENT OPTIONS

156 Diseases and their treatment

- ❑ First of all, remove the wet clothes and wrap the body in a warm blanket. dry and heat the air outside, warming the air for breathing And using hot liquids It warms the body from within.
- ❑ Rewarming the blood: warming intravenous fluids
- ❑ Warm intravenous solution of salt water to help warm the blood. can be inserted into a vein
- ❑ Rewarming the airway: given through a mouth or nasal tube

Use of Oxygen

55. IMMUNOGLOBULIN-E (IgE)

- ❑ face flush
- ❑ Red rash on body
- ❑ An immunoglobulin E (IgE) test measures the level of IgE, a type of antibody
- ❑ Antibodies (also called immunoglobulins) are proteins the immune system makes to recognize and get rid of germs
- ❑ The blood usually has small amounts of IgE antibodies
- ❑ High IgE Level: ❑ Increase

in IgE Level from normal to high indicators condition of high IgE Test in report, It usually increase in various allergic conditions

INTRODUCTION ?Asthma ?Allergic rhinitis
?Angioedema ?Dermatitis ?Food allergy ?Occupational allergy ?Latex allergy ?Drug allergy

CAUSES 157 ?Inemoglobulin E (IgE) Test IgE, one type Measures antibody concentrations

?Antibodies (which (also called immunoglobulin) They are proteins which bypass system identify germs and Makes to get rid of blood usually in small quantities IgE antibodies are

?High IgE Other: ?IgE levels normal to high Increase in reported high IgE test indicates a situation, it Commonly caused by various allergens Increases in conditions ?Itchy or sore

throat ?Post nasal drip ?Cough ?Fatigue ?Red and itchy watery eyes ?Sneezing

?Congestion ?Runny nose ?Eczema ?Swelling face, tongue, lips ?Nausea or vomiting

?Abdominal pain ?Troubled breathing ?Dizziness ?Diarrhea ?Itchy mouth SYMPTOMS

TREATMENT & MEDICINE OPTIONS 1.ALLOPATHY MEDICINE: •Omalizumab •Humanized

anti-IgE antibody •best medicine to treat high IgE Level, It is SC injection given to patient

after dose calculation 2.HERBALS TREATMENT: •Ayurvedic treatment •Himalaya Bresol

Tablets •(1-2 Tablet Per day) •Help to reduce IgE Level in patient with allergic bronchitis

and allergic rhinitis •It will help to control symptoms of High IgE 3.HOMEOPATHY

MEDICINE: •Arsenic Album •Allium Cepa •Natrum Mur •Sabadilla •Arundo 4.OTHER

MEDICINES TO PREVENT SYMPTOMS (any 1 can be use to reduce IgE) •Pheniramine

maleate (Avil) •Cetirizine •Desloratadine •Fexofenadine •Levocetirizine •Loratadine

•Calamine lotion for itching and redness 158 बीमारियाँ और उनका उपचार 56. INFLAMMATION

(सूजन) ?A condition in which a part of the body becomes red, sore & swollen because of

infection or injury ?It is characterized by redness, heat, swelling, and pain in the affected

area ?Body start to heal itself and start healing & cell will release chemicals which produce

inflammation INTRODUCTION ?Pathogens infection (germs) ?Bacterial infection ?Infection

due to Virus ?Infection due fungi ?External injuries like scrapes or damage through foreign

objects ?Effects of chemicals or radiation ?Autoimmune disorders: immune system of

Body attack our healthy cells and start to damage them and cause inflammation in

affected area CAUSES 159 ?इम्यूनेमेशन एक तरह का शरीर का ँधिया होती है. जब शरीर पर कोई

चोट लगती है or is infected, So why protect the body? Emulsion occurs. when a wound

swells, turns red and If it hurts, it may be a sign of inflammation. ?It is also called swelling

in common language. goes. ?Symptoms of Emulsion: ?Burning sensation in the body

?Swelling ?Swelling in affected area ?Redness in affected area ?Pain in affected area ?Body

cramps ?Nausea ?Vomiting ?Fever ?Chills ?Fatigue/loss of energy ?Headaches ?Loss of

appetite ?Muscle stiffness SYMPTOMS ?Medical history ?Physical exam ?Blood test:

•Erythrocyte sedimentation rate (ESR) and •C-reactive protein (CRP) ?Laboratory

Test ?Other possible causes of symptoms ?Imaging tests : •X-ray •MRI •Ultrasound ?Skin

biopsy
DIAGNOSIS PREVENTION ☐ Reduce sugar intake ☐ Less eat junk foods or deep fried food ☐ Avoid excess consumption of omega 6 fatty acids like: soy, sunflower, vegetable, corn and peanut oils, mayonnaise ☐ Follow a gluten free diet ☐ Avoid aspartame ☐ Avoid excess alcohol ☐ Regular usage of ginger, black pepper, cinnamon, turmeric has an anti-inflammatory effect
160 बीमारियाँ और उनका उपचार

1. Physical therapy Keep joint movement and muscle strength
2. Correct, control, or slow down the disease process
3. Avoid or change activities that aggravate pain
4. Lower stress on joints by using braces, splints, or canes as needed
5. Home remedies:
6. Regular Exercise
7. Avoid alcohol
8. Avoid smoking
9. Take healthy food
10. Manage stress level
11. Take multivitamin -multi mineral supplement
12. **MEDICATIONS :** ☐ **NONSTEROIDAL ANTI- INFLAMMATORY DRUGS:** • Aspirin 325 (1 OD/BD) • Ibuprofen 400 (1 OD/BD) • Naproxen 500 (1 OD/BD) • Piroxicam 20 (1 OD/BD) • Ketolorac 10 (1 OD/BD) ☐ **CORTICOSTEROIDS:** • Cortisone (20–100 mg/day oral/i.m.) • Prednisone (5–60 mg/day) • Methylprednisolone 4–32 mg/day orally • Dexamethasone (0.5–5 mg/day oral OR 4–20 mg i.v./i.m. inj) • Betamethasone (5–5 mg/day oral OR 4–20 mg i.v./i.m. inj) • Hydrocortisone (20–30 mg/day Oral) ☐ **DISEASE-MODIFYING ANTIRHEUMATIC DRUGS (DMARDs):** • Methotrexate (7.5–15 mg weekly oral) • Sulfasalazine 1–3 g/day • Leflunomide (20 mg OD) ☐ **OTHER BRANDS** • Betnesol injection • Brufen 400 (1-2 OD BD) • Dexona tablet /injection • Dynapar Tablet/injection • Ketorol DT tablet (1 BD/OD) • Macvestin 1 tablet OD • Rumalaya Forte (2 BD/OD)

TREATMENT & MEDICINE OPTIONS
161 बीमारियाँ और उनका उपचार

57. **INFLAMMATORY BOWEL DISEASE**
162 **INTRODUCTION** ☐ Inflammatory bowel disease (IBD) is a disease of the lower GI Tract, It is characterized by chronic inflammation of the gastrointestinal (GI) tract and damage it ☐ Inflammatory bowel disease (IBD) is a term for two conditions ☐ 1. Crohn's disease 2. Ulcerative colitis ☐ Both are characterized by chronic inflammation of the gastrointestinal (GI) tract, ☐ Prolonged inflammation results in damage to the GI tract ☐ **CROHN'S DISEASE:** ☐ It causes inflammation of digestive tract, which can lead to abdominal pain, severe diarrhea, fatigue, weight loss and malnutrition. Can affect any part of the GI tract (from the mouth to the anus), Most often it affects the portion of the small intestine before the large intestine/colon ☐ Damaged areas appear in patches that are next to areas of healthy tissue ☐ Inflammatory bowel disease (IBD) One such disease related to digestion is Which can give rise to many types of problems Can. Digestion due to this disease There is a problem of long-term inflammation in the system. Can. People who have I (IBD) Disease occurs in them usually Fatigue, headache, cramps, stomach ache and digestion There may be problems related to **CAUSES** ☐ The exact cause of IBD is unknown, but IBD is the result of a defective immune system ☐ A properly functioning immune system attacks foreign organisms, such as viruses and bacteria, to protect the body
163 बीमारियाँ और

उनका उपचार 2 ULCERATIVE COLITIS: 2 This condition causes long- lasting inflammation

2 Sores (ulcers) in the innermost lining of our large intestine (colon) and rectum 2 Ulcerative

colitis is an inflammatory bowel disease (IBD) that causes long-lasting inflammation and

ulcers (sores) in our digestive tract 2 Ulcerative colitis affects innermost lining of our large

intestine (colon) and rectum 2 Symptoms usually develop over time, rather than

suddenly 2 Occurs in the large intestine (colon) and the rectum 2 Ulcerative colitis is an

idiopathic form of acute and chronic ulcero-inflammatory colitis affecting chiefly the

mucosa and submucosa of the rectum and descending colon, though sometimes it may

involve the entire length of the large bowel 2 Both these disorders primarily affect the bowel

but may have systemic involvement in other parts 2 Diarrhea 2 Fever and fatigue

2 Abdominal pain and cramping 2 Blood in your stool 2 Reduced appetite 2 Unintended weight

loss SYMPTOMS DIAGNOSIS 2 Gastroenterologists almost always recommend a

colonoscopy to diagnose Crohn's disease or ulcerative colitis 2 This test provides live video

images of the colon and rectum and enables the doctor to examine the intestinal lining for

inflammation, ulcers & other signs of IBD 2 Biopsy 2 Stool Examination 2 Blood Examination

2 CT Scan 164 बीमारियाँ और उनका उपचार 1. AMINOSALICYLATES • Sulfasalazine (dose 3–4

g/day) • Balsalazide (1.2–2.4 g/day oral) • Mesalamine (1.2–2.4 g/day oral)

2. GLUCOCORTICOIDS 2 Prednisolone: 5–60 mg/day oral, 10–40 mg i.m./intraarticular

2 Hydrocortisone: 20–30 mg/day oral for replacement therapy; 100 mg i.v. 8 hourly (as

hemisuccinate) 2 Azathioprine (50–150 mg/day) 3. METHOTREXATE 2 It is used for the

induction and maintenance of remission of Crohn's disease but not ulcerative colitis

2 Dose: 7.5–15 mg weekly oral 4. Anti Tnf- α Therapy : 2 Tumor necrosis factor is a cell
signaling protein (cytokine) involved in systemic inflammation and is one of the cytokines

that make up the acute phase reaction 2 Infliximab, adalimumab and certolizumab are

useful in Crohn's disease 2 Efficacy of them in ulcerative colitis is doubtful 2 Infliximab is

given by i.v. route whereas other two are administered s.c. 2 Certolizumab is a pegylated

anti-TNF- α indicated for crohn's disease 5. Anti-Integrin Therapy: 2 Natalizumab is for

moderate to severe Crohn's disease not responding to other therapies 2 It is targeted

against $\alpha 4$ subunit of integrins 165 बीमारियाँ और उनका उपचार TREATMENT & MEDICINE

OPTIONS 58. INSOMNIA (अनिद्रा) 2 It is a medical condition in which person feel difficulty in

sleeping 2 Specially it affect the night time sleeping and very less sleep time 2 Normal 8 hour

Sleep is necessary for health INTRODUCTION 2 Mental health 2 Stress-Anxiety 2 Panic

situations 2 Phobia 2 Depression 2 Poor sleep habits 2 Excessive Caffeine 2 Medical

conditions 2 Some medications 2 Changes in sleep patterns 2 Travel or work schedule

2 Using late night Mobile, PC CAUSES SYMPTOMS 166 अनिद्रा: (sleeplessness) ओलिपिंग It is

one of the types of disorders in which To fall asleep, to keep sleeping or There is difficulty in both. Having trouble sleeping

Stay up too late Can't sleep Difficulty in sleeping till late night Waking up too early & absence of sound sleep Daytime tiredness Sleepiness Not feeling well Feeling like Nausea Difficulty paying attention Fatigue (thakan) Cognitive behavioral therapy Meditation Yoga Exercise Medicines Herbals Homeopathy TREATMENT OPTIONS DIAGNOSIS Physical examination Patient counselling Sleep habit schedules Sleep study MEDICINE OPTIONS 1. Melatonin: Dose: 3 to 8 mg per day 2. Zolpidem: Dose: 10 mg per day 3. Lorazepam: Dose: 1–6 mg/day 4. Himalaya Tagara tablet: Dose: 2 tablet per day 5. R14 drops: Dose: 10-15 drops taken in the evening with water 6. SBL Sleepite tablet: Take 2 tablets 4 times a day बीमारियाँ और उनका उपचार 167 59. ITCHING (तेज खुजली होना) Itching

is an irritating sensation that makes person to scratch the skin People may also experience feel itchy in one area in body INTRODUCTION Itching also occurs due to disturbances in the immune system in the body Skin conditions such as eczema, psoriasis, dry skin In some cases Diabetes Hypersensitivity of any allergen Irritating chemicals, cosmetics, and other substances Parasites such as pinworms, scabies, head and body lice In some cases during Pregnancy Liver, kidney, or thyroid diseases Cancer treatments side effects Diseases that can affect the nervous system may cause skin itching CAUSES SYMPTOMS Small bumps on skin Irritation Rashes Dry skin Abnormal sensations 168 Itchy Skin Where's One This is a common problem, many May be due to reason. Some causes of itching Cabbages licing worm Pyoderma^a intense heat Insect bites Drying of skin DIAGNOSIS TREATMENT OPTIONS Cold compress application of affected part 1. skin moisturizing lotions OR

CALAMINE LOTION 2. TAKING LUKEWARM OR OATMEAL BATHS •A bath in which the patient's body except the head is immersed in water from 94 °to 96°F (34.4°to 35.6°C) for 15 to 60 min •In Lukewarm water add oatmeal & Soak for about 10-15 minutes •Take bath with neem leaf extract in water 169 बीमारियाँ और उनका उपचार Physical examinations Blood test Urine test Kidney function test Liver function test Skin biopsy IgE Test COCONUT OIL ALOE VERA GEL NEEM WATER NEEM PASTE Apply calamine lotion 2-3 times in a day Taking lukewarm or oatmeal baths MEDICINE OPTIONS 3. ANTIHISTAMINES MEDICINES FOR ITCHING •Levocetirizine (5 mg oral) •Chlorpheniramine (2–4 mg (0.1 mg/kg) oral, i.m) •Diphenhydramine •Fexofenadine (120–180 mg oral) 4. ANTIFUNGAL AGENTS •Clotrimazole Cream (2-3 times in a day) •Ketoconazole (200 mg OD– BD oral) •Fluconazole (150 mg oral weekly) •Itraconazole (200 mg OD–BD oral) •Luliconazole cream (2-3 times in a day) 5. OVER-THE-COUNTER ANTIBACTERIAL AGENTS •Sulfur is applied to the skin for dandruff and an itchy skin infection caused by mites (scabies) •It is also

applied to the skin for acne and skin redness (rosacea) 6. CREAMS AND OINTMENTS

• Betamethasone cream • Whitfield ointment • Crothamiton is a drug that is used both as a scabicide and as a general antipruritic 170 बीमारियाँ और उनका उपचार 60. JAUNDICE

(पीलिया) 2 Jaundice is a condition in which the skin, whites of the eyes and mucous

membranes turn yellow because of a high level of bilirubin, a yellow-orange bile pigment

2 Bilirubin is a yellowish substance in your blood • It forms after red blood cells break down, and it travels through your liver, gallbladder, and digestive tract before being excreted

• Typically, bilirubin levels fall somewhere between 0.3 and 1.2 milligrams per deciliter (mg/dL). The liver helps break down the substance so it can be removed from the body in the stool 2 A high level of bilirubin makes a baby's skin and whites of the eyes look yellow

INTRODUCTION 171 2 Jaundice is also called jaundice. 2 This is a serious disease.

2 Increased amount of bilirubin in the body Causes of skin, nails and white part of the eye

Starts coming. Symptoms of Jaundice: 2 Sudden feeling of drowsiness 2 Tarry black stool

2 Bleeding in vomit or stool 2 Pain on touching the stomach or pain in it. feel extreme pain

2 Bleeding or blueness without injury 2 There are three main types of jaundice: 1. PRE-

HEPATIC 2. HEPATOCELLULAR 3. POST-HEPATIC 2 In pre-hepatic jaundice, there is excessive red cell breakdown which overwhelms the liver's ability to conjugate bilirubin

2 This causes an unconjugated hyperbilirubinaemia TYPES CAUSES 2 Acute inflammation of liver 2 Inflammation of the bile duct 2 Obstruction of the bile duct 2 Hemolytic anemia

2 Gilbert's syndrome A mild condition in which the liver doesn't properly process bilirubin

2 It is caused due to the accumulation of bilirubin in the blood and body's tissues

2 Bilirubin is a waste product that is generated when red blood cells break down 2 It is then transported to the liver through the bloodstream where it is then combined with a digestive fluid called bile 2 Usually, bilirubin is discharged through stool & remaining is excreted through urine. But if bilirubin cannot be propelled through liver, it gets accumulated in

blood causing Jaundice 172 बीमारियाँ और उनका उपचार Normal bilirubin level 0.3 and 1.2

mg/dL 2 Itchiness 2 Abdominal pain 2 Fatigue and Weight loss 2 Vomiting 2 Paler than usual

stool 2 Dark urine SYMPTOMS DIAGNOSIS 2 Liver function tests (LFTs) 2 Coagulation studies

2 FBC (Full Blood Count) 2 Specialist blood tests 2 Urinalysis (Urine test) 2 Ultrasonography

2 CT-Scan TREATMENT OPTIONS 173 बीमारियाँ और उनका उपचार • Treatment depends on the

cause of jaundice • Administration of Antibiotic, antiviral, antifungal, or anti-parasitic drugs depend on reason of jaundice • Surgery to correct blockage. • The use of chemotherapy,

Anti-inflammatory, or steroid medications. 174 बीमारियाँ और उनका उपचार • Drink 6-8 glasses of

water a day • Eat lots of raw fruits and vegetables (especially green leafy vegetables)

• Juice is good (make your own with a juice machine) • Do not drink coffee, alcohol, soda

pop, junk food drinks • Do not eat processed foods white sugar, white flour, etc, Use stress

relief like going for walks in the park •For diet Brown rice and millet are good •Avoid red meat and animal fats -Reduce dairy products cheese, milk, and others - Fast a few days a month – •A colon intestinal cleansing is helpful •Get sleep – •Exercise light to moderate amounts •Eg.yoga and stretching are good – •Do not smoke and avoid second hand smoke

61. JOINT PAIN (घुटनो मध दद) INTRODUCTION 175घुटनो मध कट-कट का आवाज

आती है गाउट, गिठिया रोग घुटनो मध सूजन जोड़ो मध दद होना It a medical condition with problem of pain in bone and Joints Main reason of pain is inflammation This may occurs due to so many reasons Weakbones Inflammation in bones Poor nutrition Arthritis Bone infection Rheumatic fever Paget's disease of bone Bone cancer Broken bone Bursitis Gout Ankylosing spondylitis Vitamins deficiency: •Vit K27 •Vit D3 Calcitriol •Vit B12 Methylcobalamin Minerals deficiency: •Calcium & Boron CAUSES

SYMPTOMS Pain in the joints 176 बीमारियां और उनका उपचार ANALGESIC AND

ANTIINFLAMATORY DRUGS •Diclofenac (50 mg TDS) •Aceclofenac (100 mg BD)

•Celecoxib (100–200 mg BD) •Etoricoxib (60–120 mg OD) •Etodolac (200-400 mg BD-TDS)

•Paracetamol (0.5–1 g TDS; infants 50 mg; children 15 mg/kg) •Ketolorac (10–20 mg oral 6 hourly, 15–30 mg i.m./i.v. 6 hourly (max 90 mg/day) •Piroxicam: 20 mg BD for two days followed by 20 mg OD

DISEASE-MODIFYING ANTIRHEUMATIC DRUGS : •Sulfasalazine (1–3 g/day in 2–3 divided doses) •Methotrexate (7.5–15 mg weekly oral) •Penicillamine (125-250 mg OD (max 250 mg BD)) •Azathioprine (50–150 mg/day) •Hydroxychloroquine (initially 200 mg BD followed by 200 mg OD for maintenance) ANTI-GOUT DRUGS: •Allopurinol

(Start with 100 mg OD, Maintenance dose of 300 mg/day, maximum 600 mg/day)

•Colchicine (dose 0.5–1 mg/day) •Febuxostat (40 milligrams (mg) or 80 mg once a day)

•Sulfinpyrazone: 100–200 mg BD •Probenecid (0.25–1.0 g BD) TREATMENT & MEDICINES

OPTIONS DIAGNOSIS Physical examination Blood test and urine test 5. Herbal medicine:

•Himalaya Hadjod: Dose: 2 tablet OD or BD •Himalaya Rumalya forte: Dose: 1 tablet OD or

BD •SBL drops no.6: Dose: 10-15 Drops in water 2 to 3 times •Divya peedadantak taila:

Massage using 5 ml oil •Charak rymanyl capsules: Dose: 1 Capsule OD or BD •Charak

ostolief tablets: Dose: 1 tablet OD or BD •Ostrolief nutratablets: Dose: 1 tablet OD or BD

•Baidhyanathyograjguggulu: 1 tablet OD or BD 6. Supplements for vitamin and mineral

deficiencies: •Benocal K27 capsules: Dose: 1 Capsule per day •Caldikind plus capsules:

Dose: 1 Capsule per day •Shelcal-500 tablets : Dose: 1 Tablet per day •Cipcal-500 tablets :

Dose: 1 Tablet per day •Calshine-D tablets: Dosage: 1 Tablet per day •Dailycal-500 tablets :

Dose: 1 Tablet per day MEDICINES OPTIONS 177 Diseases and their treatment 62. KELOID

SCARS A kind of mark on the skin, which A scar, keloid, appears at the site of injury. a kind of raised mark on a brick

Keloids are benign (noncancerous), fibrous skin tumors, It is excessively aggressive healing response to a wound

INTRODUCTION ? Acne scars ? Burns ? Chickenpox ? Ear piercing ? Scratches ? Due to vaccine ? Injection ? Hair removal ? Minor scratches ? Surgical incision ? Insect bite ? Tattoo

CAUSES ? Pink or reddish in a colour ? Scars grow quickly ? It is itchy and painful ? Look like a shiny ? Soft and rubbery scars ? Gradually turn into dark brown ? Feels Discomfort

SYMPTOMS 178 ? Go and visit to your dermatologist ? Physical examination ? Disease history ? Personal history ? Skin biopsy

DIAGNOSIS

1. **CORTICOSTEROID CREAM:** • Clobetasone • Hydrocortisone • Candid-B Cream • Anovate Cream • Derobin Ointment

2. **INJECTED MEDICINE:** • Reduce the thickness by injecting it with cortisone or other steroids • Experts give injection monthly to solve this issue for at least 6 months

3. **WOUND CARE:** • Compression dressings Using any material like cotton plug fabric • Here main goal is to reduce or prevent a scar by putting pressure on the wound as it heals

4. **FREEZING THE SCAR:** • In this methods Small keloids were reduced or removed by freezing them with liquid nitrogen • This method is called

cryotherapy

5. **LASER TREATMENT:** • In this laser method Larger keloids can be flattened by pulsed-dye laser sessions. • This session will continue till 4 to 8 weeks

6. **RADIATION THERAPY:** • Shrinkage or minimization of the scar tissue may be aided by low-level X-ray radiation used alone or following surgical excision of a keloid

7. **SURGICAL REMOVAL:** • If other treatments haven't helped your keloid, your doctor may suggest having it surgically removed in addition to other treatments • Effectiveness of surgery range from 45% to 100%

TREATMENT & MEDICINE OPTIONS 179

बीमा रोगों और उनका उपचार

63. KIDNEY STONE (गुद का पथरी, किडनी स्टोन) ? A small, hard deposit that forms in the kidneys and is often painful when passed. ? Kidney stone made up of minerals and salts that form inside our kidneys. ? When it start to pass in urinary tract cause painful conditions and sometime block the track ? Kidney stones also called:

1. Renal calculi ? 2. Nephrolithiasis ? 3. Urolithiasis ? They are different in size and measured in millimeter unit ? Usually small stones passes through urine

INTRODUCTION Kidney stones, urolithiasis or Also known as renal calculi. this Made up of salt and minerals. Kidney stone is a There is a condition in which the patient experiences unbearable pain. May have to face. vitamin-d or If calcium substitute is taken for a long time The amount of calcium in the body increases.

CAUSES ? Drinking very less water in a day become a reason for dark concentrated urine, which contains more crystal (stone) forming substances and less water ? Taking more calcium and Salt in diet ? Less Minerals in body ? Dehydration (loss of water or less water)

180 ? Excessive junk food in diet ? Family or personal history for kidney stone ? Taking more calcium-based antacids High body mass index (BMI) and obesity become risk factor ? Digestive diseases and surgery ? High protein Diet ? Taking more sodium (salt) and sugar

SYMPTOMS ?Pain or burning sensation while urinating ?Dark colour urine or blood in urine
 ?Severe pain in back side of body ?Severe and sharp pain in area of urinary and digestive tract of body ?Cloudy or foul-smelling urine ?Nausea and vomiting ?Fever and chills due to infection
PREVENTION ?Be hydrated, Drink more water in a day must take 5 to 7 Litre/day water ?Take less calcium and Salt in diet ?Do not stop urine for long time ?Limit junk food in diet ?Less animal protein diet ?Control body weight
DIAGNOSIS ?Blood testing ?Urine testing ?Imaging test ?Ultrasound scan ?Abdominal X-rays ?Analysis of passed stones for prevention on stone in future ?Computerized tomography (CT) scan

181 बीमाहरयां और उनका उपचार
MEDICINE OPTIONS 182 बीमाहरयां और उनका उपचार Option-2 Dose: 8-10 Drops in half cup water Three times in a day Option-1 Dose: 10-15 Drops in half cup water Three times in a day Option-3 Dose: 2 Tablet 2 Times in a day (2 Tablet subah & 2 Rat me) Option-5 Dose: 5 ml to be taken three times in a day Option-4 Dose: 5 ml to be taken three times in a day Option-6 Dose: (painkiller) 2-3 tablet per day Option-8 Dose: (urine tube dilator) 2-3 tablet per day Option-7 Dose: (Antibiotics) 1-2 tablet per day Option-9 Lithotripsy

SURGERY shock waves to break up stones 64. **LEPROSY (कुङ रोग)** ?Leprosy, also known as Hansen's disease, is a chronic infectious disease caused by Mycobacterium leprae, a microorganism that has a predilection for the skin and nerves ?World's oldest recorded disease
INTRODUCTION ?Leprosy, caused by Mycobacterium leprae, has been considered incurable since ages and bears a social stigma
CAUSES SYMPTOMS ?First symptoms :
 •Numbness and loss of temperature sensation (cannot sense very hot or cold temperatures) ?As the disease progresses : •The sensations of touch, then pain, and eventually deep pressure is decreased or lost 183 ?Kuङ disease is also known as Leprosy or Hansen's Disease. Also known by the name. It is a chronic infectious disease which It is caused by Mycobacterium tuberculosis. This disease mainly skin, peripheral nerves, above Respiratory tract and eyes Affects the surface, this disease does not spread by touching. ?Symptoms of Kochi disease: ?Skin ?Peripheral nerves ?Upper respiratory tract ?The chemical of the eye surface of testis ?Nose and throat Slit Skin Smear (Reporting the smear)
DIAGNOSIS 1. Sulfone Dapsone (DDS): ?It is diamino diphenyl sulfone (DDS), the simplest, oldest, cheapest, most active and most commonly used member of its class ?All other sulfones have become obsolete ?Dose: 100mg orally O.D. 2. Phenazine derivative Clofazimine: ?Clofazimine works by binding to the guanine bases of bacterial DNA, thereby blocking the template function of the DNA and inhibiting bacterial proliferation ?Alteration of membrane structure & transport function ?Disruption of mitochondrial electron transport chain ?Trade names: Lamprene ?The t_{1/2} is 70 days Orally active (40–70% absorbed) ?Dose: 50-100 mg daily 3. Antitubercular drugs (Rifampin): ?This important tuberculocidal drug is also the most potent drug for M. leprae; rapidly renders leprosy patients noncontagious ?Upto 99.99% M. leprae are killed in 3–7 days by 600 mg/day dose

❑ Rifampicin inhibits bacterial DNA-dependent RNA synthesis by inhibiting bacterial DNA-dependent RNA polymerase ❑ Dose: 600mg monthly

TREATMENT & MEDICINE OPTIONS

184 बीमारियाँ और उनका उपचार 65. LEISHMANIASIS (काला अजार) ❑ Visceral leishmaniasis (VL), also known as kala-azar, is fatal if left untreated in over 95% of cases. Word kala-azar consists of “Kala” (in Hindi means “Black”) & “azar” (in Hindi) means “Fever” ❑ Fever associated with dark complexion ❑ Kala azar, also called visceral leishmaniasis is a disease in which a parasite migrates to the internal visceral organs such as the liver, spleen and bone marrow. INTRODUCTION 185 ❑ Black Azar is an infectious disease ❑ It is also called visceral leishmaniasis. ❑ This disease is caused by the parasite *L. mania donovani*. ❑ This parasite is spread through sand flies. ❑ Kala azar is considered to be the most severe form of leishmaniasis. this of disease it is the second leading cause of death due to parasites in the world. ❑ Visceral leishmaniasis ❑ Lack fever ❑ Dum dum fever ❑ Kalazar ❑ black fever ❑ *Leishmania donovani* (and other *Leishmania* species) occurs in several tropical and subtropical regions of the world CAUSES ❑ Loss of appetite, Weight loss, ❑ Fever & Weakness (fatigue) ❑ Skin – Dry, thin and scaly and hairy may be lost ❑ Enlarged liver, spleen ❑ Light colored person shows greyish discoloration of the skin of hands, feet,

abdomen SYMPTOMS TREATMENT & MEDICINE OPTIONS बीमारियाँ और उनका उपचार

❑ Option-1 Antimonials ❑ Sodium stibogluconate (SSG) (Antimonate), It has been the standard first line drug for VL in most parts of the world achieving > 90% cure rate To treat Kala-azar., Dose: 20 mg Sb/kg/day (maximum 850 mg) IV/IM for 20-28 days • Option-2 Antimonials Meglumine (Antimonate), Meglumine is an amino sugar derived from glucose, Injection Given under medical supervision Dose: The usual dose is 20 mg of pentavalent antimony in meglumine antimoniate per kilogram (kg) of body weight per day

186 187 बीमारियाँ और उनका उपचार • Option-3 Diamidine: Pentamidine • It is an antimicrobial medication Use in people with poor immune function. • Dose: 2 to 4 mg/kg every other day or three times per week for 15 doses, and for VL it is 4 mg/kg every other day or three times per week for 15 to 30 doses.

• Option-4 Liposomal Amphotericin-B injection, It is being used increasingly to reduce the burden of kala-azar from the Indian subcontinent • Dose: 3 mg/kg IV qDay on days 1-5, 14, and 21 • Option-5 Miltefosine • It is sold under the trade name Impavido among others, is a medication mainly used to treat leishmaniasis. • Dose: 50 mg orally 3 times a day • OTHER TREATMENT OPTIONS IF PREVIOUS WILL NOT WORK • Ketoconazole • Paromomycin • Allopurinol • Some symptoms based medicine also can be use • To reduce fever

Paracetamol can be given to patient. 66. LOW PLATELET COUNT (प्लेटलेट्स का कमी)

❑ THROMBOCYTOPENIA ❑ Low platelet count OR Thrombocytopenia is medical condition in

which blood platelet count decrease from its normal value. Generally in healthy person normal blood platelet count is 150,000 to 450,000 platelets per microliter of Blood. Role of platelets in the body: Platelets are small blood cells. which helps our body to stop bleeding. Helps in formation of clots. If we have any blood vessel problem increases, it signals the islets sends. After this the platelets reach the affected area. arrive and repair the damage. An elegy for (थका) बनाते हैं. INTRODUCTION. Dengue fever. Aplastic anemia. Vitamin B-12 deficiency. Folate & Iron deficiency. Viral infections like HIV. Chickenpox. Consuming too much alcohol. Cirrhosis. Leukemia. Myelodysplasia. Exposure to chemotherapy, radiation, or toxic chemicals. CAUSES SYMPTOMS. Headache. High fever. Loss of appetite. Body ache. Diarrhoea. Vomiting. Fatigue. Eye pain. Knee pain. Lethargy. Nose bleeding. Red spots in the body. 188. Blood test kare and Regular WBC Count and platelet measure kare. Urine test. Medical history. Disease

condition. DIAGNOSIS TREATMENT OPTIONS 189 बीमारियाँ और उनका उपचार. 1. Drink plenty of fluids. 2. Use only Paracetamol. 3. Blood pressure monitoring. 4. Platelet count monitoring. 5. Supportive care in a hospital. 6. Intravenous (IV) fluid. 7. Electrolyte replacement. 8. Blood transfusion if blood loss. 9. Herbal medicines & Remedies. Beetroot. Papaya leaf. Amla. Kiwi. Carrot. Coconut water. Goat's milk. HOME REMEDIES. चुकंदर. पपीते का पं. आंवला. कावी. गाजर. नाइरयल पानी. बकरी का दूध. 190 बीमारियाँ और

उनका उपचार. MEDICINES OPTIONS 5-7 LITER WATER PER DAY. Fever hone par sirf paracetamol. AGAR PLATELET KAM HO JAYE PLATELET TRANSFUSION KOI BHI EK IV DRIP LAGAYI JATI HAI JO PATEINT KO SUIT KARE. Caripill Tablet Dose: 1-2 tablet 2-3 times in a day. Giloy Ghanvati Dose: 1-2 tablet 2-3 times in a day. 67. LOW WBC COUNT (WBC की कमी). LOW WBC COUNT Or Leukopenia is medical condition in which WBC count in blood decrease from its normal value. Generally in healthy person normal WBC count is 4000 to 11000. White blood cell per microliter of blood. Role WBC in body: • White blood cells are part of body's immune system • They help the body fight infection and other diseases. INTRODUCTION 191. Eukopenia is an uncommon condition. These white blood cells It is caused by deficiency of (DUBC). The normal number of DUBC is four thousand to 11 thousand. But, due to this disease its number increases to more than one lakh. This disease starts after the age of 40 years. Is. If the number of white blood cells in the blood decreases, then the body suffers from many diseases. May become victim of disease. Experts say that deficiency of white blood cells causes leukemia. There remains a risk of kidney cancer, hepatitis etc. CAUSES 192 Diseases and their treatment. Dengue fever. Atyc anemia. Vitamin B-12 deficiency. Folate deficiency. Iron deficiency. Virus infection. HIV. Smallpox. Do not consume too much alcohol. Cirrhosis. Eukemia

Myelodysplasia
Chemotherapy, radiation, or toxic exposure to chemicals
Cancer treatment
Radiotherapy
Some cancers, like leukaemia
Hepatitis disease
Medicine for an overactive thyroid
Autoimmune disorders, like rheumatoid arthritis
Dengue fever
Aplastic anemia
Vitamin B12 deficiency
Folate, Iron deficiency
Viral infections, HIV
Chickenpox
Consuming too much alcohol
Cirrhosis
Myelodysplasia
Exposure to chemotherapy, radiation, or toxic chemicals

बीमारियाँ और उनका उपचार
DIAGNOSIS
If you have Symptoms them immediately do diagnosis
Blood test
Medical history
Disease condition
Urine test
Frequent infection it happens
Disease neutralizing loss of strength
Sinus infection
blocked nose
Headache
High fever
Lack of appetite
Body ache
Diarrhea
Utt
Fatigue
Eye pain
Infections occur repetitively
Low immunity
Sinus infections
Stuffy nose
Headache
High fever
Loss of appetite
Body ache
Diarrhoea
Vomiting
Fatigue
Eye pain
SYMPTOMS HOME REMEDIES
1. Lavender Oil Massage
2. garlic
3. Spinach
4. Papaya Leaves
5. Multi-Vitamins
6. Yogurt
7. Omega-3 Fatty acids
8. Zinc
9. Broccoli
10. Selenium
11. Kiwi fruit
13. Orange fruit
14. Red Bell Peppers
15. Sunflower Seeds
16. Lemon juice
17. Noni Fruit

बीमारियाँ और उनका उपचार

TREATMENT AND MEDICINE OPTIONS
A blood transfusion is given from carefully screened donors.
Stimulate the growth of WBC
Dose: 5 mcg/kg/day
4 to 20mg betamethasone (1 to 5ml) administered by slow intravenous injection over half to one minute.
Carica papaya leaf extract tablets
Dose: 1-2 Tablet
BD
Giloy Tablets
Dose: 1-2 Tablet
BD
10-15 Drops in half cup water

3 to 4 times in a day
Plasmapheresis is the removal, treatment, and return or exchange of blood plasma or components thereof from and to the blood circulation of person.
0.5 mg to 9 mg IV or IM per day in divided doses every 12 hours

68. MENINGITIS (मेनिंजाइटिस)

Meningitis is an inflammation of the meninges, The are three protective membrane layers surrounding the brain and spinal cord, They are composed of the •Pia mater (closest to the CNS) •Arachnoid mater •Dura mater (outermost layer) Also contain blood vessels and enclose the cerebrospinal fluid (CSF), Meningitis can occur when fluid surrounding the meninges becomes infected due to viral and bacterial infections

INTRODUCTION
Bacteria

that enter the bloodstream and travel to the brain and spinal cord cause acute bacterial meningitis
But it can also occur when bacteria directly invade the meninges
This may be caused by an: Ear or sinus infection
A skull fracture
Rarely —some surgeries

CAUSES

195Meningitis in hindi conjunctivitis or It is called mitosis. This brain and spinal cord Any

security around membrane swelling Is. This inflammatory virus, bacteria or caused by other microorganisms May be due to infection. In less common cases, some This swelling is also due to medicines.
Sudden high fever may occur
Stiff neck
Severe headache with nausea or vomiting
Confusion or difficulty concentrating
Seizures
Sleepiness or

difficulty wake up ☐ Sensitivity to light ☐ No appetite or thirst ☐ Skin rash (sometimes, such as in meningococcal meningitis)

SYMPTOMS DIAGNOSIS ☐ In people with meningitis, the CSF often shows a

- Low sugar (glucose) level
- Along with an increased white blood cell count
- Increased protein

TREATMENT OPTIONS ☐ Acute bacterial meningitis must be treated immediately with intravenous antibiotics and sometimes corticosteroids ☐ This helps to ensure recovery and reduce the risk of complications, such as brain swelling and seizures ☐ The antibiotic or combination of antibiotics depends on the type of bacteria causing the infection ☐ Commonly used meningitis treatments include a class of antibiotics called cephalosporins, especially Claforan (cefotaxime) and Rocephin (ceftriaxone) ☐ Various penicillin-type antibiotics, aminoglycoside drugs such as gentamicin, and others, are also used

196 बीमारियाँ और उनका उपचार 197 बीमारियाँ और उनका उपचार ☐ Any 1 antibiotic given as IV Route Injection

- Cefotaxime
- Ceftriaxone
- Ampicillin-Sulbactam
- Amoxicillin-clavulanate

MEDICINE OPTIONS ☐ Any 1 from following iv fluid given to patient to prevent dehydration

- NS (Normal saline)
- D5W (Dextrose 5%)
- RL (Ringer's lactate solution)
- DNS (Dextrose Normal saline Solution)

☐ **OXYGEN FACE MASK** • During Hospitalization oxygen Given through a face mask if there are any Breathing Difficulties .

- Check spo2 Regularly

☐ **STEROID FOR SWELLING** • Dexamethasone • Betamethasone • Given by IV route under medical supervision

☐ **PARACETAMOL IN FEVER** Along with IV therapy of antibiotics Paracetamol also given to patient orally to reduce fever & body pain in meningitis. 69.

MENORRHAGIA (मीनोरेजिया) ☐ It is the most common type of abnormal uterine bleeding characterized by heavy and prolonged menstrual bleeding. ☐ Heavy prolong periods, In some cases, bleeding may be so severe and daily activities become interrupted ☐ Normal period cycle:

- The first day of a woman's period is day 1 of the menstrual cycle.
- Periods last around 2 to 7 days, and women lose about 3 to 4 tablespoons of blood in a period, 25 to 50 ml blood lose
- A normal menstrual cycle 21-35 days in duration, with bleeding lasting an average of 5 days and total blood flow between 25-50 ml, Blood of greater than 80 ml or lasting longer than 7 days constitutes menorrhagia

INTRODUCTION CAUSES ☐ Hormone imbalance ☐ Dysfunction of the ovaries ☐ Uterine fibroids & Polyps ☐ Adenomyosis ☐ Intrauterine device (IUD) ☐ Pregnancy complications ☐ Inherited bleeding disorders ☐ Medications & medical conditions

198 Menorrhagia means excessive menstrual flow. When a woman has menstruation for more than 7 days Larger lots than usual If it comes out, then this situation is called Menorah Jiya. Have to change pads every hour, pain in stomach during periods. There are complaints of severe pain and heavy bleeding. ☐ Soaking through one or more sanitary pads or tampons every hour for several consecutive hours ☐ Needing to use double sanitary protection to control your menstrual flow ☐ Needing to wake up to change sanitary protection during the night ☐ Bleeding for longer than a week ☐ Passing blood clots with menstrual flow for more than one day ☐ Restricting daily activities

due to heavy menstrual flow ❷Symptoms of anemia, such as tiredness, fatigue or shortness of breathSYMPTOMS DIAGNOSIS ❷History collection ❷Physical examination ❷Blood tests ❷Pap test ❷Endometrial biopsy ❷Ultrasound scan ❷Sonohysterogram ❷Hysteroscopy TREATMENT & MEDICINE OPTIONS

1.Iron supplements: •If you also have anemia, your doctor may recommend that you take iron supplements regularly •Patent have to take Autrin Capsule daily Dose: 1 Capsule per day 199बीमांर्यां और उनका उपचार 2.Nonsteroidal anti- inflammatory drugs (NSAIDs):

- NSAIDs have the added benefit of relieving painful menstrual cramps (dysmenorrhea)
- Ibuprofen 400 mg (1-2 BD) •Paracetamol 500mg (1-2 BD) 3.TRANEXAMIC ACID: •This medication is used to treat heavy bleeding during menstrual period •Tranexamic acid works by slowing the breakdown of blood clots, which helps to prevent prolonged bleeding
- It belongs to a class of drugs known as antifibrinolytics, Not a hormone •Dose: 10–15 mg/kg 2–3 times a day or 1–1.5 g TDS oral, 0.5–1 g TDS by slow i.v. infusion. 4.Oral contraceptives: •Most oral contraceptives contain a combination of 2 types of hormones: an estrogen and a progestin. •Both of these hormones are naturally found in women's bodies•Dose: 1 Pill per day as mention on label 5.The hormonal IUD (Mirena): •Mirena is a hormonal intrauterine device (IUD) that can provide long-term birth control (contraception)
- The device is a T-shaped plastic frame that's inserted into the uterus, where it releases a type of the hormone progesterone 6.Uterine artery embolization: •For women whose menorrhagia is caused by fibroids, the goal of this procedure is to shrink any fibroids in the uterus by blocking the uterine arteries and cutting off their blood supply 7.Endometrial ablation: •Using a variety of techniques, doctor permanently destroys the lining of your uterus (endometrium). •After endometrial ablation, most women have much lighter periods •MUST CONSULT GYNACOLOGIST IN SUCH CASE OF HEAVY PERIODS

200बीमांर्यां और उनका उपचार8.DILATION AND CURETTAGE (D&C): •In this procedure,

doctor opens (dilates) cervix and then scrapes or suctions tissue from the lining of uterus to reduce menstrual bleeding •Although this procedure is common and often treats acute or active bleeding successfully 9.FOCUSED ULTRASOUND ABLATION: •Similar to uterine

artery embolization, focused ultrasound ablation treats bleeding caused by fibroids by shrinking the fibroids •This procedure uses ultrasound waves to destroy the fibroid tissue •There are no incisions required for this procedure 10.Myomectomy: •This procedure involves surgical removal of uterine fibroids •Depending on the size, number and location of the fibroids, surgeon may choose to perform the myomectomy using open abdominal surgery, through several small incisions (laparoscopically), or through the vagina and cervix (hysteroscopically) 11.Endometrial resection: •This surgical procedure uses an electrosurgical wire loop to remove the lining of the uterus. •Both endometrial ablation and

endometrial resection benefit women who have very heavy menstrual bleeding.

•Pregnancy isn't recommended after this procedure 12.Hysterectomy: •Hysterectomy — surgery to remove your uterus and cervix —is a permanent procedure that causes sterility and ends menstrual periods •Hysterectomy is performed under anesthesia and requires hospitalization. •Additional removal of the ovaries (bilateral oophorectomy) may cause

premature menopause 201बीमारियाँ और उनका उपचार70. MIGRAINE (माइग्रेन) ?Migraine is a

Neurological disorder that causes a strong Headache, This headache comes with small episodes ?Pain can shift from one side of your head to the other, or it can affect the front of the head, or back of the head or feel like it's affecting your whole headINTRODUCTION

?Bright lights ?Severe heat ?Dehydration ?Changes in barometer pressure ?Hormone changes ?Excess stress ?Loud sounds ?Intense physical activities ?Skipping meals ?Changes in sleep patterns ?Medicine ?Unusual smells ?Certain foods ?Smoking ?Alcohol use ?TravellingCAUSES 202?Mine is a complex disorder In which frequent moderate to

severe Headache occurs. This is half of the head It happens in parts. it is believed that is that the nerves in the brain, Chemistry and the celloh m occurring for some time What causes change? ?Symptoms of Mien: ?Discomfort due to light and loud noise ?Also leads to vomiting. ?Nausea ?Sensitivity to smell ?Causes of Mien: ?Lack of sleep ?Change in

weather ?Hunger ?Too much excitement of engine ?Stress ?Blurred vision ?Vomiting, feeling sick ?Pain lasting 4-72 hours ?One sided pain ?Headache can be moderate to severely ?Hormonal changesSYMPTOMS PREVENTION ?Reduce mobile phone usage

?Drink 5-7 liters of water per day ?Minimize computer screen use duringg a migraine ?Turn off the lights ?Try temperature therapy ?Sip a caffeinated drink ?Establish regular sleep hours ?Don't try so hard to sleep ?Don't skip meals ?Manage your stress level ?Take proper medicines TREATMENT & MEDICINE OPTIONS

•Naproxen tablets:1 tablet OD or BD •Migran tablets:1 tablet OD or BD •Migranex-10 tablets:1 tablet OD or BD •Migrabeta plus:1 tablet OD or BD •Suminat-25: 1 tablet OD or BD •Zerograin plus:1 tablet OD or BD •Patanjali Divya Dhara roll Oil (10ml) •Amrutanjani

Roll-on -10 ml 203बीमारियाँ और उनका उपचार 71. MORNING SICKNESS (मॉर्निंग िसकनेस,

गर्भावस्था मॄ उठती) ?Nausea & vomiting during pregnancy ?Morning sickness is a common

symptom of pregnancy and is marked by nausea and occasional vomiting, It is called Morning sickness but it can cause discomfort at any time of the day ?Morning sickness usually happens within the first four months of pregnancy and is often first sign that a

woman is pregnantINTRODUCTION ?The production of the human chorionic gonadotropin (HCG) hormone ?Commonly referred to as the pregnancy hormone, this is the hormone that the body begins to produce once the fertilized egg attaches to the uterine lining

?Estrogen is another hormone that rises during early pregnancy and could contribute to

queasiness ☐ A sensitive stomach could be made worse while trying to adapt to the changes of pregnancy ☐ Stress or fatigue is suggested to cause a physical reaction within the body, leading to nausea and vomiting CAUSES 204 ☐ Morning sickness is a problem that occurs during pregnancy. Pregnant woman in this As soon as I wake up in the morning, I feel nauseous and vomit. ☐ The reason behind this is the change in home environment. feeling nauseous and vomiting as soon as you wake up in the morning ☐ Generally, morning sickness starts from the sixth week of pregnancy and lasts for seven weeks. Or lasts for a month. However, some women may have to wait even longer. Vomiting may occur. ☐ Common signs and symptoms of morning sickness includes nausea and vomiting, ☐ It enhances by certain odors, spicy foods, heat, excess salivation ☐ Morning sickness is most common during the first trimester and usually begins by nine weeks after conception, While in some cases it starts for 4th week of pregnancy & continue till 16th week of more SYMPTOMS PREVENTION ☐ Avoiding foods and smells that trigger your nausea ☐ If possible someone other prepare food for you and eat it away from kitchen so u can eliminate smell and odor ☐ Allow some time for digestion, and rise slowly once you are ready ☐ Eating smaller meals more frequently throughout the day instead of three big meals ☐ Means take 5 to 6 smaller meal in place of 2-3 big meal ☐ Drinking less water/fluids with your meals, and instead, drink them between meals 205 बीमारियाँ और उनका उपचार DIAGNOSIS ☐ Blood test ☐ Urine test ☐ Pregnancy test ☐ Ultrasound scan ☐ Physical examinations 206 बीमारियाँ और उनका उपचार ☐ Vitamin B6 supplements (pyridoxine) ☐ Doxylamine succinate ☐ Drug of choice: Doxylamine & Pyridoxine ☐ Other antiemetics should be avoided because of side effects ☐ Use only Doxylamine & Pyridoxine combination for best results ☐ Ginger as herbal natural remedy TREATMENT & MEDICINE OPTIONS 1 Tablet to be taken 2-3 times in a day OR take 1 tablet at bed time 1 Tablet to be taken 2-3 times in a day OR take 1 tablet at bed time

Use fresh lemon juice or lemon water to prevent nausea naturally during the pregnancy Keep Ginger piece in mouth to prevent nausea naturally during the pregnancy 72. MOTION SICKNESS (मोशनिसिकनेस) ☐ Motion sickness is not a disease but a condition when our brain receives different signals from the inner ear, eye, and skin, putting the central nervous system in a confusion ☐ For example, while traveling in a car, give your ears a message of speed & eyes to read a book ☐ Motion sickness is a sensation of Drowsiness ☐ It usually occurs when you're traveling by car, boat, plane, or train ☐ Your body's sensory organs send mixed messages to brain, causing dizziness, lightheadedness, or nausea INTRODUCTION ☐ मोशनिसिकनेस a common sum Is. This is not a disease, but Why is this a type of person minded? ☐ In this our brain is connected with ears, nose And

different skin types Signals are received. This is how we are The brain cannot understand that Our body is moving or is moving. In such a situation, The system gets into a dilemma and I start feeling uneasiness in my stomach. ❑Symptoms of motion sickness: ❑Come back ❑Stomach upset ❑Nausea CAUSES ❑While traveling Brain receives different

signals from the inner ear, eye, and skin, putting the central nervous system in a confusion ❑Stress & Anxiety during traveling 207❑Nausea ❑Vomiting ❑Cold sweat ❑Headache ❑Yawning ❑Loss of appetite ❑Increased salivation ❑Sleepiness SYMPTOMS ❑Objects directly in front of the eyes Thinking about it may help is ❑Huge food, alcohol before travelling. and avoid smoking ❑To avoid motion sickness Take medicine before traveling ❑Avoid reading while travelling. ❑Avoid sitting on the back during travelling. vehicle ❑Rapid change in hand position escape ❑Enjoy fresh air during travel and Open windows if possible ❑If possible in car, bus etc. where to seat in the front ❑Motion by keeping ginger or garlic in the mouth Prevents sickness TREATMENT & PREVENTION MEDICINE OPTIONS

❑Promethazine: DOSE: 25–50 mg oral per day ❑Ondansetron: Dose: 4 to 8 mg every 8 hours ❑Granisetron: DOSE: 1 to 3 mg (10–40 µg/kg) ❑Doxylamine: DOSE: 10–20 mg at bed time. ❑Domperidone: DOSE: 10–40 mg TDS ❑Meclizine: DOSE: 25 to 50 mg per day ❑Dimenhydrinate: DOSE: 25–50 mg OD ❑Prochlorperazine: DOSE: 5–25 mg Per day.

208बीमांरयां और उनका उपचार 73. MOUTH ULCER (मुँह मँ छाले) ❑A mouth ulcer is an ulcer that occurs on the mucous membrane of the oral cavity ❑Mouth ulcers are very common, occurring in association with many diseases and by many different mechanisms, but usually there is no serious underlying cause INTRODUCTION ❑Mouth ulcers can have causes that aren't due to underlying disease. ❑Canker sores (shallow sore inside themouth) ❑Deficiency of vitamin B- complex ❑Burns in oral cavity ❑Biting the tongue or cheeks ❑Eating acidic foods such as ❑Sour sweets and pineapple ❑Constipation ❑Smoking ❑Lack of oral hygiene ❑Vitamin B12 Deficiency ❑Bacterial Infections ❑Nutritional disorders CAUSES SYMPTOMS ❑One or more painful sores on part of the skin lining the mouth ❑Swollen skin around the sores ❑Problems with chewing or tooth brushing because of the tenderness ❑Irritation of the sores by salty, spicy or sour foods ❑Loss of appetite

209210बीमांरयां और उनका उपचार TREATMENT & MEDICINE OPTIONS ❑HOME REMEDY:

- Honey •Baking Soda Paste •Coconut Oil •Saltwater •Orange Juice •Clove Oil •Coconut Milk •Turmeric Powder •Cabbage Juice •Apple Cider Vinegar •Liquorice •Vitamin B12 supplements •Vitamin C supplements •Folic acid •Multivitamin syrup •Vitamin B-complex

❑TABLET CONTAINING FOLLOWING COMBINATION ALSO USEFUL •Riboflavin •Folic acid •Niacinamide •Lactic acid bacillus spores ❑ORAL ANALGESIC GELS (BENZOCAINE):

- Benzocaine is used short term to relieve pain from minor mouth problems (such as toothache, canker sores, sore gums/throat, mouth/gum injury) •It is a local anesthetic that

works by numbing the painful area •Do not use this product for children younger than 2 years due to risk of serious side effects DOSE: 1 TABLET PER DAY DOSE: 1 TABLET PER DAY 74. MUCORMYCOSIS (काला फंगस) Mucormycosis is a fungal infection that caused by Mucorales It is also called black fungus disease, zygomycosis,

It is a fungal infection of the sinuses, brain, or lungs. It occurs in which people who have weakened immune system. Infection of the oral cavity or brain are the most common forms of mucormycosis The fungus can also infect other areas of the body such as the gastrointestinal tract & skin INTRODUCTION 211 Black Fungus a year what is the disease which Bacteria and Viruses It does not spread through This is a special kind of Spread through fungus. Educator to black fungus in the name of mycosis also known as ए। This is a rare case. There is infection which is quite is considered dangerous. • Eye irritation • Near the face, nose or of skin near the eye turn black • Black spots on skin to become • Jawbone loss • Numbness of face 212 Diseases and their treatment Mucormycosis is a fungal infection caused by certain types of molds (mucormycetes) The most common types that cause mucormycosis are Rhizopus species and Mucor species. CAUSES DIAGNOSIS See an ear-nose-throat (ENT) Testing depends on your symptoms, but may include these imaging tests: CT scans MRI scans A biopsy must be done to diagnose mucormycosis A biopsy is the removal of a small piece of tissue for laboratory examination to identify the fungus Eyes that swell and stick out (protrude) (आँखें चपकना) Dark scabbing in nasal cavities Fever & Headache Mental status changes Redness of skin above sinuses Sinus pain or congestion Coughing blood One-sided facial swelling Shortness of breath Abdominal pain Blood in the stools Diarrhea SYMPTOMS 213 बीमारियाँ और उनका उपचार Patient with AIDS Patient with Burns Diabetic Patient Leukemia and lymphoma Long-term steroid use Metabolic acidosis Poor nutrition Weaker immunity after Covid-19 infection Cancer Rheumatic or Autoimmune disorders RISK FACTORS MEDICINE OPTIONS Amphotericin B: 0.3–0.7 mg/kg daily by slow i.v. infusion over 4–8 hours (Total dose 3–4 g); 0.5 mg intrathecal, 3% topically in ear, 50–100 mg QID oral Liposomal amphotericin B: 3-5 mg/kg/day i.v. infusion Posaconazole 100 mg : orally twice a day on the first day • Maintenance dose: 100 mg orally once a day CRESEMBA, isavuconazole : Initial: 372 mg PO/IV q8hr x6 doses (48 hr), Maintenance: 372 mg PO/IV qDay Voriconazole: Oral-200 mg BD taken 1 hour before or 1 hour after meal; Intravenous—initially 6 mg/kg 12 hourly 2 doses, then 4 mg/kg 12 hourly. Drug is to be reconstituted and diluted, infused at not more than 3 mg/kg/hr. 75. MALARIA (मलेरिया) मलेरिया एक पैरासाइटिक रोग है जो एनोफेलीज Spread through mosquito bites When this mosquito bites

you, the parasite enters your blood and turns red. क्लड सेस नशु Malaria is transmitted by infected mosquitoes. When you get bitten by a mosquito which carries the malaria parasite, the parasite enters your bloodstream It is then carried to your liver, where it multiplies INTRODUCTION Fever Chills General feeling of discomfort Headache Nausea

Vomiting Muscle or joint pain Fatigue Rapid breathing Rapid heart rate Cough Diarrhea Abdominal pain SYMPTOMS TYPES 1. Plasmodium Falciparum 2. Plasmodium Vivax 3. Plasmodium Ovale 4. Plasmodium Malariae 5. Plasmodium Knowlesi 214 Mosquito repellent

Mosquito repellent Cream Mosquito Net/Machardani Wear full sleeve cloth Keep surrounding area clean Maintain good hygiene PREVENTION Microscopic Examination of Blood Smears (Giemsa Staining) Rapid Diagnostic Tests (RDTs) Polymerase Chain Reaction (PCR) Testing Quantitative Buffy Coat (QBC) Test DIAGNOSIS TREATMENT & MEDICINE OPTIONS 1. CHLOROQUINE: 1000 milligrams (mg) once a day, taken for 2 days, Followed by 500 mg once a day for at least 2 to 3 weeks. 2. Artemether-lumefantrine: 3 Days course of total 24 tablets in six doses (4 Tablet BD for 3 days) 3. Atovaquone-proguanil: 50 milligrams (mg) of atovaquone and 100 mg proguanil (1 adult strength tablet) per day, starting 1 to 2 days before entering malarial area and continuing for 7 days following return. 4. Primaquine phosphate: For radical cure of vivax malaria: 15 mg (children 0.25 mg/kg) daily for 2 weeks along with chloroquine for 3 days; As gametocidal for falciparum malaria 45 mg (0.75 mg/kg) single dose along with chloroquine; 5. Himalaya Platenza : Take 1 to 2 tablets twice daily 6. Resochin: Dose: 1 or 2 tablet per day 7. Norsunate-200: Dose: 1 tablet per day 8. Quinestar: Dose: 1 tablet OD/BD 9. Lumerax-60 : Dose: 1 tablet per day 10. Lumerax-80: Dose: 1 tablet per day 11. Larinate-100 kit: Single time kit 12. Larinate-200 kit : Single time kit 13. Synriam tablet: 1 tablet per day 215 बीमांरयां

और उनका उपचार 76. NON ALCOHOLIC FATTY LIVER DISEASE (NAFLD) The liver is the largest organ in human body Location : The upper right part of the belly (abdomen) Color : Dark reddish-brown in color & Weight: About 3 pounds It removes toxins from the blood & Helps in protein synthesis Storage of vitamins and minerals also Filtration of blood from the body and filter out toxins drug INTRODUCTION Everyone has little amount of fat on liver, But, In fatty liver too much accumulation of fat on liver, Its lead to serious liver damage like liver cirrhosis, liver fibrosis Because of the fat deposits in the liver, (NAFLD) is a severe type of fatty liver disease that damages and swells the liver, Additionally linked to an increased risk of conditions including diabetes, heart attacks, and strokes are high liver fat levels. 216 फैटी िलवर एक गंभीर बीमारी है. इसम िलवर म वसा या चबे जमा हो जाती है

फैटी लिवर के लक्षण: • वजन कम होना • भूख न लगना • थकान • पैरों में swelling • Nausea To cure fatty liver solution • Weight loss • Eat plenty of fruits and vegetables • Aerobic exercise • Consuming coriander • Obesity or overweight • Having Type 2 diabetes • Over use of drugs • Taking steroids CAUSES • Tiredness and weakness • Weight loss • Fever • Nausea and vomiting • Appetite loss • Yellowing of the skin and eyes (jaundice) • Spiderlike blood vessels on the skin • Long-lasting itching • Severe tiredness • Weakness • Weight loss • Yellowing of the skin or eyes SYMPTOMS DIAGNOSIS • Blood test • Urine test • Ultrasound • CT scan & MRI • Liver biopsy • SGPT / SGOT TREATMENT OPTIONS • Doctors recommended for weight loss • Suggest improve health • Suggest nutritional supplements 217 बीमारियाँ और उनका

उपचार 2 Tablet BD 1-2 tablets daily 77. NAUSEA (जीमिचलाना) • Nausea is stomach discomfort and the sensation of wanting to vomit. It can be a precursor to vomiting the contents of the stomach, The condition has many causes and can often be prevented • Nausea is not a disease itself, but can be a symptom of many disorders related to the digestive system or GI tract INTRODUCTION 218 • G. Feeling nervous or nauseated is a normal condition. It is called Noshiya. The condition of nausea can occur due to many reasons. • It is not necessary to exercise only because of some disease. The reason for this Traveling by car or plane, taking pills on an empty stomach, too much Or eating very little or drinking a lot of alcohol. • Nausea or vomiting There can be many reasons §: • Any surgery • Consumption of some medicines • Hormonal disorders and stomach related problems. • Having stomach worms • Food Intolerance • Cancer treatment • Too hot • Travel Nausea 219 Diseases and their Treatment SYMPTOMS • Feeling to do vomiting • Dizziness • Faintness • Dry mouth • Diarrhea • Fever • Abdominal pain • Decreased urination CAUSES • Motion sickness or seasickness • Early stages of pregnancy • Nausea occurs in approximately 50%-90% of all pregnancies; vomiting in 25%-55% • Pain in body cause nausea • Emotional stress (such as fear) • Gallbladder disease • Food poisoning • Stomach Infections • Stomach Flu • Some medications DIAGNOSIS • Blood test • Urine test • Pregnancy test • Ultrasound scan • Physical examinations 220 बीमारियाँ और

उनका उपचार 1. Promethazine theoclate: 25–50 mg oral; 2. Diphenhydramine: 25–50 mg oral. 3. Dimenhydrinate: 25–50 mg oral. 4. Cyclizine: 50 mg oral. 5. Meclozine: 25–50 mg oral. 6. Doxylamine: 10-20 mg at bed time (for morning sickness). 7. Cinnarizine: 25–50 mg oral. 8. Chlorpromazine: 10–25 mg oral/i.m. 9. Prochlorperazine: 5–25 mg oral/i.m. 10. Metoclopramide: 10 mg (children 0.25–0.5 mg/kg) TDS oral or i.m. For chemotherapy induced vomiting 0.3–1.0 mg/kg i.v./ 11. Domperidone: 10–40 mg (Children 0.3–0.6 mg/kg) TDS; 12. Cisapride: 10–20 mg TDS 13. Mosapride: 5 mg (elderly 2.5 mg) TDS 14. Itopride: 50 mg TDS 15. Tegaserod: 2-6 mg BD before meals MEDICINE OPTIONS 78. NERVE PAIN (नर्व

पैन) ❷Nerve pain is medical condition in which you feel pain in nerve due to weakness of nerve. ❷Also called Neuropathy ❷Peripheral Neuropathy ❷Neuron pain ❷Diabetic NeuropathyINTRODUCTION ❷Nerve damage or weakness ❷Peripheral Neuropathy ❷Diabetic Neuropathy ❷Heavy alcohol drinking ❷Brain or spine injury ❷Poor blood supply to neuron ❷Vitamin B12 or thiamine (vitamin B1) or B6 deficiency ❷Nutritional deficiency ❷Uncontrolled diabetes CAUSES ❷Continuous pain in nerve ❷Sudden Tingling in feet ❷Feeling like a needle prick ❷Sudden pain in bodySYMPTOMS 221❷Neve pain is called neuralgia. Is. It is a painful and burning sensation Vali is felt. ❷The symptoms of nerve pain are: ❷PainThe pin-and-diddle sensation ❷Swelling-weakness Tingling in soles of feet There is unbearable pain in the entire leg, feeling like pricking a needle. Often sharp and burning pain❷Medical History ❷Physical examination ❷Symptoms based❷Blood & sugar Test ❷Urine test ❷CT SCAN or MRI ❷Vitamin b12 testDIAGNOSIS 1.ALLOPATHY OPTIONS:

- Meconerv Forte Capsules: Dosage: 1 Capsule Per Day •NeurobionForte Tablet: Dosage: 1 Tablet Per Day •NeurobionPlus Tablet: Dosage: 1 Tablet Per Day •OptineuronForte Tablet: 1 Tablet Per Day •MecglaCapsule: Dose: 1 Capsule Per Day •NurokindGold Capsules: Dose: 1 Capsule Per Day •NeurobionForte Injection: Dose: 1 Injection Per Week
- NurokindGold Injection: Dose: 1 Injection Per Week •ResnerPlus Tablet: Dose: 1 Tablet OD/BD •Pregabalin 75 Mg Tablet: Dose: 1 Tablet OD/BD •Gabapentin 100 Mg Tablet: Dose: 1 Tablet OD/BD •ArigabaOintment: Apply 2-3 Times A Day •Capsaicin Cream: Apply 2-3 Times A Day 2.HERBAL & HOMEOPATHY: •SBL Hypericum Perforatum 1x Tablets : Dose: 1 or 2 Tablet BD •SBL Hypericum Ointment: Apply 2-3 Times A Day •Bakson Hypericum Ointment :Apply 2-3 Times A Day •Allen A29 Homeopathy Sciatica Drops For Nerve Pain Drops: DOSE 10 -15 drops in half-cup of water, 4 times a day.TREATMENT & MEDICINE

OPTIONS 222बीमाहरयां और उनका उपचार 79. NIGHT FALL (ÖvÈndosh) ❷Night fall is condition when men ejaculate (release sperm) and women release fluid from their vaginas while sleeping ❷They are also known as nocturnal emissions ❷Also called wet dreams ❷It occurs any time when u sleep Either inday or night ❷In adult age it is also common in many people and its Not a any disease or disorder ❷Nightfall is completely physiological❷NORMAL NIGHT FALL: ❷Normal: 2-3 times a week ❷It's natural process of throwing waste semens ❷Body naturally release excessive semen which form by our reproductive organ on daily basis ❷Nothing to worry ❷EXCESSIVE NIGHT FALL: ❷When night fall occurs daily or when u sleep is sign of excessive night fall ❷5-7 times a week or More than 15-20 times in a month need some treatment based on reason of night fallINTRODUCTION ❷Night fall is also called ÖvÈndosh. ❷It is a natural physiological process. ❷Ejaculation of semen while sleeping Night fall is called §. In youth Night fall is common. 223 ❷Night fall is a problem in which a man suddenly falls asleep while sleeping. There is difficulty in passing semen. ❷If this happens only once or twice a month then it can be considered normal. But, if it happens

more often than this, then there is no harm to the child or the child. and the person suffers from physical weakness. 224 बीमारियाँ और उनका उपचार

2 Less frequent masturbation 2 Absence or lack of sexual activity (Physical inactivity) 2 Watching too much of sexual content 2 Going to bed with full bladder at night 2 Excessive stimulation of genitals 2 Taking of sex hormone supplements 2 Weak muscles 2 Inadequate ejaculation 2 Obesity & Stress 2 Prostate Gland Inflammation 2 Nervous System Problems 2 Nightfall Due to Drug Side Effect

SYMPTOMS 2 Sperm release when you pass urine 2 Same during you pass stool 2 Chills or sweating at night 2 Mild weakness 2 Pain in testicles 2 Loss of appetite 2 Weakness in body

DIAGNOSIS 2 Semen analysis 2 Blood test & Urine test 2 BMI (basal mass index)

CAUSES 2 Amazing imaginations 2 Agile thinking 2 Watching cool movies 2 Women's death 2 Enjoyment in mind lustful yall 2 Lust in the mind 2 Sexual activity absence or lack 2 Very high quality material to see 2 Too much stress

TREATMENT & MEDICINE OPTIONS

1. Treat your Prostate gland inflammation
2. Treat by Reduce the intake of sex hormone medicine
3. Reduce your body weight in range of normal BMI
4. Read Good books with motivation before you sleep
5. Limit the use and watching of sexual content
6. Reduce stress, Anxiety, and depression
7. Do Yoga on regular basis
8. Meditation
9. Reading of holy books
10. Take healthy sleep of 8 hour
11. Avoid watching content which distract your mind
12. **MEDICINES:**
 - For overall health : Multivitamins and Multiminerals
 - For healthy neuron: Multivitamins and Multiminerals
 - Sleep and wellness medicine: Herbal or allopathy medicine available for good sleep
 - Antidepressants if reason is stress and depression
 - Medicine treatment of Prostate and its inflammation

225 बीमारियाँ और उनका उपचार

- 1-2 tablet two times in a day
- 4 to 6 tablet with Milk
- 1 Spoon with milk 2 times
- 2 tablet two times in a day

80. OBESITY (मोटापा) 2 Obesity is a complex disease involving an excessive amount of body fat 2 Higher BMI Compare to Normal one, BMI above 30 is considered to be obese

INTRODUCTION 2 Bad habits of eating junk food 2 Stress in life 2 Poor sleep 2 Hormonal imbalance 2 Genetics 2 Thyroid problem

SOME MEDICINES: • Insulin • Antipsychotic • Antidepressant • Epilepsy medicines • Steroid hormone

CAUSES 226 2 Obesity simply means increase in weight (Overweight). 2 Stomach bulge, belly fat increases, main reason for obesity Do not eat or exercise. 2 Obesity is a condition in which excessive fat accumulates in the body. It gets done. This can be harmful to health. 2 Obesity or overweight affects 30 percent of the world's population. Does. it It has become the fifth leading cause of death worldwide. 2 Find Your BMI 2 Blood Test

HORMONAL TEST

DIAGNOSIS

MEDICINE OPTIONS

1. Ayurslim Capsules: Dose: 2 Capsule BD
2. Himalaya Vrikshamla: Dose: 2 Tablet BD
3. Patanjali Divya Weight Go: Dose: 2 Tab BD
4. Charak Obenyl Tablet: Dosage: 1-2 Tablet BD
5. Charak Obenyl Nutra: Dose: 1-2 Tablet BD
6. Zandu Lean & Slim: Dose: 1-2 Capsule BD
7. Hamdard Safoof Mohazzil: 5 gm BD With water
8. SBL B-Trim Drop: 10-15 Drops In Half Cup Water 4 Time
9. Lipocut 60: 1 Capsule BD

Or TID 10. Lipocut 120: 1 Capsule BD Or TID 227 बीमारियाँ और उनका उपचार TREATMENT Diet changes Exercise & Yoga Life style modification SYMPTOMS Breathlessness Increased Sweating Snoring Difficulty In Doing Work Often Feeling Very Tired Joint Pain Back Pain Feeling Isolated Anxiety

81. OCULAR HYPERTENSION (आँख का येशर बढ़ना) It is the medical condition in which pressure inside the eyes increase, In medical term High pressure in the eyes is called the ocular hypertension (INCREASED EYE PRESSURE) The front part of the eye is filled with a clear fluid (called aqueous humor) made by the ciliary body Intraocular pressure (IOP): Normal eye pressure ranges from 12-22 mmHg Eye pressure of greater than 22 mm Hg is considered higher than normal Called ocular hypertension Ocular hypertension occurs when the pressure in the eye (known as intraocular pressure) is above the range considered normal (often defined as above 21 mm Hg) INTRODUCTION

Primary reason behind increase the eye pressure is • 1. Increase fluid production in eyes by ciliary body • 2. Decrease in the fluid out flow Resulting increase in amount of aqueous humor and it build up the pressure inside the eyes and damage the different parts of eyes Poor drainage of the aqueous humor (a fluid inside the eye) CAUSES 228 Ocular hypertension means that the pressure in the eye (intraocular pressure) It is more than normal. The pressure in the eye is called intraocular pressure (IOP), There is fluid in the retina of the eye. When this fluid is not completely wet, so this Build-up can occur in the eye when eye pressure is high. This condition is called eye disease. § 229 Diseases and their treatment

Hazy or blurred vision The appearance of rainbow-colored circles around bright lights Severe eye and head pain Nausea or vomiting Severe eye pain Sudden sight loss Red eyes SYMPTOMS During a regular eye exam, intraocular pressure is measured using a device called tonometer If elevated pressure is measured above 21 mm Hg twice, an eye care professional may diagnose ocular hypertension DIAGNOSIS TREATMENT OPTIONS

PROSTAGLANDINS: • They work by increase the outflow of the fluid in eye (aqueous humor) & reduce the eye pressure • Latanoprost, Bimatoprost • Travoprost, Tafluprost • Latanoprostene bunod BETA BLOCKERS: • They work by reduce the production of the fluid in eye (aqueous humor) & reduce the eye pressure • Timolol & Betaxolol 230 बीमारियाँ

और उनका उपचार Alpha-adrenergic agonists: • They work by reduce the production of the fluid in eye (aqueous humor) and also outflow • Thus reduce the eye pressure.

Apraclonidine • Brimonidine Carbonic anhydrase inhibitors: • They also work by reduce the production of the fluid in eye (aqueous humor), Thus reduce the eye pressure.

• Dorzolamide

• Brinzolamide Rho kinase inhibitor: • They also work by reduce the eye pressure by suppressing the rho kinase enzymes responsible for fluid increase. • Netarsudil Miotic or

cholinergic agents: •They also work by increase the outflow of eye •Pilocarpine 82. ORAL THRUSH ?Oral Thrush or oral candidiasis, is a yeast infection of the mouth. ?Oral Thrush produces slightly raised, creamy white patches in the mouth or on tongue ?Oral Thrush is also called oral candidiasis ?It mostly affects babies but can also occur in adults. ?Fungi normally live in our mouths, but rapid multiplication can

cause an infection INTRODUCTION 231 ?Oral 3श, also known as oral Also called candidiasis, There is a fungal infection. this fungus A group of i.e. Candida, Candida with special effect Occurs due to arbitrariness. ?Oral what is the problem ?Fungus inside the mouth ?Tongue infection ?Mouth ulcers ?Fungal infection of mouth ?Feeling a white coating. ?The tongue becomes red, accompanied by burning and pain. ?Change in ability to respond Cracking of the corner of the tongue or lips ?Feeling like clay or sandpaper on the tongue. ?Plaques formation in our tongue ?Unpleasant taste in mouth or loss of taste ?Cracks at the corners of the mouth ?Cottony feeling in your mouth ?A feeling that food gets stuck in your throat ?Painful & burning sensation in the mouth SYMPTOMS ?Diabetes ?Anemia ?HIV/AIDS ?Cancer ?Local irritation ?Local radiation ?Dry mouth ?Pregnancy ?Smoking ?ill-fitting dentures ?Poor nutritional diet ?Chemotherapy ?Vitamin deficiency RISK FACTORS 232 बीमा रियाँ और उनका उपचार ?it's caused by a group of yeasts called Candida ?Poor oral hygiene ?Stress ?Using birth control pill ?Weak immune system ?Cancer ?Poor or Unhealthy diet CAUSES 1. CLOTRIMAZOLE LOZENGES

•Mild Oral Thrush: •10 MG Clotrimazole lozenge-5 times a day 2. NYSTATIN SUSPENSION •5 mg nystatin oral suspension -4 times a day 3. FLUCONAZOLE TABLET

•Moderate To Severe Oral Thrush: •Loading Dose :200mg of fluconazole once •Maintenance Dose :100 mg once a day, for 7–14 days 4. ITRACONAZOLE CAPSULES

•Oral Thrush that is not responding to treatment •200mg of Itraconazole capsules once a day for 28 days 5. VORICONAZOLE TABLETS

•Oral Thrush that is not responding to treatment •200mg voriconazole twice a day for 28 days 6. POSACONAZOLE SUSPENSION •Loading Dose : •400mg posaconazole suspension twice a day for 3 days •Maintenance Dose : •400 mg once a day for 28 days 233 बीमा रियाँ और उनका उपचार

TREATMENT & MEDICINES 83. OVARIAN CYST (अंडाशय म गांठ) ?Ovarian cysts are sacs, usually filled with fluid, in an ovary or on its surface, The majority of cysts are harmless ?If the cyst either breaks open or causes twisting or Rupture of the ovary, it may cause severe pain INTRODUCTION ?Abnormal cell reproduction ?Endometriosis ?Pelvic Inflammatory Disease ?Hormonal imbalance CAUSES

?Pelvic pain ?Fullness in abdomen ?Feeling of bloating ?Painful intercourse ?Irregular periods ?Menorrhagia ?Weight gain ?Hair growth on face ?Nausea & vomiting SYMPTOMS
 234 ?Ovarian cyst means, Lump in ovary. ovary a liquid There is a bag filled with matter.
 ovarian cyst Looks like a small bag. ?Having difficulty keeping agency. ?Periods come in spurts.
 ?Abdominal flatulence or swelling ?Pelvic Examination ?Ultrasound Scan ?MRI or CT scan
 ?Laparoscopy ?Regular follow-ups DIAGNOSIS 1.Ovarian Cyst medications
 2.NSAIDS to stop pain 3.Ovarian cyst surgery 4.Watchful Waiting TREATMENT MEDICINE
 OPTIONS 1.Allen A90 Ovarian Cysts Drop : Dose: Take 50 Drops in half cup of water daily 4
 times for 4 days, After 4 days, take 30 Drops, 3 times a day 2.SBL Ovarinum 30 CH: DOSE:
 Take 5 drops in half cup of water three times a day, 15 to 30 minutes before or after taking
 food 3.Paracetamol 500 mg 1 or 2 tablet per day 4.Ibuprofen 400 mg 1 or 2 tablet per day
 5.This Medicine Help Reduce & Relieve Pain 6.Surgery options: •Laparoscopy •Laparotomy

235 बीमांरयां और उनका उपचार 84. PARALYSIS (लकवा) ?Paralysis is medical condition which
 is mainly occurs due to damage or injury to nervous system ?It is a problem related to
 bodies nervous system ?Neuron related problem INTRODUCTION ?Spinal cord injuries
 ?Strokes or Brain injuries ?Cerebral palsy ?Multiple sclerosis ?Neurological diseases
 ?Autoimmune disease ?Diabetes ?Family history ?Herpes simplex virus ?High blood
 pressure ?Epstein-Barr virus ?Herpes zoster virus CAUSES types 1.Hemiplegia (half body)
 2.Paraplegia (half body) 3.Quadruplegia (Full Body) 4.Monoplegia (single hand)
 236 ?Paralysis is a fatal disease. It is a group of one or more muscles. The condition of
 being completely unable to work is called disability. ?Lack of sensation or hearing in the
 affected area, pain in the affected area or Feeling of discomfort, tingling or other unusual
 sensations ?CT SCAN ?MRI ?Blood test ?Neurological examinations ?Physical
 examinations SYMPTOMS DIAGNOSIS ?Loss of feeling ?No movement ?No sensations
 ?Loss of muscle control ?Muscle cramps ?Tingling ?Numbness TREATMENT OPTIONS
 ?Supportive care ?Rehabilitation ?Physiotherapy ?Speech therapy ?Routine Exercises
 ?Cognitive behavioural therapy (CBT) for patient 237 बीमांरयां और उनका उपचार MEDICINE

OPTIONS Dose: 1 Tablet Per day Dose: 1 Tablet Per day 85. PELVIC PAIN (पेडू म्र दद^a)
 238 INTRODUCTION ?Pregnancy ?Ectopic pregnancy ?Miscarriage ?Pelvic inflammatory
 disease (PID) ?Ovulation ?Menstrual cramps ?Ovarian cyst ?Uterine
 fibroids ?Endometriosis ?Cervical cancer ?Uterine cancer ?Ovarian cancer ?Kidney
 infection ?Bladder infection ?Pelvic disorders ?Appendicitis ?Urinary tract infection
 ?Sexually transmitted infection (STIs) CAUSES ?Ootate swelling ?Ootate increases due to
 increase in price increased pressure on the road ?Appendix ?Urine effusion ?Infection of
 the anus ?Kidney otone ?Periods ?Gas ?Bacterial infection ?Related to sexual transmission
 Illness ?Pain occurs in lower abdomen area, It may be might be steady, or
 it might come and go ?It can be a sharp and stabbing pain in a specific spot, sometimes can

bedullpainthatisspreadout Swelling in the lower abdomen, pelvic pain, pelvic pain is also called pelvic pain. Ha". There can be many reasons for pelvic pain 8: diseases and their treatment 239Swelling in affected area Redness in affected area Pain in affected area Body cramps Nausea VomitingSymptoms Blood tests Urine tests Pregnancy tests X-ray UltrasoundCT-Scan Endoscopy Uterus examination Laparoscopy

Physiotherapy Medication SurgeryHormonal Treatments Home RemediesPREVENTION Don't stand or walk for long periods Eat more fibrous food Physically active Regular exercise Visit your healthcare provider regularly TREATMENT OPTIONS

MEDICINES OPTIONS

PAIN RELIEVERS: •Dicyclomine: 10–20 mg oral. •Mefenamic Acid: 250–500 mg TDS •Ibuprofen: 400–800 mg TDS •Paracetamol: 0.5–1 g TDS •Dose: infants 50 mg; children 15 mg/kg (1–3 years 80–160 mg, 4–8 years 240–320 mg, 9–12 years 300–600 mg); TREATMENT OPTIONSबीमाक्षर्यां और उनका उपचार 240HORMONE TREATMENTS: •If reason related to female hormonal imbalance then Birth control pills or hormonal medicines may prescribe •Progesterone: 10–100 mg i.m. (as oily solution) OD •Medroxyprogesterone acetate: 5–20 mg OD–BD oral, •Norethindrone (Norethisterone): 5–10 mg OD–BD oral •Levonorgestrel: 0.1–0.5 mg/day ANTIBIOTICS: If pain due to bacterial infection in stomach •Levofloxacin: 500 mg OD oral, 500 mg by slow i.v. infusion •Ofloxacin: 200–400 mg BD oral, 200 mg by slow i.v. infusion •Cefadroxil: 0.5–1g BD ANTIDEPRESSANTS: If reason is Anxiety of fear •0.25–1.0 mg TDS for anxiety MUSCLE RELAXERS: •Cyclobenzaprine is a centrally acting skeletal muscle relaxant •It help to prevent pelvic pain by relaxing muscles in pelvic area Dose: 10 milligrams (mg) 3 times a day HOME REMEDIES Regular exercise Hot water bag massage Avoid alcohol Avoid smoking Take healthy food Manage stress level Multivitamin-multi mineral supplements 86. PELVIC INFLAMMATORY DISEASE

(पेडवकईलेमेटरीडिजीज) Pelvic inflammatory disease (PID) is defined as an inflammation of the upper genital tract due to an infection in women. The disease affects the uterus, fallopian tubes, and/or ovaries PID can become extremely dangerous, even life-threatening, if the infection spreads into the bloodINTRODUCTION CAUSES 241PID, pelvic inflammatory disease, occurs when female reproductive Organs become infected, this includes the uterus, fallopian tubes and ovaries. Can cause problems with scar tissue between internal organs are made,Which causes constant irritative discomfort This can potentially result in an uneconomical pregnancy Two most common that infection cause PID are 1.Gonorrhea 2.Chlamydia Unprotected-sex Childbirth Pelvic surgery Miscarriage Getting an intrauterine device (IUD)Very bad pain in the lower abdomen^a

Feeling upset to your stomach or vomiting. Vaginal discharge that is yellow-green in color or pus-like Pain around the pelvis or lower tummy Discomfort or pain during sex that's felt deep inside the pelvis Pain when peeing Bleeding between periods and after sex Heavy periods Painful periods Unusual vaginal discharge, especially if it's yellow, green or smelly Severe pain in the tummy A high temperature (fever) Feeling and being sick SYMPTOMS DIAGNOSIS PELVIC EXAM TO CHECK PELVIC ORGANS Cervical culture to check cervix for infections Urine test to check your urine for signs of blood, cancer, and other diseases, After collecting samples, your doctor sends these samples to a laboratory ASSESSING DAMAGE If your doctor determines that you have pelvic inflammatory disease, they may run more tests and check your pelvic area for damage. PID can cause scarring on your fallopian tubes and permanent damage to your reproductive organs PELVIC ULTRASOUND: This is an imaging test that uses sound waves to create pictures of your internal organs ENDOMETRIAL BIOPSY: In this outpatient procedure a doctor removes and examines a small sample from the lining of your uterus LAPAROSCOPY: A laparoscopy is an outpatient procedure where a doctor inserts a flexible instrument through an incision in your abdomen and takes pictures of your pelvic organs बीमांरयां और

उनका उपचार 2421. Empiric treatment for PID in the inpatient setting includes: •Ceftriaxone 1 g IV every 24 hours PLUS Doxycycline 100 mg orally or IV every 12 hours PLUS Metronidazole 500 mg orally or IV every 12 hours •Cefotetan (2 g intravenously [IV] every 12 hours) plus doxycycline (100 mg by mouth every 12 hours) or •Cefoxitin (2 g IV every 6 hours) plus doxycycline (100 mg by mouth every 12 hours) or •Clindamycin (900 mg IV every 8 hours) plus gentamicin (3 to 5 mg/kg IV once daily) 2. The CDC recommends the following for first-line treatment for outpatient therapy: •Doxycycline (100 mg orally twice a day for 2 weeks) plus ceftriaxone 500 mg intramuscularly (IM) for one dose or cefoxitin 2 g IM with probenecid (1g orally) for one dose or another parenteral third-generation cephalosporin •Metronidazole (500 mg orally twice per day for 14 days) should be added if there is a concern for trichomonas or recent vaginal instrumentation TREATMENT

OPTIONS बीमांरयां और उनका उपचार 243 87. PENILE PAPULES (पेनाईल पैप्युलस) Penile

papules are small, skin-colored bumps and non-cancerous growths that appear on the head of men's private part The medical term: hirsutoid Papillomas Their size and color can vary across individuals Measure between 1 to 4 millimeters in diameter

INTRODUCTION No find any reasons for penile papules Because they aren't harmful, it is normal anatomic variant It cannot be passed from person to person during physical activities CAUSES Usually they have no symptoms But, lack of self confidence in male SYMPTOMS 244 Penile rash Hirsutoid papilloma Pale penile penis Penis Corona of Glans visible on some skin Granular structures are All men in this place There are other

rashes, but some People, these rashes are getting bigger.जाते हऱ। इन बड़े दानों को ही “पलê पेनाईल पैयेयुडस” कहा जाता है।बीमाँरयाँ और उनका उपचार 245 TREATMENT OPTIONS 2Do not require any specific treatment 2Carbon dioxide laser vaporisation 2Electrosurgery 2Cryotherapy •Keep personal hygiene •Simply use Dettol water during bathing to keep that area clean •Don't use any OTC creams like, antifungal, antiseptic, and antibacterial •PPP doesn't cause any effect on reproductive health of male •It just one type of anatomical structure and doesn't affect on physiological function of male reproductive systemSAFETY ADVICE 2Maintain personal hygiene, use Dettol while bathing to keep the area clean. Using water, any OTC cream like antifungal, antiseptic And don't use antibacterials. 2PPP has no effect on male reproductive organs. 2It is only a type of physical structure and is part of the male reproductive system. Does not attach any importance to physical activity88. PENIS YEAST INFECTION (penis yeast infection) BALANITIS INFECTION, Penis yeast Infection means inflammation of penis,itching or soreness, redness ,Penis yeast Infection can be caused by fungus called candida growing in and around your PenisINTRODUCTION 2Infection fungus candida 2Overgrowth of candida 2Unprotected intercourse with women have vaginal infection 2Poorpersonalhygiene 2Regular use of dirty public toilets & Do not clean your private part properlyCAUSES 2Rashes (चकँे) 2Itchiness (खुजली) 2Discharge from penis. 2(लिंग से िडँचाजँ) 2Redness (लालपन) 2Pain (ददँ) 2Inflammation (सूजन)SYMPTOMS 2462लिंग मँMen with yeast infection Can feel. 2These are usually in the form of ABCs. fungus called (candida albicans) It is caused by infection. 2It usually occurs in those parts of the body. Happens where moisture persists. 2In men these are usually in the penis or May occur in the penile area. 2Blood test & Urine test 2Physical examination 2Culture test 2Test for STIS 2Discharge swab testDIAGNOSIS 2Men's intimate hygiene wash 2Oral medicines and drugs 2Antimicrobials 2Herbal creams 2Topical PreparationTREATMENT OPTIONS MEDICINEE OPTIONS 1.ANTIMICROBIALS (ANY 1 FROM GIVEM LIST) •Clavam 625 (1 BD) •Flagyl 500(1 OD)

•Zenflox OZ (1 BD) •Fluka-150 (Single Dose) •Candiforce (1 OD/BD) 2.HERBAL CREAM •Charak Takzema •Charak Femiplex •Himalaya antiseptic cream (Apply 2-3 times)3.TOPICAL PREPARATIONS •Any 1 Cream from given list apply 2-3 times in a day after clean penile area •Flucort –H •Candid-B •Imidil •Cipladine •Betadine •Surfaz-SN cream •Neosporin cream •Himalaya V-gel 247बीमाँरयाँ और उनका उपचार 89. PEPTIC ULCERS (पेट मँ छाले) 2Peptic ulcers is a disease of the Gastrointestinal tract (GI TRACT) 2Peptic ulcer disease (PUD) is a break in the inner lining of the stomach, the first part of the small intestine, or sometimes the lower oesophagus 2Ulcers occur when stomach acid

damages the lining of the digestive tract and cause peptic ulcer

INTRODUCTION
• Infection with the bacterium *Helicobacter pylori* (H. pylori)
• Long-term use of aspirin and Nonsteroidal Anti-inflammatory Drugs (NSAIDs)
• High Stress and excessive alcohol cause peptic ulcers
• Family history and Genetic factors also play a role in the Pathogenesis of ulcer disease: lifetime prevalence of developing ulcer disease in first-degree relatives of ulcer patients is about three times greater than the general population (If anyone in the family has had ulcer in the past)
CAUSES
• Peptic ulcer, stomach or duodenum
• One in line There is a round or oval wound.
• This wound occurs when the stomach or by acid and digestive juices duodenum is damaged to the drawing is done.
• Due to stomach effect
• *Helicobacter pylori* infection
• To the stomach or duodenum debilitating drugs
• Making the body too thin
• Disorder of digestive tract
• Hormonal factors: evident in cases of Zollinger Ellison. syndrome
• Environmental factors: cigarette smoking, coffee and alcoholism
• Emotional stress: evident with duodenal ulcer
• Associated diseases: Chronic bronchitis, emphysema, liver cirrhosis, renal failure
• Pain in the chest or upper abdomen
• Gastrointestinal: belching, heartburn, indigestion,
• Nausea and vomiting
• Passing excessive of gas, or
• Whole body: fatigue, feeling full sooner than normal,
• Loss of appetite
• Abdominal discomfort
SYMPTOMS
DIAGNOSIS
• Endoscopy and Biopsy
• Stool Examination to Diagnose Duodenal Ulcer
• Blood Examination for
• Urea Breath Test
• Upper GI Barium Study
• CT Scan

250 बीमारियाँ और उनका उपचार

1. **H₂ BLOCKERS** • Ranitidine: 150 mg BD or 300 mg at bed time • Famotidine: 20 mg BD • Cimetidine: 400 mg BD or 800 mg OD at bed time • Roxatidine : 75 mg BD
2. **PROTON PUMP INHIBITORS** • Omeprazole: 20–60 mg/day • Pantoprazole: 40 mg OD • Rabeprazole: 20 mg OD • Lansoprazole: 15–30 mg OD • Dexrabeprazole: 10-20 mg OD
3. **ANTACID SYRUPS ANY 1 SYRUP DOSE: 5-10ml 3 TIMES** • Magnesium hydroxide • Milk of magnesia • Mag. trisilicate • Aluminium hydroxide gel • Magaldrate • Calcium carbonate
4. **HERBAL NATURAL MEDICINE** • Any 1 (5ml 2-3 times) • Himalaya Himcocid-SF • SBL Nixocid syrup
4. **PROTECTIVE DRUGS:** • Sucralfate protective drug and work by making coating on stomach lining and prevent their damage and help in healing • 1 g taken 1 hour before 3 major meals & bed time
5. **ANTI-H. PYLORI DRUG:** • If reason of infection is bacteria • ANY-1 ANTIBIOTIC PRESCRIBE TO PATIENT • Amoxicillin 500 (1 OD/BD) • Clarithromycin (1 OD) • Metronidazole 500 (1 OD) • Ofloxacin + Ornidazole (1 OD/BD) • Doxycycline 100 (1 OD/BD)

6. PHIMOSIS (पेनिसका चमड़ी पीछे नह े हटती) ?Difficulty in retracting the prepuce, Greek word : “muzzling” ?In male, the head of the penis is covered by a sheath of skin known as the foreskin, Phimosis is a condition in which the foreskin is tightly stretched around the head of the penis and cannot be pulled back freely, Phimosis can occur naturallyINTRODUCTION ?Poor hygiene ?Scar tissue ?Injuries ?Skin diseases ?Sexually transmitted infections (STIs)CAUSES ?Soreness ?Itchiness ?Odor ?Foreskin pain ?Redness and swelling ?Buildup of thick fluid ?Pain when urinatingSYMPTOMS 251Phimosis or phimosis is a disease in which the upper part of the penis becomes very ?It becomes too tight and when lowered, it is not able to move backwards. To treat phimosis Circumcision is performed. laser circumcision An advanced and painless surgery Is. No cuts were made in this goes, no blood comes out, and There is no possibility of effusion Would have been. patient after circumcision can go home and from the next day Can also go to office. ?recovery I have no pain?Physical examination ?Urine & Blood test ?Sugar test DIAGNOSIS ?Topical Steroid Creams ?Manual Stretching ?Surgical TreatmentTREATMENT OPTIONS MEDICINE OPTIONS ?APPLY CREAM 2-3 TIMES A DAY & TRY TO TAKE SKIN BACKAND FRONT (Cream laganeke baad skin ko aagepiche kare) •Betnovate: Dose: Apply 3-4 times in a day •Soframycin cream : Dose: Apply 2-3 times in a day •Charak femiplex: Dose: Apply 3-4 times in a day •Himalaya antiseptic cream (Apply 2-3 times) •Himalaya V-gel: Dose: Apply 3-4 times in a day 252बीमांरयां और उनका उपचार Circumcision: cut foreskin Preputioplasty: Loose foreskin
7. PNEUMONIA (Æयूमोनिया) Pneumonia is an infection of the Lungs that cause inflammation and swelling in lungs, It affect on small air sacs known as ALVEOLI, One type of RTI (Respiratory Tract Infection) affect the lungs.INTRODUCTION ?Bacteria or Viruses or Fungi ?Streptococcus pneumoniae ?Human Influenza Virus (Flu) ?Respiratory syncytial virus ?COVID-19 VirusCAUSES ?High fever ?Chills ?Skin clamminess ?Blueness ?Cough with sputum ?Shortness of breath ?Pleuritic chest pain ?Hemoptysis ?Fatigue ?Headaches ?Loss of appetite ?Nausea ?Vomiting ?Low BP SYMPTOMS 253Pneumonia is an infectious disease that affects the lungs. Affects y. this disease someone When an infected person coughs or sneezes It can easily spread to others due to contact with droplets. This disease can spread. Its factors Bacteria, viruses or fungi are involved. ?Chest X-Ray ?CBC-Test ?Blood CRP Test ?Sputum Culture Test ?Check Blood oxygen LevelDIAGNOSIS ?Proper Rest ?Antibiotics ?Hospitalization ?Water ?Fruit Juice ?Coconut Water ?Herbal Kadha ?Steam Inhalation ?Homeopathy ?BronchodilatorsTREATMENT OPTIONS MEDICINE OPTIONS

1.ANTIBIOTICS FOR INFECTION •Azithromycin: 1 Tablet OD •Cefadroxil: 1 Tablet OD or BD
 •Taxim-O Cv: 1 Tablet OD or BD •Ofloxacillin: 1 Tablet OD or BD •Ceftriaxone: Dose-1–2 G
 I.V. Or I.M./Day •Paracetamol: Take When Fever •Ibuprofen: Take When Fever
 •Omeprazole: 1 Tablet 30 Min Before Meal •Vitamin-C: 1 Tablet Per Day •Zincovit: 1 Tablet
 Per Day •Dexona: 0.5 To 10 mg Per Day 2.Herbal Kadha ingredients •2 cups of water •1 inch
 of ginger •4-5 cloves •5-6 black pepper •5-6 Tulsi leaves •½ tsp honey •2 inch cinnamon
 stick •Mulethi (licorice) 3.Herbal: Sudarshan & Giloy Ghanvati 4.Bronchodilators:
 •Asthalin •Levolin-4: Use by inhalation 254 बीमारियाँ और उनका उपचार 92. POLY CYSTIC

OVARIAN DISEASE It is a hormonal disorder in women of reproductive age It is a very
 common condition affecting 5% to 10% of women in the age group 12–45 years, In PCOD
 multiple bubble-like form on the surface of one or both of ovaries, Due to presence of
 multiple cyst eggs partially mature but are not released, These eggs remain in their
 follicles, which swell but don't open Thus it cause irregular menstrual cycle in women It
 can cause problems with menstrual periods and make it difficult for female to conceive
 Pregnancy It cause irregular or prolonged menstrual periods, and often excess male
 hormone (androgen) levels INTRODUCTION The cause of PCOD is still unknown But
 following reasons are responsible for PCOD/PCOS Excessive stress in life and
 hormonal imbalance PCOD with low-grade inflammation CAUSES 255 PCOD-Polycystic
 Ovary Disease, also known as Polycystic Ovary Disease in Hindi. It is called PCOD, due to
 excess of androgen (male hormone) in women. It is a disorder. Irregular menstruation or
 missing periods Symptoms include irregular menstruation or absence of periods, painful
 and prolonged periods. There will be problems in religion, unwanted hair on the face, acne,
 pelvic pain, having children. Production of male hormones (hyperandrogenism) in high
 quantity and genetics can be found Also, early age of menarche, unhealthy lifestyle and
 pollution are some of the contributing factors of PCOD Insulin resistance means the
 body's tissues are resistant to the effects of insulin. The body therefore has to produce
 extra insulin to compensate High levels of insulin causes the ovaries to produce too much
 testosterone, which interferes with the development of the follicles (the sacs in the ovaries
 where eggs develop) and prevents normal ovulation It also lead to weight gain, which can
 make PCOS symptoms worse, as having excess fat causes body to produce more insulin
 Production of male hormones (hyperandrogenism) in high quantity and genetics can be
 found SYMPTOMS Irregular periods or no periods at all Difficulty getting pregnant
 (because of irregular ovulation or failure to ovulate) Excessive hair growth (hirsutism) –
 usually on the face, chest, back or buttocks Weight gain Thinning hair and hair loss from
 the head Oily skin or acne Irregular periods, occurring every 2 to 3 months (amenorrhea)
 Heavy bleeding (Menorrhagia) Unusual & and facial hair growth (hirsutism) Male-
 pattern baldness Infertility Pigmentation or darkening of the skin around the neck region

256 बीमांरयां और उनका उपचार Medical history Physical appearance Symptoms based diagnosis Hormonal assay and blood test Raised levels of testosterone Raised levels of luteinising hormone (LH) Low levels of follicle-stimulating hormone (FSH) An ultrasound (SONOGRAPHY) also done for diagnosis

DIAGNOSIS बीमांरयां और उनका उपचार TREATMENT OPTIONS Medications: Lifestyle changes Reduce body weight Cinnamon water Green tea Yoga Meditation Reduce stress Birth control pills Progestin therapy

MEDICINE OPTIONS Birth control pills: Estrogen & Progesterone Metformin HCL: 1 Tablet OD OR BD Clomiphene Citrate: 1 Tablet OD OR BD Letrozole 2.5 mg Tablet: 1 Tablet OD OR BD Cabergoline Tablets: 1 Tablet per week M2 Tone Syrup & tablets: 5 ml 3 times a day/2 tablet BD Himalaya evecare Syrup: 5 ml 3 times a day Himalaya evecare Forte Capsule 2 Capsule BD Allen A90 Ovarian Cysts Drop: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day SBL Ovarinum 30 CH: Take 5 drops in half cup of water three times a day. 15 to 30 minutes before or after taking food 257 93. PUS

FORMATION (मवाद) Pus is Thick fluid caused by infection in body It is made up of 1.

White blood cells 2. Dead tissue & cell 3. Living or dead microorganisms

INTRODUCTION Due to infection in body Pus is form when our immune system cell start to fight back with infection causing microorganism So many reason for pus is infection in our body

CAUSES Oral Antibiotics Antibiotics Cream Antibiotics Gel & Ointment Antibiotics Injection Antibiotics Powders Optic Drops (Eye drops)

TREATMENT OPTIONS SYMPTOMS Pain and swelling Pus inside body Discharge from the eye Discharge from the ear Pus

formation in PID Fever and body pain 258 Pus is also called pus s. it usually But there are breaks in the skin, pores or any Bacteria caused by injury There is an effect of infection. If pus appears on the upper surface of the skin If it accumulates, hot water or Can be cured with antibiotics

MEDICINE OPTIONS (Medicines for drying pus)

ORAL ANTIBIOTICS : •Clindamycin Capsules: 150–300 mg QID Oral •Septran Ds Tablets: Dose 1 Tablet OD or BD •Taxim O CV 200: 1 Tablet Bd or TID Q8h •Doxycycline-100mg: 1 Capsule OD or BD •Azithromycin 500 mg: 1 Tablet OD For 3 Days •Clavam 625 Tablets: 1 Tablet OD or BD •Nor-Metrogyl Plus Tablet: 1 Tablet OD or BD •Cefuroxime Axetil 500 mg: 1 Tablet OD or BD •Levofloxacin 500 mg : 1 Tablet OD or BD •Linezolid Tablet IP 600 : 1 Tablet OD or BD

CREAM& POWDER TO APPLY ON WOUND TO DRY PUS •Clindamycin Cream: Apply 2-3 Times A Day •Neosporin Ointment 5 Gm: Apply 2-3 Times A Day

•Povidone Iodine Ointment: Apply 2-3 Times A Day •SBL Sulphur Gel: Apply 2 To 3 Times A Day •Neosporin Powder: Apply 2 To 3 Times A Day •Povidone Iodine Powder: Sprinkle On

Wound ANTIBIOTICS INJECTIONS: •Clindamycin Injection : 600-900 Mg IV/IM Q8h

•Augmentin Injection: 0.25–1 G TDS By Iv •Cefuroxime Sodium Injection: 0.75–1.5 G I.M. Or I.V. Q8h •Monocef-SB Injection: 1–2 G I.V. Or I.M./Day •Lincomycin Injection: 300-600 mg

IM/IV Q8h ?OPTIC DROPS (EYE DROPS IF PUS FORMATION IN EYE) •Moxifloxacin Eye Drops: 1 Drop Two Times •Gatifloxacin Eye Drops: 1-2 Drop Every 2-3 Hour •Ciprofloxacin Eye Drops: 1-2 Drop Every 2-3 Hour 259बीमाहरयां और उनका उपचार 94. RESPIRATORY TRACT

INFECTION (संनतं इाफे³शन) Respiratory tract infection (RTI) is defined as any infectious disease of upper or lower respiratory tract, Many different viruses infect the respiratory tract, Also due to allergy or bacterial infection affect the upper or lower respiratory tractINTRODUCTION 1.Upper respiratory tract infections (URTIs) ?Common cold ?Laryngitis ?Pharyngitis/tonsillitis ?Acute rhinitis ?Acute rhinosinusitis ?Acute otitis media2.Lower respiratory tract infections (LRTIs)

which covers the airways in the lungs and down the throat yaffects ?Acute Bronchitis ?Bronchiolitis ?Pneumonia ?TracheitisTYPES ?Virus ?Bacteria ?Allergy ?Contact with infected person CAUSES 260 Respiratory tract infection is a disease that occurs due to respiratory tract infection. It is spread by body infection. Infections of the sinuses, throat, airways or lungs.

?Respiratory diseases affect your upper and lower respiratory tract. ?It starts from the sinus and reaches your vocal cords. ास और फेफड़ों को ढभािवित करता है. ?फेफड़ों के

रोगorासनली के रोगorवयंसीमित सदह-जुकाम?A cough with mucus-phlegm ?Sneezing, high fever ?A stuffy or runny nose ?A sore throat?Headaches ?Muscle aches

?Breathlessness ?Tight chest or wheezingSYMPTOMS ?Washing your hands regularly and thoroughly, particularly after touching your nose or mouth, and before handling food.

?Sneezing and coughing into tissues. ?This will help prevent the virus-or bacteria containing droplets from your nose and mouth entering the air where they can infect othersPREVENTION TREATMENT OPTIONS ?Nasal decongestants ?Antibiotic for infection

?Antihistamines?Topical and systemic steroids ?Saline nasal drops ?Topical phenol or lidocaine MEDICINES OPTIONS ?ANTIHISTAMINES & LEUCOTRINE ANTAGONIST

•Cetirizine: 10 mg oral •Diphenhydramine 25–50 mg oral •Fexofenadine: 120–180 mg oral •Loratadine: 10 mg oral •Chlorpheniramine: 2–4 mg (0.1 mg/kg) oral, i.m. •Montelukast: 10 mg OD; children 2–5 yr 4 mg OD 261बीमाहरयां और उनका उपचार 262बीमाहरयां और उनका उपचार

?ANTIBIOTICS FOR INFECTION •Azithromycin: 1 Tablet OD •Cefadroxil: 1 Tablet OD or BD •Taxim-O CV: 1 Tablet OD or BD •Ofloxacil-OZ: 1 Tablet OD or BD •Ceftriaxone: Dose-1–2 G I.V. Or I.M./Day •Paracetamol: Take When Fever •Ibuprofen: Take When Fever

•Omeprazole/Pantoprazole: 1 Tablet 30 Min Before Meal •Vitamin-C: 1 Tablet Per Day

•Health OK: 1 Tablet Per Day •Dexona: 0.5 To 10 mg Per Day ?BRONCHODILATORS:

•Asthalin OrLevolin •Deriphylline tablet (1 OD/BD) ?HERBAL KADHA INGREDIENTS •2 cups

of water • 1 inch of ginger • 4-5 cloves • 5-6 black pepper • 5-6 Tulsi leaves • ½ tsp honey • 2 inch cinnamon stick • Mulethi (Licorice) **HERBAL REMEDY:** • Sudarshan Ghanvati & Giloy Ghanvati (2 Tablet BD) • Himalaya Bresol 95. **RHEUMATOID ARTHRITIS** गिठ्या Rheumatoid arthritis is a long-term autoimmune disorder that primarily affects joints, It typically results in warm, swollen, and painful joints, It is a chronic inflammatory disorder that can affect more than just your joints In some people, condition can damage a wide variety of body systems, including the skin, eyes, lungs, heart and blood vessels An autoimmune disorder, rheumatoid arthritis occurs when your immune system mistakenly attacks your own body's tissues, Damage the tissue and after then make inflammation of that tissue , When inflammation occurs around joints condition becomes painful **INTRODUCTION**

263 **मेटाड अथराइटिस एक ऑटोइयून बीमारी है, इसमें, रोग-प्रतिरोधक प्रणाली अपने ही शरीर को**

ÖvÖथ को Starts causing damage to the leaves. This has a bad effect on the joints of the body and the layers of the joints get damaged. This disease causes swelling, redness, pain, and stiffness in the joints. Problems do happen. A disease modified anti-inflammatory drug for treatment (DMARD) is given, apart from this non-steroidal anti-inflammatory Low dose corticosteroids can be used with DMARDs. Tender & Warm joints Swollen joints Fatigue (Weakness) Fever (bukhar) Loss of appetite (Bhukh me kami) Joint stiffness in morning

SYMPTOMS 264 बीमारियाँ और उनका उपचार Genetic susceptibility An immunological reaction Autoimmune responses An inflammatory reaction in joints and tendon sheaths The appearance of rheumatoid factors in the blood and synovium Perpetuation of the inflammatory process Articular cartilage destruction **CAUSES बीमारियाँ और उनका उपचार**

DIAGNOSIS 265 Primary Diagnosis based on the sign & symptoms X-ray is performed for further detail diagnosis Compare to Normal in RA we can find bone erosion & displacement • Full blood count (FBC) – • Normocytic hypochromic anaemia (due to abnormal erythropoiesis from chronic inflammation), WBC • Inflammatory markers • ESR, CRP elevated • (its use as indication of disease progression monitoring, treatment response) • Rheumatoid factor (RF) • anti-IgG auto Ab 80% will have it & Anti-cyclic citrullinated peptide (CCP) Ab **बीमारियाँ और उनका उपचार** ANALGESIC AND

ANTIINFLAMMATORY DRUGS • Diclofenac (50 mg TDS) • Aceclofenac (100 mg BD) • Celecoxib (100–200 mg BD) • Etoricoxib (60–120 mg OD) • Etodolac (200-400 mg BD- TDS) • Paracetamol (0.5–1 g TDS; infants 50 mg; children 15 mg/kg) • Ketolorac (10–20 mg oral 6 hourly, 15–30 mg i.m./i.v. 6 hourly (max 90 mg/day) • Piroxicam: 20 mg BD for two days followed by 20 mg OD **DISEASE-MODIFYING ANTIRHEUMATIC DRUGS :** • Sulfasalazine (1–3 g/day in 2–3 divided doses) • Methotrexate (7.5–15 mg weekly oral) • Penicillamine (125–250 mg OD (max 250 mg BD)) • Azathioprine (50–150 mg/day) • Hydroxychloroquine (initially

200 mg BD followed by 200 mg OD for maintenance) HOMEOPATHIC DROPS •Allen A28 Rheumatism Drop 30 ml, Dose: 8 to 10 drops in half cup of water, 3 times a day before meals

TREATMENT & MEDICINES OPTIONS

96. RINGWORM (दाद) It is a common skin Fungal infection. It can cause in a circular rash, so called Ringworm, Red circle shape. It is also known as dermatophytosis, dermatophyte infection, or tinea that caused by a fungal skin condition

INTRODUCTION Fungal infection If you Live in Hot and Humid weather Poor personal hygiene Yeast infection Contact with infected person of ring worm

CAUSES Redness and swelling Pus-filled bumps Hair loss for a few days Swollen lymph nodes Raw, open skin Raised soft, spongy skin that weeps fluid

SYMPTOMS **DIAGNOSIS** Physical examination Sign and symptoms based skin biopsy test Blood test

267 Ringworm is also called ringworm. What is this fungus caused by, why is ringworm a common problem? Is. Sometimes it heals quickly, this infection spreads to the scalp, external And of skin There may be some different parts. Red circles on the skin due to ringworm Spots are formed which look very horrible.

1. **ORAL ANTIFUNGAL TABLET:** •Fluka-150: Dosage: 150 mg oral/week •Zocon-10 DT: Dosage: 100 mg /day •Candiforce-100: Dose: 1 Tablet OD/BD •Fungicide: Dose: 200 mg OD-BD oral •Terbinaforce: Dose: 1 Tablet OD/BD •Grisovin-FP: Dose: 1 Tablet BD/TID •Voritrol-200: Dose: 1 Tablet OD/BD
2. **TOPICAL ANTIFUNGALS** •Kzcream: Apply 2-3 times a day •Clocipcream: Apply 2-3 times a day •Canesten cream: Apply 2-3 times a day •Candid-B cream: Apply 2-3 times a day •Dermijanplus: Apply 2-3 times a day •Clocippowder: Apply 2-3 times a day •B-Tex ointment: Apply 2-3 times a day •Terbinaforce: Apply 2-3 times a day •Lulifin: Apply 2-3 times a day
3. **COMBINATION STEROIDS** •Clotrimazole Beclomethasone Dipropionate And Neomycin Sulphate Cream Grade (Apply 2-3 times a day)
4. **MEDICATED SOAP** •Ketovate •Kevon lotion •Dettol soap
5. **MEDICATED SHAMPOO** •Keraglo-AD: Apply for hair wash

TREATMENT OPTIONS

268 बीमारियाँ और उनका उपचार

6. **SCHIZOPHRENIA (विखंडित मानिसक्ता)** Schizophrenia is a serious mental disorder in which people interpret reality abnormally, Schizophrenia may result in some combination of hallucinations, delusions, and extremely disordered thinking and behavior that impairs daily functioning, and can be disabling

INTRODUCTION Research suggests a combination of physical, genetic, psychological and environmental factors can make a person more likely to develop the coconditions Some people may be prone to schizophrenia, and a stressful or emotional life event might trigger a psychotic episode

CAUSES Hallucination: hearing, seeing or

feeling things that are not there (Mitam: Hearing, seeing or Feeling something that doesn't exist §) Delusion a false belief Abnormal behavior Disorganized speech Disturbances of emotions

SYMPTOMS

269 Schizophrenia is a mental illness. It is also called schizophrenia or schizophrenic mentality. Says. This is considered a serious disease. die of schizophrenia It's often a kind of In what condition do I live? Their perspective is different from the real world. many people This disease is considered a separate disorder, although it is a separate disorder.

- Schizophrenia is a simple term meaning 'split mind'.
- Some patients with schizophrenia live in a kind of fantasy world or dream state. Yes, schizophrenia can happen to men and women at any age.
- Schizophrenia can be controlled with medicines and therapy.

There is a situation where strange things are felt, which are completely false. Schizophrenia is diagnosed when An object has two or more main characteristics, One of whom is a friend for at least a month, There must be slurred or disorganized speech. The other main symptoms are severe disorganization and less Emotional expression, testing and testing These may include tests that are similar Help deal with symptomatic situations, And they test for alcohol and drugs.

Imaging studies such as MRI or CT scan

DIAGNOSIS TREATMENT OPTIONS

1. Treatment with medications and psychosocial therapy can help manage the condition, In some cases, hospitalization. 2. Medications are the cornerstone of schizophrenia treatment, and ANTIPSYCHOTIC MEDICATIONS are the most commonly prescribed drugs Treatment with medications and psychosocial therapy can help manage the condition 3. Medications are the cornerstone of schizophrenia treatment, and antipsychotic medications are the most commonly prescribed drugs 4. Training primary health-care personnel 5. Providing access to essential drugs 6. Supporting families in providing homecare 7. Educating the public to decrease stigma and discrimination 8. Enhancing independent living skills through recovery-oriented psychosocial interventions (e.g. Life skills training, social skills training)

270 बीमा रियां और उनका उपचार

ANTIPSYCHOTIC MEDICATIONS

Any 1 medicine use to treat this problem during treatment

1. Chlorpromazine: 100–800 mg/day
2. Trifluoperazine: 50–200 mg/day
3. Thioridazine: 100–400 mg/day
4. Trifluoperazine: 2–20 mg/day
5. Fluphenazine: 1–10 mg/day
6. Haloperidol: 2–20 mg/day
7. Trifluoperidol: 1–8 mg/day
8. Penfluridol: 20–60 mg (max. 120 mg) once weekly
9. Flupenthixol: 3–15 mg/day
10. Pimozide: 2–6 mg/day
11. Loxapine: 20–100 mg/day
12. Clozapine: 50–300 mg/day
13. Risperidone: 2–12 mg/day
14. Olanzapine: 2.5–10 mg/day
15. Quetiapine: 50–400 mg/day
16. Aripiprazole: 10–30 mg/day
17. Ziprasidone: 80–160 mg/day

ANTIPSYCHOTIC MEDICATIONS

REPL Dr.

Advice No.66 Mental Shock Drop

DOSE: 15 Drops with 1/4th cup water 5-6 times daily for

15 days. MEDICINE OPTIONS 271 बीमारियाँ और उनका उपचार 98. SCURVY (Öकवê रोग) ?The medical definition of scurvy is severe vitamin C (ascorbic acid) deficiency. ?Scurvy causes general weakness, anemia, gum disease, poor wound healing, and skin hemorrhages INTRODUCTION ?Swollen, spongy and purplish gums ?Loose teeth ?Bulging eyes (proptosis) ?Bleeding into the skin (severe and easy bruising) ?Scaly, dry and brownish skin ?Very dry hair that curls and breaks off close to the skin SYMPTOMS Scurvy can be prevented by a diet that contains vitamins C-rich foods like Orange, Lemon PREVENTION 272 Bleeding while defecating ?Anti-virus, Vitamin C deficiency disease Is. Vitamin C deficiency in the body not producing collagen which helps in reducing the body's tissue Breakdown happens. Vitamin C Also helps in iron absorption Does. due to iron deficiency gets anemia ?Characteristics of poetry: ?Tooth loss ?Bleeding from gums ?Reasons for poetry: ?Human Vitamin C Cannot transmit. ?Diet change what do you feel like Inadequate mother. ?The blood test will be used to check the levels of vitamin C in your blood serum & dietary history ?Check for signs & symptoms ?Order a blood test DIAGNOSIS TREATMENT OPTIONS 1. Tablets •Nectar: 1tablet OD •Limcee: 1tablet OD •Ourdaily: 1tablet OD •Eucree: 1tablet OD •MaxCee: 1tablet OD •Activiral CE+: 1tablet OD 2. SYRUPS •Faith: 5 ml 2 times a day •Vita-C: 5 ml 2 times a day •Pie-C: 5 ml 2 times a day 273 Diseases and their treatment ?Treatment of kidney disease is only with vitamins. From what dose? Or can go. ?For this, eat fruits and You can eat vegetables, ?Take Vitamin C tablets You can consume oranges daily can 99. SKIN DISEASES (skin diseases) ?It is a group of diseases that result in inflammation, damage of the skin due to various causes and reasons, these diseases are characterized by itchiness, red skin and a rash ?In cases of short duration, there may be small blisters, while in long-term cases the skin may become thickened INTRODUCTION 274 Skin diseases ो चमª रोग कहा जाता है. इनके कुछ उदाहरण ये हs, Åवचाशोथ, घमौरी, दाद, खाज, सफेद दाग, कुड़ रोग, मुंहासे, फोड़ा ?Åवचा रोग के कुछ गंभीर yकार: एिंजमा, सोरायिसस, Öकैबीज ?Åवचा रोग होने के कुछ कारण, Åवचा के रोम िछ pÖ मª गंदगी फंसना, yदूषण, बै³टीªरया, फंगस के संपकª मª आना, विटामिन डी का कमी ?Åवचा रोग के उपचार मª: जीवनशैली मª बदलाव, मलहम, ठोम, दवाइयाँ ?Åवचा रोग के कुछ ल±ण ?सूजन ?Åवचा मª लालीपन ?खुलजी ?खुरदरापन ?Åवचा मª खुजलीदार ?सूखे धँबे ?लाल धँबे तेज खुजली होना लाल-लाल दाने Åवचा पर चकªे ?Itching, which may be severe, especially at night ?Red to brownish-gray patches, especially on the hands, feet, ankles, wrists, neck, upper chest, eyelids, inside the bend of the elbows and knees, and in infants, the face and scalp ?Very dry skin on affected areas ?Small, raised bumps, which may leak fluid and crust over when scratched ?Thickened, cracked, scaly skin ?Raw, sensitive, swollen skin from scratching ?Rashes that are permanently itchy ?Rashes that cover much of the body ?Skin infections SYMPTOMS 275 Diseases and their treatment

?Bacteria trapped in your pores or hair follicles. ?Some health conditions that affect your thyroid, kidneys or immune system. ?Contact with environmental triggers, such as allergens or another person's skin. ?Genetics & Family history ?Fungus or parasites living on your skin. CAUSES ?Dirt stuck in hair follicles. ?Bacteria or fungus ?Consumption of something to do that causes allergy ?Of any infected person come into contact ?Changing weather ?Weak immune system ?Acne, boil MEDICINE OPTIONNS 276बीमांरयां और उनका उपचार ?Cold compress application of affected part 1.skin moisturizing lotions OR

CALAMINE LOTION 2.TAKING LUKEWARM OR OATMEAL BATHS •A bath in which the patient's body except the head is immersed in water from 94 °to 96°F (34.4°to 35.6°C) for 15 to 60 min •In Lukewarm water add oatmeal & Soak for about 10-15 minutes •Take bath with neem leaf extract in water Apply calamine lotion 2-3 times in a day Taking lukewarm or oatmeal baths ?Lukewarm water means water which is neither too hot nor Very cold.

?Bathing with lukewarm water can soothe the itchy rash and reduce itching. May help relieve allergies or irritation that may be causing it. Therefore, while bathing, use only lukewarm water and not hot water. Avoid using it, as hot water baths can harm you. Itching may increase due to presence of. MEDICINE OPTIONS 277Diseases and their treatment

3.ANTIHISTAMINES MEDICINES FOR ITCHING •Levocetirizine (5 mg oral)

•Chlorpheniramine (2–4 mg (0.1 mg/kg) oral, i.m) •Diphenhydramine •Fexofenadine (120–180 mg oral) 4.ANTIFUNGAL AGENTS •Clotrimazole Cream (2-3 times in a day)

•Ketoconazole (200 mg OD– BD oral) •Fluconazole (150 mg oral weekly) •Itraconazole (200 mg OD–BD oral)•Luliconazole cream (2-3 times in a day) 5.OVER-THE-COUNTER

ANTIBACTERIAL AGENTS •Sulfur is applied to the skin for dandruff and an itchy skin infection caused by mites (scabies) •It is also applied to the skin for acne and skin redness (rosacea) 6.CREAMS AND OINTMENTS •Betamethasone cream •Whitfield ointment

•Crotamiton is a drug that is used both as a scabicide and as a general antipruritic 100.

SCABIES (असहनीय खुजली वाला रोग ोंकेबीज) 278?Scabies is a skin condition caused by the

Sarcoptes scabiei var hominis mite. ?Common mite sites include: •Folds in between the

fingers and toes, Under fingernails, thighs and genital area •Bends at your wrists & knees

•The area around waist •Under rings, watch bands •The area around

nipplesINTRODUCTION ?Intense itching, especially at night ?A pimple-like rash ?Scales or

blisters ?Sores caused by scratching ?Inflamed bumps on male genitalia and female

breasts ?It spreads easily from person to personSYMPTOMSCAUSES Tiny mites that

burrow into the skin & lay eggs,causingintense itching and a rash. The seeds are called

'khaj' in Hindi. Ha". It's a kind of itching that Sarcotus ocabiei Itching is caused by germs.

?One to one physical contact extends to the second Oyi? ?These germs have eight legs are

parasites, they were very small And they keep digging into the skin. Due to which there is

severe itching. Itching due to cabbage: •Between the fingers •next to •Around the waist •Inside part of wrist •On the inner elbow •On the soles of the feet diseases and their treatment 279 Topical treatments •5% Permethrin cream •0.5% Malathion Lotion •10–25% Benzyl Benzoate Emulsion •5–10% Sulfur Ointment •Thiabendazole lotion Oral medications •Ivermectin •Albendazole •Mebendazole •Antihistamines (Especially Jb TREATMENT OPTIONS medical LINE OPTIONS •Permitecream: Apply 2-3 times in day •Scabigard-P: Apply 2-3 times in day •Debac-M liquid: Apply 2-3 times in day •Salbenz lotion: Apply 2-3 times in day •Ivecop-6 tablets: Dose: 200µg/kg/day •Ivrea shampoo: Wash hair using shampoo •Thiabendazole ointment: Apply 2-3 times in day •NIXIPER SOAP: Use Soap for bathing •Albendazole tablets: 400 mg/day for three days for week 1 and week 2 •Mebex tablets: 100 mg two times a day for week 1 & week 2 •Loratine tablets: If there is itching use, 1-2 tablet per day •Allegra tablets : If there is itching use, 1-2 tablet per day DIAGNOSIS PHYSICAL EXAMINATION DERMATOSCOPY TEST BLOOD & URINE TEST 101. SPLENOMEGALY (तिटली बढ़ने का बीमारी) SPLEEN ENLARGEMENT

Also called splenomegaly Splenomegaly—caused by a wide range of disorders Splenomegaly is a serious condition Spleen is the largest organ of lymphatic system The spleen stores and filters blood and makes white blood cells that protect you from infection Largest lymphatic system The organ is Spleen. aggregates and filters and Produces white blood cells which Protects you from infection INTRODUCTION Storage of blood Filtration of blood and remove waste product Make WBC and antibodies Fluid balance Produced antibodies FUNCTIONS OF SPLEEN 280 Titli is called Keli disease §. Symptoms of increasing butterfly: Heaviness or pain in the stomach Loss of appetite Feeling very tired very quickly Prickling sensation in the stomach immediately after eating. Problem of frequent infections Blood in the body what is lacking Slight fever in the body Increased problem of heartburn Yellowing of eyes, fingers and nails Viral infections Bacterial infections Parasitic infections Certain cancers Portal hypertension Haemolytic anemia Sick cell Chronic inflammatory disease Metabolic disease CAUSES Unable to eat large meals Feeling discomfort Chest pain, Abdomen pain Fatigue Weight loss Easy bleeding Jaundice Anemia Symptoms DIAGNOSIS Physical examination Blood test, CT scan MRI Ultrasound TREATMENT OPTIONS Spleen REPL-91: 10 to 15 Drops with half cup of water 3 times daily for 3 months Rohitkarishta: 3 to 6 teaspoonful with equal quantity of water twice daily after meal Adel-34 Drops: Adults 20 drops, children 7-10 drops, 3 times a day in some liquid before meals Jakavi 20mg: 1 tablet 2 times a day Spleen detox: 1-2 Capsules twice daily, after meals Kumari aasav: Take 12 ml to 24 ml twice daily with Water Lohasava: Take 10 to 20 ml with of water once or twice after meals LAST OPTION IS SURGERY 281 बीमा रियाँ और उनका उपचार 102 (A). THYROID

(HYPERTHYROIDISM) (थायरॉइड) The thyroid gland is a small organ that's located in the front of the neck, wrapped around the windpipe (trachea) It's shaped like a butterfly, smaller in the middle with two wide wings that extend around the side of your throat. You have glands throughout your body, where they create and release substances that help your body do a specific thing Your thyroid makes hormones that help control many vital functions of your body Your thyroid makes hormones that help control many vital functions of your body INTRODUCTION 282 CAUSES OF HYPERTHYROIDISM Hyperthyroidism or hyperplasia, within the thyroid gland Used for maxillary tissue The word to be said is word.

When thyroid gland is too high produces hormones, then the condition It is called hyperthyroidism. from this Metabolism also becomes hyperactive Graves disease Thyroid due to viral infections Thyroid hormone Eating too much of foods that contain iodine Overactive thyroid nodules 283 बीमारियाँ और उनका उपचार Weight loss despite an

increased appetite Irregular heartbeat Infertility Nervousness & Fatigue Irritability Trouble sleeping Shaky hands Muscle weakness Sweating or trouble tolerating heat SYMPTOMS OF HYPERTHYROIDISM TREATMENT OF HYPERTHYROIDISM

1. ANTITHYROID DRUGS • Propyl thiouracil (PTU) = 100-300 mg TID • Methimazole (Tapazole) = 10-20 mg TID then OD • Carbimazole = 40 mg OD 2. Radioactive iodine therapy

3. SURGERY DIAGNOSIS Autonomous thyroid function by blood test Low TSH Elevated T3 / T4 Thyroid scan diffuse elevated iodine uptake Thyroid ultrasound Weight loss despite increased appetite Irregular heartbeat Infertility Anxiety and fatigue Irritability Insomnia Trembling hands Muscle weakness Sweating Having difficulty in tolerating heat. 102 (B) THYROID HYPOTHYROIDISM (THYROID) 284 Introduction

HYPOTHYROIDISM: Also called underactive or early, mild Hypothyroidism, When the thyroid gland doesn't make enough thyroid hormone Is called hypothyroidism

Hypothyroidism that isn't treated can lead to other health problems, such as high cholesterol and heart problems Medications Iodine deficiency Radioactive iodine treatment Thyroid surgery Radiation therapy CAUSES Hypothyroidism is a common disorder. There is a lot of thyroid in this. Thyroid is unable to produce hormones, this is called hypothyroidism or Also called "inanthropy" HYPOTHYROIDISM

HYPERTHYROIDISM SR Low T3 & T4 level High T3 & T4 level 1 High TSH level Low TSH level 2 Intolerance to Cold Intolerance to Heat 3 Cause Constipation Cause Diarrhea 4 Eyelid & facial edema Bulging Eye 5 Weight gain Weight loss 6 Decrease Appetite Increase Appetite 7 Cretinism, myxoedema Goitre, Graves disease, Papillary carcinoma 8 A. GOITER: Goiter is associated with hyper and hypothyroidism Enlargement of thyroid gland Goiter is noticeable tightness in throat and difficulty swallowing B. HASHIMOTO'S THYROIDITIS: It is an autoimmune disease Not make to enough thyroid hormone can caused Hashimoto's thyroiditis No cure for Hashimoto's thyroiditis But it can be replaced thyroid hormones

with certain medication to regulate and restore thyroid hormones C.CRETINISM:

☐Cretinism is a severe deficiency of thyroid hormone in newborns ☐Cretinism is a child with severe hypothyroidism present at birth ☐It causes impaired neurological function, stunted growth, and physical deformities OTHER DISEASES ASSOCIATED WITH THROID

285बीमांरयां और their treatment ☐Fatigue ☐Weight gain ☐Trouble tolerating cold ☐Joint and muscle pain ☐Dry skin or dry, thinning hair ☐Heavy or irregular menstrual periods or fertility problems ☐Slowed heart rate ☐Depression ☐A low body temperature. ☐Anemia.

☐ComaSymptoms ☐Fatigue & weight gain ☐Difficulty in tolerating cold. ☐Pain in joints and muscles ☐dry skin ☐Dry, thin hair ☐Heavy or irregular periods ☐Reproductive problems ☐Low heart rate ☐Depression-Anemia ☐Low body temperature ☐Decompensation D.THYROID NODULES: ☐Thyroid nodules are lumps

that occur in the thyroid gland in the front of the throat ☐Nodules may no symptoms, but people may feel bump around neck ☐It caused by iodine deficiency E.THYROID CANCER: ☐It caused by when thyroid cell mutated or cell changed, Inherited genetic syndromes and iodine deficiency ☐1. Papillary thyroid cancer ☐2. Follicular thyroid cancer ☐3. Medullary cancer ☐4. Anaplastic thyroid cancer 286बीमांरयां और उनका उपचार ☐FOR CRETINISM

- Iodine only if iodine deficiency is the cause.
- LEVOTHYROXINE (T4): •Average dose 1.6 ug/kg •Age > 50-60 or cardiac disease: must start at a low dose (25 ug/d) •Recheck thyroid hormone levels every 4-6weeks after a dose change •Aim for a normal TSH level
- LIOthyronine (T3) •Cytomel® Tablet •5-10 ug/d (starting) •25 ug/d (maintenance)
- Triostat® Injection : 50-100 ug ☐FOR MYXOEDEMA •Levothyroxine: 500 mg/day
- Liothyronine: 75 mg/day

TREATMENT AND MEDICINE OPTIONS 103. TOOTH PAIN (दांत दद) ☐Pain or inflammation in or around the tooth, often caused by tooth decay or infection ☐Feeling of throbbing pain or swelling in or around your teeth or gum & sharp pain when you touch your tooth or bite down ☐A toothache or tooth pain is caused when the nerve in the root of a tooth or surrounding a tooth is irritated INTRODUCTION 287 ☐Toothache is a problem of any kind. This may happen. ☐The pain of toothache makes the patient restless. Gives. Sometimes the night flies away. tooth ☐ For not maintaining proper cleanliness Due to bacterial infection °moredanger remains ☐Due to this, cavities formed in their teeth. Goes. This causes pain. ☐Here are some tips for toothache ☐using log ☐Rinse with warm salt water. ☐Using interest 288 Diseases and their treatment ☐Severe persistent, throbbing toothache ☐Sensitivity to hot and cold temperatures ☐Sensitivity to the pressure of chewing or biting ☐Fever ☐Swelling on face or cheek SYMPTOMS ☐Pain while chewing something ☐The difference between cold and hot things. increased sensitivity ☐Between the teeth and gums Pain Toothache from or jaw Feeling on the outside ☐Sensitive teeth ☐Gum disease

☐ Impacted tooth ☐ Inflammation of tooth pulp ☐ Tooth decay ☐ Abscess ☐ Cracked teeth
 ☐ Microbial infection CAUSES ☐ Tooth loss ☐ Gum disease ☐ Frequent or fractured teeth
 ☐ Sinusitis ☐ Migraine headache ☐ Hot attack ☐ Diabetes Some home remedies to get relief from
 toothache are: ☐ Gargle by adding salt to hot water. ☐ Baking Soda Paste ☐ Applying ice to
 the affected area ☐ Vinala juice ☐ Tea bag-long ☐ Black pepper powder ☐ PAINKILLER

OPTIONS 1. Any 1 painkiller or combination painkiller given to patient for dental pain
 during infection 2. PARACETAMOL 500mg (Dose: 1 tablet 2-3 times in a day) 3. IBUPROFEN
 400mg (Dose: 1 tablet 2-3 times in a day) 4. NEPROXEN 500mg (Dose: 1 tablet 2-3 times in
 a day) 5. ACECLOFENAC 100 MG (Dose: 1 tablet 1 or 2 times) 6. DICLOFENAC 50mg Tablet
 (Dose: 1 tablet 1 or 2 times) 7. KETOROLAC 10mg Tablet (Dose: 1 tablet 1 or 2 times)

☐ ANTIBIOTICS OPTIONS 1. Any 1 Antibiotic or combination antibiotic given to patient for
 dental pain during infection to treat infection in oral cavity 2. Amoxicillin 500mg +
 clavulanic acid 125 Tablet (1 Tablet BD/TID) 3. Amoxicillin 500 mg Capsule (1 Tablet
 BD/TID) 4. Ampicillin (250mg) + Dicloxacillin (250mg) Capsule (1 tablet BD) 5. Ampicillin 500
 mg (1 Tablet BD/TID) 6. Cefixime 200 mg Tablet (1 Tablet OD/BD) 7. Azithromycin 500 mg (1
 Tablet OD) 8. Cephalexin 500 mg Capsule (1 Capsule OD/BD) 9. Clindamycin 300 mg
 Capsule (1 Capsule OD/BD) ☐ Salt Water Rinse For Tooth Pain/ Cold Compress For Tooth

Pain ☐ Dental Surgery For Tooth Pain TREATMENT AND MEDICINE OPTIONS 289 बीमारियाँ और

उनका उपचार 104. TREMOR (शरीर में कंपन) ☐ Genetic or Family history ☐ Neurological
 disorders ☐ Multiple sclerosis (MS) ☐ Parkinson's disease ☐ Stroke and brain injury ☐ Mercury
 poisoning ☐ Hyperthyroidism (overactive thyroid) ☐ Liver or kidney failure ☐ Anxiety or panic
 Attack ☐ Older age ☐ MEDICINE SIDE EFFECTS ☐ Asthma medicines ☐ Amphetamines or
 Caffeine ☐ Corticosteroids ☐ Psychiatric drugs ☐ Vitamin D Deficiency ☐ Calcium in the brain

290 Introduction CAUSES ☐ In medical terms it is called TREMOR, It is involuntary, meaning
 that you cannot control it, Shaking happens anytime to patient DIAGNOSIS ☐ Brain CT
 SCAN-MRI ☐ Physical examination ☐ Neurological Exam ☐ Blood & Urine test ☐ Writing or
 Drawing test ☐ Emperor is a problem in which any part of the body trembles continuously.

☐ This vibration can occur anywhere in the body, in one or two parts, ☐ Some symptoms of
 epilepsy: Trembling of hands, trembling of legs. ☐ Emergence occurs due to a problem in
 the nervous system. ☐ Trembling of hands and legs with ☐ It is called Parkinson's disease,
 but it is dangerous in low altitude. ☐ Shakiness in hands ☐ Unable to hold things ☐ Shaking of
 Fingers ☐ Shaking of Leg ☐ Can not hold glass ☐ Shaky voice ☐ Difficulty writing or drawing
 ☐ Problem holding utensils SYMPTOMS ☐ Physical therapy ☐ Speech-language therapy
 occupational therapy ☐ Deep brain stimulation (DBS) surgery option

☐ Medicines TREATMENT OPTIONS MEDICINE OPTIONS ☐ Propranolol: 40–80 mg (max 160
 mg) BD/QID ☐ Primidone tablets: Dose: 100–200 mg BD ☐ Alprazolam: Dose: 0.25–1.0 mg
 TDS ☐ Clonazepam: Dose: 0.5–5 mg TDS ☐ Topiramate: Dose: Initially 25 mg OD

?Gabapentin: Dose: 100 to 300 mg OD ?Levetiracetam: Dose: 250-750 mg BD ?Vitamin D Supplement: 1 Sachet or Capsule Per Week ?Meconerv Forte capsule : 1 Capsule Per Day
 ?Agaricus Muscaris: 3-5 drops 2-3 times a day in water ?Plumbum Metallicum: 3-5 drops 2-3 times a day in water ?REPL Dr. Advice No.148 Tremor-En Drop:

10 drops with 1/4th cup water 3 times daily for 6 months to 1 year or as prescribed by a physician. 291 Diseases and their treatment 105. TUBERCULOSIS Tuberculosis (TB) is an infectious disease usually caused by Mycobacterium tuberculosis (MTB) bacteria. Gram positive, aerobic acid fast bacteria, Tuberculosis generally affects the lungs, but can also affect other parts of the body. INTRODUCTION SYMPTOMS Colloquial language for 292 TB Tuberculosis, or also called MTB goes. This is a common and many fatal infectious cases illness is. It affects various parts of the body ? Can influence. ? A bad cough which lasts for 3 weeks or more than that lasts for a long time ? Chest pain ? Blood or spit Cough inside the lungs deep phlegm ? weakness or tiredness ? Weight loss ? Loss of appetite ? Chills-fever ? Long term coughing ? Coughing up blood ? Chills ? Fever ? Chest pain ? Fatigue ? Body pain ? The Mantoux tuberculin skin test (TST) or the, Mantoux tuberculin skin test is performed by injecting a small amount of fluid called tuberculin into the skin in the lower part of the arm, the test is done by putting a small amount of TB protein (antigens) under the top layer of skin on your inner forearm ? If you have ever been exposed to the TB bacteria your skin will react to the antigens by developing a firm red bump at the site within 2 or 3 days. indicates positive test TREATMENT OPTIONS 1. TB (tuberculosis) is caused by bacteria. These medicines are used in the treatment of TB Given: isoniazid, rifampin, pyrazinamide. 2. If these medicines do not work well in initial treatment, then the second What line of medicines are given? Their course ranges from 9 months to 20 months. It happens. Usually, the course of antibiotics lasts for 6 months. 3. Some forms of TB are resistant to some antibiotic drugs. Some home remedies for TB are:

1. Eating walnuts
2. Consuming moringa (drumstick) seeds

3. Sucking liquorice 4. Drinking fresh bottle gourd juice 293 Diseases and their treatment DIAGNOSIS 294 Diseases and their treatment MEDICINE OPTIONS ? FIRST LINE DRUGS • 1. Isoniazid (H) • 2. Rifampin (R) • 3. Pyrazinamide (Z) • 4. Ethambutol (E) • 5. Streptomycin (S) ? SECOND LINE DRUGS • 1. Thiacetazone (Tzn) • 2. Paraaminosalicylic acid (PAS) • 3. Ethionamide (Etm) • 4. Cycloserine (Cys) • 5. Kanamycin (Kmc) • 6. Amikacin (Am) • 7. Capreomycin (Cpr) ? NEWER DRUGS • 1. Ciprofloxacin • 2. Ofloxacin • 3. Clarithromycin • 4. Azithromycin • 5. Rifabutin Credit <https://madridge.org/journal-of-internal-and-emergency-medicine/mjiem-1000134.php> 106. TYPHOID FEVER (टाइफाइड) ? Typhoid fever is a life-

threatening bacterial infection caused by the bacterium Salmonella Typhi. It can spread throughout the body, affecting many organs. Without prompt treatment, it can cause serious complications and can be fatal.

INTRODUCTION Microorganism bacteria

Salmonella typhi This bacterial is main cause for disease and it spread in humans By Contaminated water, Food Close contact to infected person Infected surface by

S.typhi **CAUSES** Typhoid is a dangerous disease caused by a virus called Salmonella Typhi. It is caused by bacteria. Typhoid disease in the body 7 to 14 lasts between 4 days but 3 days Or it may take up to 30 days. If not treated, The illness may last for 3 to 4 weeks.

High fever, diarrhea, vomiting, stomach ache, loss of appetite, fatigue. It is also known as “enteric fever”. Red spots on skin Fever that starts low and increases daily, reaches as high as 104.9°F Headache Weakness Fatigue Muscle aches Sweating Dry cough

Loss of appetite Weight loss Diarrhea or constipation Rash (Rose spot) Extremely swollen abdomen

SYMPTOMS DIAGNOSIS Widal test is the main confirmative test for

Typhoid Disease Also perform blood test to check blood counts & Hb

बीमाइरियां और उनका उपचार Different vaccines available to prevent typhoid Vivotif is one of them

(Typhoid Vaccine Live Oral Ty21a), Also known as 'typhoid pills', It is made from attenuated live bacteria. The vaccine provides up to five years' protection and is approved for use in individuals over six-years-old

Typhoid Vaccination Schedule: Typhoid conjugate vaccines (Vi-PS): Typbar-TCV®: Single dose at 9-12 through 23 months followed by a booster at 2 years of age Pedatyph® : Single dose at 9-12 through 23 months followed by a booster at 2 years of age

TREATMENT OPTIONS Drink plenty of fluids (Pani Jyada Pina chahiye)

Need to be hydrated during the treatment of Typhoid fever So take water properly 1. Drink more water in a day must take 5 to 7 litre/day water 2. Be hydrated 3.

Limit junk food in diet Antibiotics therapy & other medicines : The only effective treatment for typhoid is antibiotics The most commonly used are ciprofloxacin (for non-pregnant adults) and ceftriaxone Coconut water, fresh fruit juices are also best options

Lemon juice and orange are also given to patient. **बीमाइरियां और उनका उपचार**

MEDICINES OPTIONS बीमाइरियां और उनका उपचार Option 1. (herbal) Dose: 2-4 Tablet

TID Option 2. (herbal) Dose: 2-4 Tablet TID Option 3. (Antibiotics) Dose: 1 Tablet OD or BD

Option 4. (Antibiotics) Dose: 1-2 g I.V I.M./day Option 4. (Antibiotics) Dose: 1 Tablet

OD Option 6. (Antibiotics) Dose: 1 Tablet OD or BD Option 7. (Antibiotics) Dose: 1-2 g I.V.

I.M./day Option 8. (To reduce fever) Dose: 1 Tablet 2- 3 time Option 9. (To Reduce Acidity)

Dose: 1 Tablet OD before meal Option 10. (to stop Vomiting) Dose: 1 or 2 tablet/day Option

11 (to boost Immunity) Dose: 1 injection IV/IMO Option 12 (to boost Immunity) Dose: 1

TABLET PER DAY 107. **URINE INFECTION (यूरिन इन्फेक्शन)** A Urine infection is a medical

condition in which bacterial infection occurs in our urinary tract It may cause change in

1. urine color 2. Foul smell of urine 3. Pain in urinary tract & organs 4. Burning sensations during urination

INTRODUCTION 299 Urinary infection (urinary infection) Infection) also called UTI Goes. UTI means urinary Urinary Tract Infection Infection). Urani Infection Urinary System i.e. kidney, urinary tract (Ureters), Bladder, In any of the urethra May also occur. Due to Microbial infections UTIs are usually caused by bacteria from Stool or urine entering the urinary tract The bacteria enter through the tube that carries urine out of the body (urethra) Women have a shorter urethra than men This means bacteria are more likely to reach the bladder or kidneys and cause an infection called UTI Recent use of diaphragm with spermicide Frequent sexual intercourse A new sexual partner A UTI in the previous 12 months A maternal history of UTI Diabetes Poor hygiene Indwelling catheter

CAUSES SYMPTOMS Pain or burning while urinating Frequent urination Feeling the need to urinate despite having an empty bladder Bloody urine Pressure or cramping in the groin or lower abdomen Fever & Chills Lower back pain or pain in the side of your back Nausea or vomiting

DIAGNOSIS Analyzing a urine sample Growing urinary tract bacteria in lab Creating images of your urinary tract CT scan or MRI Using a cystoscope to see inside your bladder Male or female cystoscopy Ultrasound

300 diseases and their treatment 301 diseases and their treatment Drink More Water: 2 To 3 Liter Water/Day Take Coconut Water: 1 Coconut Water/Day Fresh Cranberry Juice Keep Personal Hygiene: Antiseptics Fluids Medicines

TREATMENT OPTIONS MEDICINE OPTIONS Levofloxacin 500mg Tablet: Dose: 1 Tablet OD Or BD Levofloxacin+Ornidazol: Dose: 1 Tablet Per Day Ofloxacin+Ornidazole: Dose: 1 Tablet Per Day Norfloxacin+Ornidazole: Dose: 1 Tablet Per Day Fosfomycin Powder: 3 gm Single Dose Only Once Clavam 625 Tablets: 1 Tablet BD Or TID Augmentin Injection: 0.25–1 G TDS (Iv Use Only) Co-Trimoxazole Tablets: Dose: 1 Tablet Per Day Nitrofurantoin Tablets: 1 Tablet BD Or TID Cefadroxil Tablet: 1 Tablet OD Or BD Cefexime Tablets: 1 Tablet OD Or BD Ceftriaxone Injection: Dose-1–2 G I.V. Or I.M./Day Lactagard Injection: 1–3 G I.M./I.V. 12 Hourly Fluconazole 150 Mg: 1 Tablet Per Week Itraconazole 200 Mg: 1 Capsule OD 7 Days

108. VAGINAL WH

DISCHARGE (ढ्यूकोर्रया)

ढ्यूकोर्रया को आम बोलचाल क In the language white water, white discharge or white discharge. Known as. This is a common problem in women, Symptoms of Ducorrhea: White colored thick and milky discharge from the vagina, If there is any kind of infection, the discharge may be yellow, pale blue or pale red, and Being very sticky and smelly.

INTRODUCTION types 3021. **WHITE DISCHARGE:** Thick, white discharge is common at the beginning and end of your cycle Normal white discharge is not accompanied by itching If itching is present, thick white dischargee

may indicate a yeast infection 2.CLEAR & STRETCHY DISCHARGE This is “fertile” mucous and means you are ovulating It is Ovulation discharge 3.CLEAR & WATERY DISCHARGE This occurs at different times of your cycle and can be particularly heavy after exercising WHITE DISCHARGE STRECHY DISCHARGE WATERY DISCHARGE 303 बीमा रियां और उनका

उपचार 4.YELLOW OR GREEN DISCHARGE: May indicate an infection, especially if it's thick or clumpy like cotton cheese or has a foul odor 5.BROWN DISCHARGE: This type of discharge may happen right after periods as your body is “cleaning out” your vagina & Vaginal cavity Before first period Old blood looks brown 6.RED/BLOODY VAGINAL DISCHARGE: This type of discharge could be found in Following conditions:
Menstruation Vaginal trauma Vaginal infections Cervical infections Cervical Cancers Endometrial cancers 7.PINK VAGINAL DISCHARGE: Implantation bleed

Vaginal irritation Cervical bleeding Any cause of red discharge, but in small quantity thus acted upon by the acidic vaginal fluid YELLOW OR GREEN DISCHARGE BROWN DISCHARGE RED DISCHARGE PINK DISCHARGE Feminine hygiene sprays Certain soaps or bubble Antibiotics side effects High blood sugar level Pregnancy Vaginal Infections Excessive Douching Unprotected sex CAUSES MEDICINES & TREATMENT OPTIONS
Leucorrhea ke ilaj me sabse pahel hygiene wash week me ek bar use karna hai Sath me patient ko vaginal gel ya tablet di jati hai jo vagina me rakhijati hai Jaruaart padane par patient ko oral antifungal dete hai Intimate Hygiene Wash-V- Wash Antiseptics Fluid-Dettol CREAMS TO APPLY IN VAGINAL AREA Candid V-Gel Zocon-C Cream Candid-Cl Gel Povidone-Iodine ointment Metrogyl Gel Clocip-B Cream Himalaya V-Gel Charak Femiplex Gel ClindacAp Gel ORAL TABLET OPTIONS Fluka –150 Tablet (Single dose week me ek baar) Itraconazole 100 mg (1 OD) Terbinafine (1 OD) Voriconazole (1 OD) VAGINAL TABLET OPTIONS (Insert 1 tablet in vagina at night) Candid V6 Tablet (6 night) Clingen Forte (6 nights) Fentin Capsule (single dose) Onabet V1 (single dose) INJECTION OPTIONS Ceftriaxone Injection Augmentin Injection SOME HERBAL TABLETS OPTIONS TO TREAT VAGINAL DISCHARGE Charak Femiplex (1 BD) Himalaya Lukol (1 BD) 304 Diseases and their treatment 109. VAGINAL DRYNESS (vaginal dryness) vaginal dryness a It is a common problem. its There can be many reasons, Some of which are: Eogeny hormone decrease in difference Elevation increase Permenopause Breastfeeding Ovary after surgery remove the Some cancer treatments, Such as radiation for medical Ogen system Missing a period INTRODUCTION Menopause (end of menstrual cycles in age of 40s or 50s) Decrease in estrogen hormones Excessive use of douching preparation to keep vagina clean. Vaginal yeast infection During Breastfeeding period Cigarette smoking Depression Excessive stress Removal of ovaries Cancer treatments Immune system disorders, such as sjögren's syndrome

(योगेन सुजोम) CAUSES 305 Vaginal dryness is the problem of vaginal route of female reproductive system, Also called Atrophic vaginitis Itching in vaginal cavity or outside of vagina Rashes in vaginal area Burning and pain in vagina Light bleeding after intercourse Severe pain during intercourse Sudden pain in vagina Loss of interest in intercourse Itching in vaginal cavity Low level of estrogen Hormone Decrease in lubrication in vagina सेस के दौरान दद होना वजाइना म रेडनेस योनि

मसूखापन SYMPTOMS Medical history Physical exam Blood and urine test Estrogen test Pelvis examination Ultrasound scan DIAGNOSIS TREATMENT OPTIONS 1. TREATMENT IS BASED ON DIAGNOSIS & REASON FOR DRYNESS • 1. Estrogen cream (Apply 2-3 time in a day) • 2. Estrogen pills (1-2 mg orally once daily for 3 weeks) • 3. Estrogen tablets (1-2 mg orally once daily for 3 weeks) • 4. Vaginal inserts (insert 1 in night) 2. LUBRICATING AGENTS ARE ALSO USE • 1. Moisturizing cream • 2. Coconut oil • 3. Aloe vera gel • 4. petroleum jelly 306 Diseases and their treatment 110. VAGINAL INFECTION (vaginal infection)

Vaginal Yeast infection Vaginal infection means inflammation of vagina, itching or soreness, redness Pimples on private parts Vaginal infection means vagina Swelling, itching or soreness, redness In and around the vagina Proliferating bacteria, fungi, caused by parasites or viruses Maybe Introduction Bacteria -cause Bacterial vaginosis Fungi, Candida or "yeast" infection Monilial vaginitis Parasites (Trichomonas v. Ginalis) Herpes Simplex Virus (HSV) Human Papillomavirus (HPV) Poor hygiene use of public toilet History of UTI Monilial vaginitis causes 307 आंीते Facebook ible शुगर मटापा

कमज़ोर इम्युनिटी & टहोड अंशाल गारमस् मॉएस का असंतुलन Page Facebook Ove and White Discharge from vagina That looks like Tinner, White, Green or Yellow Fishy-Smelling Discharge Itchy / redness or Soreness in or around vagina inflammation of inner lining Of vagina Pain during sexual intercourse Painful urination Pain in lower abdomen or pelvis Burning in Vaginal area Pain in pelvic area Weakness & Fatigue Nausea and Vomiting SYMPTOMS Physical examination of vagina Sign and symptoms based diagnosis Patient medical history Sample of discharge or cells from vagina using a small, round cotton bud (swab) Examination of it under microscope or in laboratory to identify microorganism Also examination of blood or urine test DIAGNOSIS TREATMENT OPTIONS Use Vaginal hygiene wash preparation during vaginal infection It provide hygiene and reduce symptoms Homeopathy Medicine Allopathic Medicine • Antibiotic Drugs • Antifungal Drugs • Antiparasitic Drugs Herbal Medicine Unani Medicines 308 बीमारियाँ और उनका उपचार This medicine are available as tablet, gel, cream and suppository 1. Candid-CL Vaginal Suppository. : Insert 1 in vagina at night 2. Candid-CL Gel: Apply 2-3 times in a day 3. Clindamycin 300 Mg Tablet: Dose-150–300 mg QID oral

4. OfloxOZ Tablets: Dose: 1 tablet OD or BD 5. Levofloxacin 500mg Tablet: Dose: 1 tablet OD or BD 6. Betadine Pessaries: Insert 1 in vagina at night 7. Povidone-Iodine Ointment: Apply 1 or 2 times a day 8. Ceftriaxone Injection: Dose-1–2 g I.V. or I.M./day 9. Augmentin Injection: 0.25–1 g TDS (IV USE ONLY) 10. Clavam 625 Tablets: 1 Tablet BD or TID 11. Fluconazole 150 Mg: 1 Tablet Per Week 12. Itraconazole 200 Mg: 1 Capsule OD 7 Days 13. Clotrimazole (Candid-V6): Insert 1 In Night 14. Clotrimazole Candid V-Gel: Dose: Apply at night 15. Sertaconazole Vaginal Tab : Insert 1 in night (once) 16. Fenticonazole Vaginal Tab: Insert 1 in night (once) 17. Metronidazole 400 Mg Tab: Dose: 1 tablet OD or BD 18. Metronidazole Gel: Dose: Apply at night 19. Norflox-TZ : Dose: 1 Tablet OD or BD 20. Himalaya V-Gel: Apply 2-3 Times A Day 21. Himalaya Lukol Tablet: Dose: 1 Tablet OD or BD 22. Himalaya Lukol Syrup: DOSE: 5 ml 2-3 times 23. Charak Femiforte Tablets : Dose: 1 Tablet OD or BD 24. SBL-Bio Comb-13 : Dose: 2 Tablet OD or BD 25. Hamdard Majun Supari Pak: Dose: 5 to 10 gm with milk

MEDICINES OPTIONS 309 Diseases and their treatment
111. VARICOCELE ❑ Which veins in the scrotum? swelling occurs, the scrotum becomes a small one becomes big ❑ It is an increase of the size of veins within the loose bag of skin that holds the testicles (scrotum) **INTRODUCTION** ❑ Faulty valve vein **CAUSES** ❑ Testicular Pain ❑ Mass In The Scrotum ❑ Size Difference ❑ Male Infertility **SYMPTOMS** **DIAGNOSIS** ❑ Physical Examinations ❑ Ultrasound Scan ❑ Semen Test ❑ Blood Test **TREATMENT AND MEDICINE OPTIONS** • Support The Scrotum: • Testicle Supporter • SBL Tabacum 30 CH : 10-15 Drops In Water 3 Time • Dr. Reckeweg R42 Drops : 10- 15 Drops In Water 3 Time • Variclose : 1-2 Tablet Per Day • Pain killers to relieve pain • Paracetamol 500 (1 OD/BD) • Ibuprofen 400 (1 OD/BD) • Aceclofenac 100 (1 OD/BD) • Surgery Options:

• Varicocelelectomy • Laparoscopic Surgery 310 **112. VERTIGO (चकर आना)** ❑ Vertigo generally describe the sensation as “feeling dizzy”, it is a sensation of feeling off balance ❑ If you have these dizzy spells, you might feel like you are spinning or that the world around you is spinning ❑ It can happen when there is a problem with: The inner ear, Brain, Sensory nerve pathway. ❑ Vertigo is the feeling that you are moving when you are not Or it might feel like things around you are moving when they are not **INTRODUCTION 311 Loss of Balance** Vitreous Generally This feeling is called "coming back". In short, this balance If you feel it is getting worse When you come back, you feel like may be Are you roaming around? Is the world revolving around you? This can happen when any of the following Having problems: inner ear, brain, Sensory nerve pathways. Some symptoms of dizziness: ❑ Fainting-dizziness ❑ Decilliam (imbalance or feeling unstable) ❑ A nearby About unknown or unknown- felt headed ❑ Vitago (activity) felt when a real No activity occurs) 312 **Diseases and their treatment** **SYMPTOMS** ❑ Balance problems ❑ Light-headedness ❑ A sense of motion sickness ❑ Nausea and vomiting ❑ Ringing in the ear, called tinnitus ❑ A feeling of fullness in the ear ❑ Headaches ❑ Nystagmus, in which the eyes move uncontrollably, usually from side

to side CAUSES ? Meniere's disease ? Vestibular neuritis or labyrinthitis ? Head or neck injury ? Brain problems such as stroke or tumor ? Certain medications that cause ear damage ? Migraine headaches ? Benign paroxysmal positional vertigo (BPPV) – ? where certain head movements trigger vertigo ? Labyrinthitis – Inner ear infection ? Vestibular neuronitis: Inflammation of the vestibular nerve, which runs into the inner ear and sends messages to the brain that help to control balance ? reduce pressure ? Dehydration ? Vomiiitis, diarrhea, fever and Other health problems Dehydration due to ? Prolonged stress ? Vitamin B deficiency ? Vitamin D deficiency ? Iron deficiency in the body ? Physical weakness ? weakening of bones ? Unity in the body to be weak ? Hunger ? Fatigue ? Hypoglycemia (low रॉ शक्करा) ? Anxiety ? Betahistine : 4–8 mg Every 6 hour ? Cinnarizine: 15 mg, 20 mg, 25 mg ? Prochlorperazine: 5–25 mg oral/i.m ? Diphenhydramine: 25–50 mg oral ? Cyclizine: 50 mg oral ? Cinnarizine: 25–50 mg oral ? Promethazine: 25–50 mg oral, i.m. (1 mg/kg) ? Flunarizine: 10–20 mg OD, children 5 mg ODMEDICINE OPTIONS 313 बीमाँरयाँ और उनका उपचार ? Motion sickness medications may reduce the spinning sensation and help control nausea & vomiting ? Anti-nausea or Antihistamines medications might control nausea and vomiting during an episode of vertigo DIAGNOSIS ? Physical examination ? Based on symptoms ? In severe cases MRI ? CT SCAN ? Blood Sugar test ? Blood test ? Urine test ? Thyroid test TREATMENT OPTIONS 113. VIRAL FEVER (वायरल फीवर) A viral fever refers to any fever that results from a viral infection, such as the flu or dengue fever, Temperature starts reading 103°F (39°C) or higher need proper medical treatment INTRODUCTION ? It Cause by Virus infection • 1. Inhalation of air • 2. Ingestion of food • 3. Bites of animal or insect • 4. Bodily fluids with virus CAUSES ? Fever, Cough ? Fatigue ? Dizziness ? Weakness ? Chills ? Headache ? Muscle, body and joint pains ? Inflammation of the pharynx ? Painful tonsils ? Running nose ? Nasal congestion ? Chest congestion ? Sore throat ? Burning sensation in eyes ? Skin rashes ? Diarrhea ? Nausea & Vomiting SYMPTOMS 314 Viral fever indicates a viral infection in the body which usually It appears as a sudden increase in body temperature. weak immunity Due to weakness, it is very common in children and elderly people. suffering from viral fever People get chicken rash and body and headache pain.^a is experienced. ? Body temperature measurements ? Symptoms based ? Physical examination ? Blood test ? WBC count increase DIAGNOSIS ? Drink more fluids ? Herbal medicines ? Allopathic medicine ? Medicines for reduce fever ? Medicines for Runny nose ? Antiviral drugs ? Antibiotic ? Multivitamin tablet TREATMENT OPTIONS 315 Diseases and their treatment MEDICINES OPTIONS ? ANTIHISTAMINES & LEUCOTRINE ANTAGONIST • Cetirizine: 10 mg oral • Diphenhydramine 25–50 mg oral • Fexofenadine: 120–180 mg oral • Loratadine: 10 mg oral • Chlorpheniramine: 2–4 mg (0.1 mg/kg) oral, i.m. • Montelukast: 10 mg OD; children 2–5 yr 4 mg OD 316 बीमाँरयाँ और उनका उपचार ? ANTIBIOTICS FOR INFECTION • Azithromycin: 1

Tablet OD • Cefadroxil: 1 Tablet OD or BD • Taxim-O CV: 1 Tablet OD or BD • Ofloxacillin: 1 Tablet OD or BD • Ceftriaxone: Dose-1–2 G I.V. Or I.M./Day • Paracetamol: Take When Fever • Ibuprofen: Take When Fever • Omeprazole/Pantoprazole: 1 Tablet 30 Min Before Meal • Vitamin-C: 1 Tablet Per Day • Health OK: 1 Tablet Per Day • Dexona: 0.5 To 10 mg Per Day

☐ BRONCHODILATORS: • Asthalin Or Levolin • Deriphylline tablet (1 OD/BD) ☐ HERBAL KADHA INGREDIENTS • 2 cups of water • 1 inch of ginger • 4-5 cloves • 5-6 black pepper • 5-6 Tulsi leaves • ½ tsp honey • 2 inch cinnamon stick • Mulethi (Licorice) ☐ HERBAL REMEDY: • Sudarshan Ghanvati & Giloy Ghanvati (2 Tablet BD) • Himalaya Bresol 114. VIRAL

INFECTION (वायरल इन्फेक्शन) ☐ Viral Infection caused by the presence of virus in body

☐ Viral infections are any illness you get from a virus (a small germ that uses your cells to reproduce). ☐ Common viral illnesses include colds, the flu, COVID-19, norovirus (“stomach flu”), HPV (warts) and herpes simplex virus (cold sores). INTRODUCTION

317 ☐ Viral infection in the body Due to presence of virus Happens due to virus and Oyiö Depending on the health condition, different virus types From almost anyone to the skin also to the car's body tissue Can get infected.

☐ Viral infection cause ☐ By swallowing or breathing. ☐ By being bitten by an insect. ☐ Through sexual contact ☐ Viral effect³ mission usually These systems include: ☐ Nose, throat, upper airways^a, duct, gastrointestinal, reproductive system | ☐ Symptoms of viral fever:

☐ Sweating ☐ Body ache ☐ Feeling cold ☐ Muscle pain ☐ Fatigue and weakness ☐ Lack of appetite ☐ Dehydration ☐ Nausea ☐ Sign & Symptoms based ☐ Blood test ☐ RT-PCR test

☐ Sputum test ☐ Urine test ☐ Semen test ☐ Lachrymal fluid test ☐ Blood CRP test DIAGNOSIS

☐ Personal hygiene ☐ Vaccination (if available) ☐ Cover face using mask ☐ Use hand gloves if necessary ☐ Hand wash ☐ Sanitation ☐ Avoid hand shaking ☐ Maintain

cleanliness PREVENTION 318 बीमारियाँ और उनका उपचार ☐ Runny or stuffy nose ☐ Sore throat

☐ Cough ☐ Congestion ☐ Slight body aches ☐ Mild headache ☐ Sneezing ☐ Low-grade

fever SYMPTOMS ☐ There are many ways that you can become infected with a virus, including: Inhalation ☐ If someone with a viral infection sneezes or coughs near you, you can breathe in droplets containing the virus ☐ Examples of viral infections from inhalation include the flu or common cold CAUSES 319 बीमारियाँ और उनका उपचार TREATMENT AND

MEDICINE OPTIONS ☐ For most viral infections, treatments can only help with symptoms while you wait for your immune system to fight off the virus, Antibiotics do not work for viral infections ☐ There are antiviral medicines to treat some viral infections ☐ Vaccines can help

prevent you from getting many viral diseases ☐ Symptoms based treatment also we can provide ☐ If fever then we can control fever using paracetamol

☐ अधिकांश वायरल संक्रमणों के लिए, उपचार केवल लक्षणों में मदद कर सकता है As long as your immune system is able to fight

the virus. Antibiotics do not work for viral infections. Antiviral medications exist to treat some viral infections. Vaccines can help protect you from many viral diseases. We can also provide symptom based treatment. If there is fever then we control the fever by using paracetamol. can do If there are symptoms of cough then we can give cough and cold medicine. If the symptoms are body ache and headache then we use painkillers (analgics). can treat the patient using Kate ha §. Then based on the diagnosis and appropriate treatment depending on the type of virus antiviral medicine is given. Antiviral drugs are a class of drugs that are used specifically to Used to treat viral infections rather than bacterial ones. Most antivirals are used for specific viral infections. TREATMENT AND MEDICINE OPTIONS. If symptoms of cough then we can give medicines for cough and cold. If symptoms are body pain and headache then we can treat patient using pain relievers (analgesic). Then based on diagnosis proper antiviral medicine based on the type of virus. Antiviral drugs are a class of medication used specifically for treating viral infections rather than bacterial ones. Most antivirals are used for specific viral infections, while a broad-spectrum antiviral is effective against a wide range of viruses. COMBINATION THERAPY FROM TREATMENT OF VIRAL INFECTION. 1. Lamivudine 150 mg + Zidovudine 300 mg tab (1 tab BD); 2. Lamivudine 150 mg + Stavudine 30 mg or 40 mg tab (1BD) 3. Lamivudine 150 mg + Zidovudine 300 mg + Nevirapine 4. Lamivudine 150 mg + Stavudine 30 mg or 40 mg +Nevirapine 200 mg tab (1 tab BD) 5. Lamivudine 150 mg + Zidovudine 300 mg 2 tab and Efavirenz 600 mg 1 tab kit OTHER ANTIVIRAL MEDICINE. Acyclovir: 200 mg 5 times a day oral (15 mg/kg/day), 5–10 mg/ kg 8 hourly by slow i.v. infusion, 5% topical Cream 6 times/day. Valaciclovir: For genital herpes simplex 0.5-1.0 g BD 7-10 days. Zidovudine (Azidothymidine, AZT): Adults 300 mg BD. Nevirapine: 200 mg/day oral. Efavirenz: 600 mg OD on empty stomach. Lamivudine: For chronic hepatitis B—100 mg OD, For HIV infection—150 mg BD (with other antiretroviral drugs). Oseltamivir: therapeutic dose—75 mg BD. Indinavir: 800 mg TDS 320 बीमारियाँ और उनका उपचार 115.

VOMITING (उठ्ट होना) EMESIS. Emesis means the action or process of vomiting. Vomiting can have causes that aren't due to underlying disease. Examples include hangover, pregnancy, overeating or motion sickness, food poison. अतः This substance is forced to move through the body. process of taking out Vomiting is called. Usually felt immediately after meals It happens and mostly it is food poisoning, Due to overeating, indigestion, gastritis or heartburn Causes. INTRODUCTION. Foodborne illnesses. Food poisoning. Indigestion. Bacterial or viral infections. Viral gastroenteritis. Stomach bug. Motion sickness. Morning sickness. Acidity or gas trouble. Migraine headache. Pregnancy. Severe cough. Diarrhea. Cancer chemotherapy. Thyroid disorders CAUSES 321. Physical examination. Symptoms based. Blood Test. Urine test. Pregnancy Test. Ultrasound scan. DIAGNOSIS IN TREATMENT OF VOMITING FIRST CHOICE MEDICINES

ARE ANTIHISTAMINES, YE MEDICINES VOMITING CENTER KO BLOCK KARKE APNA KAAM KARTI HAI JISASE VOMITING STOP HOTI HAI 1.Promethazine- DOSE: 25–50 mg oral per day 2.Ondansetron-Dose: 4 to 8 mg every 8 hours 3.Granisetron-DOSE: 1 to 3 mg (10 –40 µg/kg) 4.Doxyamine-DOSE: 10-20 mg at bed time 5.Domperidone-DOSE: 10–40 mg TDS 6.Meclizine-25mg- DOSE: 25 to 50 mg per day 7.Dimenhydrinate-DOSE: 25–50 mg oral per day 8.Cinnarizine-DOSE: 25–50 mg oral per day 9.Metoclopramide-DOSE: 10 mg TDS 10.Prochlorperazine: DOSE: 5–25 mg oral/i.m./Day

MEDICINE OPTIONS 322 Diseases and their treatment ?Vertigo or spinning of body ?Excessive sweating ?Nausea ?Dizziness ?Faintness ?Dry mouth ?Diarrhea ?Fever ?Abdominal pain ?Rapid

pulse SYMPTOMS 323 Diseases and their treatment 116. VULVOVAGINITIS (vulvovaginitis)

?Vulva : area around the opening of the vagina, if it might be irritated, in which case it is called vulvovaginitis Vulvovaginitis in toddlers is the inflammation or swelling of their vulva & vaginal area Vulvovaginitis is also called pediatric vulvovaginitis INTRODUCTION

CAUSES 324 Around the opening of the vagina Øy, if it may cause irritation, So in this situation it Vulvovaginitis is called small vulvovaginitis in children Swelling of the vulva and vagina Inflammation is called vulvovaginitis. Also treat vulvovaginitis is called Poor Hygiene Tight-fitting clothes and underwear ?Yeast Vulvitis due to wet diapers ?Labial Fusion ?Harsh soaps and bubble baths ?Scented lotions ?Laundry detergents

?Fabric softeners ?Swimsuits & Sand ?Pinworms ?Vaginal Foreign Object ?Bladder Infection ?Sexual, Emotional, Physical abuse ?Skin rashes ?Itching, burning, or pain ?Redness, soreness, or swelling around the opening to the vagina ?Discharge (fluid) coming from the vagina, stains on their underpants ?Sometime discharge comes with blood ?Vaginal bleeding ?Pain or burning when peeing ?Redness of the skin between the labia majora SYMPTOMS DIAGNOSIS ?Physical exam ?Medical history ?Blood & Urine tests ?Pelvic Ultrasound ?pH test of vaginal fluid ?Skin biopsy TREATMENT & MEDICINE

OPTIONS ?Intimate Hygiene Wash ?Antiseptics Fluids ?Candid V-Gel-Apply 2-3 time ?Zocon-C Cream-Apply 2 time ?Candid-CI Gel Apply 2-3 time ?Metrogyl Gel Apply 2-3 time ?Clocip-B Cream ?Himalaya V-Gel- ?Charak Femiplex (2 tab BD) ?Himalaya Lukol (2 tab BD) ?Giloy Ghanvati (1-2 OD/BD) ?Fluka –150 (1 Tablet only) ?Clavam 625 (1 BD/TID) ?Zenflox OZ (1 OD/BD) ?Ceftriaxone Injection ?Augmentin Injection 325 बीमारियाँ और उनका उपचार

117. WEAKNESS & TIREDNESS (कमजोरी और थकान) ?In medical terms it is called Lethargy or laziness all over time ?A condition in which someone feels weakness, Low energy, fatigue and sluggishness INTRODUCTION ?You have Poor Immunity ?Recovery from any illness ?Nutritional deficiency ?Medicine Side effects ?Disease conditions ?Major depressive disorder ?Lack of sleep CAUSES ?Fatigue & Tiredness ?General Debility ?Weakness ?Lethargy & Laziness ?Recurrent Infections ?Decreased ability to think ?Decreased ability to work SYMPTOMS 326 ?Laziness and sleepiness ?Weak unit ?In

medical language it is called sleep all the time. Or is it called Aaliya? condition in which someone has weakness, Feeling low energy, tired and sleepy it happens

☐Medical history ☐Physical examination ☐Blood test☐Blood sugar test ☐CT Scan ☐MRI

DIAGNOSIS ☐Drink more water ☐Drink fresh fruit juices ☐Reduce stress level☐Take proper sleep ☐Multivitamins & SupplementsTREATMENT OPTIONS MEDICINE OPTIONS

1.ZincovitTablet: Dose: 1 Tablet Per Day 2.ZincovitSyrup: Dose: 5-10 ml Per Day 3.Nurokind Gold: Dose: 1 Capsule/Day 4.BecadexaminCapsule: 1 Capsule/Day 5.Supra Plus Tablet: Dose: 1 Tablet/day 6.Supradyn Daily: Dose: 1 Tablet Per Day 7.HealthokTablets : Dose: 1 Tablet/day 8.Cipla MaxirichDaily / Gold: Dose: 1 Tablet Per Day 9.Becozinc-G Capsule: Dose: 1 Capsule Per Day 10.SunPharma RevitalH: Dose: 1 Capsule/Tab Per Day

11.Superimmune Tablet: Dosage: 1 Tablet Per Day 12.Multi-3 Tablets: Dose: 1 Tablet Per Day

327Diseases and their treatment 118. WET COUGH ☐Wet cough almost always brings up mucus from the respiratory tract. ☐Wet cough is usually caused by common cold or flu.

☐Wet cough is called wet because there is mucus out of it. Or you feel mucus in your throat. wet in many cases Cough may also be accompanied by pus or blood. ☐Coughing is a common reflex action.hat clears our throat of mucus or foreign irritants ☐A cough that lasts for less than three weeks is an “acute cough” ☐A productive ('wet' or chesty) cough is when you have a cough that produces mucus or phlegm (flem) (sputum) ☐You may feel congested and have a 'rattly' or 'tight' chestINTRODUCTION ☐A runny or stuffy nose ☐A feeling of liquid running down the back of our throat (postnasal drip) ☐Frequent throat clearing ☐Sore throat ☐Hoarseness ☐Wheezing and shortness of breath ☐Heartburn or a sour taste in your mouth ☐In rare cases, coughing up blood symptoms 328☐Running or stuffy nose ☐In the back of the throat liquids^a ☐Frequent clearing of throat ☐Sore throat ☐Hoarseness, wheezing and shortness of breath ☐Eating in mouth ☐Bleeding with cough

329Diseases and their treatment ☐Smoking ☐Post nasal drip ☐Gerd or acid reflux ☐Asthma☐COPD or chronic bronchitis ☐Pneumonia or acute bronchitisCAUSES ☐Himalaya vasakasyrup-5ml 3 times a day☐Himalaya kofletsyrup -5ml 3 times a day ☐Cufrexsyrup-5ml 2-3 times aday ☐Ambroxolhydrochloride lozenges-1-2 Lozenges/day ☐Cofsilslozanges-1-2 Lozenges per day ☐Solvincough tablets-1 OR 2 Tablet/day ☐MontekLC tablet-1 tablet per day ☐Deryphyllintablet-1 or 2 tablet/day TREATMENT & MEDICINE OPTIONS

DIAGNOSIS ☐Chest X-ray ☐Blood test ☐Urine test☐Sputum analysis ☐Blood CRP test ☐CT scan 119. WORM INFECTION ☐Wump infection, this infection is called soil transmitted helminth. Yes, having worms in the stomach is called worm disease. ☐Worms live in the intestine and can harm your child.eat nutrition ☐This problem occurs mostly in children due to which they suffer from stomach ache, loss of appetite. Symptoms like loss of appetite and weight loss can be seen or felt. ☐Infection due to helminths and parasitic worms called worm infection or Helminth Disease ☐You may become infected with various

☐Medical history ☐Physical examination ☐Blood test☐Urine test☐Sputum analysis ☐Blood CRP test ☐CT scan 119. WORM INFECTION ☐Wump infection, this infection is called soil transmitted helminth. Yes, having worms in the stomach is called worm disease. ☐Worms live in the intestine and can harm your child.eat nutrition ☐This problem occurs mostly in children due to which they suffer from stomach ache, loss of appetite. Symptoms like loss of appetite and weight loss can be seen or felt. ☐Infection due to helminths and parasitic worms called worm infection or Helminth Disease ☐You may become infected with various

worms by following way 2 Contaminated food & water 2 Lack of personal hygiene, Worms can spread through small amounts of feces from people with an infection INTRODUCTION 330 diseases and their treatment 331 2 Abdominal pain 2 Diarrhea, 2 Nausea, or vomiting 2 Gas/bloating 2 Fatigue 2 Unexplained weight loss 2 Abdominal pain or tenderness SYMPTOMS TREATMENT OPTIONS 2 Worm infection mainly treated by using antihelmintics 2 To get rid of stomach worms These are some home remedies 2 Figs and olive oil 2 Garlic and jaggery 2 Papaya seeds 2 Neem leaves or celery CAUSES 2 Liver 2 Flukes 2 Pinworms 2 Hookworms diseases and their treatment 332 • Albendazole-400 mg as a single dose • Mebendazole: 100 mg BD for 3 days • Praziquantel: 10 mg/kg single dose in the morning • Ivermectin: 10–15 mg (0.15–0.2 mg/kg) • Pyrantel pamoate: 10 mg/kg daily for 3 days • Piperazine: For roundworm infestation 4 g once a day for 2 consecutive days; children 0.75 g/year of age (max. 4 g) • Levamisole: For roundworm 150 mg (adults), 100 mg (children 20–39 kg body weight), 50 mg (children 10–19 kg weight) single dose • Diethylcarbamazine citrate: For filariasis 2 mg/kg TDS for 12–21 days, for tropical eosinophilia 2–4 mg/kg TDS for 2–3 weeks • Niclosamide: 2.0 g taken in 2 doses 1 hour MEDICINE OPTIONS 120. EAR INFECTION 2 There are different senses in our body, one of which is the ear. 2 Having a problem in any of these senses can be very harmful for us.

Is. If you use the listening device while talking then it may cause ear infection. There may be a bacterial or viral infection that affects the middle part of the ear. Ear). 2 Swelling, irritation and pus caused by infection in this middle ear. Ear infection can be very painful. There can be many reasons for ear infection. § 2 बै३टीरयल और वायरल सं०मण, फंगस सं०मण

2 सामा॒य सद॑ या एल॒ज॑ INTRODUCTION 333 2 An ear infection, also called acute otitis media, is a sudden infection in your middle ear. The middle ear is the air-filled space between your eardrum and inner ear. It houses the delicate bones that transmit sound vibrations from your eardrum to your inner ear so you can hear बीमा॑रयां और उनका उपचार 334 2 When eustachian tubes are clogged (mostly in infants) 2 Allergies 2 Colds and sinus infections 2 Excess mucus and saliva produced during teething 2 Infected or overgrown adenoids (lymph tissue in the upper part of the throat) 2 Tobacco smoke 2 Changes in altitude or climate 2 Cold climate 2 Family history of ear infections 2 Not being breastfed 2 Recent ear infection 2 Recent illness of any type (because illness lowers the body's resistance to infection) 2 Birth defect, leading to deficiency in eustachian tube function CAUSES 2 Ear pain 2 Trouble hearing 2 Headache 2 Loss of appetite 2 Drainage of fluid from the ear 2 Drainage of fluid from the ear SYMPTOMS 2 By otoscope 2 Tympanometry 2 Acoustic reflectometry: 2 Hearing tests 2 Fluid Sample 2 Computed tomography (CT) scan: 2 Blood test DIAGNOSIS 2 Swelling having pain 2 Redness of outer ear 2 Feeling of outer ear 2 Severe pain TREATMENT OPTIONS 2 HOME TREATMENT • 2 apply a warm, moist cloth or

tissue pad to the affected ear for about 20 minutes. Application helps reduce pain and promote drainage. Can. Make sure to apply plenty of heat to avoid burning the skin. there should be no sadness •well yes Staying hydrated and getting enough rest is good for your body. Can support the natural healing process •At bedtime to encourage drainage of fluid from the ears Lift your head up. •Avoid exposure to irritants such as cigarette smoke and allergens May worsen symptoms or delay treatment. •Opening of the Eustachian tube by chewing gum or sucking a bone. May help stimulate the muscles that help the ear Promotes better drainage. •Some people believe that a few drops of garlic oil (in olive oil Made with garlic) can help in reducing pain and Probably it also has antibacterial properties. However, its sensitivity There is limited scientific evidence to support diseases and their treatment.

335 **ANTIBIOTICS FOR CURE BACTERIAL INFECTION** **AMOXICILLIN:-** In most adults, the dose is amoxicillin 875 mg. with clavulanate 125 mg orally twice daily **CLAVAM 625 : 1 Tablet BD/TID** **CEFDINIR: 300 mg OD/BD** **CEFTRIAXONE: Usual Pediatric Dose for Otitis Media, 50 mg/kg IM as a single dose, Maximum dose: 1 g/dose** **AZITHROMYCIN: 250 mg 1 BD, 500 mg 1 OD for 3 Days** **OFLOXACIN : 200–400 mg BD oral, 200 mg by slow i.v. infusion** **CEPHALEXIN: 0.25–1 g 6–8 hourly (children 25–100 mg/kg/day)** **CLARITHROMYCIN, 6 months or older: 7.5 mg/kg orally every 12 hours for 10 days, Maximum dose: 500 mg/dose** **SOME PAIN RELIVING MEDICINE ARE ALSO USED: -** **PARACETAMOL: 500 mg or 650 mg 1 tablet BD or TID** **BUPROFEN: 400 mg 1 OD or BD** **SINGLE OR COMBINATION EYEDROPS** **FOROTO EAR Drops 5ml (2-3 Drops 2-3 times a day)** **OflokemD Eye/Ear Drops 10 Ml(2-3 Drops 2-3 times a day)** **CiploxEye/Ear Drops 10ml (2-3 Drops 2-3 times a day)** **OtogesicBottle Of 10ml Ear Drops (2-3 Drops 2-3 times a day)**

Diseases and their treatment 336 **MEDICINE OPTIONS 121. CHRONIC KIDNEY DISEASE (chronic kidney disease)** **Chronic kidney disease (CKD) Which kidney disease means? that your kidneys work properly She is not doing it and is doing her own thing. Is starting to lose. औनिक chronic kidney disease (CKD) It keeps getting worse.** **High blood pressure and diabetes CKD of the** These are common causes. There is no cure for CKD. But you can last as long as possible till its functioning took steps to keep safe Can

§. **INTRODUCTION 337** **CKD means Chronic Kidney disease** **Kidney disease means kidneys are not working properly and loose their functions** **Kidney work as filter in our body like filtering out wastes, toxins and excess water from the blood.** **CKD can lead to kidney failure, which is also called end-stage kidney disease** •High B.P. and diabetes are most common causes of CKD •If the blood flow does not reach properly to the kidneys •If kidneys are not working properly •If an obstruction prevents urine outflow •Blockage in renal artery •Heavy metal poisoning •Fetal developmental problems •Malaria •Yellow fever •Kidney injury

CAUSES 338 बीमाहरयां और उनका उपचार 339 बीमाहरयां और उनका उपचार

Tiredness **Weakness** **Muscle cramps** **Low energy level** **Nausea or vomiting** **Loss of**

appetite ?Numbness ?Decreased urine output ?Anemia ?Sometimes bloody urine or dark urine ?Frequent urination specially at night ?Shortness of breath ?Trouble concentrating ?Trouble sleeping ?Itching ?Dry skin ?Swelling ?Puffy eyes ?High B.P. SYMPTOMS ?Physical examination ?Blood test ?Glomerular filtration rate (GFR) & Serum creatinine level ?Ultrasound

?X-RAY ?MRI & CT Scan

?Kidney biopsy DIAGNOSIS ?Take proper diet ?Need to be physically active ?If you have a diabetes than manage your blood sugar level ?Maintained your B.P. ?Avoid smoking ?Maintain a healthy weight ?Limit alcohol-containing beverages ?Don't use tobacco ?Take a good sleep ?Take atleast 8 hour sleep TREATMENT OPTION 340 बीमांरयां और उनका उपचार

1. Angiotensin-converting enzyme (ACE) inhibitor

?This medications Relaxed blood vessel and reduce blood pressure in patient with CKD examples are ?Captopril :25 mg BD, increase upto 50 mg TDS as needed ?Enalapril: 2.5 mg OD–20 mg BD ?Lisinopril: 5 mg OD–20 mg BD

2. Angiotensin receptor blocker (ARB)

?This are second options to reduce BP in CKD patients ?Irbesartan: 150–300 mg OD ?Valsartan: 80–160 mg OD ?Losartan: 50 mg OD (max. 50 mg BD ?Olmesartan: 20-40 mg OD ?Telmisartan: 20–80 mg OD

3. Diuretics for CKD

?Loop diuretics are more preferred to reduce BP in CKD patient with GFR Less than 30 mL/min/1.73m² ?Furosemide: Usually 20–80 mg once daily in the morning ?Bumetanide: 1–5 mg oral once daily in the morning ?Torsemide: 2.5–20 mg once daily in the morning

4. Erythropoietin: Weekly 1 Injection

5. Vitamin D: 1 sachet/granules per week MEDICINES

6. Piles (Piss or Hemorrhoids) ?Piss or piles a It is a terrible disease. ?There are two types of piles: ?Bloody piles, badi piles. ?When piles start? occurs when the anus and rectum What veins swell and swell? Goes. ?Hemorrhoids internal, external or There can be a combination of both Is. What are the 2 types of piles?

1.Bloody piles 2.Bad Piles INTRODUCTION 341 ?Hemorrhoids or PILES ?Haemorrhoids, also known as piles, are swellings containing enlarged blood vessels that are found inside or around the bottom(the rectum and anus). ?Hemorrhoids is a disease which is very painful. ?These swollen veins inside of your rectum or outside of your anus can cause pain,

anal itching and rectal bleeding • In this problem swelling of veins in the anus and lower rectum. • They can develop inside or outside the anus. • 1. Internal hemorrhoid • 2. external hemorrhoid

Main causes of piles

- Deep fried and fried foods
- Kajj
- What is the problem of gas?
- Digestive problems
- If anyone in your family What is the problem?

CAUSES 342

illness और उनका उपचार

- Chronic constipation
- Chronic diarrhea
- Lifting heavy weights
- Pregnancy
- Being obese
- Eating a low-fiber diet
- Straining when passing a stool

Bright red blood after or during passing the stool. • Itching around anus. • Feeling like you still need pass stool after going to the toilet. • Slimy mucus in your cloth or on toilet paper after wiping rectal area. • Pain around your Anus. • Burning around Anus

SYMPTOMS • मल त्याग के बाद चमकीला लाल रक्त, गुदा में खजली होना • ऐसा महसूस होना

even after leaving you the need to defecate Yes, to scrub your bottom in your underwear after mucus on toilet paper • Lumps around your anus, pain, sometimes burning

343 Diseases and their treatment

- Physical examination
- Blood test
- Sigmoidoscopy

DIAGNOSIS

- Treatment
- me oral tablet
- patient le saktahai
- sathme koi one laganewali
- Cream ya ointment use
- karsaktahai.

TREATMENT & MEDICINE OPTION

- Proanthocyanidin & vitamin C tablets: Dose: 1-2 Tablet OD/BD
- Haemorrhoidal Suppository : Dose: 1 to be insert at night or day
- Pileum cream Dose: apply 2-3 times in a day
- Pilorute cream: apply 2-3 times in a day
- Anovate: apply 2-3 times in a day
- Proctosedyl cd : apply 2-3 times in a day
- Himalaya Pilex forte tablet : Dose: 2 Tablet BD/OD
- Himalaya Pilex tablet: Dose: 2 Tablet BD/OD
- Himalaya Pilex forte cream: apply 2-3 times in a day
- Hadensa: apply 2-3 times in a day
- SBL FP ointment : apply 2-3 times in a day
- SNL FP Tablets : Dose: 1 Tablet BD/OD

123. PSORIASIS (सोरायसिस) • वचा रोग • promised that The state which is red, on the skin caused by spots which covered with white skin
- Usually your elbow, knees, scalp and back
 - Seen at the bottom
- INTRODUCTION
- Psoriasis is a disease related to the skin.
 - In This a red spot or scab-like form is formed on the skin.
 - The crust is itchy.
 - Psoriasis disease occurs due to the weakening of the body's immune system.
 - Problem with the immune system
 - Skin infections
 - Weather, especially cold, dry conditions
 - Severe sunburn
 - Stress
- CAUSES
- Itching & redness
 - Dryness
 - Crusting
 - Scaling
 - Inflammation
 - Discomfort
- SYMPTOMS
- Cape's psoriasis
 - Dry and cracked skin
 - Red-white spots
 - Burning, itching or pain
 - Feeling depressed
 - A thick layer forms on the skin
 - Itchy, dry scales
- 344
- Physical examination
 - Skin biopsy
 - Blood test
 - Urine test
- DIAGNOSIS 345
- Diseases and their treatment
- Various treatment options are available for PSORIASIS
 - Immunosuppressants
 - Corticosteroids
 - Light therapy
- TREATMENT
- Cyclosporine -Dose: 7-9 (mg/kg/day) per day every 6-8 hour
 - Hydrocortisone Acetate cream -Apply 2-3 times in a day

Triamcinolone ointment -Apply 2-3 times in a day
 Clobetasol propionate- Apply 2-3 times in a day
 Calcitriol ointment- Apply 2-3 times in a day
 Acitretin capsule – Dose 10 mg -1 capsule 2-3 time a day
 Tazarotene gel -Apply 2-3 times in a day
 Compound dithranol ointment -Apply 2-3 times in a day
 Allen A27 psoriasis drops - Dose: Take 10-15 drops in half-cup of water, 3 times a day before meals.
 Baidyanath mahamanjishthadyarist -DoSe: 5-10 ml 2-3 times a day (5 to 10 ml 3 times a day)

124. CHICKENPOX (Smallpox, Shitala, Badi Mata)
- Smallpox, Shitala, Badi Mata, A chickenpox virus Virus is a disease
- Most people by the name of 'Mata' Know that a very fast spreading Is a viral infection
- INTRODUCTION 346
- Chickenpox is a highly contagious disease caused by the varicella-zoster virus (VZV).
- How is chickenpox spread?
 - Contact with someone who has chickenpox.
 - Breathing air from an infected person
 - Contact with fluids from an infected child's eyes, nose or mouth
- “Varicella-Zoster Virus”
- More chances if Person have Low immunity.
- Chickenpox is transmitted from person to person by directly touching the blisters, saliva or mucus of an infected person.
- CAUSES
- Fever 102 or high
 - Feeling tired
 - Headache
 - Stomachache
 - Red blisters
 - blisters become cloudy and then look like scab
 - Skin rash
 - Itching like eczema
 - Cough
 - Fatigue
 - Loss of appetite
 - Red spot
 - Hard crust
- SYMPTOMS 347
- बीमाहरयां और उनका उपचार
- Physical examination
- Blood test to check VZV
- Sign & Symptoms based
- Zoster Virus kit
- DIAGNOSIS 348
- Diseases and their treatment
- Don't itch
 - Drink more water.
 - Consume more curd
 - Ginger, garlic, honey and turmeric consume it
 - Do not eat spicy, oily and salty food. Do not eat substances
- Home Remedies
- Cool Bath
 - Calamine lotion
 - Paracetamol for fever
 - Antihistamines for itching and rashes
 - Antiviral drugs
- PREVENTION TREATMENT OPTION
- Calamine lotion -apply on affected area 2-3 times a day
 - Paracetamol if fever
 - Antihistamines for itching and rashes
 - Fexofenadine: 120–180 mg oral per day
 - Cetirizine: 10 mg oral per day
 - Diphenhydramine: 25–50 mg oral per day
 - Loratadine: 10 mg oral per day
 - If condition become severe then expert can use
 - Acyclovir: 200 mg 5 times a day oral (15 mg/kg/day)
 - Valacyclovir: 0.5-1.0 g BD ×10 days
 - Famciclovir: 250 mg TDS ×5 days
- MEDICINES 125.
- VITILIGO (white spots, vitiligo)
- This white spot on the skin is called I call it vitiligo. This is of the skin is a disease due to which the body of a person suffering from different parts of white Stains occur.
- Initially white spots appear in the patient. face, lips, hands, feet and elbows Small white spots etc. Thrive in summer.
- After that, gradually these small spots together into one big Take a swab of the stain.
- INTRODUCTION 349
- Vitiligo is a chronic (long- lasting) autoimmune disorder
- Vitiligo is a condition where pale white patches develop on

the skin. This happens when melanocytes (skin cells that make pigment) are attacked and destroyed, causing the skin to turn a milky-white colour. Lack of a melanin pigment Ultraviolet radiation Stress CAUSES Skin patches Patches of hair on your body turn silver, gray or white. Itching on patches Social Anxiety (chintahona) SYMPTOMS Physical examination Skin biopsy Chemical leukoderma Tinea versicolor Check melanin level Pityriasis alba Surgery Depigmentation therapy Light therapy DIAGNOSIS 350 diseases and their treatment TREATMENT OPTION Pityriasis alba Vitiligo (white spots) is a common disease. This occurs when certain pigment cells in the skin die or stop working. The cause of vitiligo is not yet known. Has been able to walk. Research has shown that causes may include: Extravasation, genetics, oxidative stress, neurological stress, Viral stress Some home remedies for vitiligo are: Mix henna in mustard oil and apply it on the spots. Applying aloe vera gel, drinking aloe vera juice Bathua's hot food Herbal and homeopathic cream options SBL Ami visnaga cream 351 Diseases and their treatment TREATMENT OPTION Medications: No drug can stop the process of vitiligo —the loss of pigment cells (melanocytes). But some drugs, used alone, in combination or with light therapy, can help restore some color. Corticosteroids: Applying a corticosteroid cream to affected skin might return color. This is most effective when vitiligo is still in its early stages. (Betnovate cream) Calcineurin inhibitors: These include pimecrolimus cream and tacrolimus ointment. They are often used on the eyelids, face, neck, armpits, or groin, as these areas may be more prone to side effects from topical corticosteroids. Light therapy: Phototherapy with narrow band ultraviolet B (UVB) has been shown to stop or slow the progression of active vitiligo. It might be more effective when used with corticosteroids or calcineurin inhibitors. Skin grafting: If light therapy or laser treatments don't work, a dermatologist may recommend treating vitiligo with skin grafting. Cell transplant: This is another option if other treatments don't work. Cosmetic cover-ups: Some people choose not to treat their vitiligo and instead use cosmetic cover-ups Apply 2-3 times a day Apply 2-3 times a day BOOK REFERENCES & CREDITS WE ARE THANKFUL TO FOLLOWING ORGANIZATIONS, WEBSITES & INDIVIDUALS TO COMPLETE OUR BOOK DISEASE &